

Beate Wild

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3486900/publications.pdf>

Version: 2024-02-01

71
papers

1,798
citations

304743

22
h-index

302126

39
g-index

84
all docs

84
docs citations

84
times ranked

2723
citing authors

#	ARTICLE	IF	CITATIONS
1	Loneliness as a gender-specific predictor of physical and mental health-related quality of life in older adults. <i>Quality of Life Research</i> , 2022, 31, 2023-2033.	3.1	12
2	The cardiac autonomic response to acute psychological stress in type 2 diabetes. <i>PLoS ONE</i> , 2022, 17, e0265234.	2.5	0
3	Focal psychodynamic therapy, cognitive behaviour therapy, and optimised treatment as usual in female outpatients with anorexia nervosa (ANTOP study): 5-year follow-up of a randomised controlled trial in Germany. <i>Lancet Psychiatry</i> , 2022, 9, 280-290.	7.4	8
4	Unmet Needs of Parents of Children with Urea Cycle Disorders. <i>Children</i> , 2022, 9, 712.	1.5	4
5	In-Session-Reflective-Functioning in Anorexia Nervosa: An Analysis of Psychotherapeutic Sessions of the ANTOP Study. <i>Frontiers in Psychiatry</i> , 2022, 13, .	2.6	4
6	Time course and reaction types of serum IGF-1 and its relationship to BMI and leptin regarding inpatients with anorexia nervosa. <i>Growth Hormone and IGF Research</i> , 2022, 64, 101470.	1.1	1
7	Development and validation of a web-based patient decision aid for immunotherapy for patients with metastatic melanoma: study protocol for a multicenter randomized trial. <i>Trials</i> , 2021, 22, 294.	1.6	1
8	Specialized post-inpatient psychotherapy for sustained recovery in anorexia nervosa via videoconference – study protocol of the randomized controlled SUSTAIN trial. <i>Journal of Eating Disorders</i> , 2021, 9, 61.	2.7	10
9	BMI Course Over 10 Years After Bariatric Surgery and Biopsychosocial Complexity Assessed with the INTERMED: a Retrospective Study. <i>Obesity Surgery</i> , 2021, 31, 3996-4004.	2.1	1
10	Associations of Childhood Neglect With the ACTH and Plasma Cortisol Stress Response in Patients With Type 2 Diabetes. <i>Frontiers in Psychiatry</i> , 2021, 12, 679693.	2.6	6
11	Pain and psyche in a patient with irritable bowel syndrome: chicken or egg? A time series case report. <i>BMC Gastroenterology</i> , 2021, 21, 309.	2.0	1
12	Efficacy of post-inpatient aftercare treatments for anorexia nervosa: a systematic review of randomized controlled trials. <i>Journal of Eating Disorders</i> , 2021, 9, 129.	2.7	9
13	Evaluating the structural reform of outpatient psychotherapy in Germany (ES-RiP trial) - a qualitative study of provider perspectives. <i>BMC Health Services Research</i> , 2021, 21, 1204.	2.2	5
14	Gender-specific predictors of generalized anxiety disorder symptoms in older adults: Results of a large population-based study. <i>Journal of Affective Disorders</i> , 2020, 262, 174-181.	4.1	27
15	Coping resources of heart failure patients – a comparison with cancer patients and individuals having no chronic condition results from the esther study. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2020, 49, 829-835.	1.6	3
16	Acupuncture in persons with an increased stress level – Results from a randomized-controlled pilot trial. <i>PLoS ONE</i> , 2020, 15, e0236004.	2.5	3
17	Subjective mental health, incidence of depressive symptoms in later life, and the role of epigenetics: results from two longitudinal cohort studies. <i>Translational Psychiatry</i> , 2020, 10, 323.	4.8	5
18	Childhood exposure to hunger: associations with health outcomes in later life and epigenetic markers. <i>Epigenomics</i> , 2020, 12, 1861-1870.	2.1	4

#	ARTICLE	IF	CITATIONS
19	Cross-lagged analyses of the bidirectional relationship between depression and markers of chronic heart failure. <i>Depression and Anxiety</i> , 2020, 37, 898-907.	4.1	8
20	The importance of body image disturbances for the outcome of outpatient psychotherapy in patients with anorexia nervosa: Results of the ANTOP-study. <i>European Eating Disorders Review</i> , 2019, 27, 49-58.	4.1	33
21	Longitudinal association between panic disorder and health care costs in older adults. <i>Depression and Anxiety</i> , 2019, 36, 1135-1142.	4.1	1
22	Sudden Gains in Cognitive Behavioural Therapy and Focal Psychodynamic Therapy for Anorexia Nervosa: Findings from the ANTOP Study. <i>Psychotherapy and Psychosomatics</i> , 2019, 88, 241-243.	8.8	5
23	Sample size in clinical trials on anorexia nervosa: a rejoinder to Jenkins. <i>Psychological Medicine</i> , 2019, 49, 1581-1582.	4.5	3
24	Caring for the elderly: A person-centered segmentation approach for exploring the association between health care needs, mental health care use, and costs in Germany. <i>PLoS ONE</i> , 2019, 14, e0226510.	2.5	9
25	How to Deal With Temporal Relationships Between Biopsychosocial Variables: A Practical Guide to Time Series Analysis. <i>Psychosomatic Medicine</i> , 2019, 81, 289-304.	2.0	6
26	Evidence for underuse and overuse of antidepressants in older adults: Results of a large population-based study. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 539-547.	2.7	28
27	A short intervention targeting psychosomatic care in older adults with complex health care needs—results of a randomized controlled trial. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 272-279.	2.7	5
28	Impact of Depression and Psychosocial Treatment on Heart Rate Variability in Patients with Type 2 Diabetes Mellitus: An Exploratory Analysis Based on the HEIDIS Trial. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2019, 127, 367-376.	1.2	8
29	Prä- und postoperative Interventionen. , 2019, , 221-228.		0
30	Psychoedukation und Psychotherapie nach Adipositaschirurgie. , 2019, , 257-265.		0
31	Depression profile in cancer patients and patients without a chronic somatic disease. <i>Psycho-Oncology</i> , 2018, 27, 83-90.	2.3	26
32	Emotional Expression Predicts Treatment Outcome in Focal Psychodynamic and Cognitive Behavioural Therapy for Anorexia Nervosa: Findings from the ANTOP Study. <i>Psychotherapy and Psychosomatics</i> , 2017, 86, 108-110.	8.8	15
33	Sustained effects of a psychoeducational group intervention following bariatric surgery: follow-up of the randomized controlled BaSE study. <i>Surgery for Obesity and Related Diseases</i> , 2017, 13, 1612-1618.	1.2	27
34	Excess costs from functional somatic syndromes in Germany — An analysis using entropy balancing. <i>Journal of Psychosomatic Research</i> , 2017, 97, 52-57.	2.6	6
35	Self-perceived coping resources of middle-aged and older adults — results of a large population-based study. <i>Aging and Mental Health</i> , 2017, 21, 1303-1309.	2.8	10
36	Time course of adiponectin and its relationship to psychological aspects in patients with anorexia nervosa during inpatient treatment. <i>PLoS ONE</i> , 2017, 12, e0189500.	2.5	9

#	ARTICLE	IF	CITATIONS
37	The Intersession Process in Psychotherapy for Anorexia Nervosa: Characteristics and Relation to Outcome. <i>Journal of Clinical Psychology</i> , 2016, 72, 861-879.	1.9	13
38	Cost-utility of a specific collaborative group intervention for patients with functional somatic syndromes. <i>Journal of Psychosomatic Research</i> , 2016, 90, 43-50.	2.6	7
39	Association of hypertension with depression and generalized anxiety symptoms in a large population-based sample of older adults. <i>Journal of Hypertension</i> , 2016, 34, 1711-1720.	0.5	68
40	Control preferences in treatment decisions among older adults – Results of a large population-based study. <i>Journal of Psychosomatic Research</i> , 2016, 86, 28-33.	2.6	20
41	The relationship of body image with symptoms of depression and anxiety in patients with anorexia nervosa during outpatient psychotherapy: Results of the ANTOP study.. <i>Psychotherapy</i> , 2016, 53, 141-151.	1.2	41
42	Predictors of outcomes in outpatients with anorexia nervosa – Results from the ANTOP study. <i>Psychiatry Research</i> , 2016, 244, 45-50.	3.3	55
43	Longitudinal evaluation of medication underuse in older outpatients and its association with quality of life. <i>European Journal of Clinical Pharmacology</i> , 2016, 72, 877-885.	1.9	19
44	Temporal relationships between awakening cortisol and psychosocial variables in inpatients with anorexia nervosa – A time series approach. <i>International Journal of Psychophysiology</i> , 2016, 102, 25-32.	1.0	10
45	Brain effects of computer-assisted cognitive remediation therapy in anorexia nervosa: A pilot fMRI study. <i>Psychiatry Research - Neuroimaging</i> , 2016, 249, 52-56.	1.8	11
46	Emotional Intolerance and Core Features of Anorexia Nervosa: A Dynamic Interaction during Inpatient Treatment? Results from a Longitudinal Diary Study. <i>PLoS ONE</i> , 2016, 11, e0154701.	2.5	9
47	Time Course of Leptin in Patients with Anorexia Nervosa during Inpatient Treatment: Longitudinal Relationships to BMI and Psychological Factors. <i>PLoS ONE</i> , 2016, 11, e0166843.	2.5	18
48	Loneliness in the elderly is associated with the use of psychotropic drugs. <i>International Journal of Geriatric Psychiatry</i> , 2015, 30, 957-964.	2.7	24
49	Predictive validity of a frailty measure (GFI) and a case complexity measure (IM-E-SA) on healthcare costs in an elderly population. <i>Journal of Psychosomatic Research</i> , 2015, 79, 404-411.	2.6	34
50	Translation and Validation of the German Version of the Weight Self-Stigma Questionnaire (WSSQ). <i>Obesity Surgery</i> , 2015, 25, 750-753.	2.1	25
51	A 1-year videoconferencing-based psychoeducational group intervention following bariatric surgery: results of a randomized controlled study. <i>Surgery for Obesity and Related Diseases</i> , 2015, 11, 1349-1360.	1.2	57
52	A patient-centered perspective of treating depressive symptoms in chronic heart failure: What do patients prefer?. <i>Patient Education and Counseling</i> , 2015, 98, 783-787.	2.2	14
53	Significance and Costs of Complex Biopsychosocial Health Care Needs in Elderly People. <i>Psychosomatic Medicine</i> , 2014, 76, 497-502.	2.0	31
54	An N-of-1 Trial as an Individualized Withdrawal Treatment Approach to Psychological Methylphenidate Dependence. <i>Psychotherapy and Psychosomatics</i> , 2014, 83, 379-381.	8.8	1

#	ARTICLE	IF	CITATIONS
55	Trajectories of the cortisol awakening responses during weight gain in anorexia nervosa patients with severe and less severe symptoms. <i>International Journal of Psychophysiology</i> , 2014, 94, 272-277.	1.0	11
56	Assessing Generalized Anxiety Disorder in Elderly People Using the GAD-7 and GAD-2 Scales: Results of a Validation Study. <i>American Journal of Geriatric Psychiatry</i> , 2014, 22, 1029-1038.	1.2	207
57	Focal psychodynamic therapy, cognitive behaviour therapy, and optimised treatment as usual in outpatients with anorexia nervosa (ANTOP study): randomised controlled trial. <i>Lancet, The</i> , 2014, 383, 127-137.	13.7	363
58	Association of costs with somatic symptom severity in patients with medically unexplained symptoms. <i>Journal of Psychosomatic Research</i> , 2013, 75, 370-375.	2.6	68
59	Association between the prevalence of depression and age in a large representative German sample of people aged 53 to 80 years. <i>International Journal of Geriatric Psychiatry</i> , 2012, 27, 375-381.	2.7	34
60	Temporal Relationships of Emotional Avoidance in a Patient with Anorexia Nervosa – A Time Series Analysis. <i>International Journal of Psychiatry in Medicine</i> , 2012, 44, 53-62.	1.8	4
61	Who is the man in the mirror? Depersonalization disorder after obesity surgery. <i>Surgery for Obesity and Related Diseases</i> , 2012, 8, e43-e45.	1.2	4
62	Gender specific temporal and cross-sectional associations between BMI-class and symptoms of depression in the elderly. <i>Journal of Psychosomatic Research</i> , 2012, 72, 376-382.	2.6	29
63	Temporal Predictors of Health-Related Quality of Life in Elderly People with Diabetes: Results of a German Cohort Study. <i>PLoS ONE</i> , 2012, 7, e31088.	2.5	42
64	Reliable integrative assessment of health care needs in elderly persons: The INTERMED for the Elderly (IM-E). <i>Journal of Psychosomatic Research</i> , 2011, 70, 169-178.	2.6	42
65	Development of a Group Therapy to Enhance Treatment Motivation and Decision Making in Severely Obese Patients with a Comorbid Mental Disorder. <i>Obesity Surgery</i> , 2011, 21, 588-594.	2.1	10
66	A graphical vector autoregressive modelling approach to the analysis of electronic diary data. <i>BMC Medical Research Methodology</i> , 2010, 10, 28.	3.1	80
67	The ANTOP study: focal psychodynamic psychotherapy, cognitive-behavioural therapy, and treatment-as-usual in outpatients with anorexia nervosa - a randomized controlled trial. <i>Trials</i> , 2009, 10, 23.	1.6	53
68	Dynamic Analysis of Electronic Diary Data of Obese Patients with and without Binge Eating Disorder. <i>Psychotherapy and Psychosomatics</i> , 2007, 76, 250-252.	8.8	16
69	Treatment Outcome in People with Subthreshold Compared with Full-Syndrome Binge Eating Disorder. <i>Obesity</i> , 2007, 15, 283-287.	3.0	23
70	A course of treatment of binge eating disorder: a time series approach. <i>European Eating Disorders Review</i> , 2006, 14, 79-87.	4.1	7
71	Temporal Relationships Between Abdominal Pain, Psychological Distress and Coping in Patients With IBS – A Time Series Approach. <i>Frontiers in Psychiatry</i> , 0, 13, .	2.6	0