Tae-Hoon Kim

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3488541/publications.pdf

Version: 2024-02-01

227 papers 4,540 citations

36 h-index 190340 53 g-index

230 all docs

230 docs citations

times ranked

230

4871 citing authors

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Mid-term outcomes of hybrid debranching endovascular aortic arch repair in landing zones 0–2. Vascular, 2023, 31, 447-454. | 0.4 | 3 |
| 2 | Association of proteinuria and hypertension with incident atrial fibrillation in an elderly population: nationwide data from a community-based elderly cohort. Journal of Hypertension, 2022, 40, 128-135. | 0.3 | 3 |
| 3 | Association of rhythm control with incident dementia among patients with atrial fibrillation: a nationwide population-based cohort study. Age and Ageing, 2022, 51, . | 0.7 | 18 |
| 4 | In silico screening method for non-responders to cardiac resynchronization therapy in patients with heart failure: a pilot study. International Journal of Arrhythmia, 2022, 23, . | 0.3 | 0 |
| 5 | Artificial intelligence predicts clinically relevant atrial high-rate episodes in patients with cardiac implantable electronic devices. Scientific Reports, 2022, 12, 37. | 1.6 | 4 |
| 6 | Genome-wide association study-based prediction of atrial fibrillation using artificial intelligence. Open Heart, 2022, 9, e001898. | 0.9 | 14 |
| 7 | Tailored Treatment Modality in Acute Type A Intramural Hematoma. Journal of Thoracic and Cardiovascular Surgery, 2022, , . | 0.4 | 1 |
| 8 | Risks and Benefits of Early Rhythm Control in Patients With Acute Strokes and Atrial Fibrillation: A Multicenter, Prospective, Randomized Study (the RAFAS Trial). Journal of the American Heart Association, 2022, 11, e023391. | 1.6 | 13 |
| 9 | Effectiveness and Safety of Anticoagulation Therapy in Frail Patients With Atrial Fibrillation. Stroke, 2022, 53, 1873-1882. | 1.0 | 18 |
| 10 | Impact of Physical Activity on All-Cause Mortality According to Specific Cardiovascular Disease. Frontiers in Cardiovascular Medicine, 2022, 9, 811058. | 1.1 | 7 |
| 11 | Stroke and Systemic Thromboembolism according to CHA ₂ DS ₂ -VASc Score in Contemporary Korean Patients with Atrial Fibrillation. Yonsei Medical Journal, 2022, 63, 317. | 0.9 | 2 |
| 12 | Electrical Posterior Box Isolation in Repeat Ablation for Atrial Fibrillation. JACC: Clinical Electrophysiology, 2022, 8, 582-592. | 1.3 | 15 |
| 13 | Machine Learning-Predicted Progression to Permanent Atrial Fibrillation After Catheter Ablation. Frontiers in Cardiovascular Medicine, 2022, 9, 813914. | 1.1 | 2 |
| 14 | Impact of the COVID-19 Pandemic and Public Restrictions on Outcomes After Catheter Ablation of Atrial Fibrillation. Frontiers in Cardiovascular Medicine, 2022, 9, 836288. | 1.1 | 0 |
| 15 | Prognostic Cardiac Magnetic Resonance Markers of Left Ventricular Involvement in Arrhythmogenic Cardiomyopathy for Predicting Heart Failure Outcomes. Journal of the American Heart Association, 2022, 11, e023167. | 1.6 | 12 |
| 16 | Diabetes Mellitus Is an Independent Risk Factor for a Stiff Left Atrial Physiology After Catheter Ablation for Atrial Fibrillation. Frontiers in Cardiovascular Medicine, 2022, 9, 828478. | 1.1 | 1 |
| 17 | Restitution Slope Affects the Outcome of Dominant Frequency Ablation in Persistent Atrial Fibrillation: CUVIA-AF2 Post-Hoc Analysis Based on Computational Modeling Study. Frontiers in Cardiovascular Medicine, 2022, 9, 838646. | 1.1 | 2 |
| 18 | Clinical Implications of Heart Rate Control in Heart Failure With Atrial Fibrillation: Multi-Center Prospective Observation Registry (CODE-AF Registry). Frontiers in Cardiovascular Medicine, 2022, 9, 787869. | 1.1 | 1 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Anti-atrial Fibrillation Effects of Pulmonary Vein Isolation With or Without Ablation Gaps: A Computational Modeling Study. Frontiers in Physiology, 2022, 13, 846620. | 1.3 | 2 |
| 20 | Association of Physical Activity With Primary Cardiac Arrest Risk in the General Population: A Nationwide Cohort Study of the Dose-Response Relationship. Mayo Clinic Proceedings, 2022, 97, 716-729. | 1.4 | 2 |
| 21 | Quantification of visceral perfusion and impact of femoral cannulation: <i>in vitro</i> model of aortic dissection. European Journal of Cardio-thoracic Surgery, 2022, 62, . | 0.6 | 5 |
| 22 | Sex difference in atrial fibrillation recurrence after catheter ablation and antiarrhythmic drugs. Heart, 2022, , heartjnl-2021-320601. | 1.2 | 9 |
| 23 | Age and Outcomes of Early Rhythm Control in Patients With Atrial Fibrillation. JACC: Clinical Electrophysiology, 2022, 8, 619-632. | 1.3 | 15 |
| 24 | Association between exercise habit changes and mortality following a cardiovascular event. Heart, 2022, 108, 1945-1951. | 1.2 | 11 |
| 25 | Atrial fibrillation and the risk of ischaemic strokes or intracranial haemorrhages: comparisons of the catheter ablation, medical therapy, and non-atrial fibrillation population. Europace, 2021, 23, 529-538. | 0.7 | 14 |
| 26 | Association of anticoagulant therapy with risk of dementia among patients with atrial fibrillation. Europace, 2021, 23, 184-195. | 0.7 | 34 |
| 27 | Effect of alcohol consumption on the risk of adverse events in atrial fibrillation: from the COmparison study of Drugs for symptom control and complication prEvention of Atrial Fibrillation (CODE-AF) registry. Europace, 2021, 23, 548-556. | 0.7 | 14 |
| 28 | Comparative occurrence of ischemic stroke with the rhythm versus rate control strategy in a national prospective cohort of atrial fibrillation. Korean Journal of Internal Medicine, 2021, 36, 114-123. | 0.7 | 1 |
| 29 | Clinical Implication of Hypoxic Liver Injury for Predicting Hypoxic Hepatitis and In-Hospital Mortality in ST Elevation Myocardial Infarction Patients. Yonsei Medical Journal, 2021, 62, 877. | 0.9 | 2 |
| 30 | Sex differences in mapping and rhythm outcomes of a repeat atrial fibrillation ablation. Heart, 2021, 107, 1862-1867. | 1.2 | 11 |
| 31 | Changes in Cardiovascular Health Status and Risk of Sudden Cardiac Death in Older Adults. Yonsei Medical Journal, 2021, 62, 298. | 0.9 | 3 |
| 32 | Long-term prognosis of short QT interval in Korean patients: a multicenter retrospective cohort study. BMC Cardiovascular Disorders, 2021, 21, 17. | 0.7 | 2 |
| 33 | Reduction of mortality by catheter ablation in real-world atrial fibrillation patients with heart failure. Scientific Reports, 2021, 11, 4694. | 1.6 | 11 |
| 34 | Effectiveness and safety of single transseptal ablation for atrial fibrillation in realâ€word practice. Clinical Cardiology, 2021, 44, 547-554. | 0.7 | 2 |
| 35 | Stroke and systemic embolism in patients with atrial fibrillation and heart failure according to heart failure type. ESC Heart Failure, 2021, 8, 1582-1589. | 1.4 | 17 |
| 36 | Risk for osteoporotic fractures in patients with atrial fibrillation using different oral anticoagulants. International Journal of Arrhythmia, 2021, 22, . | 0.3 | 0 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Atrial Wall Thickness and Risk of Hemopericardium in Elderly Women After Catheter Ablation for Atrial Fibrillation. Circulation: Arrhythmia and Electrophysiology, 2021, 14, e009368. | 2.1 | 8 |
| 38 | Association of cardiovascular health and incident atrial fibrillation in elderly population. Heart, 2021, 107, 1206-1212. | 1.2 | 8 |
| 39 | Treatment timing and the effects of rhythm control strategy in patients with atrial fibrillation: nationwide cohort study. BMJ, The, 2021, 373, n991. | 3.0 | 64 |
| 40 | Computational Modeling for Antiarrhythmic Drugs for Atrial Fibrillation According to Genotype. Frontiers in Physiology, 2021, 12, 650449. | 1.3 | 4 |
| 41 | Ethnic similarities in genetic polymorphisms associated with atrial fibrillation: Far East Asian vs European populations. European Journal of Clinical Investigation, 2021, 51, e13584. | 1.7 | 2 |
| 42 | Associations of hypertension burden on subsequent dementia: a population-based cohort study. Scientific Reports, 2021, 11, 12291. | 1.6 | 12 |
| 43 | Changes in Cardiovascular Risk Factors and Cardiovascular Events in the Elderly Population. Journal of the American Heart Association, 2021, 10, e019482. | 1.6 | 15 |
| 44 | Left Atrial Wall Stress and the Long-Term Outcome of Catheter Ablation of Atrial Fibrillation: An Artificial Intelligence-Based Prediction of Atrial Wall Stress. Frontiers in Physiology, 2021, 12, 686507. | 1.3 | 12 |
| 45 | Subclinical cardiac perforation by cardiac implantable electronic device leads detected by cardiac computed tomography. BMC Cardiovascular Disorders, 2021, 21, 346. | 0.7 | 5 |
| 46 | Frailty and the Effect of Catheter Ablation in the Elderly Population With Atrial Fibrillation ― A Real-World Analysis ―. Circulation Journal, 2021, 85, 1305-1313. | 0.7 | 13 |
| 47 | Note the descending aorta: predictors of postoperative major adverse aortic event in pure acute type A intramural hematoma. Journal of Thoracic Disease, 2021, 13, 4935-4946. | 0.6 | 3 |
| 48 | Risk of sick sinus syndrome in patients diagnosed with atrial fibrillation: A populationâ€based cohort. Journal of Cardiovascular Electrophysiology, 2021, 32, 2704-2714. | 0.8 | 9 |
| 49 | One-Year Change in the H2FPEF Score After Catheter Ablation of Atrial Fibrillation in Patients With a Normal Left Ventricular Systolic Function. Frontiers in Cardiovascular Medicine, 2021, 8, 699364. | 1.1 | 4 |
| 50 | Spatial Changes in the Atrial Fibrillation Wave-Dynamics After Using Antiarrhythmic Drugs: A Computational Modeling Study. Frontiers in Physiology, 2021, 12, 733543. | 1.3 | 2 |
| 51 | Risk Factors for Stiff Left Atrial Physiology 1 Year After Catheter Ablation of Atrial Fibrillation. Frontiers in Physiology, 2021, 12, 740600. | 1.3 | 4 |
| 52 | Increased risk of ischemic stroke and systemic embolism in hyperthyroidism-related atrial fibrillation: A nationwide cohort study. American Heart Journal, 2021, 242, 123-131. | 1.2 | 7 |
| 53 | Safety and long-term outcomes of catheter ablation according to sex in patients with atrial fibrillation: A nationwide cohort study. International Journal of Cardiology, 2021, 338, 95-101. | 0.8 | 3 |
| 54 | Cryoballoon Versus High-Power, Short-Duration Radiofrequency Ablation for Pulmonary Vein Isolation in Patients With Paroxysmal Atrial Fibrillation. Circulation: Arrhythmia and Electrophysiology, 2021, 14, e010040. | 2.1 | 16 |

| # | Article | IF | Citations |
|----|---|-----------|----------------|
| 55 | Prevalence and Predictors of Clinically Relevant Atrial High-Rate Episodes in Patients with Cardiac Implantable Electronic Devices. Korean Circulation Journal, 2021, 51, 235. | 0.7 | 13 |
| 56 | Efficacy and Safety of High-Power Short-Duration Radiofrequency Catheter Ablation of Atrial Fibrillation. Frontiers in Cardiovascular Medicine, 2021, 8, 709585. | 1.1 | 9 |
| 57 | Malnutrition and Risk of Procedural Complications in Patients With Atrial Fibrillation Undergoing Catheter Ablation. Frontiers in Cardiovascular Medicine, 2021, 8, 736042. | 1.1 | 5 |
| 58 | Extra-Pulmonary Vein Triggers at de novo and the Repeat Atrial Fibrillation Catheter Ablation. Frontiers in Cardiovascular Medicine, 2021, 8, 759967. | 1.1 | 13 |
| 59 | Usefulness of cardiac magnetic resonance images for prediction of sudden cardiac arrest in patients with mitral valve prolapse: a multicenter retrospective cohort study. BMC Cardiovascular Disorders, 2021, 21, 546. | 0.7 | 10 |
| 60 | Clinical impact of left atrial enlargement in Korean patients with atrial fibrillation. Scientific Reports, 2021, 11, 23808. | 1.6 | 7 |
| 61 | Association of ZFHX3 Genetic Polymorphisms and Extra-Pulmonary Vein Triggers in Patients With Atrial Fibrillation Who Underwent Catheter Ablation. Frontiers in Physiology, 2021, 12, 807545. | 1.3 | 0 |
| 62 | Ischemic Stroke in Non-Gender-Related CHA2DS2-VA Score 0~1 Is Associated With H2FPEF Score Among the Patients With Atrial Fibrillation. Frontiers in Cardiovascular Medicine, 2021, 8, 791112. | 1.1 | 3 |
| 63 | Clinical Outcomes of Computational Virtual Mapping-Guided Catheter Ablation in Patients With Persistent Atrial Fibrillation: A Multicenter Prospective Randomized Clinical Trial. Frontiers in Cardiovascular Medicine, 2021, 8, 772665. | 1.1 | 5 |
| 64 | Comparative Effectiveness of Early Rhythm Control Versus Rate Control for Cardiovascular Outcomes in Patients With Atrial Fibrillation. Journal of the American Heart Association, 2021, 10, e023055. | 1.6 | 21 |
| 65 | Association of Physical Activity Level With Risk of Dementia in a Nationwide Cohort in Korea. JAMA Network Open, 2021, 4, e2138526. | 2.8 | 24 |
| 66 | Stroke and Systemic Embolism and Other Adverse Outcomes of Heart Failure With Preserved and Reduced Ejection Fraction in Patients With Atrial Fibrillation (from the COmparison study of Drugs) Tj ETQq0 0 0 of Cardiology, 2020, 125, 68-75. | rgBT /Ove | erlock 10 Tf 5 |
| 67 | The optimal drug adherence to maximize the efficacy and safety of non-vitamin K antagonist oral anticoagulant in real-world atrial fibrillation patients. Europace, 2020, 22, 547-557. | 0.7 | 43 |
| 68 | Impact of Supraaortic Intimal Tears on Aortic Diameter Changes After Nontotal Arch Replacement. Annals of Thoracic Surgery, 2020, 110, 20-26. | 0.7 | 3 |
| 69 | Nonspecific intraventricular conduction delay is associated with future occurrence of atrial fibrillation in patients with structurally normal heart. European Journal of Internal Medicine, 2020, 72, 67-72. | 1.0 | 5 |
| 70 | Long-term fine particulate matter exposure and cardiovascular mortality in the general population: a nationwide cohort study. Journal of Cardiology, 2020, 75, 549-558. | 0.8 | 22 |
| 71 | Accelerated Osteogenic Differentiation of MC3T3-E1 Cells by Lactoferrin-Conjugated Nanodiamonds through Enhanced Anti-Oxidant and Anti-Inflammatory Effects. Nanomaterials, 2020, 10, 50. | 1.9 | 13 |
| 72 | Mechanisms of Long-Term Recurrence 3 Years After Catheter Ablation of Atrial Fibrillation. JACC: Clinical Electrophysiology, 2020, 6, 999-1007. | 1.3 | 23 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 73 | Less dementia after catheter ablation for atrial fibrillation: a nationwide cohort study. European Heart Journal, 2020, 41, 4483-4493. | 1.0 | 77 |
| 74 | Long-term PM2.5 exposure and the clinical application of machine learning for predicting incident atrial fibrillation. Scientific Reports, 2020, 10, 16324. | 1.6 | 9 |
| 75 | Electrical Posterior Box Isolation in Persistent Atrial Fibrillation Changed to Paroxysmal Atrial Fibrillation. Circulation: Arrhythmia and Electrophysiology, 2020, 13, e008531. | 2.1 | 22 |
| 76 | What Is the Ideal Blood Pressure Threshold for the Prevention of Atrial Fibrillation in Elderly General Population?. Journal of Clinical Medicine, 2020, 9, 2988. | 1.0 | 5 |
| 77 | The role of sacubitril/valsartan in the management of cardiac resynchronization therapy nonâ€responders: a retrospective analysis. ESC Heart Failure, 2020, 7, 4404-4407. | 1.4 | 16 |
| 78 | Accuracy and clinical feasibility of 3D-myocardial thickness map measured by cardiac computed tomogram. International Journal of Arrhythmia, 2020, 21, . | 0.3 | 8 |
| 79 | Potential causal association of a prolonged PR interval and clinical recurrence of atrial fibrillation after catheter ablation: a Mendelian randomization analysis. Journal of Human Genetics, 2020, 65, 813-821. | 1.1 | 5 |
| 80 | Catheter Ablation Improves Mortality and Other Outcomes in Realâ€World Patients With Atrial Fibrillation. Journal of the American Heart Association, 2020, 9, e015740. | 1.6 | 25 |
| 81 | A mendelian randomization analysis: The causal association between serum uric acid and atrial fibrillation. European Journal of Clinical Investigation, 2020, 50, e13300. | 1.7 | 14 |
| 82 | Temporal pattern of aortic remodelling after endovascular treatment for chronic DeBakey IIIb dissection. Interactive Cardiovascular and Thoracic Surgery, 2020, 31, 232-238. | 0.5 | 0 |
| 83 | Application of the simple atrial fibrillation better care pathway for integrated care management in frail patients with atrial fibrillation: A nationwide cohort study. Journal of Arrhythmia, 2020, 36, 668-677. | 0.5 | 25 |
| 84 | Label Adherence of Direct Oral Anticoagulants Dosing and Clinical Outcomes in Patients With Atrial Fibrillation. Journal of the American Heart Association, 2020, 9, e014177. | 1.6 | 58 |
| 85 | The Effect of Integrated Care Management on Dementia in Atrial Fibrillation. Journal of Clinical Medicine, 2020, 9, 1696. | 1.0 | 25 |
| 86 | Blood Pressure Control and Dementia Risk in Midlife Patients With Atrial Fibrillation. Hypertension, 2020, 75, 1296-1304. | 1.3 | 31 |
| 87 | Clinical and genetic relationships between the QTc interval and risk of a stroke among atrial fibrillation patients undergoing catheter ablation. International Journal of Arrhythmia, 2020, 21, . | 0.3 | 1 |
| 88 | Differences in anticoagulation strategy and outcome in atrial fibrillation patients with chronic kidney disease: a CODE-AF registry study. International Journal of Arrhythmia, 2020, 21, . | 0.3 | 1 |
| 89 | In situ procedure for high-efficiency computational modeling of atrial fibrillation reflecting personal anatomy, fiber orientation, fibrosis, and electrophysiology. Scientific Reports, 2020, 10, 2417. | 1.6 | 21 |
| 90 | Characteristics of symptom burden in atrial fibrillation with concomitant heart failure. International Journal of Arrhythmia, 2020, 21, . | 0.3 | 1 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 91 | Persistent atrial fibrillation over 3 years is associated with higher recurrence after catheter ablation. Journal of Cardiovascular Electrophysiology, 2020, 31, 457-464. | 0.8 | 17 |
| 92 | Clinical relationship between anemia and atrial fibrillation recurrence after catheter ablation without genetic background. IJC Heart and Vasculature, 2020, 27, 100507. | 0.6 | 7 |
| 93 | A meshâ€type flexible tip catheter vs a contact force catheter for catheter ablation of atrial fibrillation: A prospective nonrandomized 1:1 matched study. Journal of Cardiovascular Electrophysiology, 2020, 31, 1279-1288. | 0.8 | 3 |
| 94 | Usefulness of an Implantable Loop Recorder in Diagnosing Unexplained Syncope and Predictors for Pacemaker Implantation. Journal of Korean Medical Science, 2020, 35, e11. | 1.1 | 11 |
| 95 | A prospective survey of the persistence of warfarin or NOAC in nonvalvular atrial fibrillation: a COmparison study of Drugs for symptom control and complication prEvention of Atrial Fibrillation (CODE-AF). Korean Journal of Internal Medicine, 2020, 35, 99-108. | 0.7 | 19 |
| 96 | Social Inequalities of Oral Anticoagulation after the Introduction of Non-Vitamin K Antagonists in Patients with Atrial Fibrillation. Korean Circulation Journal, 2020, 50, 267. | 0.7 | 14 |
| 97 | Efficacy and Safety of Outpatient Clinic-based Elective External Electrical Cardioversion in Patients with Atrial Fibrillation. Korean Circulation Journal, 2020, 50, 511. | 0.7 | 5 |
| 98 | Current Anticoagulant Usage Patterns and Determinants in Korean Patients with Nonvalvular Atrial Fibrillation. Yonsei Medical Journal, 2020, 61, 120. | 0.9 | 1 |
| 99 | Finding Cardiac Resynchronization Therapy Responders: Postprocedural QRS-T Morphologies Matter. Korean Circulation Journal, 2020, 50, 1074. | 0.7 | 1 |
| 100 | Permanent Pacemaker Implantations after Catheter Ablation in Patients with Atrial Fibrillation Associated with Underlying Sinus Node Dysfunction. Korean Circulation Journal, 2020, 50, 346. | 0.7 | 7 |
| 101 | Clinical significance of postoperative atrial arrhythmias in patients who underwent lung transplantation. Korean Journal of Internal Medicine, 2020, 35, 897-905. | 0.7 | 9 |
| 102 | Differential impact of intimal tear location on aortic dilation and reintervention in acute type I aortic dissection after total arch replacement. Journal of Thoracic and Cardiovascular Surgery, 2019, 158, 327-338.e2. | 0.4 | 15 |
| 103 | Atrial Fibrillation Catheter Ablation Improves 1-Year Follow-Up Cognitive Function, Especially in Patients With Impaired Cognitive Function. Circulation: Arrhythmia and Electrophysiology, 2019, 12, e007197. | 2.1 | 66 |
| 104 | Improved Population-Based Clinical Outcomes of Patients with Atrial Fibrillation by Compliance with the Simple ABC (Atrial Fibrillation Better Care) Pathway for Integrated Care Management: A Nationwide Cohort Study. Thrombosis and Haemostasis, 2019, 119, 1695-1703. | 1.8 | 164 |
| 105 | Radiofrequency catheter ablation of accessory pathways at the site of prior valve surgery. Journal of Arrhythmia, 2019, 35, 645-653. | 0.5 | 2 |
| 106 | Prevalence and Associated Stroke Risk of Human Immunodeficiency Virus-Infected Patients With Atrial Fibrillation ― A Nationwide Cohort Study ―. Circulation Journal, 2019, 83, 2547-2554. | 0.7 | 3 |
| 107 | The Electrical Isolation of the Left Atrial Posterior Wall in Catheter Ablation of Persistent Atrial Fibrillation. JACC: Clinical Electrophysiology, 2019, 5, 1253-1261. | 1.3 | 108 |
| 108 | Five‥ear Change in the Renal Function After Catheter Ablation of Atrial Fibrillation. Journal of the American Heart Association, 2019, 8, e013204. | 1.6 | 33 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 109 | Physical Activity and Risk of Atrial Fibrillation: A Nationwide Cohort Study in General Population. Scientific Reports, 2019, 9, 13270. | 1.6 | 51 |
| 110 | Locational impact of luminal communication on aortic diameter changes and reintervention in acute type I aortic dissection. European Journal of Cardio-thoracic Surgery, 2019, 55, 1037-1044. | 0.6 | 2 |
| 111 | Body Mass Index Variability and Long-term Risk of New-Onset Atrial Fibrillation in the General Population: A Korean Nationwide Cohort Study. Mayo Clinic Proceedings, 2019, 94, 225-235. | 1.4 | 41 |
| 112 | Hypertrophic Cardiomyopathy in Patients with Atrial Fibrillation: Prevalence and Associated Stroke Risks in a Nationwide Cohort Study. Thrombosis and Haemostasis, 2019, 119, 285-293. | 1.8 | 37 |
| 113 | Risk of dementia in stroke-free patients diagnosed with atrial fibrillation: data from a population-based cohort. European Heart Journal, 2019, 40, 2313-2323. | 1.0 | 171 |
| 114 | Complete Thoracic Aorta Remodeling After Endovascular Aortic Repair: A New Therapeutic Goal for Chronic DeBakey IIIb Aneurysms. Seminars in Thoracic and Cardiovascular Surgery, 2019, 31, 444-450. | 0.4 | 6 |
| 115 | Long-Term Impact of Newly Diagnosed Atrial Fibrillation During Critical Care. Chest, 2019, 156, 518-528. | 0.4 | 13 |
| 116 | Unilateral versus Bilateral Groin Puncture for Atrial Fibrillation Ablation: Multi-Center Prospective Randomized Study. Yonsei Medical Journal, 2019, 60, 360. | 0.9 | 2 |
| 117 | Label Adherence for Non-Vitamin K Antagonist Oral Anticoagulants in a Prospective Cohort of Asian Patients with Atrial Fibrillation. Yonsei Medical Journal, 2019, 60, 277. | 0.9 | 56 |
| 118 | Clinical characteristics and rhythm outcome of catheter ablation of hemodynamically corrected valvular atrial fibrillation. Journal of Cardiology, 2019, 73, 488-496. | 0.8 | 9 |
| 119 | Atrial Fibrillation Catheter Ablation Increases the Left Atrial Pressure. Circulation: Arrhythmia and Electrophysiology, 2019, 12, e007073. | 2.1 | 27 |
| 120 | Chronic lymphocytic myocarditis confirmed by electrogram-guided endomyocardial biopsy. European Heart Journal Cardiovascular Imaging, 2019, 20, 721-721. | 0.5 | 1 |
| 121 | Non-vitamin K antagonist oral anticoagulants with amiodarone, P-glycoprotein inhibitors, or polypharmacy in patients with atrial fibrillation: Systematic review and meta-analysis. Journal of Cardiology, 2019, 73, 515-521. | 0.8 | 15 |
| 122 | Clinical Usefulness of Computational Modeling-Guided Persistent Atrial Fibrillation Ablation: Updated Outcome of Multicenter Randomized Study. Frontiers in Physiology, 2019, 10, 1512. | 1.3 | 19 |
| 123 | Longâ€Term Outcome of Additional Superior Vena Cava to Septal Linear Ablation in Catheter Ablation of Atrial Fibrillation. Journal of the American Heart Association, 2019, 8, e013985. | 1.6 | 12 |
| 124 | Response by Jin et al to Letter Regarding Article, "Atrial Fibrillation Catheter Ablation Improves 1-Year Follow-Up Cognitive Function, Especially in Patients With Impaired Cognitive Function― Circulation: Arrhythmia and Electrophysiology, 2019, 12, e007880. | 2.1 | 1 |
| 125 | Long-term exposure of fine particulate matter air pollution and incident atrial fibrillation in the general population: A nationwide cohort study. International Journal of Cardiology, 2019, 283, 178-183. | 0.8 | 49 |
| 126 | Left Ventricular End-Systolic Volume Can Predict 1-Year Hierarchical Clinical Composite End Point in Patients with Cardiac Resynchronization Therapy. Yonsei Medical Journal, 2019, 60, 48. | 0.9 | 8 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | When is it appropriate to stop non-vitamin K antagonist oral anticoagulants before catheter ablation of atrial fibrillation? A multicentre prospective randomized study. European Heart Journal, 2019, 40, 1531-1537. | 1.0 | 28 |
| 128 | Effect of hypertension duration and blood pressure level on ischaemic stroke risk in atrial fibrillation: nationwide data covering the entire Korean population. European Heart Journal, 2019, 40, 809-819. | 1.0 | 80 |
| 129 | Effectiveness and Safety of Non-Vitamin K Antagonist Oral Anticoagulants in Patients With Atrial Fibrillation With Hypertrophic Cardiomyopathy. Chest, 2019, 155, 354-363. | 0.4 | 56 |
| 130 | Trends and Outcome of Catheter Ablation of Atrial Fibrillation Over 9 Years ― Focus on Empirical Extra-Pulmonary Vein Ablation ―. Circulation Journal, 2019, 83, 304-312. | 0.7 | 17 |
| 131 | Accessory pathwayâ€related left ventricular wall motion abnormality and the effects of radiofrequency catheter ablation in patients withÂWolffâ€Parkinsonâ€White syndrome. Journal of Cardiovascular Electrophysiology, 2019, 30, 102-108. | 0.8 | 8 |
| 132 | Catheter ablation for atrial fibrillation and intervention for pulmonary vein stenosis in a patient with Fontan circulation. PACE - Pacing and Clinical Electrophysiology, 2019, 42, 113-116. | 0.5 | 0 |
| 133 | The Burden and Risk Factors for Infection of Transvenous Cardiovascular Implantable Electronic Device: a Nationwide Cohort Study. Korean Circulation Journal, 2019, 49, 742. | 0.7 | 5 |
| 134 | Korean Heart Rhythm Society 2019 Practical Guidelines on Antithrombotic Therapy for AF Patients Undergoing Percutaneous Coronary Intervention or Structural Heart Disease Intervention. Korean Journal of Medicine, 2019, 94, 330-342. | 0.1 | 0 |
| 135 | Non-vitamin K antagonist oral anticoagulants have better efficacy and equivalent safety compared to warfarin in elderly patients with atrial fibrillation: A systematic review and meta-analysis. Journal of Cardiology, 2018, 72, 105-112. | 0.8 | 47 |
| 136 | Increasing trends in hospital care burden of atrial fibrillation in Korea, 2006 through 2015. Heart, 2018, 104, 2010-2017. | 1.2 | 100 |
| 137 | Surgery for acute Type I aortic dissection without resection of supra-aortic entry sites leads to unfavourable aortic remodellingâ€. European Journal of Cardio-thoracic Surgery, 2018, 54, 34-41. | 0.6 | 16 |
| 138 | High circulating adiponectin level is associated with poor clinical outcome after catheter ablation for paroxysmal atrial fibrillation. Europace, 2018, 20, 1287-1293. | 0.7 | 16 |
| 139 | 10-year nationwide trends of the incidence, prevalence, and adverse outcomes of non-valvular atrial fibrillation nationwide health insurance data covering the entire Korean population. American Heart Journal, 2018, 202, 20-26. | 1.2 | 112 |
| 140 | Dynamic Changes of CHA2DS2-VASc Score and the Risk of Ischaemic Stroke in Asian Patients with Atrial Fibrillation: A Nationwide Cohort Study. Thrombosis and Haemostasis, 2018, 118, 1296-1304. | 1.8 | 97 |
| 141 | Appropriate doses of non-vitamin K antagonist oral anticoagulants in high-risk subgroups with atrial fibrillation: Systematic review and meta-analysis. Journal of Cardiology, 2018, 72, 284-291. | 0.8 | 9 |
| 142 | Variations of Prevalence and Incidence of Atrial Fibrillation and Oral Anticoagulation Rate According to Different Analysis Approaches. Scientific Reports, 2018, 8, 6856. | 1.6 | 19 |
| 143 | How to perform transconduit and transbaffle puncture in patients who have previously undergone the Fontan or Mustard operation. Heart Rhythm, 2018, 15, 145-150. | 0.3 | 10 |
| 144 | A stepwise approach to conduit puncture for electrophysiological procedures in patients with Fontan circulation. Europace, 2018, 20, 1043-1049. | 0.7 | 7 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 145 | Effect of Atrial Fibrillation on the Incidence and Outcome of Osteoporotic Fracture ― A Nationwide Population-Based Study ―. Circulation Journal, 2018, 82, 1999-2006. | 0.7 | 9 |
| 146 | 2018 Korean Guideline of Atrial Fibrillation Management. Korean Circulation Journal, 2018, 48, 1033. | 0.7 | 108 |
| 147 | Stroke Risk Stratification for AtrialÂFibrillation Patients With Hypertrophic Cardiomyopathy. Journal of the American College of Cardiology, 2018, 72, 2409-2411. | 1.2 | 17 |
| 148 | Intraatrial reentrant tachycardia originating from the prior suture line of the baffle in a patient who underwent the Mustard operation: Ultra-high-density 3-dimensional mapping. HeartRhythm Case Reports, 2018, 4, 451-454. | 0.2 | 1 |
| 149 | CHA2DS2-VASc score predicts exercise intolerance in young and middle-aged male patients with asymptomatic atrial fibrillation. Scientific Reports, 2018, 8, 18039. | 1.6 | 1 |
| 150 | Relationship Between Anemia and the Risk of Sudden Cardiac Arrest ― A Nationwide Cohort Study in South Korea ―. Circulation Journal, 2018, 82, 2962-2969. | 0.7 | 10 |
| 151 | Residual Arch Tears and Major Adverse Events After Acute DeBakey Type I Aortic Dissection Repair. Annals of Thoracic Surgery, 2018, 106, 1079-1086. | 0.7 | 17 |
| 152 | Outcomes of Stentless Thoracic Endovascular Aortic Repair for Chronic DeBakey IIIb Aneurysms. Annals of Thoracic Surgery, 2018, 106, 1308-1315. | 0.7 | 3 |
| 153 | Impact of Renal Function on Outcomes With Edoxaban in Real-World Patients With Atrial Fibrillation. Stroke, 2018, 49, 2421-2429. | 1.0 | 42 |
| 154 | Obstructive Sleep Apnea Is Closely Related to Cardiovascular Risk Factors, but Not to Clinical Recurrence of Atrial Fibrillation after Catheter Ablation: An Analysis of Atrial Fibrillation Patients. Pulse, 2018, 6, 103-111. | 0.9 | 3 |
| 155 | The effect of false lumen procedures during thoracic endovascular aortic repair in patients with chronic DeBakey type IIIB dissections. Journal of Vascular Surgery, 2018, 68, 976-984. | 0.6 | 12 |
| 156 | Ideal Blood Pressure in Patients With Atrial Fibrillation. Journal of the American College of Cardiology, 2018, 72, 1233-1245. | 1.2 | 101 |
| 157 | Comparison of Rhythm and Rate Control Strategies for Stroke Occurrence in a Prospective Cohort of Atrial Fibrillation Patients. Yonsei Medical Journal, 2018, 59, 258. | 0.9 | 11 |
| 158 | Outcomes of Rate-Control Treatment in Patients With Atrial Fibrillation and Heart Failure ― A Nationwide Cohort Study ―. Circulation Journal, 2018, 82, 652-658. | 0.7 | 14 |
| 159 | Electrophysiological features and radiofrequency catheter ablation of supraventricular tachycardia in patients with persistent left superior vena cava. Heart Rhythm, 2018, 15, 1634-1641. | 0.3 | 14 |
| 160 | Effect of Non-vitamin K Antagonist Oral Anticoagulants in Atrial Fibrillation Patients with Newly Diagnosed Cancer. Korean Circulation Journal, 2018, 48, 406. | 0.7 | 41 |
| 161 | Non-cardioembolic risk factors in atrial fibrillation-associated ischemic stroke. PLoS ONE, 2018, 13, e0201062. | 1.1 | 17 |
| 162 | Gender-related Differences in Management of Nonvalvular Atrial Fibrillation in an Asian Population. Korean Circulation Journal, 2018, 48, 519. | 0.7 | 21 |

| # | Article | IF | CITATIONS |
|-----|---|-------------------|------------|
| 163 | Age Threshold for Ischemic Stroke Risk in Atrial Fibrillation. Stroke, 2018, 49, 1872-1879. | 1.0 | 33 |
| 164 | The fate of the abdominal aorta after endovascular treatment in chronic Debakey IIIb aneurysm. Journal of Thoracic and Cardiovascular Surgery, 2018, 156, 27-35.e1. | 0.4 | 7 |
| 165 | CHA ₂ DS ₂ -VASc Score in the Prediction of Ischemic Stroke in Patients after Radiofrequency Catheter Ablation of Typical Atrial Flutter. Yonsei Medical Journal, 2018, 59, 236. | 0.9 | 11 |
| 166 | Poor Rhythm Outcome of Catheter Ablation for Early-Onset Atrial Fibrillation in Women ― Mechanistic Insight ―. Circulation Journal, 2018, 82, 2259-2268. | 0.7 | 24 |
| 167 | 2018 KHRS Guidelines for Stroke Prevention Therapy in Korean Patients with Nonvalvular Atrial Fibrillation. Korean Journal of Medicine, 2018, 93, 87-109. | 0.1 | 8 |
| 168 | Comparison of self-reported and accelerometer-assessed measurements of physical activity according to socio-demographic characteristics in Korean adults. Epidemiology and Health, 2018, 40, e2018060. | 0.8 | 6 |
| 169 | 2018 Korean Heart Rhythm Society Guidelines for Detection and Management of Risk Factors and Concomitant Cardiovascular Diseases in Korean Patients with Atrial Fibrillation. Korean Journal of Medicine, 2018, 93, 324-335. | 0.1 | 2 |
| 170 | Good responders to catheter ablation for long-standing persistent atrial fibrillation: Clinical and genetic characteristics. Journal of Cardiology, 2017, 69, 584-590. | 0.8 | 18 |
| 171 | Minimal energy requirement for external cardioversion and catheter ablation for long-standing persistent atrial fibrillation. Journal of Cardiology, 2017, 69, 162-168. | 0.8 | 5 |
| 172 | Clinical characteristics of complex aortic plaque in patients with non-valvular atrial fibrillation. International Journal of Cardiology, 2017, 230, 85-90. | 0.8 | 3 |
| 173 | Does Additional Electrogramâ€Guided Ablation After Linear Ablation Reduce Recurrence After Catheter Ablation for Longstanding Persistent Atrial Fibrillation? A Prospective Randomized Study. Journal of the American Heart Association, 2017, 6, . | 1.6 | 25 |
| 174 | Outcome of Triple Antiplatelet Therapy Including Cilostazol in Elderly Patients with ST-Elevation Myocardial Infarction who Underwent Primary Percutaneous Coronary Intervention: Results from the INTERSTELLAR Registry. Drugs and Aging, 2017, 34, 467-477. | 1.3 | 3 |
| 175 | Korean atrial fibrillation network genome-wide association study for early-onset atrial fibrillation identifies novel susceptibility loci. European Heart Journal, 2017, 38, 2586-2594. | 1.0 | 59 |
| 176 | CHA ₂ DS ₂ -VASc Score (Congestive Heart Failure, Hypertension, Age ≥75) Tj ETQq | 0 0 0 rgBT 1.0 | Overlock 1 |
| 177 | Delayed left atrial appendage contrast filling in computed tomograms after percutaneous left atrial appendage occlusion. Journal of Cardiology, 2017, 70, 571-577. | 0.8 | 8 |
| 178 | Pulmonary Vein Isolation Alone Versus Additional Linear Ablation in Patients With Persistent Atrial Fibrillation Converted to Paroxysmal Type With Antiarrhythmic Drug Therapy. Circulation: Arrhythmia and Electrophysiology, 2017, 10, . | 2.1 | 36 |
| 179 | Associations of Abdominal Obesity and Newâ€Onset Atrial Fibrillation in the General Population. Journal of the American Heart Association, 2017, 6, . | 1.6 | 76 |
| 180 | Atrial fibrillation and the risk of myocardial infarction: a nation-wide propensity-matched study. Scientific Reports, 2017, 7, 12716. | 1.6 | 43 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 181 | CHA ₂ DS ₂ -VASc Score for Identifying Truly Low-Risk Atrial Fibrillation for Stroke. Stroke, 2017, 48, 2984-2990. | 1.0 | 71 |
| 182 | Relation of Chronic Obstructive Pulmonary Disease to Cardiovascular Disease in the General Population. American Journal of Cardiology, 2017, 120, 1399-1404. | 0.7 | 20 |
| 183 | Virtual In-Silico Modeling Guided Catheter Ablation Predicts Effective Linear Ablation Lesion Set for Longstanding Persistent Atrial Fibrillation: Multicenter Prospective Randomized Study. Frontiers in Physiology, 2017, 8, 792. | 1.3 | 30 |
| 184 | A Prospective Survey of Atrial Fibrillation Management for Real-world Guideline Adherence: COmparison study of Drugs for symptom control and complication prEvention of Atrial Fibrillation (CODE-AF) Registry. Korean Circulation Journal, 2017, 47, 877. | 0.7 | 37 |
| 185 | Role of atrial wall thickness in wave-dynamics of atrial fibrillation. PLoS ONE, 2017, 12, e0182174. | 1.1 | 13 |
| 186 | Clinical Significance of Hematuria in Atrial Fibrillation With Oral Anticoagulation Therapy. Circulation Journal, 2017, 81, 158-164. | 0.7 | 26 |
| 187 | The Trends of Atrial Fibrillation-Related Hospital Visit and Cost, Treatment Pattern and Mortality in Korea: 10-Year Nationwide Sample Cohort Data. Korean Circulation Journal, 2017, 47, 56. | 0.7 | 75 |
| 188 | Long-Term Prognosis of Patients with an Implantable Cardioverter-Defibrillator in Korea. Yonsei Medical Journal, 2017, 58, 514. | 0.9 | 6 |
| 189 | Which patients recur as atrial tachycardia rather than atrial fibrillation after catheter ablation of atrial fibrillation?. PLoS ONE, 2017, 12, e0188326. | 1.1 | 10 |
| 190 | Delayed Pulmonary Artery Rupture after Using BioGlue in Cardiac Surgery. Korean Journal of Thoracic and Cardiovascular Surgery, 2017, 50, 474-476. | 0.6 | 3 |
| 191 | Early Experience of Novel Oral Anticoagulants in Catheter Ablation for Atrial Fibrillation: Efficacy and Safety Comparison to Warfarin. Yonsei Medical Journal, 2016, 57, 342. | 0.9 | 11 |
| 192 | Clinical Significance of Additional Ablation of Atrial Premature Beats after Catheter Ablation for Atrial Fibrillation. Yonsei Medical Journal, 2016, 57, 72. | 0.9 | 13 |
| 193 | Atrial tissue expression of receptor for advanced glycation end-products (RAGE) and atrial fibrosis in patients with mitral valve disease. International Journal of Cardiology, 2016, 220, 1-6. | 0.8 | 5 |
| 194 | Cardiac Vein Accessibility According to Heart Diseases and Sex: Implications for Cardiac Resynchronization Therapy. PACE - Pacing and Clinical Electrophysiology, 2016, 39, 513-521. | 0.5 | 9 |
| 195 | Junctional bradycardia is a potential risk factor of stroke. BMC Neurology, 2016, 16, 113. | 0.8 | 4 |
| 196 | Advanced Left Atrial Remodeling and Appendage Contractile Dysfunction in Women Than in Men Among the Patients With Atrial Fibrillation: Potential Mechanism for Stroke. Journal of the American Heart Association, 2016, 5, . | 1.6 | 25 |
| 197 | Challenging Achievement of Bidirectional Block After Linear Ablation Affects the Rhythm Outcome in Patients With Persistent Atrial Fibrillation. Journal of the American Heart Association, 2016, 5, . | 1.6 | 40 |
| 198 | Prevalence and the clinical outcome of atrial fibrillation in patients with Autoimmune Rheumatic Disease. International Journal of Cardiology, 2016, 214, 4-9. | 0.8 | 23 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 199 | Effects of False Lumen Procedures on Aorta Remodeling of Chronic DeBakey IIIb Aneurysm. Annals of Thoracic Surgery, 2016, 102, 1941-1947. | 0.7 | 25 |
| 200 | Delayed recurrence of atrial fibrillation 2 years after catheter ablation is associated with metabolic syndrome. International Journal of Cardiology, 2016, 223, 276-281. | 0.8 | 19 |
| 201 | Prognosis of high sinus heart rate after catheter ablation for atrial fibrillation. Europace, 2016, 19, euw142. | 0.7 | 25 |
| 202 | Pulmonary vein reconnection predicts good clinical outcome after second catheter ablation for atrial fibrillation. Europace, 2016, 19, euw128. | 0.7 | 49 |
| 203 | High plasma level of soluble RAGE is independently associated with a low recurrence of atrial fibrillation after catheter ablation in diabetic patient. Europace, 2016, 18, 1711-1718. | 0.7 | 19 |
| 204 | Left ventricular diastolic dysfunction is associated with atrial remodeling and risk or presence of stroke in patients with paroxysmal atrial fibrillation. Journal of Cardiology, 2016, 68, 104-109. | 0.8 | 30 |
| 205 | Guidelines for the prevention and management of cardiovascular disease associated with fine dust/Asian dust exposure. Journal of the Korean Medical Association, 2015, 58, 1044. | 0.1 | 8 |
| 206 | Low Left Atrial Compliance Contributes to the Clinical Recurrence of Atrial Fibrillation after Catheter Ablation in Patients with Structurally and Functionally Normal Heart. PLoS ONE, 2015, 10, e0143853. | 1.1 | 26 |
| 207 | Blunted rate-dependent left atrial pressure response during isoproterenol infusion in atrial fibrillation patients with impaired left ventricular diastolic function: a comparison to pacing. Europace, 2015, 17, ii89-ii96. | 0.7 | 5 |
| 208 | The ratio of early transmitral flow velocity $(\langle i\rangle E\langle i\rangle)$ to early mitral annular velocity $(\langle i\rangle E\langle i\rangle \langle sub\rangle m\langle sub\rangle)$ predicts improvement in left ventricular systolic and diastolic function 1 year after catheter ablation for atrial fibrillation. Europace, 2015, 17, 1051-1058. | 0.7 | 14 |
| 209 | Linear ablation in addition to circumferential pulmonary vein isolation (Dallas lesion set) does not improve clinical outcome in patients with paroxysmal atrial fibrillation: a prospective randomized study. Europace, 2015, 17, 388-395. | 0.7 | 40 |
| 210 | Usefulness of a crista catheter for 3-dimensional electroanatomical mapping of complex right atrial tachyarrhythmias. Journal of Interventional Cardiac Electrophysiology, 2015, 44, 141-149. | 0.6 | 1 |
| 211 | Thoracoscopic Left Cardiac Sympathetic Denervation for a Patient with Catecholaminergic Polymorphic Ventricular Tachycardia and Recurrent Implantable Cardioverter-Defibrillator Shocks. Korean Journal of Thoracic and Cardiovascular Surgery, 2015, 48, 220-224. | 0.6 | 3 |
| 212 | Large False Lumen Area Is a Predictor of Failed False Lumen Volume Reduction After Stent-Graft Repair in Type B Aortic Dissection. Journal of Endovascular Therapy, 2014, 21, 697-706. | 0.8 | 20 |
| 213 | Prolonged PR Interval Predicts Clinical Recurrence of Atrial Fibrillation After Catheter Ablation. Journal of the American Heart Association, 2014, 3, e001277. | 1.6 | 43 |
| 214 | Impact of final kissing balloon inflation after simple stent implantation for the treatment of non-left main true coronary bifurcation lesions in patients with acute coronary syndrome. International Journal of Cardiology, 2014, 177, 907-911. | 0.8 | 9 |
| 215 | Pericardial fat volume is associated with clinical recurrence after catheter ablation for persistent atrial fibrillation, but not paroxysmal atrial fibrillation: An analysis of over 600-patients. International Journal of Cardiology, 2014, 176, 841-846. | 0.8 | 56 |
| 216 | Heart Rate Variability and the Risk of Cardiovascular Disease. Journal of Korean Diabetes, 2014, 15, 211. | 0.1 | 0 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 217 | A successful retrograde reâ€entry at aorta using the outback LTD catheter for a bilateral common iliac artery occlusion. Catheterization and Cardiovascular Interventions, 2013, 81, E250-4. | 0.7 | 4 |
| 218 | Qualitative assessment of neointimal tissue after drug-eluting stent implantation: Comparison between follow-up optical coherence tomography and intravascular ultrasound. American Heart Journal, 2011, 161, 367-372. | 1.2 | 20 |
| 219 | Outcomes of endovascular treatment of chronic total occlusion of the infrarenal aorta. Journal of Vascular Surgery, 2011, 53, 1542-1549. | 0.6 | 54 |
| 220 | Long-term (≥2Âyears) follow-up optical coherence tomographic study after sirolimus- and paclitaxel-eluting stent implantation: comparison to 9-month follow-up results. International Journal of Cardiovascular Imaging, 2011, 27, 875-881. | 0.7 | 25 |
| 221 | A new technique for shortening a guiding catheter during retrograde recanalization of a chronic total occlusion. Catheterization and Cardiovascular Interventions, 2011, 77, 358-362. | 0.7 | 3 |
| 222 | Intracoronary thrombus formation after drug-eluting stents implantation: Optical coherence tomographic study. American Heart Journal, 2010, 159, 278-283. | 1.2 | 44 |
| 223 | Natural regression of intimal hyperplasia at the site of stent fracture. Canadian Journal of Cardiology, 2010, 26, e29. | 0.8 | 0 |
| 224 | Clinical Usefulness of Virtual Ablation Guided Catheter Ablation of Atrial Fibrillation Targeting Restitution Parameter-Guided Catheter Ablation: CUVIA-REGAB Prospective Randomized Study. Korean Circulation Journal, 0, 52, . | 0.7 | 2 |
| 225 | Association of changes in cardiovascular health levels with incident cardiovascular events and mortality in patients with atrial fibrillation. Clinical Research in Cardiology, 0, , . | 1.5 | 0 |
| 226 | Ablation and antiarrhythmic drug effects on PITX2+/ \hat{a} deficient atrial fibrillation: A computational modeling study. Frontiers in Cardiovascular Medicine, 0, 9, . | 1.1 | 1 |
| 227 | Lower pulmonary vein-to-left atrium volume ratio predicts poor rhythm outcome after atrial fibrillation catheter ablation. Frontiers in Cardiovascular Medicine, 0, 9, . | 1.1 | 0 |