Huan Gao

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/34888/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Calycosin ameliorates doxorubicinâ€induced cardiotoxicity by suppressing oxidative stress and inflammation via the sirtuin 1–NODâ€like receptor protein 3 pathway. Phytotherapy Research, 2020, 34, 649-659.	2.8	59
2	Dysregulation of BSEP and MRP2 May Play an Important Role in Isoniazid-Induced Liver Injury <i>via</i> the SIRT1/FXR Pathway in Rats and HepG2 Cells. Biological and Pharmaceutical Bulletin, 2018, 41, 1211-1218.	0.6	47
3	Identification of key metabolites during cisplatin-induced acute kidney injury using an HPLC-TOF/MS-based non-targeted urine and kidney metabolomics approach in rats. Toxicology, 2020, 431, 152366.	2.0	40
4	Omeprazole attenuates cisplatin-induced kidney injury through suppression of the TLR4/NF-κB/NLRP3 signaling pathway. Toxicology, 2020, 440, 152487.	2.0	32
5	Quercetin protected against isoniazideâ€induced HepG2 cell apoptosis by activating the SIRT1/ERK pathway. Journal of Biochemical and Molecular Toxicology, 2019, 33, e22369.	1.4	25
6	Quercetin attenuates NLRP3 inflammasome activation and apoptosis to protect INH-induced liver injury via regulating SIRT1 pathway. International Immunopharmacology, 2020, 85, 106634.	1.7	25
7	Ginsenoside Rg3 attenuates cisplatinâ€induced kidney injury through inhibition of apoptosis and autophagyâ€inhibited NLRP3. Journal of Biochemical and Molecular Toxicology, 2021, 35, e22896.	1.4	13
8	Changes of Lipopolysaccharide-Induced Acute Kidney and Liver Injuries in Rats Based on Metabolomics Analysis. Journal of Inflammation Research, 2021, Volume 14, 1807-1825.	1.6	10
9	ETC-1002 Attenuates Porphyromonas gingivalis Lipopolysaccharide-Induced Inflammation in RAW264.7 Cells via the AMPK/NF-κB Pathway and Exerts Ameliorative Effects in Experimental Periodontitis in Mice. Disease Markers, 2022, 2022, 1-13.	0.6	4