

Mary Pat McAndrews

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3490646/publications.pdf>

Version: 2024-02-01

137
papers

9,247
citations

38660

50
h-index

43802

91
g-index

146
all docs

146
docs citations

146
times ranked

9530
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | A phase I trial of deep brain stimulation of memory circuits in Alzheimer's disease. <i>Annals of Neurology</i> , 2010, 68, 521-534. | 2.8 | 685 |
| 2 | Functional neuroanatomy of remote episodic, semantic and spatial memory: a unified account based on multiple trace theory. <i>Journal of Anatomy</i> , 2005, 207, 35-66. | 0.9 | 669 |
| 3 | Memory enhancement induced by hypothalamic/fornix deep brain stimulation. <i>Annals of Neurology</i> , 2008, 63, 119-123. | 2.8 | 455 |
| 4 | Recollective qualities modulate hippocampal activation during autobiographical memory retrieval. <i>Hippocampus</i> , 2004, 14, 752-762. | 0.9 | 319 |
| 5 | Anhedonia and Reward-Circuit Connectivity Distinguish Nonresponders from Responders to Dorsomedial Prefrontal Repetitive Transcranial Magnetic Stimulation in Major Depression. <i>Biological Psychiatry</i> , 2014, 76, 176-185. | 0.7 | 281 |
| 6 | A Phase II Study of Fornix Deep Brain Stimulation in Mild Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2016, 54, 777-787. | 1.2 | 263 |
| 7 | Characterizing spatial and temporal features of autobiographical memory retrieval networks: a partial least squares approach. <i>NeuroImage</i> , 2004, 23, 1460-1471. | 2.1 | 246 |
| 8 | Remote Episodic Memory Deficits in Patients with Unilateral Temporal Lobe Epilepsy and Excisions. <i>Journal of Neuroscience</i> , 2000, 20, 5853-5857. | 1.7 | 217 |
| 9 | The frontal cortex and memory for temporal order. <i>Neuropsychologia</i> , 1991, 29, 849-859. | 0.7 | 189 |
| 10 | Prevalence and significance of neurocognitive dysfunction in hepatitis C in the absence of correlated risk factors. <i>Hepatology</i> , 2005, 41, 801-808. | 3.6 | 188 |
| 11 | Consequences of hippocampal damage across the autobiographical memory network in left temporal lobe epilepsy. <i>Brain</i> , 2007, 130, 2327-2342. | 3.7 | 183 |
| 12 | Human Anterior Cingulate Cortex Neurons Encode Cognitive and Emotional Demands. <i>Journal of Neuroscience</i> , 2005, 25, 8402-8406. | 1.7 | 177 |
| 13 | Deep Brain Stimulation Influences Brain Structure in Alzheimer's Disease. <i>Brain Stimulation</i> , 2015, 8, 645-654. | 0.7 | 162 |
| 14 | Increased Cerebral Metabolism After 1 Year of Deep Brain Stimulation in Alzheimer Disease. <i>Archives of Neurology</i> , 2012, 69, 1141-8. | 4.9 | 148 |
| 15 | Semantic Priming of Lexical Decisions in Young and Old Adults. <i>Journal of Gerontology</i> , 1981, 36, 707-714. | 2.0 | 144 |
| 16 | Information Needs and Decisional Preferences among Women with Ovarian Cancer. <i>Gynecologic Oncology</i> , 2000, 77, 357-361. | 0.6 | 141 |
| 17 | Men with prostate cancer. <i>Journal of Psychosomatic Research</i> , 2000, 49, 13-19. | 1.2 | 136 |
| 18 | Episodic memory processes mediated by the medial temporal lobes contribute to open-ended problem solving. <i>Neuropsychologia</i> , 2011, 49, 2439-2447. | 0.7 | 130 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Well-being in informal caregivers of survivors of acute respiratory distress syndrome*. Critical Care Medicine, 2006, 34, 81-86. | 0.4 | 123 |
| 20 | Default mode network connectivity indicates episodic memory capacity in mesial temporal lobe epilepsy. Epilepsia, 2013, 54, 809-818. | 2.6 | 123 |
| 21 | Functional and Effective Hippocampal-Neocortical Connectivity During Construction and Elaboration of Autobiographical Memory Retrieval. Cerebral Cortex, 2015, 25, 1297-1305. | 1.6 | 119 |
| 22 | Functional MRI of phonological and semantic processing in temporal lobe epilepsy. Brain, 2001, 124, 1218-1227. | 3.7 | 117 |
| 23 | Discovering biomarkers for antidepressant response: protocol from the Canadian biomarker integration network in depression (CAN-BIND) and clinical characteristics of the first patient cohort. BMC Psychiatry, 2016, 16, 105. | 1.1 | 114 |
| 24 | No Association between Intraoperative Hypothermia or Supplemental Protective Drug and Neurologic Outcomes in Patients Undergoing Temporary Clipping during Cerebral Aneurysm Surgery. Anesthesiology, 2010, 112, 86-101. | 1.3 | 113 |
| 25 | Developmental patterns in priming and familiarity in explicit recollection. Journal of Experimental Child Psychology, 2002, 82, 251-277. | 0.7 | 108 |
| 26 | Prefrontal and hippocampal contributions to the generation and binding of semantic associations during successful encoding. NeuroImage, 2006, 33, 1194-1206. | 2.1 | 103 |
| 27 | When priming persists: Long-lasting implicit memory for a single episode in amnesic patients. Neuropsychologia, 1987, 25, 497-506. | 0.7 | 88 |
| 28 | Material-specific deficits in "remembering" in patients with unilateral temporal lobe epilepsy and excisions. Neuropsychologia, 2002, 40, 1335-1342. | 0.7 | 88 |
| 29 | Effects of Maternal Hypothyroidism on Offspring Hippocampus and Memory. Thyroid, 2014, 24, 576-584. | 2.4 | 87 |
| 30 | EEG Power Asymmetry and Functional Connectivity as a Marker of Treatment Effectiveness in DBS Surgery for Depression. Neuropsychopharmacology, 2014, 39, 1270-1281. | 2.8 | 86 |
| 31 | Rule-based and exemplar-based classification in artificial grammar learning. Memory and Cognition, 1985, 13, 469-475. | 0.9 | 82 |
| 32 | Determinants of autobiographical memory in patients with unilateral temporal lobe epilepsy or excisions†. Neuropsychologia, 2009, 47, 2211-2221. | 0.7 | 81 |
| 33 | Distinct hippocampal functional networks revealed by tractography-based parcellation. Brain Structure and Function, 2016, 221, 2999-3012. | 1.2 | 80 |
| 34 | Epilepsy: Transition from pediatric to adult care. Recommendations of the Ontario epilepsy implementation task force. Epilepsia, 2017, 58, 1502-1517. | 2.6 | 74 |
| 35 | Self-reported Depressive Symptoms and Memory Complaints in Survivors Five Years After ARDS. Chest, 2011, 140, 1484-1493. | 0.4 | 70 |
| 36 | Deep Brain Stimulation Targeting the Fornix for Mild Alzheimer Dementia (the ADvance Trial): A Two Year Follow-up Including Results of Delayed Activation. Journal of Alzheimer's Disease, 2018, 64, 597-606. | 1.2 | 69 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Altered Resting State Brain Dynamics in Temporal Lobe Epilepsy Can Be Observed in Spectral Power, Functional Connectivity and Graph Theory Metrics. PLoS ONE, 2013, 8, e68609. | 1.1 | 69 |
| 38 | Alcohol-Related Dementia in the Institutionalized Elderly. Alcoholism: Clinical and Experimental Research, 1994, 18, 1330-1334. | 1.4 | 67 |
| 39 | Self-Reported Symptoms of Depression and Memory Dysfunction in Survivors of ARDS. Chest, 2009, 135, 678-687. | 0.4 | 67 |
| 40 | Memory for famous people in patients with unilateral temporal lobe epilepsy and excisions.. Neuropsychology, 2002, 16, 472-480. | 1.0 | 66 |
| 41 | Linking DMN connectivity to episodic memory capacity: What can we learn from patients with medial temporal lobe damage?. NeuroImage: Clinical, 2014, 5, 188-196. | 1.4 | 66 |
| 42 | PERIOPERATIVE FEVER AND OUTCOME IN SURGICAL PATIENTS WITH ANEURYSMAL SUBARACHNOID HEMORRHAGE. Neurosurgery, 2009, 64, 897-908. | 0.6 | 65 |
| 43 | Efficacy and tolerability of the Modified Atkins Diet in adults with pharmaco-resistant epilepsy: A prospective observational study. Epilepsia, 2011, 52, 775-780. | 2.6 | 65 |
| 44 | Characterizing the Normal Developmental Trajectory of Expressive Language Lateralization Using Magnetoencephalography. Journal of the International Neuropsychological Society, 2011, 17, 896-904. | 1.2 | 64 |
| 45 | The perceptual richness of complex memory episodes is compromised by medial temporal lobe damage. Hippocampus, 2014, 24, 560-576. | 0.9 | 60 |
| 46 | The comparative effectiveness of electroencephalographic indices in predicting response to escitalopram therapy in depression: A pilot study. Journal of Affective Disorders, 2018, 227, 542-549. | 2.0 | 59 |
| 47 | Neural correlates of incidental memory in mild cognitive impairment: An fMRI study. Neurobiology of Aging, 2009, 30, 717-730. | 1.5 | 57 |
| 48 | Cognitive effects of long-term benzodiazepine use in older adults. Human Psychopharmacology, 2003, 18, 51-57. | 0.7 | 55 |
| 49 | Tremor cells in the human thalamus: differences among neurological disorders. Journal of Neurosurgery, 2004, 101, 43-47. | 0.9 | 54 |
| 50 | Effect of Nitrous Oxide Use on Long-term Neurologic and Neuropsychological Outcome in Patients Who Received Temporary Proximal Artery Occlusion during Cerebral Aneurysm Clipping Surgery. Anesthesiology, 2009, 110, 563-573. | 1.3 | 54 |
| 51 | Hippocampal Size and Memory Functioning in Children and Adolescents with Congenital Hypothyroidism. Journal of Clinical Endocrinology and Metabolism, 2011, 96, E1427-E1434. | 1.8 | 53 |
| 52 | Comparing language lateralization determined by dichotic listening and fMRI activation in frontal and temporal lobes in children with epilepsy. Brain and Language, 2006, 96, 106-114. | 0.8 | 49 |
| 53 | Use of Machine Learning for Predicting Escitalopram Treatment Outcome From Electroencephalography Recordings in Adult Patients With Depression. JAMA Network Open, 2020, 3, e1918377. | 2.8 | 49 |
| 54 | Semantic Activation During Memory Encoding Across the Adult Life Span. Journal of Gerontology, 1980, 35, 884-890. | 2.0 | 47 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | fMRI differences in encoding and retrieval of pictures due to encoding strategy in the elderly. <i>Human Brain Mapping</i> , 2004, 21, 1-14. | 1.9 | 45 |
| 56 | The retrieval of perceptual memory details depends on right hippocampal integrity and activation. <i>Cortex</i> , 2016, 84, 15-33. | 1.1 | 45 |
| 57 | Changes in patterns of neural activity underlie a time-dependent transformation of memory in rats and humans. <i>Hippocampus</i> , 2018, 28, 745-764. | 0.9 | 45 |
| 58 | The temporal unraveling of autobiographical memory narratives in patients with temporal lobe epilepsy or excisions. <i>Hippocampus</i> , 2011, 21, 409-421. | 0.9 | 42 |
| 59 | Beyond Consent in Research. <i>Cambridge Quarterly of Healthcare Ethics</i> , 2014, 23, 361-368. | 0.5 | 41 |
| 60 | Intrahemispheric reorganization of language in children with medically intractable epilepsy of the left hemisphere. <i>Journal of the International Neuropsychological Society</i> , 2007, 13, 505-16. | 1.2 | 40 |
| 61 | Deep Brain Stimulation and Ethics: Perspectives from a Multisite Qualitative Study of Canadian Neurosurgical Centers. <i>World Neurosurgery</i> , 2011, 76, 537-547. | 0.7 | 40 |
| 62 | A pilot, open-label, 8-week study evaluating the efficacy, safety and tolerability of adjunctive minocycline for the treatment of bipolar I/II depression. <i>Bipolar Disorders</i> , 2017, 19, 198-213. | 1.1 | 39 |
| 63 | Perioperative Hypothermia (33°C) Does Not Increase the Occurrence of Cardiovascular Events in Patients Undergoing Cerebral Aneurysm Surgery. <i>Anesthesiology</i> , 2010, 113, 327-342. | 1.3 | 39 |
| 64 | Visual-spatial ability and fMRI cortical activation in surgery residents. <i>American Journal of Surgery</i> , 2007, 193, 507-510. | 0.9 | 38 |
| 65 | Recollection versus strength as the primary determinant of hippocampal engagement at retrieval. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 22451-22455. | 3.3 | 38 |
| 66 | Social inference deficits in temporal lobe epilepsy and lobectomy: risk factors and neural substrates. <i>Social Cognitive and Affective Neuroscience</i> , 2015, 10, 636-644. | 1.5 | 38 |
| 67 | Neurocognitive and Seizure Outcomes of Selective Amygdalohippocampectomy versus Anterior Temporal Lobectomy for Mesial Temporal Lobe Epilepsy. <i>Epilepsy Research & Treatment</i> , 2014, 2014, 1-8. | 1.4 | 37 |
| 68 | Hippocampal-neocortical networks differ during encoding and retrieval of relational memory: Functional and effective connectivity analyses. <i>Neuropsychologia</i> , 2010, 48, 3272-3281. | 0.7 | 36 |
| 69 | Hope and patients' expectations in deep brain stimulation: healthcare providers' perspectives and approaches. <i>Journal of Clinical Ethics</i> , 2010, 21, 112-24. | 0.1 | 36 |
| 70 | Postoperative memory prediction in left temporal lobe epilepsy: The Wada test is of no added value to preoperative neuropsychological assessment and MRI. <i>Epilepsy and Behavior</i> , 2009, 16, 335-340. | 0.9 | 34 |
| 71 | Affect intensity and the appraisal of emotion. <i>Journal of Research in Personality</i> , 1986, 20, 447-459. | 0.9 | 33 |
| 72 | Influence of hepatitis C virus on neurocognitive function in patients free from other risk factors: validation from therapeutic outcomes. <i>Liver International</i> , 2011, 31, 1028-1038. | 1.9 | 33 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Dissociating patterns of anterior and posterior hippocampal activity and connectivity during distinct forms of category fluency. <i>Neuropsychologia</i> , 2016, 90, 148-158. | 0.7 | 33 |
| 74 | Neuropsychology in Temporal Lobe Epilepsy: Influences from Cognitive Neuroscience and Functional Neuroimaging. <i>Epilepsy Research & Treatment</i> , 2012, 2012, 1-13. | 1.4 | 32 |
| 75 | Language network measures at rest indicate individual differences in naming decline after anterior temporal lobe resection. <i>Human Brain Mapping</i> , 2018, 39, 4404-4419. | 1.9 | 32 |
| 76 | Understanding medial temporal activation in memory tasks: Evidence from fMRI of encoding and recognition in a case of transient global amnesia. <i>Hippocampus</i> , 2008, 18, 317-325. | 0.9 | 31 |
| 77 | The Toronto Cognitive Assessment (TorCA): normative data and validation to detect amnesic mild cognitive impairment. <i>Alzheimer's Research and Therapy</i> , 2018, 10, 65. | 3.0 | 30 |
| 78 | Parcellation of the Hippocampus Using Resting Functional Connectivity in Temporal Lobe Epilepsy. <i>Frontiers in Neurology</i> , 2019, 10, 920. | 1.1 | 29 |
| 79 | Advantages of sentence-level fMRI language tasks in presurgical language mapping for temporal lobe epilepsy. <i>Epilepsy and Behavior</i> , 2014, 32, 114-120. | 0.9 | 28 |
| 80 | Cognitive safety of dorsomedial prefrontal repetitive transcranial magnetic stimulation in major depression. <i>European Neuropsychopharmacology</i> , 2016, 26, 1213-1226. | 0.3 | 28 |
| 81 | Standardization of electroencephalography for multi-site, multi-platform and multi-investigator studies: insights from the canadian biomarker integration network in depression. <i>Scientific Reports</i> , 2017, 7, 7473. | 1.6 | 28 |
| 82 | Visuospatial Associative Memory and Hippocampal Functioning in Congenital Hypothyroidism. <i>Journal of the International Neuropsychological Society</i> , 2012, 18, 49-56. | 1.2 | 27 |
| 83 | Characterizing Functional Integrity: Intraindividual Brain Signal Variability Predicts Memory Performance in Patients with Medial Temporal Lobe Epilepsy. <i>Journal of Neuroscience</i> , 2013, 33, 9855-9865. | 1.7 | 27 |
| 84 | Associative reinstatement: A novel approach to assessing associative memory in patients with unilateral temporal lobe excisions. <i>Neuropsychologia</i> , 2009, 47, 2989-2994. | 0.7 | 26 |
| 85 | The immediacy of recollection: The use of the historical present in narratives of autobiographical episodes by patients with unilateral temporal lobe epilepsy. <i>Neuropsychologia</i> , 2011, 49, 1171-1176. | 0.7 | 26 |
| 86 | Hippocampal Functioning and Verbal Associative Memory in Adolescents with Congenital Hypothyroidism. <i>Frontiers in Endocrinology</i> , 2015, 6, 163. | 1.5 | 26 |
| 87 | A Review of Social and Relational Aspects of Deep Brain Stimulation in Parkinson's Disease Informed by Healthcare Provider Experiences. <i>Parkinson's Disease</i> , 2011, 2011, 1-8. | 0.6 | 25 |
| 88 | The medial temporal lobe in nociception: a meta-analytic and functional connectivity study. <i>Pain</i> , 2019, 160, 1245-1260. | 2.0 | 25 |
| 89 | Different neural routes to autobiographical memory recall in healthy people and individuals with left medial temporal lobe epilepsy. <i>Neuropsychologia</i> , 2018, 110, 26-36. | 0.7 | 24 |
| 90 | Predicting mood decline following temporal lobe epilepsy surgery in adults. <i>Epilepsia</i> , 2021, 62, 450-459. | 2.6 | 24 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Effects of Early Thyroid Hormone Deficiency on Children's Autobiographical Memory Performance. <i>Journal of the International Neuropsychological Society</i> , 2013, 19, 419-429. | 1.2 | 23 |
| 92 | Using multivariate data reduction to predict postsurgery memory decline in patients with mesial temporal lobe epilepsy. <i>Epilepsy and Behavior</i> , 2014, 31, 220-227. | 0.9 | 22 |
| 93 | Pupillary responses and memory-guided visual search reveal age-related and Alzheimer's-related memory decline. <i>Behavioural Brain Research</i> , 2017, 322, 351-361. | 1.2 | 22 |
| 94 | Nomograms to Predict Verbal Memory Decline After Temporal Lobe Resection in Adults With Epilepsy. <i>Neurology</i> , 2021, 97, . | 1.5 | 22 |
| 95 | Accuracy of episodic autobiographical memory in children with early thyroid hormone deficiency using a staged event. <i>Developmental Cognitive Neuroscience</i> , 2014, 9, 1-11. | 1.9 | 21 |
| 96 | Hippocampal Complex Contribution to Retention and Retrieval of Recent and Remote Episodic and Semantic Memories: Evidence from Behavioral and Neuroimaging Studies of Healthy and Brain-Damaged People. , 2005, , 333-380. | | 20 |
| 97 | Network Alterations Supporting Word Retrieval in Patients with Medial Temporal Lobe Epilepsy. <i>Journal of Cognitive Neuroscience</i> , 2011, 23, 2605-2619. | 1.1 | 20 |
| 98 | MRI in the evaluation of localization-related epilepsy. <i>Journal of Magnetic Resonance Imaging</i> , 2016, 44, 12-22. | 1.9 | 20 |
| 99 | Episodic simulation and empathy in older adults and patients with unilateral medial temporal lobe excisions. <i>Neuropsychologia</i> , 2019, 135, 107243. | 0.7 | 19 |
| 100 | Sleep Fragmentation and Cognitive Trajectories After Critical Illness. <i>Chest</i> , 2021, 159, 366-381. | 0.4 | 19 |
| 101 | Memory for famous people in patients with unilateral temporal lobe epilepsy and excisions. <i>Neuropsychology</i> , 2002, 16, 472-80. | 1.0 | 19 |
| 102 | Associative reinstatement memory measures hippocampal function in Parkinson's Disease. <i>Neuropsychologia</i> , 2016, 90, 25-32. | 0.7 | 18 |
| 103 | Applications of Resting-State Functional MR Imaging to Epilepsy. <i>Neuroimaging Clinics of North America</i> , 2017, 27, 697-708. | 0.5 | 18 |
| 104 | Sleep on the ward in intensive care unit survivors: a case series of polysomnography. <i>Internal Medicine Journal</i> , 2018, 48, 795-802. | 0.5 | 17 |
| 105 | Semantic congruence affects hippocampal response to repetition of visual associations. <i>Neuropsychologia</i> , 2016, 90, 235-242. | 0.7 | 16 |
| 106 | Identification of neural networks preferentially engaged by epileptogenic mass lesions through lesion network mapping analysis. <i>Scientific Reports</i> , 2020, 10, 10989. | 1.6 | 16 |
| 107 | Transfer effects in implicit tests of memory.. <i>Journal of Experimental Psychology: Learning Memory and Cognition</i> , 1990, 16, 772-788. | 0.7 | 14 |
| 108 | Cognitive and functional correlates of accelerated long-term forgetting in temporal lobe epilepsy. <i>Cortex</i> , 2019, 110, 101-114. | 1.1 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Network interactions explain effective encoding in the context of medial temporal damage in MCI. <i>Human Brain Mapping</i> , 2011, 32, 1277-1289. | 1.9 | 13 |
| 110 | Functional and Structural Correlates of Memory in Patients with Mesial Temporal Lobe Epilepsy. <i>Frontiers in Neurology</i> , 2015, 6, 103. | 1.1 | 13 |
| 111 | Material-specific and non-specific attention deficits in children and adolescents following temporal-lobe surgery. <i>Neuropsychologia</i> , 2000, 38, 292-303. | 0.7 | 12 |
| 112 | Intracarotid Etomidate is a Safe Alternative to Sodium Amobarbital for the Wada Test. <i>Journal of Neurosurgical Anesthesiology</i> , 2013, 25, 408-413. | 0.6 | 11 |
| 113 | A study protocol for an observational cohort investigating COGNITIVE outcomes and WELLness in survivors of critical illness: the COGWELL study. <i>BMJ Open</i> , 2017, 7, e015600. | 0.8 | 11 |
| 114 | Investigating Agenesis of the Corpus Callosum Using Functional MRI: A Study Examining Interhemispheric Coordination of Motor Control. , 2011, 21, 65-68. | | 9 |
| 115 | Affect Intensity and Self-Consciousness in College Students. <i>Psychological Reports</i> , 1986, 58, 148-150. | 0.9 | 8 |
| 116 | The sign of the cross as a learned ictal automatism?. <i>Epilepsy and Behavior</i> , 2009, 15, 394-398. | 0.9 | 7 |
| 117 | Memory Assessment in the Clinical Context Using Functional Magnetic Resonance Imaging. <i>Neuroimaging Clinics of North America</i> , 2014, 24, 585-597. | 0.5 | 7 |
| 118 | Language Representation Following Left MCA Stroke in Children and Adults: An fMRI Study. <i>Canadian Journal of Neurological Sciences</i> , 2017, 44, 483-497. | 0.3 | 7 |
| 119 | Actigraphic measures of sleep on the wards after ICU discharge. <i>Journal of Critical Care</i> , 2019, 54, 163-169. | 1.0 | 7 |
| 120 | Infusing cognitive neuroscience into the clinical neuropsychology of memory. <i>Current Opinion in Behavioral Sciences</i> , 2020, 32, 94-101. | 2.0 | 7 |
| 121 | Chronic (Rasmussen's) Encephalitis in an Adult. <i>Canadian Journal of Neurological Sciences</i> , 2003, 30, 263-265. | 0.3 | 6 |
| 122 | I remember therefore I am: Episodic memory retrieval and self-reported trait empathy judgments in young and older adults and individuals with medial temporal lobe excisions. <i>Cognition</i> , 2022, 225, 105124. | 1.1 | 6 |
| 123 | Self-report of memory and affective dysfunction in association with medication use in a sample of individuals with chronic sleep disturbance. <i>Human Psychopharmacology</i> , 2000, 15, 583-587. | 0.7 | 5 |
| 124 | Theta burst transcranial magnetic stimulation to induce seizures in an epilepsy monitoring unit. <i>Brain Stimulation</i> , 2020, 13, 1800-1802. | 0.7 | 5 |
| 125 | Baseline resting-state functional connectivity determines subsequent pain ratings to a tonic ecologically valid experimental model of orofacial pain. <i>Pain</i> , 2021, 162, 2397-2404. | 2.0 | 5 |
| 126 | Research Consent for Deep Brain Stimulation in Treatment-Resistant Depression: Balancing Risk With Patient Expectations. <i>AJOB Neuroscience</i> , 2011, 2, 39-41. | 0.6 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Psychological distress, resilience and mental health resources in a Canadian hospital during COVID-19: Thoughts in preparing for the next wave. <i>General Hospital Psychiatry</i> , 2021, 69, 124-125. | 1.2 | 4 |
| 128 | Intact perceptual and conceptual priming in temporal lobe epilepsy: neuroanatomical and methodological implications. <i>Neuropsychology</i> , 2002, 16, 92-101. | 1.0 | 4 |
| 129 | Remote memory and temporal lobe epilepsy. , 2012, , 227-243. | | 4 |
| 130 | Functional Imaging of the Double Cortex. <i>Canadian Journal of Neurological Sciences</i> , 2004, 31, 254-256. | 0.3 | 3 |
| 131 | Impact of Mesial Temporal Lobe Resection on Brain Structure in Medically Refractory Epilepsy. <i>World Neurosurgery</i> , 2021, 152, e652-e665. | 0.7 | 3 |
| 132 | Seizure Recurrence 29 Years After Hemispherectomy for Sturge Weber Syndrome. <i>Canadian Journal of Neurological Sciences</i> , 2010, 37, 141-144. | 0.3 | 2 |
| 133 | The Hippocampus and Episodic Memory in Children. <i>Journal of the International Neuropsychological Society</i> , 2013, 19, 1027-1030. | 1.2 | 2 |
| 134 | Clinical Utility of Resting State Functional MRI. <i>Contemporary Clinical Neuroscience</i> , 2018, , 59-79. | 0.3 | 2 |
| 135 | Response: Predicting mood decline following temporal lobe epilepsy surgery in adults. <i>Epilepsia</i> , 2021, 62, 1283-1284. | 2.6 | 2 |
| 136 | Lateralizing magnetic resonance imaging findings in mesial temporal sclerosis and correlation with seizure and neurocognitive outcome after temporal lobectomy. <i>Epilepsy Research</i> , 2021, 171, 106562. | 0.8 | 1 |
| 137 | Cover Image, Volume 28, Issue 10. <i>Hippocampus</i> , 2018, 28, C1. | 0.9 | 0 |