Joo Paulo Souza

List of Publications by Citations

Source: https://exaly.com/author-pdf/3491054/joao-paulo-souza-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 203
 12,741
 54
 109

 papers
 citations
 h-index
 g-index

 227
 15,688
 5.8
 6.21

 ext. papers
 ext. citations
 avg, IF
 L-index

#	Paper	IF	Citations
203	Use of the Robson classification to assess caesarean section trends in 21 countries: a secondary analysis of two WHO multicountry surveys. <i>The Lancet Global Health</i> , 2015 , 3, e260-70	13.6	676
202	Method of delivery and pregnancy outcomes in Asia: the WHO global survey on maternal and perinatal health 2007-08. <i>Lancet, The</i> , 2010 , 375, 490-9	40	626
201	The Mistreatment of Women during Childbirth in Health Facilities Globally: A Mixed-Methods Systematic Review. <i>PLoS Medicine</i> , 2015 , 12, e1001847; discussion e1001847	11.6	567
200	Maternal near misstowards a standard tool for monitoring quality of maternal health care. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2009 , 23, 287-96	4.6	513
199	Beyond too little, too late and too much, too soon: a pathway towards evidence-based, respectful maternity care worldwide. <i>Lancet, The</i> , 2016 , 388, 2176-2192	40	473
198	Moving beyond essential interventions for reduction of maternal mortality (the WHO Multicountry Survey on Maternal and Newborn Health): a cross-sectional study. <i>Lancet, The</i> , 2013 , 381, 1747-55	40	439
197	Pregnancy and childbirth outcomes among adolescent mothers: a World Health Organization multicountry study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014 , 121 Suppl 1, 40-8	3.7	403
196	WHO Statement on Caesarean Section Rates. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016 , 123, 667-70	3.7	396
195	Facilitators and barriers to facility-based delivery in low- and middle-income countries: a qualitative evidence synthesis. <i>Reproductive Health</i> , 2014 , 11, 71	3.5	392
194	Caesarean section without medical indications is associated with an increased risk of adverse short-term maternal outcomes: the 2004-2008 WHO Global Survey on Maternal and Perinatal Health. <i>BMC Medicine</i> , 2010 , 8, 71	11.4	348
193	A global reference for fetal-weight and birthweight percentiles. <i>Lancet, The</i> , 2011 , 377, 1855-61	40	302
192	A living WHO guideline on drugs for covid-19. <i>BMJ, The</i> , 2020 , 370, m3379	5.9	275
191	Pre-eclampsia, eclampsia and adverse maternal and perinatal outcomes: a secondary analysis of the World Health Organization Multicountry Survey on Maternal and Newborn Health. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014 , 121 Suppl 1, 14-24	3.7	266
190	What is the optimal rate of caesarean section at population level? A systematic review of ecologic studies. <i>Reproductive Health</i> , 2015 , 12, 57	3.5	229
189	Advanced maternal age and pregnancy outcomes: a multicountry assessment. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014 , 121 Suppl 1, 49-56	3.7	227
188	Outdoor air pollution, preterm birth, and low birth weight: analysis of the world health organization global survey on maternal and perinatal health. <i>Environmental Health Perspectives</i> , 2014 , 122, 425-30	8.4	199
187	Risk factors of pre-eclampsia/eclampsia and its adverse outcomes in low- and middle-income countries: a WHO secondary analysis. <i>PLoS ONE</i> , 2014 , 9, e91198	3.7	193

(2013-2013)

186	Macrosomia in 23 developing countries: an analysis of a multicountry, facility-based, cross-sectional survey. <i>Lancet, The</i> , 2013 , 381, 476-83	40	183
185	Classifications for cesarean section: a systematic review. <i>PLoS ONE</i> , 2011 , 6, e14566	3.7	179
184	Searching for the optimal rate of medically necessary cesarean delivery. Birth, 2014, 41, 237-44	3.1	162
183	The prevalence of maternal near miss: a systematic review. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2012 , 119, 653-61	3.7	161
182	Postpartum haemorrhage management, risks, and maternal outcomes: findings from the World Health Organization Multicountry Survey on Maternal and Newborn Health. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014 , 121 Suppl 1, 5-13	3.7	157
181	Respectful care during childbirth in health facilities globally: a qualitative evidence synthesis. <i>BJOG:</i> an International Journal of Obstetrics and Gynaecology, 2018 , 125, 932-942	3.7	133
180	Maternal complications and perinatal mortality: findings of the World Health Organization Multicountry Survey on Maternal and Newborn Health. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014 , 121 Suppl 1, 76-88	3.7	130
179	A systematic review of the relationship between blood loss and clinical signs. <i>PLoS ONE</i> , 2013 , 8, e5759	143.7	122
178	Obstetric transition: the pathway towards ending preventable maternal deaths. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014 , 121 Suppl 1, 1-4	3.7	118
177	The role of delays in severe maternal morbidity and mortality: expanding the conceptual framework. <i>Reproductive Health Matters</i> , 2012 , 20, 155-63		113
176	Maternal near miss and maternal death in the World Health Organization 2005 global survey on maternal and perinatal health. <i>Bulletin of the World Health Organization</i> , 2010, 88, 113-9	8.2	111
175	The WHO maternal near-miss approach and the maternal severity index model (MSI): tools for assessing the management of severe maternal morbidity. <i>PLoS ONE</i> , 2012 , 7, e44129	3.7	107
174	The relationship between maternal education and mortality among women giving birth in health care institutions: analysis of the cross sectional WHO Global Survey on Maternal and Perinatal Health. <i>BMC Public Health</i> , 2011 , 11, 606	4.1	105
173	A systematic review of the Robson classification for caesarean section: what works, doesn's work and how to improve it. <i>PLoS ONE</i> , 2014 , 9, e97769	3.7	104
172	Active management of the third stage of labour with and without controlled cord traction: a randomised, controlled, non-inferiority trial. <i>Lancet, The</i> , 2012 , 379, 1721-7	40	100
171	Prevalence of early initiation of breastfeeding and determinants of delayed initiation of breastfeeding: secondary analysis of the WHO Global Survey. <i>Scientific Reports</i> , 2017 , 7, 44868	4.9	97
170	Delays in receiving obstetric care and poor maternal outcomes: results from a national multicentre cross-sectional study. <i>BMC Pregnancy and Childbirth</i> , 2014 , 14, 159	3.2	95
169	New WHO recommendations on prevention and treatment of postpartum hemorrhage. International Journal of Gynecology and Obstetrics, 2013, 123, 254-6	4	94

168	Use of antenatal corticosteroids and tocolytic drugs in preterm births in 29 countries: an analysis of the WHO Multicountry Survey on Maternal and Newborn Health. <i>Lancet, The</i> , 2014 , 384, 1869-1877	40	76
167	Antenatal care packages with reduced visits and perinatal mortality: a secondary analysis of the WHO Antenatal Care Trial. <i>Reproductive Health</i> , 2013 , 10, 19	3.5	75
166	WHO recommendations for misoprostol use for obstetric and gynecologic indications. <i>International Journal of Gynecology and Obstetrics</i> , 2013 , 121, 186-9	4	73
165	Risk factors and adverse perinatal outcomes among term and preterm infants born small-for-gestational-age: secondary analyses of the WHO Multi-Country Survey on Maternal and Newborn Health. <i>PLoS ONE</i> , 2014 , 9, e105155	3.7	71
164	The world health organization multicountry survey on maternal and newborn health: study protocol. <i>BMC Health Services Research</i> , 2011 , 11, 286	2.9	70
163	Maternal and perinatal outcomes among nulliparous adolescents in low- and middle-income countries: a multi-country study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013 , 120, 1622-30; discussion 1630	3.7	66
162	A global reference for caesarean section rates (C-Model): a multicountry cross-sectional study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016 , 123, 427-36	3.7	64
161	Maternal morbidity and preterm birth in 22 low- and middle-income countries: a secondary analysis of the WHO Global Survey dataset. <i>BMC Pregnancy and Childbirth</i> , 2014 , 14, 56	3.2	62
160	Patterns and Outcomes of Induction of Labour in Africa and Asia: a secondary analysis of the WHO Global Survey on Maternal and Neonatal Health. <i>PLoS ONE</i> , 2013 , 8, e65612	3.7	60
159	Development of criteria for identifying neonatal near-miss cases: analysis of two WHO multicountry cross-sectional studies. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014 , 121 Suppl 1, 110-8	3.7	59
158	WHO global survey on maternal and perinatal health in Latin America: classifying caesarean sections. <i>Reproductive Health</i> , 2009 , 6, 18	3.5	59
157	Twin Pregnancy and Severe Maternal Outcomes: The World Health Organization Multicountry Survey on Maternal and Newborn Health. <i>Obstetrics and Gynecology</i> , 2016 , 127, 631-641	4.9	59
156	Maternal and perinatal outcomes of twin pregnancy in 23 low- and middle-income countries. <i>PLoS ONE</i> , 2013 , 8, e70549	3.7	58
155	An emerging "maternal near-miss syndrome": narratives of women who almost died during pregnancy and childbirth. <i>Birth</i> , 2009 , 36, 149-58	3.1	58
154	Postpartum hemorrhage: new insights for definition and diagnosis. <i>American Journal of Obstetrics and Gynecology</i> , 2018 , 219, 162-168	6.4	57
153	Assessment of funnel plot asymmetry and publication bias in reproductive health meta-analyses: an analytic survey. <i>Reproductive Health</i> , 2007 , 4, 3	3.5	57
152	Clinical pharmacokinetic properties of magnesium sulphate in women with pre-eclampsia and eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016 , 123, 356-66	3.7	56
151	Prevalence and risk factors for third- and fourth-degree perineal lacerations during vaginal delivery: a multi-country study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2012 , 119, 340-7	3.7	55

(2011-2017)

150	Towards a consensus definition of maternal sepsis: results of a systematic review and expert consultation. <i>Reproductive Health</i> , 2017 , 14, 67	3.5	53	
149	Maternal near miss and quality of maternal health care in Baghdad, Iraq. <i>BMC Pregnancy and Childbirth</i> , 2013 , 13, 11	3.2	52	
148	Predictors of preterm birth. International Journal of Gynecology and Obstetrics, 2006, 94, 5-11	4	52	
147	Pre-validation of the WHO organ dysfunction based criteria for identification of maternal near miss. <i>Reproductive Health</i> , 2011 , 8, 22	3.5	50	
146	Duration of spontaneous labour in Sow-riskSwomen with SnormalSperinatal outcomes: A systematic review. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2018 , 223, 123-132	2.4	49	
145	Trends and projections of caesarean section rates: global and regional estimates. <i>BMJ Global Health</i> , 2021 , 6,	6.6	48	
144	Maternal near miss and death among women with severe hypertensive disorders: a Brazilian multicenter surveillance study. <i>Reproductive Health</i> , 2014 , 11, 4	3.5	46	
143	Effectiveness of a clinically integrated e-learning course in evidence-based medicine for reproductive health training: a randomized trial. <i>JAMA - Journal of the American Medical Association</i> , 2012 , 308, 2218-25	27.4	46	
142	Incidence and outcomes of uterine rupture among women with prior caesarean section: WHO Multicountry Survey on Maternal and Newborn Health. <i>Scientific Reports</i> , 2017 , 7, 44093	4.9	45	
141	Risk factors for spontaneous and provider-initiated preterm delivery in high and low Human Development Index countries: a secondary analysis of the World Health Organization Multicountry Survey on Maternal and Newborn Health. <i>BJOG: an International Journal of Obstetrics and</i>	3.7	45	
140	A population-based surveillance study on severe acute maternal morbidity (near-miss) and adverse perinatal outcomes in Campinas, Brazil: the Vigimoma Project. <i>BMC Pregnancy and Childbirth</i> , 2011 , 11, 9	3.2	44	
139	Factors and outcomes associated with the induction of labour in Latin America. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2009 , 116, 1762-72	3.7	43	
138	Factors associated with maternal death in women admitted to an intensive care unit with severe maternal morbidity. <i>International Journal of Gynecology and Obstetrics</i> , 2009 , 105, 252-6	4	42	
137	Maternal and perinatal health research priorities beyond 2015: an international survey and prioritization exercise. <i>Reproductive Health</i> , 2014 , 11, 61	3.5	41	
136	Newborn health research priorities beyond 2015. Lancet, The, 2014, 384, e27-9	40	41	
135	The global maternal sepsis study and awareness campaign (GLOSS): study protocol. <i>Reproductive Health</i> , 2018 , 15, 16	3.5	40	
134	Brazilian network for the surveillance of maternal potentially life threatening morbidity and maternal near-miss and a multidimensional evaluation of their long term consequences. <i>Reproductive Health</i> , 2009 , 6, 15	3.5	40	
133	Elective induction versus spontaneous labour in Latin America. <i>Bulletin of the World Health Organization</i> , 2011 , 89, 657-65	8.2	40	

132	Research on severe maternal morbidities and near-misses in Brazil: what we have learned. <i>Reproductive Health Matters</i> , 2007 , 15, 125-33		40
131	Cervical dilatation patterns of \$ ow-riskSwomen with spontaneous labour and normal perinatal outcomes: a systematic review. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018 , 125, 944-954	3.7	39
130	Appraisal of WHO guidelines in maternal health using the AGREE II assessment tool. <i>PLoS ONE</i> , 2012 , 7, e38891	3.7	39
129	Setting research priorities to improve global newborn health and prevent stillbirths by 2025. Journal of Global Health, 2016 , 6, 010508	4.3	38
128	Education and severe maternal outcomes in developing countries: a multicountry cross-sectional survey. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014 , 121 Suppl 1, 57-65	3.7	37
127	Indirect causes of severe adverse maternal outcomes: a secondary analysis of the WHO Multicountry Survey on Maternal and Newborn Health. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014 , 121 Suppl 1, 32-9	3.7	36
126	PolicymakersSand other stakeholdersSperceptions of key considerations for health system decisions and the presentation of evidence to inform those considerations: an international survey. <i>Health Research Policy and Systems</i> , 2013 , 11, 19	3.7	34
125	Searching for the definition of macrosomia through an outcome-based approach in low- and middle-income countries: a secondary analysis of the WHO Global Survey in Africa, Asia and Latin America. <i>BMC Pregnancy and Childbirth</i> , 2015 , 15, 324	3.2	33
124	Network for Surveillance of Severe Maternal Morbidity: a powerful national collaboration generating data on maternal health outcomes and care. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016 , 123, 946-53	3.7	32
123	The associations between inter-pregnancy interval and maternal and neonatal outcomes in Brazil. <i>Maternal and Child Health Journal</i> , 2008 , 12, 275-81	2.4	32
122	Severe maternal morbidity and maternal near miss in the extremes of reproductive age: results from a national cross- sectional multicenter study. <i>BMC Pregnancy and Childbirth</i> , 2014 , 14, 77	3.2	31
121	Recurrence of adverse perinatal outcomes in developing countries. <i>Bulletin of the World Health Organization</i> , 2013 , 91, 357-67	8.2	31
120	A living WHO guideline on drugs to prevent covid-19. <i>BMJ, The</i> , 2021 , 372, n526	5.9	31
119	Frequency and management of maternal infection in health facilities in 52 countries (GLOSS): a 1-week inception cohort study. <i>The Lancet Global Health</i> , 2020 , 8, e661-e671	13.6	30
118	From planning to practice: building the national network for the Surveillance of Severe Maternal Morbidity. <i>BMC Public Health</i> , 2011 , 11, 283	4.1	30
117	The development of a Simplified, Effective, Labour Monitoring-to-Action (SELMA) tool for Better Outcomes in Labour Difficulty (BOLD): study protocol. <i>Reproductive Health</i> , 2015 , 12, 49	3.5	29
116	Portrayal of caesarean section in Brazilian women's magazines: 20 year review. <i>BMJ, The</i> , 2011 , 342, d2	7 6 .9	29
115	Maternal morbidity and near miss in the community: findings from the 2006 Brazilian demographic health survey. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2010 , 117, 1586-92	3.7	29

114	Progression of the first stage of spontaneous labour: A prospective cohort study in two sub-Saharan African countries. <i>PLoS Medicine</i> , 2018 , 15, e1002492	11.6	29
113	Neonatal near miss approach in the 2005 WHO Global Survey Brazil. <i>Jornal De Pediatria</i> , 2010 , 86, 21-6	2.6	29
112	Rationale for a long-term evaluation of the consequences of potentially life-threatening maternal conditions and maternal "near-miss" incidents using a multidimensional approach. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2010 , 32, 730-8	1.3	28
111	Cyclo-oxygenase (COX) inhibitors for treating preterm labour. <i>The Cochrane Library</i> , 2015 , CD001992	5.2	27
110	Perinatal outcomes in twin pregnancies complicated by maternal morbidity: evidence from the WHO Multicountry Survey on Maternal and Newborn Health. <i>BMC Pregnancy and Childbirth</i> , 2018 , 18, 449	3.2	27
109	Surgical procedures for evacuating incomplete miscarriage. <i>The Cochrane Library</i> , 2010 , CD001993	5.2	26
108	Room temperature stable carbetocin for the prevention of postpartum haemorrhage during the third stage of labour in women delivering vaginally: study protocol for a randomized controlled trial. <i>Trials</i> , 2016 , 17, 143	2.8	25
107	Millennium Development Goal 5 and adolescents: looking back, moving forward. <i>Archives of Disease in Childhood</i> , 2015 , 100 Suppl 1, S43-7	2.2	25
106	Development and validation of a questionnaire to identify severe maternal morbidity in epidemiological surveys. <i>Reproductive Health</i> , 2010 , 7, 16	3.5	25
105	Understanding the relation between Zika virus infection during pregnancy and adverse fetal, infant and child outcomes: a protocol for a systematic review and individual participant data meta-analysis of longitudinal studies of pregnant women and their infants and children. <i>BMJ Open</i> , 2019 , 9, e026092	3	24
104	Severe maternal morbidity and near miss due to postpartum hemorrhage in a national multicenter surveillance study. <i>International Journal of Gynecology and Obstetrics</i> , 2015 , 128, 131-6	4	23
103	Using a Caesarean Section Classification System based on characteristics of the population as a way of monitoring obstetric practice. <i>Reproductive Health</i> , 2010 , 7, 13	3.5	23
102	Severe maternal morbidity due to abortion prospectively identified in a surveillance network in Brazil. <i>International Journal of Gynecology and Obstetrics</i> , 2012 , 119, 44-8	4	22
101	The prolongation of somatic support in a pregnant woman with brain-death: a case report. <i>Reproductive Health</i> , 2006 , 3, 3	3.5	22
100	Maternal near miss and predictive ability of potentially life-threatening conditions at selected maternity hospitals in Latin America. <i>Reproductive Health</i> , 2016 , 13, 134	3.5	22
99	Unmet need for induction of labor in Africa: secondary analysis from the 2004 - 2005 WHO Global Maternal and Perinatal Health Survey (A cross-sectional survey). <i>BMC Public Health</i> , 2012 , 12, 722	4.1	21
98	Interventions to Reduce Maternal and Newborn Morbidity and Mortality 2016 , 115-136		21
97	Cervical dilatation over time is a poor predictor of severe adverse birth outcomes: a diagnostic accuracy study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018 , 125, 991-1000	3.7	20

96	Outcomes of non-vertex second twins, following vertex vaginal delivery of first twin: a secondary analysis of the WHO Global Survey on maternal and perinatal health. <i>BMC Pregnancy and Childbirth</i> , 2014 , 14, 55	3.2	20
95	Non-pneumatic anti-shock garment for improving maternal survival following severe postpartum haemorrhage: a systematic review. <i>Reproductive Health</i> , 2015 , 12, 28	3.5	20
94	Factors associated with low birth weight in a historical series of deliveries in Campinas, Brazil. <i>Revista Da Associa Mdica Brasileira</i> , 2009 , 55, 692-9	1.4	20
93	Near-miss maternal mortality in developing countries. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2002 , 104, 80	2.4	20
92	Impact of stillbirths on international comparisons of preterm birth rates: a secondary analysis of the WHO multi-country survey of Maternal and Newborn Health. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2017 , 124, 1346-1354	3.7	19
91	Mode and timing of twin delivery and perinatal outcomes in low- and middle-income countries: a secondary analysis of the WHO Multicountry Survey on Maternal and Newborn Health. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014 , 121 Suppl 1, 89-100	3.7	19
90	Cryptococcal meningitis in HIV negative pregnant women: case report and review of literature. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2009 , 51, 289-94	2.2	19
89	Population surveys using validated questionnaires provided useful information on the prevalence of maternal morbidities. <i>Journal of Clinical Epidemiology</i> , 2008 , 61, 169-76	5.7	19
88	PRENACEL - a mHealth messaging system to complement antenatal care: a cluster randomized trial. <i>Reproductive Health</i> , 2017 , 14, 146	3.5	18
87	Postpartum hemorrhage care bundles to improve adherence to guidelines: A WHO technical consultation. <i>International Journal of Gynecology and Obstetrics</i> , 2020 , 148, 290-299	4	18
86	Increases in Caesarean Delivery Rates and Change of Perinatal Outcomes in Low- and Middle-Income Countries: A Hospital-Level Analysis of Two WHO Surveys. <i>Paediatric and Perinatal Epidemiology</i> , 2017 , 31, 251-262	2.7	17
85	Harmonisation of Zika virus research protocols to address key public health concerns. <i>The Lancet Global Health</i> , 2016 , 4, e911-e912	13.6	17
84	Applying the maternal near miss approach for the evaluation of quality of obstetric care: a worked example from a Multicenter Surveillance Study. <i>BioMed Research International</i> , 2014 , 2014, 989815	3	17
83	Sequential organ failure assessment score for evaluating organ failure and outcome of severe maternal morbidity in obstetric intensive care. <i>Scientific World Journal, The</i> , 2012 , 2012, 172145	2.2	17
82	Maternal near-miss audits to improve quality of care. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014 , 121 Suppl 4, 102-4	3.7	16
81	Subsequent reproductive outcome in women who have experienced a potentially life-threatening condition or a maternal near-miss during pregnancy. <i>Clinics</i> , 2011 , 66, 1367-72	2.3	16
8o	COHELLP: collaborative randomized controlled trial on corticosteroids in HELLP syndrome. <i>Reproductive Health</i> , 2013 , 10, 28	3.5	15
79	Formative research and development of innovative tools for "Better Outcomes in Labour Difficulty" (BOLD): study protocol. <i>Reproductive Health</i> , 2015 , 12, 50	3.5	15

(2006-2015)

78	WHO Better Outcomes in Labour Difficulty (BOLD) project: innovating to improve quality of care around the time of childbirth. <i>Reproductive Health</i> , 2015 , 12, 48	3.5	15
77	Contribution of antepartum and intrapartum hemorrhage to the burden of maternal near miss and death in a national surveillance study. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2015 , 94, 50-8	3.8	14
76	Severe anemia, sickle cell disease, and thalassemia as risk factors for hypertensive disorders in pregnancy in developing countries. <i>Pregnancy Hypertension</i> , 2018 , 13, 141-147	2.6	14
75	Maternal and institutional characteristics associated with the administration of prophylactic antibiotics for caesarean section: a secondary analysis of the World Health Organization Multicountry Survey on Maternal and Newborn Health. <i>BJOG: an International Journal of Obstetrics</i>	3.7	14
74	Non-clinical interventions to reduce unnecessary caesarean sections: WHO recommendations. Bulletin of the World Health Organization, 2020 , 98, 66-68	8.2	14
73	WHO interim guidance on pregnancy management in the context of Zika virus infection. <i>The Lancet Global Health</i> , 2016 , 4, e510-1	13.6	14
72	Severe maternal morbidity due to respiratory disease and impact of 2009 H1N1 influenza A pandemic in Brazil: results from a national multicenter cross-sectional study. <i>BMC Infectious Diseases</i> , 2016 , 16, 220	4	13
71	Diagnostic accuracy of the partograph alert and action lines to predict adverse birth outcomes: a systematic review. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2019 , 126, 1524-1533	3.7	13
70	Obstetric transition in the World Health Organization Multicountry Survey on Maternal and Newborn Health: exploring pathways for maternal mortality reduction. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 2015 , 37, 203-10	4.1	12
69	Comparison of the INTERGROWTH-21st, National Institute of Child Health and Human Development, and WHO fetal growth standards. <i>International Journal of Gynecology and Obstetrics</i> , 2018 , 143, 156-163	4	11
68	Intraclass correlation coefficients in the Brazilian Network for Surveillance of Severe Maternal Morbidity study. <i>BMC Pregnancy and Childbirth</i> , 2012 , 12, 101	3.2	11
67	Audit and feedback: effects on professional obstetrical practice and healthcare outcomes in a university hospital. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2009 , 88, 793-800	3.8	11
66	Optimal Timing of Delivery among Low-Risk Women with Prior Caesarean Section: A Secondary Analysis of the WHO Multicountry Survey on Maternal and Newborn Health. <i>PLoS ONE</i> , 2016 , 11, e0149	03971	11
65	Mode of delivery and pregnancy outcomes in preterm birth: a secondary analysis of the WHO Global and Multi-country Surveys. <i>Scientific Reports</i> , 2019 , 9, 15556	4.9	10
64	Computer-assisted telephone interviewing (CATI): using the telephone for obtaining information on reproductive health. <i>Cadernos De Saude Publica</i> , 2011 , 27, 1801-8	3.2	10
63	The near-miss maternal morbidity scoring system was tested in a clinical setting in Brazil. <i>Journal of Clinical Epidemiology</i> , 2005 , 58, 962; author reply 962-3	5.7	10
62	Self-reported maternal morbidity and associated factors among Brazilian women. <i>Revista Da Associa</i> Midica Brasileira, 2008 , 54, 249-55	1.4	10
61	Maternal position during the first stage of labor: a systematic review. Reproductive Health, 2006, 3, 10	3.5	9

60	On labor and childbirth: the importance of quaternary prevention. <i>Cadernos De Saude Publica</i> , 2014 , 30 Suppl 1, S1-3	3.2	9
59	Management of pregnancy at and beyond 41 completed weeks of gestation in low-risk women: a secondary analysis of two WHO multi-country surveys on maternal and newborn health. <i>Reproductive Health</i> , 2017 , 14, 141	3.5	8
58	Practical criteria for maternal near miss needed for low-income settings - AuthorsSreply. <i>Lancet, The,</i> 2013 , 382, 505	40	8
57	Sistemas de informa ß em sa ß e e monitoramento de morbidade materna grave e mortalidade materna. <i>Revista Brasileira De Saude Materno Infantil</i> , 2006 , 6, 161-168	0.3	8
56	Healthcare providersSperspectives on labor monitoring in Nigeria and Uganda: A qualitative study on challenges and opportunities. <i>International Journal of Gynecology and Obstetrics</i> , 2017 , 139 Suppl 1, 17-26	4	7
55	Negotiating quality standards for effective delivery of labor and childbirth care in Nigeria and Uganda. <i>International Journal of Gynecology and Obstetrics</i> , 2017 , 139 Suppl 1, 47-55	4	7
54	Diagnosis and Management of Placental Mesenchymal Disease. A Review of the Literature. <i>Obstetrical and Gynecological Survey</i> , 2019 , 74, 611-622	2.4	7
53	Is it necessary to have a dentist within an intensive care unit team? Report of a randomised clinical trial. <i>International Dental Journal</i> , 2018 , 68, 420-427	2.2	7
52	Analgesia during Labor and Vaginal Birth among Women with Severe Maternal Morbidity: Secondary Analysis from the WHO Multicountry Survey on Maternal and Newborn Health. <i>BioMed Research International</i> , 2019 , 2019, 7596165	3	6
51	Progression of the first stage of spontaneous labour. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2020 , 67, 19-32	4.6	6
50	The role of infection and sepsis in the Brazilian Network for Surveillance of Severe Maternal Morbidity. <i>Tropical Medicine and International Health</i> , 2016 , 21, 183-93	2.3	6
49	A secondary analysis of the WHO Global Survey on Maternal and Perinatal Health for antibiotics used in vaginal deliveries. <i>International Journal of Gynecology and Obstetrics</i> , 2014 , 124, 240-3	4	6
48	Role of faith-based and nongovernment organizations in the provision of obstetric services in 3 African countries. <i>American Journal of Obstetrics and Gynecology</i> , 2012 , 207, 495.e1-7	6.4	6
47	Factors influencing awareness of healthcare providers on maternal sepsis: a mixed-methods approach. <i>BMC Public Health</i> , 2019 , 19, 683	4.1	5
46	Use of Intensive Care Unit in Women with Severe Maternal Morbidity and Maternal Death: Results from a National Multicenter Study. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2020 , 42, 124-132	1.1	5
45	Abuse and disrespect in childbirth process and abortion situation in Latin America and the Caribbean-systematic review protocol. <i>Systematic Reviews</i> , 2017 , 6, 152	3	5
44	The evolving management of the third stage of labour. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2009 , 116 Suppl 1, 26-8	3.7	5
43	Provider-initiated delivery, late preterm birth and perinatal mortality: a secondary analysis of the WHO multicountry survey on maternal and newborn health. <i>BMJ Global Health</i> , 2017 , 2, e000204	6.6	4

(2006-2019)

42	An outcome-based definition of low birthweight for births in low- and middle-income countries: a secondary analysis of the WHO global survey on maternal and perinatal health. <i>BMC Pediatrics</i> , 2019 , 19, 166	2.6	4
41	Identification of earlier predictors of pregnancy complications through wearable technologies in a Brazilian multicentre cohort: Maternal Actigraphy Exploratory Study I (MAES-I) study protocol. <i>BMJ Open</i> , 2019 , 9, e023101	3	4
40	Provision of intensive care to severely ill pregnant women is associated with reduced mortality: Results from the WHO Multicountry Survey on Maternal and Newborn Health. <i>International Journal of Gynecology and Obstetrics</i> , 2020 , 150, 346-353	4	4
39	Ebola virus disease and breastfeeding. <i>Lancet, The</i> , 2020 , 395, 491	40	4
38	Uma agenda de pesquisa para a Aten® Prim®a Sa©e no estado de S® Paulo, Brasil: o estudo ELECT. <i>Interface: Communication, Health, Education</i> , 2017 , 21, 349-361	0.7	4
37	Evaluation of aluminosilicate glass sintering during differential scanning calorimetry. <i>Ceramics International</i> , 2015 , 41, 7296-7301	5.1	4
36	Misoprostol use in the community to reduce maternal death. <i>Lancet, The</i> , 2010 , 376, 955; author reply 955-6	40	4
35	Development of the FAST-M maternal sepsis bundle for use in low-resource settings: a modified Delphi process. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020 , 127, 416-423	3.7	4
34	The Zika Virus Individual Participant Data Consortium: A Global Initiative to Estimate the Effects of Exposure to Zika Virus during Pregnancy on Adverse Fetal, Infant, and Child Health Outcomes. <i>Tropical Medicine and Infectious Disease</i> , 2020 , 5,	3.5	4
33	Dietary total antioxidant capacity during pregnancy and birth outcomes. <i>European Journal of Nutrition</i> , 2021 , 60, 357-367	5.2	4
32	Severe maternal morbidity and perinatal outcomes of multiple pregnancy in the Brazilian Network for the Surveillance of Severe Maternal Morbidity. <i>International Journal of Gynecology and Obstetrics</i> , 2017 , 139, 230-238	4	3
31	A communication and information strategy in health and preparation for childbirth: a randomized cluster trial (PRENACEL). <i>Cadernos De Saude Publica</i> , 2019 , 35, e00111218	3.2	3
30	Early evaluation of the \$TOP SEPSIS!SWHO Global Maternal Sepsis Awareness Campaign implemented for healthcare providers in 46 low, middle and high-income countries. <i>BMJ Open</i> , 2020 , 10, e036338	3	3
29	WHO next-generation partograph: revolutionary steps towards individualised labour care. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021 , 128, 1658-1662	3.7	3
28	The perinatal bereavement project: development and evaluation of supportive guidelines for families experiencing stillbirth and neonatal death in Southeast Brazil-a quasi-experimental before-and-after study. <i>Reproductive Health</i> , 2021 , 18, 5	3.5	3
27	Assimilating evidence quality at a glance using graphic display: research synthesis on labor induction. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2012 , 91, 885-92	3.8	2
26	The prevention of postpartum hemorrhage in the community. <i>PLoS Medicine</i> , 2013 , 10, e1001525	11.6	2
25	Reaß anafiltica ao corante azul patente durante a bißsia do linfonodo sentinela em cficer de mama inicial: relato de caso. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2006 , 28, 728	1.1	2

24	Adapta® de mensagens educativas para parceiros de gestantes para uso em tecnologias m\u00edeis em sa\u00ede (mHealth). <i>Interface: Communication, Health, Education</i> ,23,	0.7	2
23	Analgesia for vaginal birth: Secondary analysis from the WHO Multicountry Survey on Maternal and Newborn Health. <i>International Journal of Gynecology and Obstetrics</i> , 2021 , 152, 401-408	4	2
22	Availability of facility resources and services and infection-related maternal outcomes in the WHO Global Maternal Sepsis Study: a cross-sectional study. <i>The Lancet Global Health</i> , 2021 , 9, e1252-e1261	13.6	2
21	What is an appropriate caesarean delivery rate for China: a multicentre survey. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021 ,	3.7	2
20	Maternal Mortality: An Eco-Social Phenomenon that Calls for Systemic Action. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2020 , 42, 169-173	1.1	1
19	SISPRENACEL âlmHealth tool to empower PRENACEL strategy. <i>Procedia Computer Science</i> , 2017 , 121, 748-755	1.6	1
18	Obstetric anal sphincter injury: a clinical audit. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2012 , 119, 1152-1153	3.7	1
17	Community-based interventions to reduce maternal mortality. <i>Lancet, The</i> , 2010 , 375, 458; author reply 458-9	40	1
16	Impact of a dental care intervention on the hospital mortality of critically ill patients admitted to intensive care units: a quasi-experimental study <i>American Journal of Infection Control</i> , 2022 ,	3.8	1
15	Development of caesarean section prediction models: secondary analysis of a prospective cohort study in two sub-Saharan African countries. <i>Reproductive Health</i> , 2019 , 16, 165	3.5	1
14	PRENACEL partner - use of short message service (SMS) to encourage male involvement in prenatal care: a cluster randomized trial. <i>Reproductive Health</i> , 2020 , 17, 45	3.5	1
13	Perinatal outcomes among births to women with infection during pregnancy. <i>Archives of Disease in Childhood</i> , 2021 , 106, 946-953	2.2	1
12	Sexismo cient fi co: o viŝ de gliero na produ l i cient fi ca da Universidade de Sli Paulo. <i>Revista De Saude Publica</i> , 2021 , 55, 46	2.4	O
11	Prevalence of virological and serological markers of SARS-CoV-2 infection in the population of RibeirB Preto, Southeast Brazil: an epidemiological survey. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2021 , 54, e02102021	1.5	O
10	Re: Impact of analysis technique on our understanding of the natural history of labour. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> ,	3.7	O
9	Maternal BMI at the time of birth and selected risk factors associated with severe neonatal outcomes: a secondary analysis of the WHO Better Outcomes in Labour Difficulty (BOLD) project. <i>British Journal of Nutrition</i> , 2020 , 124, 1086-1092	3.6	
8	Prioritizing WHO normative work on maternal and perinatal health: a multicountry survey. <i>Reproductive Health</i> , 2011 , 8, 30	3.5	
7	Evaluation of the complexity of postoperative care following breast and gynecologic cancer surgery. <i>Cancer Nursing</i> , 2006 , 29, 499-505	2.6	

LIST OF PUBLICATIONS

6	Association between prelabour caesarean section and perinatal outcomes: analysis of demographic and health surveys from 26 low-income and middle-income countries <i>BMJ Open</i> , 2022 , 12, e053049	3
5	Scientific sexism: the gender bias in the scientific production of the Universidade de SB Paulo. <i>Revista De Saude Publica</i> , 2021 , 55, 46	2.4
4	Effects of a mindfulness-based intervention on the functional status and mindfulness of primary health care professionals: a before and after study. <i>Revista De Psiquiatria Clinica</i> , 2019 , 46, 115-119	0.8
3	The Log-Normal zero-inflated cure regression model for labor time in an African obstetric population. <i>Journal of Applied Statistics</i> ,1-14	1
2	A Bayesian approach for the zero-inflated cure model: an application in a Brazilian invasive cervical cancer database. <i>Journal of Applied Statistics</i> ,1-17	1
1	AuthorsSreply re: Cervical dilatation over time is a poor predictor of severe adverse birth outcomes: a diagnostic accuracy study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018 , 125, 1342-1343	3.7