

Kay Hofmann

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3491768/publications.pdf>

Version: 2024-02-01

193
papers

39,108
citations

2544

96
h-index

2828

191
g-index

202
all docs

202
docs citations

202
times ranked

37632
citing authors

#	ARTICLE	IF	CITATIONS
1	A structural basis for the diverse linkage specificities within the ZUFSP deubiquitinase family. <i>Nature Communications</i> , 2022, 13, 401.	12.8	10
2	Bacterial ribosome collision sensing by a MutS DNA repair ATPase paralogue. <i>Nature</i> , 2022, 603, 509-514.	27.8	27
3	Cln5 represents a new type of cysteine-based S-depalmitoylase linked to neurodegeneration. <i>Science Advances</i> , 2022, 8, eabj8633.	10.3	12
4	The Evolutionary Origins of Programmed Cell Death Signaling. <i>Cold Spring Harbor Perspectives in Biology</i> , 2020, 12, a036442.	5.5	30
5	An evolutionarily distinct chaperone promotes 20S proteasome $\hat{\pm}$ -ring assembly in plants. <i>Journal of Cell Science</i> , 2020, 133, .	2.0	2
6	Discovery of a Family of Mixed Lineage Kinase Domain-like Proteins in Plants and Their Role in Innate Immune Signaling. <i>Cell Host and Microbe</i> , 2020, 28, 813-824.e6.	11.0	50
7	Function and evolution of the DNA-protein crosslink proteases Wss1 and SPRTN. <i>DNA Repair</i> , 2020, 88, 102822.	2.8	15
8	Proteasomal degradation induced by DPP9 $\hat{\epsilon}$ -mediated processing competes with mitochondrial protein import. <i>EMBO Journal</i> , 2020, 39, e103889.	7.8	24
9	Identification and characterization of diverse OTU deubiquitinases in bacteria. <i>EMBO Journal</i> , 2020, 39, e105127.	7.8	46
10	An evolutionary approach to systematic discovery of novel deubiquitinases, applied to <i>Legionella</i> . <i>Life Science Alliance</i> , 2020, 3, e202000838.	2.8	21
11	Arkadia/RNF111 is a SUMO-targeted ubiquitin ligase with preference for substrates marked with SUMO1-capped SUMO2/3 chain. <i>Nature Communications</i> , 2019, 10, 3678.	12.8	56
12	Mechanism and chain specificity of RNF216/TRIAD3, the ubiquitin ligase mutated in Gordon Holmes syndrome. <i>Human Molecular Genetics</i> , 2019, 28, 2862-2873.	2.9	20
13	Diubiquitin-Based NMR Analysis: Interactions Between Lys6-Linked diUb and UBA Domain of UBXN1. <i>Frontiers in Chemistry</i> , 2019, 7, 921.	3.6	3
14	Bacterial DUBs: deubiquitination beyond the seven classes. <i>Biochemical Society Transactions</i> , 2019, 47, 1857-1866.	3.4	36
15	A family of unconventional deubiquitinases with modular chain specificity determinants. <i>Nature Communications</i> , 2018, 9, 799.	12.8	108
16	Activity-based E3 ligase profiling uncovers an E3 ligase with esterification activity. <i>Nature</i> , 2018, 556, 381-385.	27.8	178
17	Vps13D Encodes a Ubiquitin-Binding Protein that Is Required for the Regulation of Mitochondrial Size and Clearance. <i>Current Biology</i> , 2018, 28, 287-295.e6.	3.9	115
18	Improved protein-crystal identification by using 2,2,2-trichloroethanol as a fluorescence enhancer. <i>Acta Crystallographica Section F, Structural Biology Communications</i> , 2018, 74, 307-314.	0.8	2

#	ARTICLE	IF	CITATIONS
19	Ubiquitin-Mimicking Peptides Transfer Differentiates by E1 and E2 Enzymes. <i>BioMed Research International</i> , 2018, 2018, 1-8.	1.9	4
20	ZFAND1 Recruits p97 and the 26S Proteasome to Promote the Clearance of Arsenite-Induced Stress Granules. <i>Molecular Cell</i> , 2018, 70, 906-919.e7.	9.7	123
21	UBL/BAG-domain co-chaperones cause cellular stress upon overexpression through constitutive activation of Hsf1. <i>Cell Stress and Chaperones</i> , 2017, 22, 143-154.	2.9	18
22	Linear ubiquitination by <sc>LUBEL</sc> has a role in <i>Drosophila</i> heat stress response. <i>EMBO Reports</i> , 2016, 17, 1624-1640.	4.5	34
23	Human DNA-Damage-Inducible 2 Protein Is Structurally and Functionally Distinct from Its Yeast Ortholog. <i>Scientific Reports</i> , 2016, 6, 30443.	3.3	46
24	Translocon component Sec62 acts in endoplasmic reticulum turnover during stress recovery. <i>Nature Cell Biology</i> , 2016, 18, 1173-1184.	10.3	350
25	Overlapping Role of Respiratory Supercomplex Factor Rcf2 and Its N-terminal Homolog Rcf3 in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2016, 291, 23769-23778.	3.4	22
26	MINDY-1 Is a Member of an Evolutionarily Conserved and Structurally Distinct New Family of Deubiquitinating Enzymes. <i>Molecular Cell</i> , 2016, 63, 146-155.	9.7	297
27	Ubiquitin Receptor Protein UBASH3B Drives Aurora B Recruitment to Mitotic Microtubules. <i>Developmental Cell</i> , 2016, 36, 63-78.	7.0	38
28	Identification of a novel cell death-inducing domain reveals that fungal amyloid-controlled programmed cell death is related to necroptosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 2720-2725.	7.1	116
29	A short conserved motif in ALYREF directs cap- and EJC-dependent assembly of export complexes on spliced mRNAs. <i>Nucleic Acids Research</i> , 2016, 44, 2348-2361.	14.5	69
30	Evolutionary Loss of Activity in De-Ubiquitylating Enzymes of the OTU Family. <i>PLoS ONE</i> , 2015, 10, e0143227.	2.5	11
31	Autophagy Competes for a Common Phosphatidylethanolamine Pool with Major Cellular PE-Consuming Pathways in <i>Saccharomyces cerevisiae</i>. <i>Genetics</i> , 2015, 199, 475-485.	2.9	13
32	Proteomics reveals dynamic assembly of repair complexes during bypass of DNA cross-links. <i>Science</i> , 2015, 348, 1253671.	12.6	183
33	A new vertebrate SUMO enzyme family reveals insights into SUMO-chain assembly. <i>Nature Structural and Molecular Biology</i> , 2015, 22, 959-967.	8.2	82
34	Novel targets for ATM-deficient malignancies. <i>Molecular and Cellular Oncology</i> , 2014, 1, e29905.	0.7	5
35	Parkin is activated by PINK1-dependent phosphorylation of ubiquitin at Ser65. <i>Biochemical Journal</i> , 2014, 460, 127-141.	3.7	674
36	Multivalent interactions of the SUMO-interaction motifs in RING finger protein 4 determine the specificity for chains of the SUMO. <i>Biochemical Journal</i> , 2014, 457, 207-214.	3.7	36

#	ARTICLE	IF	CITATIONS
37	A <i>C. elegans</i> homolog of the Cockayne syndrome complementation group A gene. <i>DNA Repair</i> , 2014, 24, 57-62.	2.8	28
38	<i>Arabidopsis</i> PIAL1 and 2 Promote SUMO Chain Formation as E4-Type SUMO Ligases and Are Involved in Stress Responses and Sulfur Metabolism. <i>Plant Cell</i> , 2014, 26, 4547-4560.	6.6	73
39	Human ASPL/TUC interacts with p97 and complements the proteasome mislocalization of a yeast ubx4 mutant, but not the ER-associated degradation defect. <i>BMC Cell Biology</i> , 2014, 15, 31.	3.0	10
40	Mutations in SPRTN cause early onset hepatocellular carcinoma, genomic instability and progeroid features. <i>Nature Genetics</i> , 2014, 46, 1239-1244.	21.4	165
41	Evolutionary link between metazoan RHIM motif and prion-forming domain of fungal heterokaryon incompatibility factor HET-s/HET-s. <i>Scientific Reports</i> , 2014, 4, 7436.	3.3	47
42	Co-translational Polyamine Sensing by Nascent ODC Antizyme. , 2014, , 203-222.		1
43	OTULIN Antagonizes LUBAC Signaling by Specifically Hydrolyzing Met1-Linked Polyubiquitin. <i>Cell</i> , 2013, 153, 1312-1326.	28.9	395
44	TRIAD1 and HHARI bind to and are activated by distinct neddylated Cullin-RING ligase complexes. <i>EMBO Journal</i> , 2013, 32, 2848-2860.	7.8	84
45	Update on sumoylation: defining core components of the plant SUMO conjugation system by phylogenetic comparison. <i>New Phytologist</i> , 2012, 195, 23-31.	7.3	75
46	Binding of the Atg1/ULK1 kinase to the ubiquitin-like protein Atg8 regulates autophagy. <i>EMBO Journal</i> , 2012, 31, 3691-3703.	7.8	237
47	Bioinformatical Detection of Recognition Factors for Ubiquitin and SUMO. <i>Methods in Molecular Biology</i> , 2012, 832, 249-261.	0.9	30
48	Ubiquitin-specific protease-like 1 (USPL1) is a SUMO isopeptidase with essential, non-catalytic functions. <i>EMBO Reports</i> , 2012, 13, 930-938.	4.5	143
49	The Minimal Deneddylase Core of the COP9 Signalosome Excludes the Csn6 MPN ⁺ Domain. <i>PLoS ONE</i> , 2012, 7, e43980.	2.5	29
50	Inhibition of Homologous Recombination by the PCNA-Interacting Protein PARI. <i>Molecular Cell</i> , 2012, 45, 75-86.	9.7	196
51	The UBAP1 Subunit of ESCRT-I Interacts with Ubiquitin via a SOUBA Domain. <i>Structure</i> , 2012, 20, 414-428.	3.3	88
52	SUMO playing tag with ubiquitin. <i>Trends in Biochemical Sciences</i> , 2012, 37, 23-31.	7.5	139
53	Role of a <i>Candida albicans</i> Nrm1/Whi5 homologue in cell cycle gene expression and DNA replication stress response. <i>Molecular Microbiology</i> , 2012, 84, 778-794.	2.5	25
54	The Tissue-Specific Rep8/UBXD6 Tethers p97 to the Endoplasmic Reticulum Membrane for Degradation of Misfolded Proteins. <i>PLoS ONE</i> , 2011, 6, e25061.	2.5	12

#	ARTICLE	IF	CITATIONS
55	Gid9, a second RING finger protein contributes to the ubiquitin ligase activity of the Gid complex required for catabolite degradation. <i>FEBS Letters</i> , 2011, 585, 3856-3861.	2.8	39
56	Dual function of Rpn5 in two PCI complexes, the 26S proteasome and COP9 signalosome. <i>Molecular Biology of the Cell</i> , 2011, 22, 911-920.	2.1	40
57	The General Definition of the p97/Valosin-containing Protein (VCP)-interacting Motif (VIM) Delineates a New Family of p97 Cofactors. <i>Journal of Biological Chemistry</i> , 2011, 286, 38670-38678.	3.4	58
58	SAMPyling proteins in archaea. <i>Trends in Biochemical Sciences</i> , 2010, 35, 348-351.	7.5	12
59	An Evolutionarily Conserved Autoinhibitory Molecular Switch in ELMO Proteins Regulates Rac Signaling. <i>Current Biology</i> , 2010, 20, 2021-2027.	3.9	49
60	RNAi-based screening identifies the Mms22Lâ€“Nfkbil2 complex as a novel regulator of DNA replication in human cells. <i>EMBO Journal</i> , 2010, 29, 4210-4222.	7.8	66
61	Selective autophagy: ubiquitin-mediated recognition and beyond. <i>Nature Cell Biology</i> , 2010, 12, 836-841.	10.3	567
62	The Yeast E4 Ubiquitin Ligase Ufd2 Interacts with the Ubiquitin-like Domains of Rad23 and Dsk2 via a Novel and Distinct Ubiquitin-like Binding Domain. <i>Journal of Biological Chemistry</i> , 2010, 285, 20390-20398.	3.4	42
63	Phylogeny and Function of the Invertebrate p53 Superfamily. <i>Cold Spring Harbor Perspectives in Biology</i> , 2010, 2, a001131-a001131.	5.5	87
64	Identification of KIAA1018/FAN1, a DNA Repair Nuclease Recruited to DNA Damage by Monoubiquitinated FANCD2. <i>Cell</i> , 2010, 142, 65-76.	28.9	284
65	Sumoylation as a Signal for Polyubiquitylation and Proteasomal Degradation. <i>Sub-Cellular Biochemistry</i> , 2010, 54, 195-214.	2.4	55
66	The human Dcn1-like protein DCNL3 promotes Cul3 neddylation at membranes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 12365-12370.	7.1	71
67	NBA1, a new player in the Brca1 A complex, is required for DNA damage resistance and checkpoint control. <i>Genes and Development</i> , 2009, 23, 729-739.	5.9	147
68	Enhanced Dendritic Cell-Induced Immune Responses Mediated by the Novel C-Type Lectin Receptor mDCAR1. <i>Journal of Immunology</i> , 2009, 183, 5069-5078.	0.8	34
69	Ubiquitin-binding domains and their role in the DNA damage response. <i>DNA Repair</i> , 2009, 8, 544-556.	2.8	119
70	Cullin neddylation and substrate-adaptors counteract SCF inhibition by the CAND1-like protein Lag2 in <i>Saccharomyces cerevisiae</i> . <i>EMBO Journal</i> , 2009, 28, 3845-3856.	7.8	30
71	DAI/ZBP1 recruits RIP1 and RIP3 through RIP homotypic interaction motifs to activate NFâ€“B. <i>EMBO Reports</i> , 2009, 10, 916-922.	4.5	290
72	WSTF regulates the H2A.X DNA damage response via a novel tyrosine kinase activity. <i>Nature</i> , 2009, 457, 57-62.	27.8	360

#	ARTICLE	IF	CITATIONS
73	Two-sided ubiquitin binding explains specificity of the TAB2 NZF domain. <i>Nature Structural and Molecular Biology</i> , 2009, 16, 1328-1330.	8.2	177
74	PCI Complexes: Beyond the Proteasome, CSN, and eIF3 Troika. <i>Molecular Cell</i> , 2009, 35, 260-264.	9.7	105
75	F-Box-Directed CRL Complex Assembly and Regulation by the CSN and CAND1. <i>Molecular Cell</i> , 2009, 35, 586-597.	9.7	110
76	Dissection of USP catalytic domains reveals five common insertion points. <i>Molecular BioSystems</i> , 2009, 5, 1797.	2.9	135
77	Ubiquitin-related modifier Urm1 acts as a sulphur carrier in thiolation of eukaryotic transfer RNA. <i>Nature</i> , 2009, 458, 228-232.	27.8	245
78	A genetic screen for <i>Saccharomyces cerevisiae</i> mutants affecting proteasome function, using a ubiquitin-independent substrate. <i>Yeast</i> , 2008, 25, 199-217.	1.7	18
79	Transcriptional profiling identifies an interferon-associated host immune response in invasive squamous cell carcinoma of the skin. <i>International Journal of Cancer</i> , 2008, 123, 2605-2615.	5.1	27
80	Rtt101 and Mms1 in budding yeast form a CUL4 ^{DDB1} -like ubiquitin ligase that promotes replication through damaged DNA. <i>EMBO Reports</i> , 2008, 9, 1034-1040.	4.5	91
81	Urm1 at the crossroad of modifications. <i>EMBO Reports</i> , 2008, 9, 1196-1202.	4.5	53
82	Proteasome subunit Rpn13 is a novel ubiquitin receptor. <i>Nature</i> , 2008, 453, 481-488.	27.8	553
83	Gene Expression Profiling of Lichen Planus Reflects CXCL9+-Mediated Inflammation and Distinguishes this Disease from Atopic Dermatitis and Psoriasis. <i>Journal of Investigative Dermatology</i> , 2008, 128, 67-78.	0.7	68
84	Activating the ubiquitin family: UBA6 challenges the field. <i>Trends in Biochemical Sciences</i> , 2008, 33, 230-237.	7.5	101
85	The Structure of the CYLD USP Domain Explains Its Specificity for Lys63-Linked Polyubiquitin and Reveals a B Box Module. <i>Molecular Cell</i> , 2008, 29, 451-464.	9.7	251
86	Human Wrnip1 Is Localized in Replication Factories in a Ubiquitin-binding Zinc Finger-dependent Manner. <i>Journal of Biological Chemistry</i> , 2008, 283, 35173-35185.	3.4	60
87	The Yeast GID Complex, a Novel Ubiquitin Ligase (E3) Involved in the Regulation of Carbohydrate Metabolism. <i>Molecular Biology of the Cell</i> , 2008, 19, 3323-3333.	2.1	132
88	Isolation of the <i>Schizosaccharomyces pombe</i> Proteasome Subunit Rpn7 and a Structure-Function Study of the Proteasome-COP9-Initiation Factor Domain. <i>Journal of Biological Chemistry</i> , 2007, 282, 32414-32423.	3.4	17
89	The MIT Domain of UBPY Constitutes a CHMP Binding and Endosomal Localization Signal Required for Efficient Epidermal Growth Factor Receptor Degradation. <i>Journal of Biological Chemistry</i> , 2007, 282, 30929-30937.	3.4	136
90	Ubiquitin-dependent Proteolytic Control of SUMO Conjugates. <i>Journal of Biological Chemistry</i> , 2007, 282, 34167-34175.	3.4	274

#	ARTICLE	IF	CITATIONS
91	Long-Term Cell Monitoring of Kidney Recipients After an Antilymphocyte Globulin Induction With and Without Steroids. <i>Transplantation</i> , 2007, 83, 712-721.	1.0	42
92	PICH, a Centromere-Associated SNF2 Family ATPase, Is Regulated by Plk1 and Required for the Spindle Checkpoint. <i>Cell</i> , 2007, 128, 101-114.	28.9	297
93	Identification of the FANCI Protein, a Monoubiquitinated FANCD2 Paralog Required for DNA Repair. <i>Cell</i> , 2007, 129, 289-301.	28.9	608
94	PRT6/At5g02310 encodes an Arabidopsis ubiquitin ligase of the N-end rule pathway with arginine specificity and is not the CER3 locus. <i>FEBS Letters</i> , 2007, 581, 3189-3196.	2.8	94
95	Involvement of the ubiquitin-like domain of TBK1/IKK-i kinases in regulation of IFN-inducible genes. <i>EMBO Journal</i> , 2007, 26, 3451-3462.	7.8	108
96	Amino Acid Supply of <i>Aspergillus</i> . <i>Mycology</i> , 2007, , 143-175.	0.5	1
97	The GI-UEV Domain, a Catalytically Inactive Ubiquitin-Conjugating Enzyme Variant With a Role in Translational Regulation. <i>Israel Journal of Chemistry</i> , 2006, 46, 183-188.	2.3	2
98	Comparative analysis of genome sequences of three isolates of Orf virus reveals unexpected sequence variation. <i>Virus Research</i> , 2006, 116, 146-158.	2.2	131
99	Yeast homolog of a cancer-testis antigen defines a new transcription complex. <i>EMBO Journal</i> , 2006, 25, 3576-3585.	7.8	122
100	The conserved protein DCN-1/Dcn1p is required for cullin neddylation in <i>C. elegans</i> and <i>S. cerevisiae</i> . <i>Nature</i> , 2005, 435, 1257-1261.	27.8	161
101	Cardif is an adaptor protein in the RIG-I antiviral pathway and is targeted by hepatitis C virus. <i>Nature</i> , 2005, 437, 1167-1172.	27.8	2,136
102	The Zinc Finger of the CSN-Associated Deubiquitinating Enzyme USP15 Is Essential to Rescue the E3 Ligase Rbx1. <i>Current Biology</i> , 2005, 15, 1217-1221.	3.9	130
103	Prediction of a common structural scaffold for proteasome lid, COP9-signalosome and eIF3 complexes. <i>BMC Bioinformatics</i> , 2005, 6, 71.	2.6	80
104	Protein domains in eukaryotic signal transduction systems. , 2005, , .		0
105	Ubiquitin-Binding Domains in Y-Family Polymerases Regulate Translesion Synthesis. <i>Science</i> , 2005, 310, 1821-1824.	12.6	637
106	Structurally and functionally unique complexins at retinal ribbon synapses. <i>Journal of Cell Biology</i> , 2005, 169, 669-680.	5.2	176
107	Ubiquitin-binding proteins: similar, but different. <i>Essays in Biochemistry</i> , 2005, 41, 49-67.	4.7	14
108	Ubiquitin-binding proteins: similar, but different. <i>Essays in Biochemistry</i> , 2005, 41, 49.	4.7	17

#	ARTICLE	IF	CITATIONS
109	RIP1 is an essential mediator of Toll-like receptor 3-induced NF- κ B activation. <i>Nature Immunology</i> , 2004, 5, 503-507.	14.5	744
110	Nicalin and its binding partner Nomo are novel Nodal signaling antagonists. <i>EMBO Journal</i> , 2004, 23, 3041-3050.	7.8	57
111	Polyamines regulate their synthesis by inducing expression and blocking degradation of ODC antizyme. <i>EMBO Journal</i> , 2004, 23, 4857-4867.	7.8	122
112	The Ubx2 and Ubx3 Cofactors Direct Cdc48 Activity to Proteolytic and Nonproteolytic Ubiquitin-Dependent Processes. <i>Current Biology</i> , 2004, 14, 824-828.	3.9	94
113	Purification of neuronal precursors from the adult mouse brain: comprehensive gene expression analysis provides new insights into the control of cell migration, differentiation, and homeostasis. <i>Molecular and Cellular Neurosciences</i> , 2004, 25, 692-706.	2.2	90
114	Sequence similarity in structurally dissimilar proteins. <i>Current Biology</i> , 2003, 13, R124-R125.	3.9	3
115	No evidence for PHD fingers as ubiquitin ligases. <i>Trends in Cell Biology</i> , 2003, 13, 285-287.	7.9	53
116	A novel inter action motif, SARAH, connects three classes of tumor suppressor. <i>Current Biology</i> , 2003, 13, R899-R900.	3.9	121
117	When ubiquitin meets ubiquitin receptors: a signalling connection. <i>Nature Reviews Molecular Cell Biology</i> , 2003, 4, 491-497.	37.0	278
118	Identification of a New Murine Tumor Necrosis Factor Receptor Locus That Contains Two Novel Murine Receptors for Tumor Necrosis Factor-related Apoptosis-inducing Ligand (TRAIL). <i>Journal of Biological Chemistry</i> , 2003, 278, 5444-5454.	3.4	116
119	The COP9 signalosome-like complex in <i>S. cerevisiae</i> and links to other PCI complexes. <i>International Journal of Biochemistry and Cell Biology</i> , 2003, 35, 706-715.	2.8	54
120	A Family of Ca ²⁺ -Dependent Activator Proteins for Secretion. <i>Journal of Biological Chemistry</i> , 2003, 278, 52802-52809.	3.4	96
121	A SNARE required for retrograde transport to the endoplasmic reticulum. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 9873-9877.	7.1	91
122	Elucidation of ataxin-3 and ataxin-7 function by integrative bioinformatics. <i>Human Molecular Genetics</i> , 2003, 12, 2845-2852.	2.9	138
123	Bipartite Signals Mediate Subcellular Targeting of Tail-anchored Membrane Proteins in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2003, 278, 8219-8223.	3.4	156
124	The PROSITE database, its status in 2002. <i>Nucleic Acids Research</i> , 2002, 30, 235-238.	14.5	908
125	A common protein interaction domain links two recently identified epilepsy genes. <i>Human Molecular Genetics</i> , 2002, 11, 1757-1762.	2.9	108
126	Overexpression of Helicard, a CARD-Containing Helicase Cleaved during Apoptosis, Accelerates DNA Degradation. <i>Current Biology</i> , 2002, 12, 838-843.	3.9	129

#	ARTICLE	IF	CITATIONS
127	MPN+, a putative catalytic motif found in a subset of MPN domain proteins from eukaryotes and prokaryotes, is critical for Rpn11 function. BMC Biochemistry, 2002, 3, 28.	4.4	194
128	COP9 signalosome components play a role in the mating pheromone response of <i>S. cerevisiae</i> . EMBO Reports, 2002, 3, 1215-1221.	4.5	67
129	A positive feedback loop stabilizes the guanine-nucleotide exchange factor Cdc24 at sites of polarization. EMBO Journal, 2002, 21, 1565-1576.	7.8	203
130	Quod erat demonstrandum? The mystery of experimental validation of apparently erroneous computational analyses of protein sequences. Genome Biology, 2001, 2, research0051.1.	9.6	48
131	PCI complexes: pretty complex interactions in diverse signaling pathways. Trends in Plant Science, 2001, 6, 379-386.	8.8	78
132	The pyrin domain: a possible member of the death domain-fold family implicated in apoptosis and inflammation. Current Biology, 2001, 11, R118-R120.	3.9	227
133	The <i>C. elegans</i> homolog of the p53 tumor suppressor is required for DNA damage-induced apoptosis. Current Biology, 2001, 11, 1722-1727.	3.9	334
134	The protease-associated domain: a homology domain associated with multiple classes of proteases. Trends in Biochemical Sciences, 2001, 26, 147-148.	7.5	64
135	A ubiquitin-interacting motif conserved in components of the proteasomal and lysosomal protein degradation systems. Trends in Biochemical Sciences, 2001, 26, 347-350.	7.5	414
136	Bcl-rambo, a Novel Bcl-2 Homologue That Induces Apoptosis via Its Unique C-terminal Extension. Journal of Biological Chemistry, 2001, 276, 19548-19554.	3.4	114
137	Definition of Munc13-homology-domains and characterization of a novel ubiquitously expressed Munc13 isoform. Biochemical Journal, 2000, 349, 247.	3.7	136
138	Definition of Munc13-homology-domains and characterization of a novel ubiquitously expressed Munc13 isoform. Biochemical Journal, 2000, 349, 247-253.	3.7	156
139	A superfamily of membrane-bound O ⁶ -acyltransferases with implications for Wnt signaling. Trends in Biochemical Sciences, 2000, 25, 111-112.	7.5	451
140	Unified nomenclature for the COP9 signalosome and its subunits: an essential regulator of development. Trends in Genetics, 2000, 16, 202-203.	6.7	136
141	Cloning and characterization of the mammalian brain-specific, Mg ²⁺ -dependent neutral sphingomyelinase. Proceedings of the National Academy of Sciences of the United States of America, 2000, 97, 5895-5900.	7.1	297
142	Characterization of <i>Schizosaccharomyces pombe</i> Hus1: a PCNA-Related Protein That Associates with Rad1 and Rad9. Molecular and Cellular Biology, 2000, 20, 1254-1262.	2.3	222
143	The PROSITE database, its status in 1999. Nucleic Acids Research, 1999, 27, 215-219.	14.5	1,089
144	Equine Herpesvirus-2 E10 Gene Product, but Not Its Cellular Homologue, Activates NF- κ B Transcription Factor and c-Jun N-terminal Kinase. Journal of Biological Chemistry, 1999, 274, 9962-9968.	3.4	97

#	ARTICLE	IF	CITATIONS
145	BAFF, a Novel Ligand of the Tumor Necrosis Factor Family, Stimulates B Cell Growth. <i>Journal of Experimental Medicine</i> , 1999, 189, 1747-1756.	8.5	1,213
146	Clathrin self-assembly is mediated by a tandemly repeated superhelix. <i>Nature</i> , 1999, 399, 371-375.	27.8	143
147	Searching for FLASH domains. <i>Nature</i> , 1999, 401, 662-662.	27.8	20
148	The COP9/signalosome complex is conserved in fission yeast and has a role in S phase. <i>Current Biology</i> , 1999, 9, 1427-1433.	3.9	151
149	Apoptosis: Silencing the death receptors. <i>Current Biology</i> , 1999, 9, R381-R384.	3.9	83
150	A latrophilin/CL-1-like GPS domain in polycystin-1. <i>Current Biology</i> , 1999, 9, R585-R588.	3.9	134
151	Reply to Kolesnick and Hannun, and Perry and Hannun. <i>Trends in Biochemical Sciences</i> , 1999, 24, 227.	7.5	26
152	Cyclin E2: a novel CDK2 partner in the late G1 and S phases of the mammalian cell cycle. <i>Oncogene</i> , 1998, 17, 2637-2643.	5.9	130
153	Identification of CARDIAK, a RIP-like kinase that associates with caspase-1. <i>Current Biology</i> , 1998, 8, 885-889.	3.9	301
154	A model for structural similarity between different SNARE complexes based on sequence relationships. <i>Trends in Cell Biology</i> , 1998, 8, 260-262.	7.9	142
155	The PCI domain: a common theme in three multiprotein complexes. <i>Trends in Biochemical Sciences</i> , 1998, 23, 204-205.	7.5	265
156	Ceramide in apoptosis – does it really matter?. <i>Trends in Biochemical Sciences</i> , 1998, 23, 374-377.	7.5	181
157	The frizzled motif: in how many different protein families does it occur?. <i>Trends in Biochemical Sciences</i> , 1998, 23, 415-417.	7.5	41
158	Molecular Models for the two Discoidin Domains of Human Blood Coagulation Factor V. <i>Journal of Molecular Modeling</i> , 1998, 4, 268-275.	1.8	30
159	The discoidin domain family revisited: New members from prokaryotes and a homology-based fold prediction. <i>Protein Science</i> , 1998, 7, 1626-1631.	7.6	183
160	The fight of viruses against apoptosis. <i>Current Opinion in Genetics and Development</i> , 1998, 8, 82-87.	3.3	180
161	APRIL, a New Ligand of the Tumor Necrosis Factor Family, Stimulates Tumor Cell Growth. <i>Journal of Experimental Medicine</i> , 1998, 188, 1185-1190.	8.5	473
162	A model of Cdc25 phosphatase catalytic domain and Cdk-interaction surface based on the presence of a rhodanese homology domain. <i>Journal of Molecular Biology</i> , 1998, 282, 195-208.	4.2	81

#	ARTICLE	IF	CITATIONS
163	Cloned mammalian neutral sphingomyelinase: Functions in sphingolipid signaling?. Proceedings of the National Academy of Sciences of the United States of America, 1998, 95, 3638-3643.	7.1	264
164	SVOP, an Evolutionarily Conserved Synaptic Vesicle Protein, Suggests Novel Transport Functions of Synaptic Vesicles. Journal of Neuroscience, 1998, 18, 9269-9281.	3.6	83
165	The PROSITE database, its status in 1997. Nucleic Acids Research, 1997, 25, 217-221.	14.5	963
166	The Spg1p GTPase is an essential, dosage-dependent inducer of septum formation in Schizosaccharomyces pombe.. Genes and Development, 1997, 11, 1519-1534.	5.9	201
167	TRAMP, a Novel Apoptosis-Mediating Receptor with Sequence Homology to Tumor Necrosis Factor Receptor 1 and Fas(Apo-1/CD95). Immunity, 1997, 6, 79-88.	14.3	265
168	TRAIL Receptors 1 (DR4) and 2 (DR5) Signal FADD-Dependent Apoptosis and Activate NF- κ B. Immunity, 1997, 7, 831-836.	14.3	658
169	Direct physical interaction between theCaenorhabditis elegansâ€™ death proteinsâ€™ CED-3 and CED-4. FEBS Letters, 1997, 406, 189-190.	2.8	82
170	Interaction of Fas(Apo-1/CD95) with proteins implicated in the ubiquitination pathway. FEBS Letters, 1997, 412, 102-106.	2.8	40
171	Characterization of two receptors for TRAIL1. FEBS Letters, 1997, 416, 329-334.	2.8	271
172	A conserved domain is present in different families of vesicular fusion proteins: A new superfamily. Proceedings of the National Academy of Sciences of the United States of America, 1997, 94, 3046-3051.	7.1	266
173	A superfamily of conserved domains in DNA damageâ€™responsive cell cycle checkpoint proteins. FASEB Journal, 1997, 11, 68-76.	0.5	684
174	Viral FLICE-inhibitory proteins (FLIPs) prevent apoptosis induced by death receptors. Nature, 1997, 386, 517-521.	27.8	1,256
175	Inhibition of death receptor signals by cellular FLIP. Nature, 1997, 388, 190-195.	27.8	2,382
176	Rim is a putative Rab3 effector in regulating synaptic-vesicle fusion. Nature, 1997, 388, 593-598.	27.8	620
177	The CARD domain: a new apoptotic signalling motif. Trends in Biochemical Sciences, 1997, 22, 155-156.	7.5	495
178	SAM as a protein interaction domain involved in developmental regulation. Protein Science, 1997, 6, 249-253.	7.6	276
179	Human high affinity, Na ⁺ -dependentl-glutamate/l-aspartate transporter GLAST-1 (EAAT-1) : gene structure and localization to chromosome 5p11-p12. FEBS Letters, 1996, 386, 189-193.	2.8	26
180	SKP1 Connects Cell Cycle Regulators to the Ubiquitin Proteolysis Machinery through a Novel Motif, the F-Box. Cell, 1996, 86, 263-274.	28.9	1,336

#	ARTICLE	IF	CITATIONS
181	The UBA domain: a sequence motif present in multiple enzyme classes of the ubiquitination pathway. Trends in Biochemical Sciences, 1996, 21, 172-173.	7.5	376
182	A flexible motif search technique based on generalized profiles. Computers & Chemistry, 1996, 20, 3-23.	1.2	275
183	The PROSITE database, its status in 1995. Nucleic Acids Research, 1996, 24, 189-196.	14.5	259
184	The FHA domain: a putative nuclear signalling domain found in protein kinases and transcription factors. Trends in Biochemical Sciences, 1995, 20, 347-349.	7.5	333
185	Mammalian Homologues of Caenorhabditis elegans unc-13 Gene Define Novel Family of C2-domain Proteins. Journal of Biological Chemistry, 1995, 270, 25273-25280.	3.4	342
186	The S. pombe cdc15 gene is a key element in the reorganization of F-actin at mitosis. Cell, 1995, 82, 435-444.	28.9	250
187	The rsp5-domain is shared by proteins of diverse functions. FEBS Letters, 1995, 358, 153-157.	2.8	59
188	The death domain motif found in Fas (Apo-1) and TNF receptor is present in proteins involved in apoptosis and axonal guidance. FEBS Letters, 1995, 371, 321-323.	2.8	102
189	Human Neutral Amino Acid Transporter ASCT1: Structure of the Gene (SLC1A4) and Localization to Chromosome 2p13-p15. Genomics, 1994, 24, 20-26.	2.9	29
190	Mouse Apolipoprotein AI. cDNA-Derived Primary Structure, Gene Organisation and Complete Nucleotide Sequence. Biological Chemistry Hoppe-Seyler, 1992, 373, 187-194.	1.4	10
191	Structure, expression, and functional analysis of a Na(+)-dependent glutamate/aspartate transporter from rat brain.. Proceedings of the National Academy of Sciences of the United States of America, 1992, 89, 10955-10959.	7.1	1,092
192	In vivo ¹³ C nuclear magnetic resonance investigations of choline metabolism in rabbit brain. Magnetic Resonance in Medicine, 1990, 13, 90-102.	3.0	22
193	Enzyme Bioinformatics. , 0, , 139-162.		1