MarÃ-a Reyes-Batlle

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3492088/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Statins Induce Actin Cytoskeleton Disassembly and an Apoptosis-Like Process in Acanthamoeba spp Antibiotics, 2022, 11, 280.	3.7	7
2	Influence of Winter Storms on the Sea Urchin Pathogen Assemblages. Frontiers in Marine Science, 2022, 9, .	2.5	0
3	Isobenzofuran-1(3H)-one derivatives: Amoebicidal activity and program cell death in Acanthamoeba castellanii Neff. Biomedicine and Pharmacotherapy, 2022, 150, 113062.	5.6	2
4	New Insights in Acanthamoeba. Pathogens, 2022, 11, 609.	2.8	5
5	Pathogenic free-living amoebae from water sources in Cape Verde. Parasitology Research, 2022, 121, 2399-2404.	1.6	4
6	Discovery of Amoebicidal Compounds by Combining Computational and Experimental Approaches. Antimicrobial Agents and Chemotherapy, 2021, 65, .	3.2	2
7	Exploring the Anti-Infective Value of Inuloxin A Isolated from <i>Inula viscosa</i> against the Brain-Eating Amoeba (<i>Naegleria fowleri</i>) by Activation of Programmed Cell Death. ACS Chemical Neuroscience, 2021, 12, 195-202.	3.5	11
8	Free living amoebae isolation in irrigation waters and soils of an insular arid agroecosystem. Science of the Total Environment, 2021, 753, 141833.	8.0	12
9	Evaluation of the occurrence of pathogenic freeâ€living amoeba and bacteria in 20 public indoor swimming pool facilities. MicrobiologyOpen, 2021, 10, e1159.	3.0	4
10	Antiamoebic effects of sesquiterpene lactones isolated from the zoanthid Palythoa aff. clavata. Bioorganic Chemistry, 2021, 108, 104682.	4.1	11
11	In vitro validation of the amoebicidal activity of commercial eye drops as second activity. International Journal for Parasitology: Drugs and Drug Resistance, 2021, 15, 144-151.	3.4	1
12	The type 2 statins, cerivastatin, rosuvastatin and pitavastatin eliminate Naegleria fowleri at low concentrations and by induction of programmed cell death (PCD). Bioorganic Chemistry, 2021, 110, 104784.	4.1	6
13	Silver Nanoparticles Conjugated with Contact Lens Solutions May Reduce the Risk of Acanthamoeba Keratitis. Pathogens, 2021, 10, 583.	2.8	9
14	Bio-guided isolation of leishmanicidal and trypanocidal constituents from Pituranthos battandieri aerial parts. Parasitology International, 2021, 82, 102300.	1.3	5
15	Free-Living Amoebae in Soil Samples from Santiago Island, Cape Verde. Microorganisms, 2021, 9, 1460.	3.6	7
16	High oxygen concentrations inhibit Acanthamoeba spp Parasitology Research, 2021, 120, 3001-3005.	1.6	5
17	In vitro amoebicidal effects of arabinogalactan-based ophthalmic solution. International Journal for Parasitology: Drugs and Drug Resistance, 2021, 16, 9-16.	3.4	3
18	Antiamoeboid activity of squamins C–F, cyclooctapeptides from Annona globifora. International Journal for Parasitology: Drugs and Drug Resistance, 2021, 17, 67-79.	3.4	4

#	Article	IF	CITATIONS
19	Naphthyridine Derivatives Induce Programmed Cell Death in Naegleria fowleri. Pharmaceuticals, 2021, 14, 1013.	3.8	1
20	Discovery of New Chemical Tools against Leishmania amazonensis via the MMV Pathogen Box. Pharmaceuticals, 2021, 14, 1219.	3.8	5
21	Sesquiterpenoids and flavonoids from Inula viscosa induce programmed cell death in kinetoplastids. Biomedicine and Pharmacotherapy, 2020, 130, 110518.	5.6	20
22	In vitro evaluation of commercial foam Belcils® on Acanthamoeba spp. International Journal for Parasitology: Drugs and Drug Resistance, 2020, 14, 136-143.	3.4	5
23	Fluvastatin and atorvastatin induce programmed cell death in the brain eating amoeba Naegleria fowleri. Biomedicine and Pharmacotherapy, 2020, 130, 110583.	5.6	13
24	New phenalenone analogues with improved activity against Leishmania species. Biomedicine and Pharmacotherapy, 2020, 132, 110814.	5.6	7
25	Laurinterol from Laurencia johnstonii eliminates Naegleria fowleri triggering PCD by inhibition of ATPases. Scientific Reports, 2020, 10, 17731.	3.3	15
26	Silver Nanoparticles as a Novel Potential Preventive Agent against Acanthamoeba Keratitis. Pathogens, 2020, 9, 350.	2.8	23
27	Evaluation of Indolocarbazoles from Streptomyces sanyensis as a Novel Source of Therapeutic Agents against the Brain-Eating Amoeba Naegleria fowleri. Microorganisms, 2020, 8, 789.	3.6	13
28	Combined Amoebicidal Effect of Atorvastatin and Commercial Eye Drops against Acanthamoeba castellanii Neff: In Vitro Assay Based on Mixture Design. Pathogens, 2020, 9, 219.	2.8	5
29	Isolation of Naegleria spp. from a Brazilian Water Source. Pathogens, 2020, 9, 90.	2.8	20
30	Photodynamic treatment induced membrane cell damage in Acanthamoeba castellanii Neff. Dyes and Pigments, 2020, 180, 108481.	3.7	2
31	Identification of N-acyl quinolin-2(1H)-ones as new selective agents against clinical isolates of Acanthamoeba keratitis. Bioorganic Chemistry, 2020, 99, 103791.	4.1	9
32	Evaluation of Oxasqualenoids from the Red Alga Laurencia viridis against Acanthamoeba. Marine Drugs, 2019, 17, 420.	4.6	24
33	In Vitro Evaluation of Combined Commercialized Ophthalmic Solutions Against Acanthamoeba Strains. Pathogens, 2019, 8, 109.	2.8	4
34	Antiamoebic Activities of Indolocarbazole Metabolites Isolated from Streptomyces sanyensis Cultures. Marine Drugs, 2019, 17, 588.	4.6	11
35	Antioxidant and Leishmanicidal Evaluation of Pulicaria Inuloides Root Extracts: A Bioguided Fractionation. Pathogens, 2019, 8, 201.	2.8	8
36	Staurosporine from Streptomyces sanyensis activates Programmed Cell Death in Acanthamoeba via the mitochondrial pathway and presents low in vitro cytotoxicity levels in a macrophage cell line. Scientific Reports, 2019, 9, 11651.	3.3	27

#	Article	IF	CITATIONS
37	In Vitro Activity of Statins against Naegleria fowleri. Pathogens, 2019, 8, 122.	2.8	21
38	Ursolic Acid Derivatives as Potential Agents Against Acanthamoeba Spp Pathogens, 2019, 8, 130.	2.8	18
39	Withanolides from Withania aristata as Antikinetoplastid Agents through Induction of Programmed Cell Death. Pathogens, 2019, 8, 172.	2.8	14
40	Isolation and molecular identification of free-living amoebae from dishcloths in Tenerife, Canary Islands, Spain. Parasitology Research, 2019, 118, 927-933.	1.6	11
41	Screening of the pathogen box for the identification of anti-Acanthamoeba agents. Experimental Parasitology, 2019, 201, 90-92.	1.2	14
42	Isolation and Molecular Identification of Naegleria australiensis in Irrigation Water of Fuerteventura Island, Spain. Acta Parasitologica, 2019, 64, 331-335.	1.1	7
43	In vitro activity of 1H-phenalen-1-one derivatives against Leishmania spp. and evidence of programmed cell death. Parasites and Vectors, 2019, 12, 601.	2.5	13
44	Acanthamoeba keratitis in Mexico: Report of a clinical case and importance of sensitivity assays for a better outcome. Experimental Parasitology, 2019, 196, 22-27.	1.2	6
45	Evaluation of the sensitivity to chlorhexidine, voriconazole and itraconazole of T4 genotype Acanthamoeba isolated from Mexico. Experimental Parasitology, 2019, 197, 29-35.	1.2	10
46	Optimized combinations of statins and azoles against Acanthamoeba trophozoites and cysts in vitro. Asian Pacific Journal of Tropical Medicine, 2019, 12, 283.	0.8	7
47	Treatment of intraocular spread of acanthamoeba after tectonic corneal graft in acanthamoeba keratitis. Eye, 2018, 32, 1286-1287.	2.1	5
48	Presence of Acanthamoeba in the ocular surface in a Spanish population of contact lens wearers. Acta Parasitologica, 2018, 63, 393-396.	1.1	6
49	Assessment of the antiprotozoal activity of Pulicaria inuloides extracts, an Algerian medicinal plant: leishmanicidal bioguided fractionation. Parasitology Research, 2018, 117, 531-537.	1.6	12
50	Structure elucidation, total assignment of the ¹ H and ¹³ C chemical shifts, and absolute configuration by NMR techniques of dammaraneâ€type triterpenes from <scp><i>Hippocratea volubilis</i></scp> . Magnetic Resonance in Chemistry, 2018, 56, 46-54.	1.9	1
51	Anti-Acanthamoeba Activity of Brominated Sesquiterpenes from Laurencia johnstonii. Marine Drugs, 2018, 16, 443.	4.6	25
52	Leishmanicidal activity of α-bisabolol from Tunisian chamomile essential oil. Parasitology Research, 2018, 117, 2855-2867.	1.6	32
53	Toxic effects of selected proprietary dry eye drops on Acanthamoeba. Scientific Reports, 2018, 8, 8520.	3.3	21

54 Gene silencing and therapeutic targets against Acanthamoeba infections. , 2018, , .

0

#	Article	IF	CITATIONS
55	Perifosine Mechanisms of Action in Leishmania Species. Antimicrobial Agents and Chemotherapy, 2017, 61, .	3.2	21
56	Amoebicidal activity of α-bisabolol, the main sesquiterpene in chamomile (Matricaria recutita L.) essential oil against the trophozoite stage of Acanthamoeba castellani Neff. Acta Parasitologica, 2017, 62, 290-295.	1.1	30
57	Isolation and molecular characterization of a Naegleria strain from a recreational water fountain in Tenerife, Canary Islands, Spain. Acta Parasitologica, 2017, 62, 265-268.	1.1	11
58	Amoebicidal Activity of Caffeine and Maslinic Acid by the Induction of Programmed Cell Death in Acanthamoeba. Antimicrobial Agents and Chemotherapy, 2017, 61, .	3.2	16
59	Correlation of radical-scavenging capacity and amoebicidal activity of Matricaria recutita L. (Asteraceae). Experimental Parasitology, 2017, 183, 212-217.	1.2	10
60	Acanthamoeba culbertsoni isolated from a clinical case with intraocular dissemination: Structure and inÂvitro analysis of the interaction with hamster cornea and MDCK epithelial cell monolayers. Experimental Parasitology, 2017, 183, 245-253.	1.2	13
61	InÂvitro activity of 1 H -phenalen-1-one derivatives against Acanthamoeba castellanii Neff and their mechanisms of cell death. Experimental Parasitology, 2017, 183, 218-223.	1.2	7
62	Amoebicidal, antimicrobial and inÂvitro ROS scavenging activities of Tunisian Rubus ulmifolius Schott, methanolic extract. Experimental Parasitology, 2017, 183, 224-230.	1.2	13
63	InÂvitro interactions of Acanthamoeba castellanii Neff and Vibrio harveyi. Experimental Parasitology, 2017, 183, 167-170.	1.2	6
64	Variation in Campylobacter jejuni culturability in presence of Acanthamoeba castellanii Neff. Experimental Parasitology, 2017, 183, 178-181.	1.2	8
65	Anti- Acanthamoeba activity of Tunisian Thymus capitatus essential oil and organic extracts. Experimental Parasitology, 2017, 183, 231-235.	1.2	13
66	Evaluation of the anti- Acanthamoeba activity of two commercial eye drops commonly used to lower eye pressure. Experimental Parasitology, 2017, 183, 117-123.	1.2	15
67	Chemical composition and anti- Acanthamoeba activity of Melaleuca styphelioides essential oil. Experimental Parasitology, 2017, 183, 104-108.	1.2	10
68	InÂvitro amoebicidal and antioxidant activities of some Tunisian seaweeds. Experimental Parasitology, 2017, 183, 76-80.	1.2	18
69	Programmed cell death in Acanthamoeba castellanii Neff induced by several molecules present in olive leaf extracts. PLoS ONE, 2017, 12, e0183795.	2.5	29
70	Selective activity of Oleanolic and Maslinic Acids on the Amastigote form of Spp. Iranian Journal of Pharmaceutical Research, 2017, 16, 1190-1193.	0.5	15
71	Acanthamoeba genotypes T2, T4, and T11 in soil sources from El Hierro island, Canary Islands, Spain. Parasitology Research, 2016, 115, 2953-2956.	1.6	15
72	Apoptotic protein profile in Leishmania donovani after treatment with hexaazatrinaphthylenes derivatives. Experimental Parasitology, 2016, 166, 83-88.	1.2	0

#	Article	IF	CITATIONS
73	Isolation and Molecular Identification of Vermamoeba vermiformis Strains from Soil Sources in El Hierro Island, Canary Islands, Spain. Current Microbiology, 2016, 73, 104-107.	2.2	9
74	Therapeutic targets and investigated treatment strategies inAcanthamoebakeratitis. Expert Opinion on Orphan Drugs, 2016, 4, 1069-1073.	0.8	2
75	High occurrence of Acanthamoeba genotype T4 in soil sources from BolÃvar State, Venezuela. Acta Parasitologica, 2016, 61, 466-70.	1.1	5
76	Isolation of thermotolerant Vermamoeba vermiformis strains from water sources in Lanzarote Island, Canary Islands, Spain. Acta Parasitologica, 2016, 61, 650-3.	1.1	8
77	Cenotyping of clinical isolates of Acanthamoeba genus in Venezuela. Acta Parasitologica, 2016, 61, 796-801.	1.1	8
78	Isolation and Molecular Characterization of <i>Acanthamoeba</i> Strains from Dental Units in Costa Rica. Journal of Eukaryotic Microbiology, 2015, 62, 733-736.	1.7	8
79	Vannellid Species Isolated from Freshwater Source in a Park in Jamaica, West Indies. Microbiology Insights, 2015, 8s1, MBI.S30537.	2.0	2
80	Evaluation of Two Commercially Available Immunological Kits for the Diagnosis of Helicobacter spp. in Bottlenose Dolphins (Tursiops truncatus). Current Microbiology, 2015, 70, 685-689.	2.2	1
81	<i>Balamuthia mandrillaris</i> therapeutic mud bath in Jamaica. Epidemiology and Infection, 2015, 143, 2245-2248.	2.1	9
82	<i>In Vitro</i> Activities of Hexaazatrinaphthylenes against Leishmania spp. Antimicrobial Agents and Chemotherapy, 2015, 59, 2867-2874.	3.2	16
83	Molecular characterization of Acanthamoeba strains isolated from domestic dogs in Tenerife, Canary Islands, Spain. Archives of Microbiology, 2015, 197, 639-643.	2.2	14
84	Statins and Voriconazole Induce Programmed Cell Death in Acanthamoeba castellanii. Antimicrobial Agents and Chemotherapy, 2015, 59, 2817-2824.	3.2	50
85	Fatal Meningoencephalitis in Child and Isolation of <i>Naegleria fowleri</i> from Hot Springs in Costa Rica. Emerging Infectious Diseases, 2015, 21, 382-384.	4.3	16
86	Isolation and molecular characterization of Acanthamoeba genotypes in recreational and domestic water sources from Jamaica, West Indies. Journal of Water and Health, 2015, 13, 909-919.	2.6	25
87	Isolation and Genotyping of <i>Acanthamoeba</i> Strains from Soil Sources from Jamaica, West Indies. Journal of Eukaryotic Microbiology, 2015, 62, 416-421.	1.7	24
88	Detection of Acanthamoeba on the ocular surface in a Spanish population using the Schirmer strip test: pathogenic potential, molecular classification and evaluation of the sensitivity to chlorhexidine and voriconazole of the isolated Acanthamoeba strains. Journal of Medical Microbiology, 2015, 64, 849-853	1.8	25
89	Morphological Features and <i>In Vitro</i> Cytopathic Effect of <i>Acanthamoeba griffini</i> Trophozoites Isolated from a Clinical Case. Journal of Parasitology Research, 2014, 2014, 1-10.	1.2	31
90	Evaluation of Acanthamoeba Myosin-IC as a Potential Therapeutic Target. Antimicrobial Agents and Chemotherapy, 2014, 58, 2150-2155.	3.2	10

#	Article	IF	CITATIONS
91	Development of an indirect immunofluorescence technique for the evaluation of generated antibody titers against Erysipelothrix rhusiopathiae in captive bottlenose dolphins (Tursiops truncatus). Archives of Microbiology, 2014, 196, 785-790.	2.2	4
92	Isolation and characterization of Acanthamoeba strains from soil samples in Gran Canaria, Canary Islands, Spain. Parasitology Research, 2014, 113, 1383-1388.	1.6	44
93	Genotyping of potentially pathogenic Acanthamoeba strains isolated from nasal swabs of healthy individuals in Peru. Acta Tropica, 2014, 130, 7-10.	2.0	26
94	Voriconazole as a first-line treatment against potentially pathogenic Acanthamoeba strains from Peru. Parasitology Research, 2014, 113, 755-759.	1.6	37
95	Activity of olive leaf extracts against the promastigote stage of Leishmania species and their correlation with the antioxidant activity. Experimental Parasitology, 2014, 141, 106-111.	1.2	31
96	Isolation and molecular characterization of Acanthamoeba and Balamuthia mandrillaris from combination shower units in Costa Rica. Parasitology Research, 2014, 113, 4117-4122.	1.6	20
97	Presence of potentially pathogenic free-living amoebae strains from well water samples in Guinea-Bissau. Pathogens and Global Health, 2014, 108, 206-211.	2.3	34
98	In vitro effects of triterpenic acids from olive leaf extracts on the mitochondrial membrane potential of promastigote stage of Leishmania spp. Phytomedicine, 2014, 21, 1689-1694.	5.3	33
99	A multisystemic Acanthamoeba infection in a dog in Tenerife, Canary Islands, Spain. Veterinary Parasitology, 2014, 205, 707-711.	1.8	12
100	The isolation of Balamuthia mandrillaris from environmental sources from Peru. Parasitology Research, 2014, 113, 2509-2513.	1.6	28
101	Bioassay guided isolation and identification of anti-Acanthamoeba compounds from Tunisian olive leaf extracts. Experimental Parasitology, 2014, 145, S111-S114.	1.2	22
102	PrestoBlue® and AlamarBlue® are equally useful as agents to determine the viability of Acanthamoeba trophozoites. Experimental Parasitology, 2014, 145, S69-S72.	1.2	12
103	Endosymbiotic Mycobacterium chelonae in a Vermamoeba vermiformis strain isolated from the nasal mucosa of an HIV patient in Lima, Peru. Experimental Parasitology, 2014, 145, S127-S130.	1.2	19
104	A history of over 40 years of potentially pathogenic free-living amoeba studies in Brazil - a systematic review. Memorias Do Instituto Oswaldo Cruz, 0, 117, .	1.6	6