## AbdulkadÄ<sup>o</sup>r Yildiz

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3492545/publications.pdf

Version: 2024-02-01

566801 552369 73 903 15 26 citations g-index h-index papers 83 83 83 1364 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Incestuous childhood sexual abuse between siblings resulting in pregnancy without sexual intercourse. Journal of Forensic Sciences, 2022, 67, 1743-1747.	0.9	1
2	NÃveis de Tiol Sérico e Homeostase Tiol/Dissulfeto em Pacientes com Doença Valvar Mitral Reumatismal e em Sujeitos Saudáveis. Arquivos Brasileiros De Cardiologia, 2021, 117, 437-443.	0.3	7
3	Platelet-to-lymphocyte ratio is a predictor of long-term mortality in patients with acute coronary syndrome. Postepy W Kardiologii Interwencyjnej, 2020, 16, 170-176.	0.1	5
4	Retrospective Analysis of Sudden Cardiac Deaths in a 10-Year Autopsy Series in the City of Isparta in Turkey. American Journal of Forensic Medicine and Pathology, 2020, 41, 263-268.	0.4	4
5	Combination of change in hematological parameters with exercise stress test to predict coronary artery disease. Journal of Clinical Laboratory Analysis, 2018, 32, .	0.9	9
6	Can hemodialysis change QRS axis in patients without cardiovascular disease?. Turk Kardiyoloji Dernegi Arsivi, 2018, 46, 276-282.	0.6	3
7	The relationship between fragmented QRS and functional significance of coronary lesions. Journal of Electrocardiology, 2017, 50, 282-286.	0.4	12
8	Assessment of serum asymmetric dimethylarginine levels and left ventricular diastolic function in patients with ankylosing spondylitis. International Journal of Rheumatic Diseases, 2017, 20, 238-244.	0.9	8
9	The utility of the TIMI risk index on admission for predicting angiographic no-reflow after primary percutaneous coronary intervention in patients with STEMI. Turkish Journal of Medical Sciences, 2016, 46, 604-613.	0.4	5
10	Relationship Between Hematologic Indices and Global Registry of Acute Coronary Events Risk Score in Patients With ST-Segment Elevation Myocardial Infarction. Clinical and Applied Thrombosis/Hemostasis, 2016, 22, 60-68.	0.7	45
11	Peripartum cardiomyopathy in Turkey: Experience of three tertiary centres. Journal of Obstetrics and Gynaecology, 2016, 36, 574-580.	0.4	12
12	Clinical Characteristics and Outcome of Cardiovascular Implantable Electronic Device Infections in Turkey. Clinical and Applied Thrombosis/Hemostasis, 2016, 22, 459-464.	0.7	7
13	Novel markers of endothelial dysfunction and inflammation in Behçet's disease patients with ocular involvement: epicardial fat thickness, carotid intima media thickness, serum ADMA level, and neutrophil-to-lymphocyte ratio. Clinical Rheumatology, 2016, 35, 701-708.	1.0	37
14	Serum soluble lectin-like oxidized low-density lipoprotein receptor-1 levels in patients with restless legs syndrome. Bratislava Medical Journal, 2016, 117, 316-320.	0.4	3
15	Clinical and angiographic outcomes at more than 1 year after treatment of chronic total occlusions with the everolimus-eluting bioresorbable vascular scaffold. Turk Kardiyoloji Dernegi Arsivi, 2016, 44, 647-655.	0.6	2
16	Author's Reply. Anatolian Journal of Cardiology, 2016, 16, 225.	0.5	0
17	Association of pentraxin-3 with the severity of rheumatic mitral valve stenosis. Acta Cardiologica, 2015, 70, 409-413.	0.3	8
18	A Thrombotic Right Sinus of Valsalva Aneurysm Causing Acute Myocardial Infarction and Ischemic Stroke. Echocardiography, 2015, 32, 189-191.	0.3	4

#	Article	IF	CITATIONS
19	Paraoxonase and Arylesterase Activities in Dipper and Non-Dipper Prehypertensive Subjects. Medicine (United States), 2015, 94, e786.	0.4	3
20	The association between platelet/lymphocyte ratio and coronary artery disease severity. Anatolian Journal of Cardiology, 2015, 15, 640-647.	0.5	80
21	Apelin Levels In Isolated Coronary Artery Ectasia. Korean Circulation Journal, 2015, 45, 386.	0.7	7
22	The usefulness of plateletcrit to predict cardiac syndrome X in patients with normal coronary angiogram. Postepy W Kardiologii Interwencyjnej, 2015, 3, 197-201.	0.1	4
23	The relationship between neutrophil to lymphocyte ratio, platelet to lymphocyte ratio and thrombolysis in myocardial infarction risk score in patients with ST elevation acute myocardial infarction before primary coronary intervention. Postepy W Kardiologii Interwencyjnej, 2015, 2, 126-135.	0.1	13
24	Association between central aortic pulsatility and glomerular filtration rate in patients with coronary artery disease. Anatolian Journal of Cardiology, 2015, 16, 784-790.	0.5	1
25	Relationship between platelet-to-lymphocyte ratio and coronary slow flow. Anatolian Journal of Cardiology, 2015, 15, 391-395.	0.5	25
26	The relationship of TIMI risk index with SYNTAX and Gensini risk scores in predicting the extent and severity of coronary artery disease in patients with STEMI undergoing primary percutaneous coronary intervention. Therapeutic Advances in Cardiovascular Disease, 2015, 9, 257-266.	1.0	9
27	Association between the neutrophil to lymphocyte ratio and prehypertension. Bratislava Medical Journal, 2015, 116, 475-479.	0.4	3
28	The association between the neutrophil/lymphocyte ratio and functional capacity in patients with idiopathic dilated cardiomyopathy. Anatolian Journal of Cardiology, 2015, 15, 13-17.	0.4	23
29	Platelet-to-lymphocyte ratio is a predictor of in-hospital mortality patients with acute coronary syndrome. Anatolian Journal of Cardiology, 2015, 15, 277-283.	0.5	54
30	The protective role of glutamine against acute induced toxicity in rats. Toxicology Mechanisms and Methods, 2015, 25, 296-301.	1.3	9
31	Platelet-to-Lymphocyte Ratio and No-Reflow Phenomenon in Patients Undergoing Primary Percutaneous Coronary Intervention. American Journal of Cardiology, 2015, 115, 280-281.	0.7	4
32	The Association Between the Neutrophil-to-Lymphocyte Ratio and the Presence of Ventricular Premature Contractions in Young Adults. Clinical and Applied Thrombosis/Hemostasis, 2015, 21, 475-479.	0.7	11
33	Utility of Neutrophil–Lymphocyte Ratio in Predicting Troponin Elevation in the Emergency Department Setting. Clinical and Applied Thrombosis/Hemostasis, 2015, 21, 667-671.	0.7	14
34	The Utility of the Platelet–Lymphocyte Ratio for Predicting No Reflow in Patients With ST-Segment Elevation Myocardial Infarction. Clinical and Applied Thrombosis/Hemostasis, 2015, 21, 223-228.	0.7	69
35	The relationship between atrial electromechanical delay and left atrial mechanical function in stroke patients. Anatolian Journal of Cardiology, 2015, 15, 565-570.	0.5	8
36	Novel predictors of infarct-related artery patency for ST-segment elevation myocardial infarction: Platelet-to-lymphocyte ratio, uric acid, and neutrophil-to-lymphocyte ratio. Anatolian Journal of Cardiology, 2015, 15, 648-656.	0.5	22

#	Article	IF	CITATIONS
37	Assessment of the neutrophil/lymphocyte ratio in patients with supraventricular tachycardia. Anatolian Journal of Cardiology, 2015, 16, 29-33.	0.5	18
38	The importance of hematologic indices in the risk stratification of patients with acute decompansated systolic heart failure. Turk Kardiyoloji Dernegi Arsivi, 2015, 43, 157-65.	0.6	5
39	Resolution of Extensive Coronary Thrombosis under Rivaroxaban Treatment. Arquivos Brasileiros De Cardiologia, 2015, 105, 642-6.	0.3	2
40	An epidemiological study to evaluate the use of vitamin K antagonists and new oral anticoagulants among nonvalvular atrial fibrillation patients in Turkey- AFTER-2 Study Design. Turk Kardiyoloji Dernegi Arsivi, 2015, 43, 169-77.	0.6	1
41	The prognostic value of white blood cell count-to-mean platelet volume ratio in patients with acute coronary syndrome. Cardiology Journal, 2015, 22, 351-352.	0.5	O
42	Myocardial ischemia induced by three-vessel coronary-cameral fistulas. Postepy W Kardiologii Interwencyjnej, 2014, 2, 135-137.	0.1	1
43	A simple method for the assessment of arterial stiffness in pre-eclamptic patients. Clinical and Experimental Hypertension, 2014, 36, 531-537.	0.5	15
44	Association of Neutrophil–Lymphocyte Ratio With the Presence and Severity of Rheumatic Mitral Valve Stenosis. Clinical and Applied Thrombosis/Hemostasis, 2014, 20, 793-798.	0.7	36
45	New inflammatory markers in pre-eclampsia: echocardiographic epicardial fat thickness and neutrophil to lymphocyte ratio. Clinical and Experimental Hypertension, 2014, 36, 503-507.	0.5	40
46	The assessment of arterial stiffness in pre-eclamptic patients. Clinical and Experimental Hypertension, 2014, 36, 603-603.	0.5	2
47	Little thunder may be the first sign of a perfect storm; a case of postmortem diagnosed AEF and slitted esophagus. Annals of Vascular Surgery, 2014, 29, 162-4.	0.4	0
48	Cardiac Metastasis of a Lowâ€Grade Myofibroblastic Sarcoma. Echocardiography, 2014, 31, E1-4.	0.3	9
49	Three Vessel Coronary Cameral Fistulae Associated with New Onset Atrial Fibrillation and Angina Pectoris. Case Reports in Vascular Medicine, 2014, 2014, 1-3.	0.1	4
50	Relationship Between Red Cell Distribution Width and the GRACE Risk Score With In-Hospital Death in Patients With Acute Coronary Syndrome. Clinical and Applied Thrombosis/Hemostasis, 2014, 20, 577-582.	0.7	9
51	New inflammatory predictors for non-valvular atrial fibrillation: echocardiographic epicardial fat thickness and neutrophil to lymphocyte ratio. International Journal of Cardiovascular Imaging, 2014, 30, 81-89.	0.7	49
52	Assessment of Atrial Electromechanical Delay and Pâ€Wave Dispersion in Patients with Psoriasis. Echocardiography, 2014, 31, 1071-1076.	0.3	15
53	The prognostic significance of serum albumin in patients with acute decompensated systolic heart failure. Acta Cardiologica, 2014, 69, 648-654.	0.3	16
54	Effect of Sleep Quality on Hemodynamic Response to Exercise and Heart Rate Recovery in Apparently Healthy Individuals. Clinical and Investigative Medicine, 2014, 37, 352.	0.3	5

#	Article	IF	Citations
55	Epidemiology, anticoagulant treatment and risk of thromboembolism in patients with valvular atrial fibrillation: Results from Atrial Fibrillation in Turkey: Epidemiologic Registry (AFTER). Cardiology Journal, 2014, 21, 158-162.	0.5	6
56	A giant congenital left ventricular diverticulum. Turk Kardiyoloji Dernegi Arsivi, 2014, 42, 585-585.	0.6	1
57	A co-anomaly: hourglass-like aorta and giant coronary arteries. Turk Kardiyoloji Dernegi Arsivi, 2014, 42, 498-498.	0.6	0
58	Demographical data and outcomes of surgically treated patients with the diagnosis of infective endocarditis: a multi-center retrospective study. Turkish Journal of Thoracic and Cardiovascular Surgery, 2014, 22, 56-62.	0.2	0
59	Visceral Fat Reflects Disease Activity in Patients with Ankylosing Spondylitis. Clinical and Investigative Medicine, 2014, 37, 186.	0.3	6
60	Relationship between fluid status as assessed by bioimpedance analysis and NT-pro BNP, blood pressure and left ventricular mass index in hemodialysis patients. Clinica Terapeutica, 2014, 165, e52-8.	0.2	10
61	Assessment of Right Ventricular Systolic Functions in Patients with Chronic Renal Failure before and after Hemodialysis. Journal of the American College of Cardiology, 2013, 62, C170.	1.2	1
62	Assessment of Platelet to Lymphocyte Ratio to Predict Stent Thrombosis in Patients with ST Elevation Myocardial Infarction. Journal of the American College of Cardiology, 2013, 62, C230-C231.	1.2	0
63	Relation of epicardial fat thickness and brachial flow-mediated vasodilation with coronary artery disease. Journal of Cardiology, 2013, 62, 343-347.	0.8	13
64	An Unusual Cause of Syncope: Diaphragmatic Hernia. Echocardiography, 2013, 30, E136-7.	0.3	6
65	Incidence and Predictors of Radial Artery Occlusion Associated Transradial Catheterization. International Journal of Medical Sciences, 2013, 10, 1715-1719.	1.1	21
66	An impressive image of woven right coronary artery. Turk Kardiyoloji Dernegi Arsivi, 2013, 41, 736-737.	0.6	4
67	An unusual co-anomaly: multiple coronary-cameral fistulas and left main coronary artery arising from the right sinus of Valsalva. Turk Kardiyoloji Dernegi Arsivi, 2013, 41, 782-782.	0.6	4
68	Epidemiology of atrial fibrillation in Turkey: preliminary results of the multicenter AFTER study. Turk Kardiyoloji Dernegi Arsivi, 2013, 41, 99-104.	0.6	18
69	Association between neutrophil to lymphocyte ratio and pulmonary arterial hypertension. Turk Kardiyoloji Dernegi Arsivi, 2013, 41, 604-609.	0.6	37
70	The relationship between functional capacity and ultrasonic tissue characterization in patients with idiopathic dilated cardiomyopathy. Cardiology Journal, 2013, 20, 626-632.	0.5	0
71	Association of heart rate profile during exercise with the severity of coronary artery disease. Journal of Cardiovascular Medicine, 2009, 10, 394-400.	0.6	5
72	A case of rhabdomyolysis and tromboembolic event secondary to fibrate monotherapy. Acta Cardiologica, 2008, 63, 515-517.	0.3	5

# ARTICLE IF CITATIONS

73 Association of pentraxin-3 with the severity of rheumatic mitral valve stenosis., 0,. 1