

Nicholas E Manicke

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3494687/publications.pdf>

Version: 2024-02-01

52
papers

4,588
citations

136740

32
h-index

174990

52
g-index

53
all docs

53
docs citations

53
times ranked

2964
citing authors

#	ARTICLE	IF	CITATIONS
1	Insects as Chemical Sensors: Detection of Chemical Warfare Agent Simulants and Hydrolysis Products in the Blow Fly Using LC-MS/MS. <i>Environmental Science & Technology</i> , 2022, 56, 3535-3543.	4.6	5
2	Structural elucidation of two Congo red derivatives on dyed historical objects indicative of formaldehyde exposure and the potential for chemical fading. <i>Dyes and Pigments</i> , 2022, 201, 110173.	2.0	6
3	Development and validation of a paper spray mass spectrometry method for the rapid quantitation of remdesivir and its active metabolite, GS-441524, in human plasma. <i>Journal of Mass Spectrometry and Advances in the Clinical Lab</i> , 2022, 25, 27-35.	1.3	4
4	Pressure-Sensitive Adhesive Combined with Paper Spray Mass Spectrometry for Low-Cost Collection and Analysis of Drug Residues. <i>Analytical Chemistry</i> , 2021, 93, 13467-13474.	3.2	12
5	Simultaneous optimization of paper spray substrates and solvents for hydrophilic and hydrophobic molecules. <i>International Journal of Mass Spectrometry</i> , 2021, 470, 116705.	0.7	3
6	Enhancing Nonfouling and Sensitivity of Surface-Enhanced Raman Scattering Substrates for Potent Drug Analysis in Blood Plasma via Fabrication of a Flexible Plasmonic Patch. <i>Analytical Chemistry</i> , 2021, 93, 2578-2588.	3.2	30
7	Direct soil analysis by paper spray mass spectrometry: Detection of drugs and chemical warfare agent hydrolysis products. <i>Forensic Chemistry</i> , 2020, 17, 100206.	1.7	26
8	Optimization of electromagnetic hot spots in surface-enhanced Raman scattering substrates for an ultrasensitive drug assay of emergency department patients' plasma. <i>Analyst</i> , 2020, 145, 7662-7672.	1.7	10
9	A statistical approach to optimizing paper spray mass spectrometry parameters. <i>Rapid Communications in Mass Spectrometry</i> , 2020, 34, e8601.	0.7	6
10	Using Sesame Seed Oil to Preserve and Preconcentrate Cannabinoids for Paper Spray Mass Spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , 2020, 31, 675-684.	1.2	8
11	Simultaneous quantitation of five triazole anti-fungal agents by paper spray-mass spectrometry. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020, 58, 836-846.	1.4	16
12	Using sesame seed oil to preserve and concentrate cannabinoids for paper spray mass spectrometry. <i>Comprehensive Analytical Chemistry</i> , 2020, 90, 367-395.	0.7	1
13	Female Blow Flies As Vertebrate Resource Indicators. <i>Scientific Reports</i> , 2019, 9, 10594.	1.6	10
14	Paper spray ionization: Applications and perspectives. <i>TrAC - Trends in Analytical Chemistry</i> , 2019, 118, 722-730.	5.8	70
15	Detection of Protein Toxin Simulants from Contaminated Surfaces by Paper Spray Mass Spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , 2019, 30, 1406-1415.	1.2	16
16	Toxicological Drug Screening using Paper Spray High-Resolution Tandem Mass Spectrometry (HR-MS/MS). <i>Journal of Analytical Toxicology</i> , 2018, 42, 300-310.	1.7	53
17	Chemical Assay for the Detection of Vertebrate Fecal Metabolites in Adult Blow Flies (Diptera: Tj ETQq1 1 0.784314 rgBT /Overlock 10	0.7	6
18	The impacts of paper properties on matrix effects during paper spray mass spectrometry analysis of prescription drugs, fentanyl and synthetic cannabinoids. <i>Forensic Chemistry</i> , 2018, 11, 15-22.	1.7	31

#	ARTICLE	IF	CITATIONS
19	Rapid prototyping using 3D printing in bioanalytical research. <i>Bioanalysis</i> , 2017, 9, 329-331.	0.6	23
20	Drug screening method development for paper spray coupled to a triple quadrupole mass spectrometer. <i>Analytical Methods</i> , 2017, 9, 5037-5043.	1.3	35
21	Detection of chemical warfare agent simulants and hydrolysis products in biological samples by paper spray mass spectrometry. <i>Analyst, The</i> , 2017, 142, 1442-1451.	1.7	62
22	Forensic Sampling and Analysis from a Single Substrate: Surface-Enhanced Raman Spectroscopy Followed by Paper Spray Mass Spectrometry. <i>Analytical Chemistry</i> , 2017, 89, 10973-10979.	3.2	68
23	Direct Analysis of Aerosolized Chemical Warfare Simulants Captured on a Modified Glass-Based Substrate by "Paper-Spray" Ionization. <i>Analytical Chemistry</i> , 2017, 89, 10866-10872.	3.2	35
24	Targeted Protein Detection Using an All-in-One Mass Spectrometry Cartridge. <i>Journal of the American Chemical Society</i> , 2017, 139, 10996-10999.	6.6	43
25	Development of a prototype blood fractionation cartridge for plasma analysis by paper spray mass spectrometry. <i>Clinical Mass Spectrometry</i> , 2016, 2, 18-24.	1.9	26
26	Rapid Measurement of Cyclosporine and Sirolimus in Whole Blood by Paper Spray "Tandem Mass Spectrometry. <i>Clinical Chemistry</i> , 2016, 62, 295-297.	1.5	41
27	Ionization Suppression and Recovery in Direct Biofluid Analysis Using Paper Spray Mass Spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , 2016, 27, 726-734.	1.2	58
28	Analysis of biofluids by paper spray MS: advances and challenges. <i>Bioanalysis</i> , 2016, 8, 589-606.	0.6	74
29	Development of a Paper Spray Mass Spectrometry Cartridge with Integrated Solid Phase Extraction for Bioanalysis. <i>Analytical Chemistry</i> , 2015, 87, 6212-6219.	3.2	97
30	Rapid measurement of tacrolimus in whole blood by paper spray-tandem mass spectrometry (PS-MS/MS). <i>Clinica Chimica Acta</i> , 2015, 441, 99-104.	0.5	73
31	Separation of Opiate Isomers Using Electrospray Ionization and Paper Spray Coupled to High-Field Asymmetric Waveform Ion Mobility Spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , 2015, 26, 701-705.	1.2	46
32	New Mass Spec Method for Blood and Urine Screening. <i>Genetic Engineering and Biotechnology News</i> , 2014, 34, 20-21.	0.1	2
33	Paper Spray and Extraction Spray Mass Spectrometry for the Direct and Simultaneous Quantification of Eight Drugs of Abuse in Whole Blood. <i>Analytical Chemistry</i> , 2014, 86, 7712-7718.	3.2	161
34	Direct Quantitative Analysis of Nicotine Alkaloids from Biofluid Samples using Paper Spray Mass Spectrometry. <i>Analytical Chemistry</i> , 2013, 85, 11540-11544.	3.2	78
35	High throughput paper spray mass spectrometry analysis. <i>Clinica Chimica Acta</i> , 2013, 420, 28-33.	0.5	70
36	Rapid analysis of whole blood by paper spray mass spectrometry for point-of-care therapeutic drug monitoring. <i>Analyst, The</i> , 2012, 137, 2344.	1.7	131

#	ARTICLE	IF	CITATIONS
37	Direct and quantitative analysis of underivatized acylcarnitines in serum and whole blood using paper spray mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 404, 1389-1397.	1.9	77
38	Silica Coated Paper Substrate for Paper-Spray Analysis of Therapeutic Drugs in Dried Blood Spots. <i>Analytical Chemistry</i> , 2012, 84, 931-938.	3.2	180
39	Paper spray ionization devices for direct, biomedical analysis using mass spectrometry. <i>International Journal of Mass Spectrometry</i> , 2012, 312, 201-207.	0.7	171
40	New ionization methods and miniature mass spectrometers for biomedicine: DESI imaging for cancer diagnostics and paper spray ionization for therapeutic drug monitoring. <i>Faraday Discussions</i> , 2011, 149, 247-267.	1.6	110
41	Direct Analysis of Biological Tissue by Paper Spray Mass Spectrometry. <i>Analytical Chemistry</i> , 2011, 83, 1197-1201.	3.2	216
42	Assessment of paper spray ionization for quantitation of pharmaceuticals in blood spots. <i>International Journal of Mass Spectrometry</i> , 2011, 300, 123-129.	0.7	164
43	Miniaturization of Mass Spectrometry Analysis Systems. <i>Journal of the Association for Laboratory Automation</i> , 2010, 15, 433-439.	2.8	51
44	Development, Characterization, and Application of Paper Spray Ionization. <i>Analytical Chemistry</i> , 2010, 82, 2463-2471.	3.2	599
45	Molecular imaging of adrenal gland by desorption electrospray ionization mass spectrometry. <i>Analyst</i> , 2010, 135, 28-32.	1.7	89
46	Mass spectrometric imaging of lipids using desorption electrospray ionization. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009, 877, 2883-2889.	1.2	133
47	Rapid, Direct Analysis of Cholesterol by Charge Labeling in Reactive Desorption Electrospray Ionization. <i>Analytical Chemistry</i> , 2009, 81, 7618-7624.	3.2	218
48	Lipid Profiles of Canine Invasive Transitional Cell Carcinoma of the Urinary Bladder and Adjacent Normal Tissue by Desorption Electrospray Ionization Imaging Mass Spectrometry. <i>Analytical Chemistry</i> , 2009, 81, 8758-8764.	3.2	119
49	Imaging of Lipids in Atheroma by Desorption Electrospray Ionization Mass Spectrometry. <i>Analytical Chemistry</i> , 2009, 81, 8702-8707.	3.2	112
50	Desorption electrospray ionization (DESI) mass spectrometry and tandem mass spectrometry (MS/MS) of phospholipids and sphingolipids: Ionization, adduct formation, and fragmentation. <i>Journal of the American Society for Mass Spectrometry</i> , 2008, 19, 531-543.	1.2	160
51	Latent Fingerprint Chemical Imaging by Mass Spectrometry. <i>Science</i> , 2008, 321, 805-805.	6.0	353
52	Desorption electrospray ionization mass spectrometry: Imaging drugs and metabolites in tissues. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 18120-18125.	3.3	400