

Michael L Neidig

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3496800/publications.pdf>

Version: 2024-02-01

100
papers

3,656
citations

117625

34
h-index

144013

57
g-index

103
all docs

103
docs citations

103
times ranked

4179
citing authors

#	ARTICLE	IF	CITATIONS
1	Covalency in f-element complexes. <i>Coordination Chemistry Reviews</i> , 2013, 257, 394-406.	18.8	415
2	Spectroscopic and electronic structure studies of aromatic electrophilic attack and hydrogen-atom abstraction by non-heme iron enzymes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 12966-12973.	7.1	143
3	A Combined Mössbauer, Magnetic Circular Dichroism, and Density Functional Theory Approach for Iron Cross-Coupling Catalysis: Electronic Structure, In Situ Formation, and Reactivity of Iron-Mesityl-Bisphosphines. <i>Journal of the American Chemical Society</i> , 2014, 136, 9132-9143.	13.7	108
4	VTVH-MCD and DFT Studies of Thiolate Bonding to {FeNO}7/{FeO2}8 Complexes of Isopenicillin N Synthase: Substrate Determination of Oxidase versus Oxygenase Activity in Nonheme Fe Enzymes. <i>Journal of the American Chemical Society</i> , 2007, 129, 7427-7438.	13.7	105
5	Iron(II) Active Species in Iron-Bisphosphine Catalyzed Kumada and Suzuki-Miyaura Cross-Couplings of Phenyl Nucleophiles and Secondary Alkyl Halides. <i>Journal of the American Chemical Society</i> , 2015, 137, 11432-11444.	13.7	101
6	Mechanism of the Decomposition of Aqueous Hydrogen Peroxide over Heterogeneous TiSBA15 and TS-1 Selective Oxidation Catalysts: Insights from Spectroscopic and Density Functional Theory Studies. <i>ACS Catalysis</i> , 2011, 1, 1665-1678.	11.2	99
7	Catalytic Light-Driven Generation of Hydrogen from Water by Iron Dithiolene Complexes. <i>Journal of the American Chemical Society</i> , 2016, 138, 11654-11663.	13.7	96
8	Development and Evolution of Mechanistic Understanding in Iron-Catalyzed Cross-Coupling. <i>Accounts of Chemical Research</i> , 2019, 52, 140-150.	15.6	92
9	Structure-function correlations in oxygen activating non-heme iron enzymes. <i>Chemical Communications</i> , 2005, , 5843.	4.1	90
10	Iron Phosphine Catalyzed Cross-Coupling of Tetraorganoborates and Related Group 13 Nucleophiles with Alkyl Halides. <i>Organometallics</i> , 2014, 33, 5767-5780.	2.3	90
11	Formation and Stabilization of Fluorescent Gold Nanoclusters Using Small Molecules. <i>Journal of Physical Chemistry C</i> , 2010, 114, 15879-15882.	3.1	88
12	CD and MCD of CytC3 and Taurine Dioxygenase: Role of the Facial Triad in $\hat{\nu}$ -KG-Dependent Oxygenases. <i>Journal of the American Chemical Society</i> , 2007, 129, 14224-14231.	13.7	86
13	Isolation, Characterization, and Reactivity of Fe ₈ Me ₁₂ ⁺ : Kochi's $\hat{\nu}$ = 1/2 Species in Iron-Catalyzed Cross-Couplings with MeMgBr and Ferric Salts. <i>Journal of the American Chemical Society</i> , 2016, 138, 7492-7495.	13.7	81
14	Intermediates and Mechanism in Iron-Catalyzed Cross-Coupling. <i>Journal of the American Chemical Society</i> , 2018, 140, 11872-11883.	13.7	79
15	Ag K-Edge EXAFS Analysis of DNA-Templated Fluorescent Silver Nanoclusters: Insight into the Structural Origins of Emission Tuning by DNA Sequence Variations. <i>Journal of the American Chemical Society</i> , 2011, 133, 11837-11839.	13.7	78
16	How Innocent are Potentially Redox Non-Innocent Ligands? Electronic Structure and Metal Oxidation States in Iron-PNN Complexes as a Representative Case Study. <i>Inorganic Chemistry</i> , 2015, 54, 4909-4926.	4.0	76
17	A Combined Probe-Molecule, Mössbauer, Nuclear Resonance Vibrational Spectroscopy, and Density Functional Theory Approach for Evaluation of Potential Iron Active Sites in an Oxygen Reduction Reaction Catalyst. <i>Journal of Physical Chemistry C</i> , 2017, 121, 16283-16290.	3.1	75
18	Activation of $\hat{\nu}$ -Keto Acid-Dependent Dioxygenases: Application of an {FeNO} ⁷ / ₂ /{FeO ₂ } ⁸ Methodology for Characterizing the Initial Steps of O ₂ Activation. <i>Journal of the American Chemical Society</i> , 2011, 133, 18148-18160.	13.7	66

#	ARTICLE	IF	CITATIONS
19	The <i>N</i> -Methylpyrrolidone (NMP) Effect in Iron-Catalyzed Cross-Coupling with Simple Ferric Salts and MeMgBr. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 6496-6500.	13.8	64
20	Isolation and Characterization of a Tetramethyliron(III) Ferrate: An Intermediate in the Reduction Pathway of Ferric Salts with MeMgBr. <i>Journal of the American Chemical Society</i> , 2014, 136, 15457-15460.	13.7	61
21	CD and MCD Studies of the Non-Heme Ferrous Active Site in (4-Hydroxyphenyl)pyruvate Dioxygenase: A Correlation between Oxygen Activation in the Extradiol and \pm -KG-Dependent Dioxygenases. <i>Journal of the American Chemical Society</i> , 2004, 126, 4486-4487.	13.7	60
22	Iron Dicarbonyl Complexes Featuring Bipyridine-Based PNN Pincer Ligands with Short Interpyridine C-C Bond Lengths: Innocent or Non-Innocent Ligand?. <i>Chemistry - A European Journal</i> , 2014, 20, 4403-4413.	3.3	56
23	General method for iron-catalyzed multicomponent radical cascades "cross-couplings. <i>Science</i> , 2021, 374, 432-439.	12.6	53
24	Terminal coordination of diatomic boron monofluoride to iron. <i>Science</i> , 2019, 363, 1203-1205.	12.6	50
25	Spectroscopic Characterization of Soybean Lipoxygenase-1 Mutants: the Role of Second Coordination Sphere Residues in the Regulation of Enzyme Activity. <i>Biochemistry</i> , 2003, 42, 7294-7302.	2.5	49
26	Polyoxovanadate Alkoxide Clusters as a Redox Reservoir for Iron. <i>Inorganic Chemistry</i> , 2017, 56, 7065-7080.	4.0	48
27	Facile hydrogen atom transfer to iron(imido) radical complexes supported by a dianionic pentadentate ligand. <i>Chemical Science</i> , 2016, 7, 5939-5944.	7.4	47
28	Intermediates and Reactivity in Iron-Catalyzed Cross-Couplings of Alkynyl Grignards with Alkyl Halides. <i>Journal of the American Chemical Society</i> , 2017, 139, 6988-7003.	13.7	46
29	The Three-His Triad in Dke1: Comparisons to the Classical Facial Triad. <i>Biochemistry</i> , 2010, 49, 6945-6952.	2.5	44
30	A combined magnetic circular dichroism and density functional theory approach for the elucidation of electronic structure and bonding in three- and four-coordinate iron-N-heterocyclic carbene complexes. <i>Chemical Science</i> , 2015, 6, 1178-1188.	7.4	44
31	Insight into contributions to phenol selectivity in the solution oxidation of benzene to phenol with H ₂ O ₂ . <i>Catalysis Communications</i> , 2011, 12, 480-484.	3.3	41
32	The Effect of β -Hydrogen Atoms on Iron Speciation in Cross-Couplings with Simple Iron Salts and Alkyl Grignard Reagents. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 2769-2773.	13.8	41
33	Identification and Reactivity of Cyclometalated Iron(III) Intermediates in Triazole-Directed Iron-Catalyzed C-H Activation. <i>Journal of the American Chemical Society</i> , 2019, 141, 12338-12345.	13.7	39
34	Linear and T-Shaped Iron(I) Complexes Supported by N-Heterocyclic Carbene Ligands: Synthesis and Structure Characterization. <i>Inorganic Chemistry</i> , 2015, 54, 8808-8816.	4.0	36
35	Multinuclear iron-phenyl species in reactions of simple iron salts with PhMgBr: identification of Fe ₄ (μ_4 -Ph) ₆ (THF) ₄ as a key reactive species for cross-coupling catalysis. <i>Chemical Science</i> , 2018, 9, 7931-7939.	7.4	34
36	Flexible Binding of PNP Pincer Ligands to Monomeric Iron Complexes. <i>Inorganic Chemistry</i> , 2014, 53, 6066-6072.	4.0	32

#	ARTICLE	IF	CITATIONS
37	Electronic Structure and Bonding in Iron(II) and Iron(I) Complexes Bearing Bisphosphine Ligands of Relevance to Iron-Catalyzed C–C Cross-Coupling. <i>Inorganic Chemistry</i> , 2016, 55, 272-282.	4.0	32
38	Two- and three-coordinate formal iron(<i>i</i>) compounds featuring monodentate aminocarbene ligands. <i>Organic Chemistry Frontiers</i> , 2014, 1, 1040-1044.	4.5	31
39	Manipulating Magneto-Optic Properties of a Chiral Polymer by Doping with Stable Organic Biradicals. <i>Nano Letters</i> , 2016, 16, 5451-5455.	9.1	30
40	Mechanism of the Bis(imino)pyridine-Iron-Catalyzed Hydromagnesiation of Styrene Derivatives. <i>Journal of the American Chemical Society</i> , 2019, 141, 10099-10108.	13.7	30
41	Spectroscopic and computational studies of NTBC bound to the non-heme iron enzyme (4-hydroxyphenyl)pyruvate dioxygenase: Active site contributions to drug inhibition. <i>Biochemical and Biophysical Research Communications</i> , 2005, 338, 206-214.	2.1	28
42	NHC and nucleophile chelation effects on reactive iron(ii) species in alkyl–alkyl cross-coupling. <i>Chemical Science</i> , 2018, 9, 1878-1891.	7.4	28
43	Kinetic and Spectroscopic Studies of N694C Lipoxygenase: A Probe of the Substrate Activation Mechanism of a Nonheme Ferric Enzyme. <i>Journal of the American Chemical Society</i> , 2007, 129, 7531-7537.	13.7	27
44	Atom-Economical Ni-Catalyzed Diborylative Cyclization of Enynes: Preparation of Unsymmetrical Diboronates. <i>Organic Letters</i> , 2019, 21, 6552-6556.	4.6	26
45	Reactivity of (NHC) ₂ FeX ₂ Complexes toward Arylborane Lewis Acids and Arylboronates. <i>Organometallics</i> , 2014, 33, 370-377.	2.3	25
46	A Physical–Inorganic Approach for the Elucidation of Active Iron Species and Mechanism in Iron-Catalyzed Cross-Coupling. <i>Israel Journal of Chemistry</i> , 2017, 57, 1106-1116.	2.3	24
47	Homoleptic Aryl Complexes of Uranium (IV). <i>Angewandte Chemie - International Edition</i> , 2019, 58, 10266-10270.	13.8	24
48	Mononuclear, Dinuclear, and Trinuclear Iron Complexes Featuring a New Monoanionic SNS Thiolate Ligand. <i>Inorganic Chemistry</i> , 2016, 55, 987-997.	4.0	23
49	Iron(II) Complexes of a Hemilabile SNS Amido Ligand: Synthesis, Characterization, and Reactivity. <i>Inorganic Chemistry</i> , 2017, 56, 13766-13776.	4.0	22
50	Magnetic circular dichroism studies of iron(<i>ii</i>) binding to human calprotectin. <i>Chemical Science</i> , 2017, 8, 1369-1377.	7.4	22
51	Additive and Counterion Effects in Iron-Catalyzed Reactions Relevant to C–C Bond Formation. <i>ACS Catalysis</i> , 2021, 11, 8493-8503.	11.2	22
52	Magnetic circular dichroism of UCl ₆ ⁺ in the ligand-to-metal charge-transfer spectral region. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 17300-17313.	2.8	21
53	Activation of ammonia and hydrazine by electron rich Fe(<i>ii</i>) complexes supported by a dianionic pentadentate ligand platform through a common terminal Fe(<i>iii</i>) amido intermediate. <i>Chemical Science</i> , 2021, 12, 2231-2241.	7.4	21
54	Efficient Nazarov Cyclization/Wagner–Meerwein Rearrangement Terminated by a Cu ^{II} -Promoted Oxidation: Synthesis of 4-Alkylidene Cyclopentenones. <i>Chemistry - A European Journal</i> , 2013, 19, 4842-4848.	3.3	20

#	ARTICLE	IF	CITATIONS
55	The β -Methylpyrrolidone (NMP) Effect in Iron-Catalyzed Cross-Coupling with Simple Ferric Salts and MeMgBr. <i>Angewandte Chemie</i> , 2018, 130, 6606-6610.	2.0	19
56	Magnetic circular dichroism and density functional theory studies of electronic structure and bonding in cobalt(II)-N-heterocyclic carbene complexes. <i>Dalton Transactions</i> , 2017, 46, 13290-13299.	3.3	18
57	Kinetic, Spectroscopic, and Structural Investigations of the Soybean Lipoxygenase-1 First-Coordination Sphere Mutant, Asn694Gly. <i>Biochemistry</i> , 2006, 45, 10233-10242.	2.5	17
58	Direct Observation of Acetyl Group Formation from the Reaction of CO with Methylated H-MOR by in Situ Diffuse Reflectance Infrared Spectroscopy. <i>Journal of Physical Chemistry Letters</i> , 2010, 1, 3012-3015.	4.6	17
59	Spectroscopic and electronic structure studies of the role of active site interactions in the decarboxylation reaction of α -keto acid-dependent dioxygenases. <i>Journal of Inorganic Biochemistry</i> , 2006, 100, 2108-2116.	3.5	16
60	Combined Effects of Backbone and N-Substituents on Structure, Bonding, and Reactivity of Alkylated Iron(II)-NHCs. <i>Organometallics</i> , 2018, 37, 3093-3101.	2.3	16
61	A Pseudotetrahedral Uranium(V) Complex. <i>Inorganic Chemistry</i> , 2018, 57, 8106-8115.	4.0	16
62	Backbone Dehydrogenation in Pyrrole-Based Pincer Ligands. <i>Inorganic Chemistry</i> , 2018, 57, 9544-9553.	4.0	16
63	Insight into the Electronic Structure of Formal Lanthanide(II) Complexes using Magnetic Circular Dichroism Spectroscopy. <i>Organometallics</i> , 2019, 38, 3124-3131.	2.3	16
64	The Effect of β -Hydrogen Atoms on Iron Speciation in Cross-Couplings with Simple Iron Salts and Alkyl Grignard Reagents. <i>Angewandte Chemie</i> , 2019, 131, 2795-2799.	2.0	16
65	The Exceptional Diversity of Homoleptic Uranium-Methyl Complexes. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 13586-13590.	13.8	16
66	Ambivalent binding between a radical-based pincer ligand and iron. <i>Dalton Transactions</i> , 2015, 44, 10516-10523.	3.3	15
67	Magnetic Circular Dichroism and Density Functional Theory Studies of Iron(II)-Pincer Complexes: Insight into Electronic Structure and Bonding Effects of Pincer N-Heterocyclic Carbene Moieties. <i>Organometallics</i> , 2016, 35, 3692-3700.	2.3	14
68	TMEDA in Iron-Catalyzed Hydromagnesiation: Formation of Iron-Alkyl Species for Controlled Reduction to Alkene-Stabilized Iron(0). <i>Angewandte Chemie - International Edition</i> , 2020, 59, 17070-17076.	13.8	14
69	Possible Demonstration of a Polaronic Bose-Einstein(-Mott) Condensate in UO ₂ (+x) by Ultrafast THz Spectroscopy and Microwave Dissipation. <i>Scientific Reports</i> , 2015, 5, 15278.	3.3	13
70	Transition-Metal-Free Formation of C-E Bonds (E = C, N, O, S) and Formation of C-M Bonds (M = Mn, Tj ETQq0 0 0 rgBT /Overlock <i>Organometallics</i> , 2017, 36, 849-857.	2.3	12
71	Ligand effects on electronic structure and bonding in U(η^5) coordination complexes: a combined MCD, EPR and computational study. <i>Dalton Transactions</i> , 2020, 49, 14401-14410.	3.3	12
72	[2Fe ^{II} S] Cluster Supported by Redox-Active α -Phenylenediamide Ligands and Its Application toward Dinitrogen Reduction. <i>Inorganic Chemistry</i> , 2021, 60, 13811-13820.	4.0	12

#	ARTICLE	IF	CITATIONS
73	Creation of an unexpected plane of enhanced covalency in cerium(III) and berkelium(III) terpyridyl complexes. <i>Nature Communications</i> , 2021, 12, 7230.	12.8	11
74	ϵ -Term magnetic circular dichroism (MCD) spectroscopy in paramagnetic transition metal and f-element organometallic chemistry. <i>Dalton Transactions</i> , 2021, 50, 416-428.	3.3	10
75	Experimental and computational studies of the mechanism of iron-catalysed C-H activation/functionalisation with allyl electrophiles. <i>Chemical Science</i> , 2021, 12, 9398-9407.	7.4	10
76	Air-Stable Iron-Based Precatalysts for Suzuki-Miyaura Cross-Coupling Reactions between Alkyl Halides and Aryl Boronic Esters. <i>Organic Process Research and Development</i> , 2021, 25, 2461-2472.	2.7	10
77	Side-on coordination of diphosphorus to a mononuclear iron center. <i>Science</i> , 2022, 375, 1393-1397.	12.6	9
78	Crystal structure of a third polymorph of tris(acetylacetonato- η^2 -O, η^2 -O)iron(III). <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2015, 71, m228-m229.	0.5	8
79	Geometric Structure Determination of N694C Lipoxygenase: A Comparative Near-Edge X-Ray Absorption Spectroscopy and Extended X-Ray Absorption Fine Structure Study. <i>Inorganic Chemistry</i> , 2008, 47, 11543-11550.	4.0	7
80	Syntheses and characterizations of iron complexes of bulky <i>o</i> -phenylenediamide ligand. <i>Dalton Transactions</i> , 2020, 49, 12287-12297.	3.3	5
81	Anion-induced disproportionation of Th(η^3) complexes to form Th(η^2) and Th(η^4) products. <i>Chemical Communications</i> , 2022, 58, 5289-5291.	4.1	5
82	Homoleptic Aryl Complexes of Uranium (IV). <i>Angewandte Chemie</i> , 2019, 131, 10372-10376.	2.0	4
83	TMEDA in Iron-Catalyzed Hydromagnesiation: Formation of Iron(II)-Alkyl Species for Controlled Reduction to Alkene-Stabilized Iron(0). <i>Angewandte Chemie</i> , 2020, 132, 17218-17224.	2.0	4
84	Dilithium Amides as a Modular Bis-Anionic Ligand Platform for Iron-Catalyzed Cross-Coupling. <i>Organic Letters</i> , 2021, 23, 5958-5963.	4.6	4
85	A TMEDA-Iron Adduct Reaction Manifold in Iron-Catalyzed C(sp ²)-C(sp ³) Cross-Coupling Reactions. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	13.8	4
86	Direct observation of ICT cations at the HTL/transparent semiconductor interface. <i>Organic Electronics</i> , 2014, 15, 3761-3765.	2.6	2
87	Synthesis and characterization of a sterically encumbered homoleptic tetraalkyliron(III) ferrate complex. <i>Polyhedron</i> , 2019, 158, 91-96.	2.2	2
88	Forged in iron. <i>Nature Reviews Chemistry</i> , 2021, 5, 223-224.	30.2	2
89	NHC Effects on Reduction Dynamics in Iron-Catalyzed Organic Transformations**. <i>Chemistry - A European Journal</i> , 2021, 27, 13651-13658.	3.3	2
90	Near-infrared ϵ -term MCD spectroscopy of octahedral uranium(η^5) complexes. <i>Dalton Transactions</i> , 2021, 50, 5483-5492.	3.3	2

#	ARTICLE	IF	CITATIONS
91	Intermediates and mechanism in iron-catalyzed C-H methylation with trimethylaluminum. <i>Chemical Communications</i> , 2021, 57, 12784-12787.	4.1	2
92	Resident holes and electrons at organic/conductor and organic/organic interfaces: An electron paramagnetic resonance investigation. <i>Organic Electronics</i> , 2016, 37, 379-385.	2.6	1
93	Isolation and Characterization of a Homoleptic Tetramethylcobalt(III) Distorted Square-Planar Complex. <i>Organometallics</i> , 2019, 38, 3486-3489.	2.3	1
94	The Exceptional Diversity of Homoleptic Uranium-Methyl Complexes. <i>Angewandte Chemie</i> , 2020, 132, 13688-13692.	2.0	1
95	Characterization Methods for Paramagnetic Organometallic Complexes. , 2022, , 135-175.		1
96	C H Activation/Functionalization With Earth Abundant 3d Transition Metals. , 2021, , 260-310.		1
97	Crystal structure of bromidopentakis(tetrahydrofuran- η^5 -O)magnesium bis[1,2-bis(diphenylphosphanyl)benzene- η^2 -P,P']cobaltate(η^1) tetrahydrofuran disolvate. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2019, 75, 304-307.	0.5	1
98	Crystal structures of two new six-coordinate iron(III) complexes with 1,2-bis(diphenylphosphane) ligands. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2018, 74, 803-807.	0.5	0
99	Recent Advances in Synthesis, Characterization and Reactivities of Iron-Alkyl and Iron-Aryl Complexes. , 2021, , .		0
100	A TMEDA-Iron Adduct Reaction Manifold in Iron-Catalyzed C(sp ²)-C(sp ³) Cross-Coupling Reactions. <i>Angewandte Chemie</i> , 0, , .	2.0	0