

ChuHee Lee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/349757/publications.pdf>

Version: 2024-02-01

23
papers

590
citations

759233

12
h-index

677142

22
g-index

23
all docs

23
docs citations

23
times ranked

1170
citing authors

#	ARTICLE	IF	CITATIONS
1	Mistletoe Extract Targets the STAT3-FOXO1 Pathway to Induce Apoptosis and Inhibits Metastasis in Breast Cancer Cells. <i>The American Journal of Chinese Medicine</i> , 2021, 49, 487-504.	3.8	12
2	Acrylamide and its metabolite induce neurotoxicity via modulation of protein kinase C and AMP-activated protein kinase pathways. <i>Toxicology in Vitro</i> , 2021, 72, 105105.	2.4	12
3	Lotus (<i>Nelumbo</i> <i>nucifera</i>) seedpod extract inhibits cell proliferation and induces apoptosis in non-small cell lung cancer cells via downregulation of Axl. <i>Journal of Food Biochemistry</i> , 2021, 45, e13601.	2.9	5
4	Bufalin down-regulates Axl expression to inhibit cell proliferation and induce apoptosis in non-small-cell lung cancer cells. <i>Bioscience Reports</i> , 2020, 40, .	2.4	10
5	Metformin selectively targets 4T1 tumorspheres and enhances the antitumor effects of doxorubicin by downregulating the AKT and STAT3 signaling pathways. <i>Oncology Letters</i> , 2019, 17, 2523-2530.	1.8	5
6	Axl is a novel target of celastrol that inhibits cell proliferation and migration, and increases the cytotoxicity of gefitinib in EGFR mutant non-small cell lung cancer cells. <i>Molecular Medicine Reports</i> , 2019, 19, 3230-3236.	2.4	8
7	Carvacrol Targets AXL to Inhibit Cell Proliferation and Migration in Non-small Cell Lung Cancer Cells. <i>Anticancer Research</i> , 2018, 38, 279-286.	1.1	18
8	Anticancer effect of luteolin is mediated by downregulation of TAM receptor tyrosine kinases, but not interleukin-8, in non-small cell lung cancer cells. <i>Oncology Reports</i> , 2017, 37, 1219-1226.	2.6	32
9	Mistletoe (<i>Viscum album</i>) extract targets Axl to suppress cell proliferation and overcome cisplatin- and erlotinib-resistance in non-small cell lung cancer cells. <i>Phytomedicine</i> , 2017, 36, 183-193.	5.3	20
10	Suppression of gain-of-function mutant p53 with metabolic inhibitors reduces tumor growth in vivo. <i>Oncotarget</i> , 2016, 7, 77664-77682.	1.8	7
11	Suppression of the metastatic spread of breast cancer by DN10764 (AZD7762)-mediated inhibition of AXL signaling. <i>Oncotarget</i> , 2016, 7, 83308-83318.	1.8	9
12	Overexpression of Tyro3 receptor tyrosine kinase leads to the acquisition of taxol resistance in ovarian cancer cells. <i>Molecular Medicine Reports</i> , 2015, 12, 1485-1492.	2.4	24
13	Metformin targets Axl and Tyro3 receptor tyrosine kinases to inhibit cell proliferation and overcome chemoresistance in ovarian cancer cells. <i>International Journal of Oncology</i> , 2015, 47, 353-360.	3.3	34
14	Curcumin-induced downregulation of Axl receptor tyrosine kinase inhibits cell proliferation and circumvents chemoresistance in non-small lung cancer cells. <i>International Journal of Oncology</i> , 2015, 47, 2296-2303.	3.3	37
15	Inhibition of IL-6/STAT3 axis and targeting Axl and Tyro3 receptor tyrosine kinases by apigenin circumvent taxol resistance in ovarian cancer cells. <i>International Journal of Oncology</i> , 2015, 46, 1405-1411.	3.3	75
16	Axl receptor tyrosine kinase is a novel target of apigenin for the inhibition of cell proliferation. <i>International Journal of Molecular Medicine</i> , 2014, 34, 592-598.	4.0	15
17	Reversal of Cisplatin Resistance by Epigallocatechin Gallate Is Mediated by Downregulation of Axl and Tyro 3 Expression in Human Lung Cancer Cells. <i>Korean Journal of Physiology and Pharmacology</i> , 2014, 18, 61.	1.2	37
18	Exploration of senescence-associated genes by differential display reverse transcription polymerase chain reaction: Prosaposin as a novel senescence-associated gene. <i>Archives of Pharmacal Research</i> , 2009, 32, 737-745.	6.3	6

#	ARTICLE	IF	CITATIONS
19	cAMP elevating agents suppress secretory phospholipase A2-induced matrix metalloproteinase-2 activation. <i>Biochemical and Biophysical Research Communications</i> , 2006, 340, 1278-1283.	2.1	10
20	Secretory phospholipase A2 induces apoptosis through TNF- α and cytochrome c-mediated caspase cascade in murine macrophage RAW 264.7 cells. <i>European Journal of Pharmacology</i> , 2006, 536, 47-53.	3.5	33
21	Janus Kinase-Signal Transducer and Activator of Transcription Mediates Phosphatidic Acid-Induced Interleukin (IL)-1 β and IL-6 Production. <i>Molecular Pharmacology</i> , 2006, 69, 1041-1047.	2.3	67
22	The requirement of PKC α and NF κ B activation for phosphatidic acid-induced iNOS expression. <i>FASEB Journal</i> , 2006, 20, A951.	0.5	0
23	Macrophage activation through CCR5- and CXCR4-mediated gp120-elicited signaling pathways. <i>Journal of Leukocyte Biology</i> , 2003, 74, 676-682.	3.3	114