

# Xiaoping Dong

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3497964/publications.pdf>

Version: 2024-02-01

164  
papers

11,129  
citations

26630

56  
h-index

32842

100  
g-index

164  
all docs

164  
docs citations

164  
times ranked

12259  
citing authors

#	ARTICLE	IF	CITATIONS
1	Piezoelectric polarization promoted spatial separation of photoexcited electrons and holes in two-dimensional g-C <sub>3</sub> N <sub>4</sub> nanosheets for efficient elimination of chlorophenols. <i>Journal of Hazardous Materials</i> , 2022, 421, 126696.	12.4	72
2	Phenanthroline bridging graphitic carbon nitride framework and Fe (II) ions to promote transfer of photogenerated electrons for selective photocatalytic reduction of Nitrophenols. <i>Journal of Colloid and Interface Science</i> , 2022, 608, 2088-2099.	9.4	36
3	Piezoelectric polarization promoted spatial separation of photogenerated charges in Bi <sub>2</sub> MoO <sub>6</sub> catalyst and investigation of its synergistic photopiezocatalytic activity. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2022, 133, 104260.	5.3	19
4	Photocatalytic elimination of moxifloxacin by two-dimensional graphitic carbon nitride nanosheets: Enhanced activity, degradation mechanism and potential practical application. <i>Separation and Purification Technology</i> , 2022, 292, 121067.	7.9	37
5	Dual-anions engineering of bimetallic oxides as highly active electrocatalyst for boosted overall water splitting. <i>Journal of Colloid and Interface Science</i> , 2022, 623, 467-475.	9.4	26
6	Tribocatalysis of homogeneous material with multi-size granular distribution for degradation of organic pollutants. <i>Journal of Colloid and Interface Science</i> , 2022, 622, 602-611.	9.4	28
7	Strong Tribocatalytic Nitrogen Fixation of Graphite Carbon Nitride g-C <sub>3</sub> N <sub>4</sub> through Harvesting Friction Energy. <i>Nanomaterials</i> , 2022, 12, 1981.	4.1	16
8	Covalent Modification of Iron Phthalocyanine into Skeleton of Graphitic Carbon Nitride and Its Visible-Light-Driven Photocatalytic Reduction of Nitroaromatic Compounds. <i>Catalysts</i> , 2022, 12, 752.	3.5	6
9	Wool textile-derived nitrogen-doped porous carbon cloth for a binder-free electrode material for high-performance flexible solid-state supercapacitors. <i>Journal of Materials Science</i> , 2021, 56, 2412-2424.	3.7	19
10	Polydopamine mediated modification of manganese oxide on melamine sponge for photothermocatalysis of gaseous formaldehyde. <i>Journal of Hazardous Materials</i> , 2021, 407, 124795.	12.4	31
11	Built-in piezoelectric field improved photocatalytic performance of nanoflower-like Bi <sub>2</sub> WO <sub>6</sub> using low-power white LEDs. <i>Chinese Chemical Letters</i> , 2021, 32, 2317-2321.	9.0	53
12	Efficiently harvesting the ultrasonic vibration energy of two-dimensional graphitic carbon nitride for piezocatalytic degradation of dichlorophenols. <i>Environmental Science: Nano</i> , 2021, 8, 1398-1407.	4.3	42
13	Universal Strategy of Bimetal Heterostructures as Superior Bifunctional Catalysts for Electrochemical Water Splitting. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 4206-4212.	6.7	61
14	Friction energy harvesting on bismuth tungstate catalyst for tribocatalytic degradation of organic pollutants. <i>Journal of Colloid and Interface Science</i> , 2021, 587, 883-890.	9.4	49
15	Low-temperature catalytic combustion of benzene over Zr-Mn mixed oxides synthesized by redox-precipitation method. <i>Journal of Materials Science</i> , 2021, 56, 13540-13555.	3.7	6
16	Dual anions engineering on nickel cobalt-based catalyst for optimal hydrogen evolution electrocatalysis. <i>Journal of Colloid and Interface Science</i> , 2021, 589, 127-134.	9.4	30
17	Synergistic catalysis of BiOIO <sub>3</sub> catalyst for elimination of organic pollutants under simultaneous photo-irradiation and ultrasound-vibration treatment. <i>Journal of Colloid and Interface Science</i> , 2021, 601, 704-713.	9.4	40
18	Improved photocatalytic performance for selective oxidation of amines to imines on graphitic carbon nitride/bismuth tungstate heterojunctions. <i>Journal of Colloid and Interface Science</i> , 2020, 560, 40-49.	9.4	92

#	ARTICLE	IF	CITATIONS
19	Carbon quantum dots implanted CdS nanosheets: Efficient visible-light-driven photocatalytic reduction of Cr(VI) under saline conditions. <i>Applied Catalysis B: Environmental</i> , 2020, 262, 118306.	20.2	103
20	Photothermal conversion of graphene/layered manganese oxide 2D/2D composites for room-temperature catalytic purification of gaseous formaldehyde. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2020, 107, 119-128.	5.3	25
21	Carbonaceous 0D/2D composite photocatalyst for degradation of organic dyes. <i>Diamond and Related Materials</i> , 2020, 109, 108096.	3.9	9
22	Enhanced piezo-electro-chemical coupling of BaTiO <sub>3</sub> /g-C <sub>3</sub> N <sub>4</sub> nanocomposite for vibration-catalysis. <i>Journal of Materials Science</i> , 2020, 55, 14787-14797.	3.7	33
23	Layered $\gamma$ -MnO <sub>2</sub> as an active catalyst for toluene catalytic combustion. <i>Applied Catalysis A: General</i> , 2020, 602, 117715.	4.3	55
24	Tribo-catalytic degradation of organic pollutants through bismuth oxyiodate triboelectrically harvesting mechanical energy. <i>Nano Energy</i> , 2020, 78, 105290.	16.0	75
25	Free-standing composite films of multiple 2D nanosheets: Synergetic photothermocatalysis/photocatalysis for efficient removal of formaldehyde under ambient condition. <i>Chemical Engineering Journal</i> , 2020, 394, 125014.	12.7	58
26	Two-dimensional/two-dimensional Z-scheme photocatalyst of graphitic carbon nitride/bismuth vanadate for visible-light-driven photocatalytic synthesis of imines. <i>Ceramics International</i> , 2020, 46, 16157-16165.	4.8	50
27	Facile surface modification of textiles with photocatalytic carbon nitride nanosheets and the excellent performance for self-cleaning and degradation of gaseous formaldehyde. <i>Journal of Colloid and Interface Science</i> , 2019, 533, 144-153.	9.4	64
28	Synergetic photocatalysis/piezocatalysis of bismuth oxybromide for degradation of organic pollutants. <i>Journal of Alloys and Compounds</i> , 2019, 809, 151840.	5.5	160
29	Large-scale synthesis of Ni(OH) <sub>2</sub> /peach gum derived carbon nanosheet composites with high energy and power density for battery-type supercapacitor. <i>Journal of Colloid and Interface Science</i> , 2019, 557, 608-616.	9.4	31
30	In situ tunable pillaring of compact and high-density graphite fluoride with pseudocapacitive diamines for supercapacitors with combined predominance in gravimetric and volumetric performances. <i>Journal of Materials Chemistry A</i> , 2019, 7, 3353-3365.	10.3	28
31	Enhanced photocatalytic performance of boron and phosphorous co-doped graphitic carbon nitride nanosheets for removal of organic pollutants. <i>Separation and Purification Technology</i> , 2019, 226, 128-137.	7.9	83
32	Synergetic effect of swelling and chemical blowing to develop peach gum derived nitrogen-doped porous carbon nanosheets for symmetric supercapacitors. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2019, 101, 24-30.	5.3	31
33	Amphiphilic two-dimensional graphitic carbon nitride nanosheets for visible-light-driven phase-boundary photocatalysis. <i>Journal of Materials Chemistry A</i> , 2019, 7, 13071-13079.	10.3	114
34	Crab shell-derived honeycomb-like graphitized hierarchically porous carbons for satisfactory rate performance of all-solid-state supercapacitors. <i>Sustainable Energy and Fuels</i> , 2019, 3, 1201-1214.	4.9	49
35	One-step synthesis of boron-doped graphene quantum dots for fluorescent sensors and biosensor. <i>Talanta</i> , 2019, 199, 581-589.	5.5	112
36	Improved adhesion and performance of vertically-aligned mesoporous silica-nanochannel film on reduced graphene oxide for direct electrochemical analysis of human serum. <i>Sensors and Actuators B: Chemical</i> , 2019, 288, 133-140.	7.8	38

#	ARTICLE	IF	CITATIONS
37	Graphene quantum dots decorated graphitic carbon nitride nanorods for photocatalytic removal of antibiotics. <i>Journal of Colloid and Interface Science</i> , 2019, 548, 56-65.	9.4	148
38	Highly dispersive and stable Fe <sup>3+</sup> active sites on 2D graphitic carbon nitride nanosheets for efficient visible-light photocatalytic nitrogen fixation. <i>Journal of Materials Chemistry A</i> , 2019, 7, 27547-27559.	10.3	142
39	Biomass based N-doped hierarchical porous carbon nanosheets for all-solid-state supercapacitors. <i>Journal of Energy Storage</i> , 2019, 21, 105-112.	8.1	134
40	Photo-induced Hydrogel Formation Based on g-C <sub>3</sub> N <sub>4</sub> Nanosheets with Self-Cross-Linked 3D Framework for UV Protection Application. <i>Macromolecular Materials and Engineering</i> , 2019, 304, 1800500.	3.6	26
41	Synergistic effects of phosphorous/sulfur co-doping and morphological regulation for enhanced photocatalytic performance of graphitic carbon nitride nanosheets. <i>Journal of Materials Science</i> , 2019, 54, 1593-1605.	3.7	52
42	KOH activation of wax gourd-derived carbon materials with high porosity and heteroatom content for aqueous or all-solid-state supercapacitors. <i>Journal of Colloid and Interface Science</i> , 2019, 537, 569-578.	9.4	81
43	Aqueous synthesis of amphiphilic graphene quantum dots and their application as surfactants for preparing of fluorescent polymer microspheres. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2019, 563, 77-83.	4.7	35
44	Oxygen-rich porous carbon sheets: Facile one-step synthesis and enhanced electrochemical performance. <i>Diamond and Related Materials</i> , 2018, 85, 89-97.	3.9	20
45	A comparison study of hydrogen storage properties of as-milled Sm 5 Mg 41 alloy catalyzed by CoS 2 and MoS 2 nano-particles. <i>Journal of Materials Science and Technology</i> , 2018, 34, 1851-1858.	10.7	27
46	Simultaneous label-free and pretreatment-free detection of heavy metal ions in complex samples using electrodes decorated with vertically ordered silica nanochannels. <i>Sensors and Actuators B: Chemical</i> , 2018, 259, 364-371.	7.8	86
47	Tailoring the Electronic Properties of Graphene Quantum Dots by P Doping and Their Enhanced Performance in Metal-Free Composite Photocatalyst. <i>Journal of Physical Chemistry C</i> , 2018, 122, 349-358.	3.1	108
48	KOH activation of biomass-derived nitrogen-doped carbons for supercapacitor and electrocatalytic oxygen reduction. <i>Electrochimica Acta</i> , 2018, 261, 49-57.	5.2	345
49	Enhanced photocatalytic activity of graphitic carbon nitride/cadmium sulfide heterojunctions by protonating treatment. <i>Journal of Physics and Chemistry of Solids</i> , 2018, 116, 50-57.	4.0	9
50	S-doped graphene quantum dots as nanophotocatalyst for visible light degradation. <i>Chinese Chemical Letters</i> , 2018, 29, 1698-1701.	9.0	59
51	Interfacial synergism of Pd-decorated BiOCl ultrathin nanosheets for the selective oxidation of aromatic alcohols. <i>Journal of Materials Chemistry A</i> , 2018, 6, 6344-6355.	10.3	127
52	Qualitatively and quantitatively comparing secondary metabolites in three medicinal parts derived from <i>Poria cocos</i> (Schw.) Wolf using UHPLC-QTOF-MS/MS-based chemical profiling. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018, 150, 278-286.	2.8	44
53	Nanochannel-Confined Graphene Quantum Dots for Ultrasensitive Electrochemical Analysis of Complex Samples. <i>ACS Nano</i> , 2018, 12, 12673-12681.	14.6	129
54	Facile preparation of N-doped graphene quantum dots as quick-dry fluorescent ink for anti-counterfeiting. <i>New Journal of Chemistry</i> , 2018, 42, 17091-17095.	2.8	41

#	ARTICLE	IF	CITATIONS
55	Highly Efficient Photoâ€Reduction of <i>p</i> -Nitrophenol by Protonated Graphitic Carbon Nitride Nanosheets. <i>ChemCatChem</i> , 2018, 10, 4747-4754.	3.7	39
56	Microstructure and Hydrogen Absorption/Desorption Behavior of Mg <sub>23-x</sub> La <sub>x</sub> Ni <sub>10</sub> Alloy. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2018, 33, 476-484.	1.0	1
57	Enhanced charge separation ability and visible light photocatalytic performance of graphitic carbon nitride by binary S, B co-doping. <i>Materials Research Bulletin</i> , 2018, 107, 477-483.	5.2	39
58	Optimizing Pd and Au-Pd decorated Bi <sub>2</sub> WO <sub>6</sub> ultrathin nanosheets for photocatalytic selective oxidation of aromatic alcohols. <i>Journal of Catalysis</i> , 2018, 364, 154-165.	6.2	100
59	Graphene quantum dots-assisted exfoliation of graphitic carbon nitride to prepare metal-free zero-dimensional/two-dimensional composite photocatalysts. <i>Journal of Materials Science</i> , 2018, 53, 12103-12114.	3.7	49
60	Facile and scalable preparation of highly luminescent N,S co-doped graphene quantum dots and their application for parallel detection of multiple metal ions. <i>Journal of Materials Chemistry B</i> , 2017, 5, 6593-6600.	5.8	106
61	N-doped mesoporous carbon by a hard-template strategy associated with chemical activation and its enhanced supercapacitance performance. <i>Electrochimica Acta</i> , 2017, 238, 269-277.	5.2	71
62	Preparation of biomass-activated porous carbons derived from <i>torreya grandis</i> shell for high-performance supercapacitor. <i>Journal of Solid State Electrochemistry</i> , 2017, 21, 2241-2249.	2.5	35
63	Graphene Quantum Dots Decorated Titania Nanosheets Heterojunction: Efficient Charge Separation and Enhanced Visibleâ€Light Photocatalytic Performance. <i>ChemCatChem</i> , 2017, 9, 3349-3357.	3.7	40
64	A ternary photocatalyst of graphitic carbon nitride/cadmium sulfide/titania based on the electrostatic assembly using two-dimensional semiconductor nanosheets. <i>Journal of Colloid and Interface Science</i> , 2017, 491, 367-374.	9.4	27
65	Ionic liquid-capped graphene quantum dots as label-free fluorescent probe for direct detection of ferricyanide. <i>Talanta</i> , 2017, 165, 429-435.	5.5	28
66	Thermo-driven catalytic degradation of organic dyes by graphitic carbon nitride with hydrogen peroxide. <i>Powder Technology</i> , 2017, 308, 114-122.	4.2	10
67	Local order and vibrational coupling of the C=O Stretching Mode of $\beta$ -Caprolactone in liquid binary mixtures. <i>Scientific Reports</i> , 2017, 7, 12182.	3.3	18
68	A comparison study of catalytic effects of MoS <sub>2</sub> and CeO <sub>2</sub> on hydrogen storage performances of as-milled SmMg <sub>11</sub> Ni alloy. <i>Materials Chemistry and Physics</i> , 2017, 202, 277-284.	4.0	3
69	Preparation of 2D graphitic carbon nitride nanosheets by a green exfoliation approach and the enhanced photocatalytic performance. <i>Journal of Materials Science</i> , 2017, 52, 13091-13102.	3.7	92
70	Fabrication of metal-free two dimensional/two dimensional homojunction photocatalyst using various carbon nitride nanosheets as building blocks. <i>Journal of Colloid and Interface Science</i> , 2017, 507, 209-216.	9.4	49
71	One-step template/chemical blowing route to synthesize flake-like porous carbon nitride photocatalyst. <i>Materials Research Bulletin</i> , 2017, 94, 423-427.	5.2	36
72	Enhanced electrochemical performance of straw-based porous carbon fibers for supercapacitor. <i>Journal of Solid State Electrochemistry</i> , 2017, 21, 3449-3458.	2.5	18

#	ARTICLE	IF	CITATIONS
73	Facile synthesis of sulfur-doped graphene quantum dots as fluorescent sensing probes for Ag <sup>+</sup> ions detection. <i>Sensors and Actuators B: Chemical</i> , 2017, 242, 231-237.	7.8	194
74	Cerebrospinal fluid real-time quaking-induced conversion test for sporadic Creutzfeldt-Jakob disease in an 18-year-old woman. <i>Medicine (United States)</i> , 2017, 96, e8699.	1.0	5
75	One-pot synthesis of sulfur-doped graphene quantum dots as a novel fluorescent probe for highly selective and sensitive detection of lead(II). <i>RSC Advances</i> , 2016, 6, 69977-69983.	3.6	93
76	A melamine-assisted chemical blowing synthesis of N-doped activated carbon sheets for supercapacitor application. <i>Journal of Power Sources</i> , 2016, 319, 262-270.	7.8	186
77	Nitrogen-rich graphitic carbon nitride: Controllable nanosheet-like morphology, enhanced visible light absorption and superior photocatalytic performance. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2016, 508, 257-264.	4.7	94
78	Down-regulation of brain-derived neurotrophic factor and its signaling components in the brain tissues of scrapie experimental animals. <i>International Journal of Biochemistry and Cell Biology</i> , 2016, 79, 318-326.	2.8	12
79	In-situ construction of all-solid-state Z-scheme g-C <sub>3</sub> N <sub>4</sub> /TiO <sub>2</sub> nanotube arrays photocatalyst with enhanced visible-light-induced properties. <i>Solar Energy Materials and Solar Cells</i> , 2016, 157, 399-405.	6.2	117
80	Facile Construction of g-C <sub>3</sub> N <sub>4</sub> /TiO <sub>2</sub> Nanosheets/TiO <sub>2</sub> Nanotube Arrays as Z-scheme Photocatalyst with Enhanced Visible-Light Performance. <i>ChemCatChem</i> , 2016, 8, 3064-3073.	3.7	81
81	Mussel-inspired fabrication of novel superhydrophobic and superoleophilic sponge modified using a high density of nanoaggregates at low concentration of dopamine. <i>RSC Advances</i> , 2016, 6, 71905-71912.	3.6	20
82	Synthesis and application of ternary photocatalyst with a gradient band structure from two-dimensional nanosheets as precursors. <i>RSC Advances</i> , 2016, 6, 108955-108963.	3.6	18
83	The enhanced photocatalytic performance of Z-scheme two-dimensional/two-dimensional heterojunctions from graphitic carbon nitride nanosheets and titania nanosheets. <i>Journal of Colloid and Interface Science</i> , 2016, 478, 263-270.	9.4	42
84	An alkali treating strategy for the colloidalization of graphitic carbon nitride and its excellent photocatalytic performance. <i>Journal of Colloid and Interface Science</i> , 2016, 468, 103-109.	9.4	113
85	Air-assisted activation strategy for porous carbon spheres to give enhanced electrochemical performance. <i>RSC Advances</i> , 2016, 6, 15313-15319.	3.6	17
86	Titanate nanosheets as highly efficient non-light-driven catalysts for degradation of organic dyes. <i>Chemical Communications</i> , 2015, 51, 10847-10849.	4.1	18
87	BiOBr/protonated graphitic C <sub>3</sub> N <sub>4</sub> heterojunctions: Intimate interfaces by electrostatic interaction and enhanced photocatalytic activity. <i>Journal of Alloys and Compounds</i> , 2015, 634, 215-222.	5.5	159
88	Enhanced electrochemical performance of ordered mesoporous carbons by a one-step carbonization/activation treatment. <i>Journal of Electroanalytical Chemistry</i> , 2015, 758, 39-45.	3.8	16
89	Free-standing films of titanate nanosheets as efficient visible-light-driven photocatalysts for environmental application. <i>Materials Letters</i> , 2015, 145, 111-114.	2.6	14
90	Preparation and enhanced supercapacitance performance of porous carbon spheres with a high degree of graphitization. <i>RSC Advances</i> , 2015, 5, 2088-2095.	3.6	24

#	ARTICLE	IF	CITATIONS
91	Unusual adsorption and desorption behaviors of NO and CO on nanoporous nickel phosphate VSB-5: In situ FT-IR and TPD study. <i>Catalysis Today</i> , 2015, 258, 199-204.	4.4	8
92	Mesoporous activated carbon spheres derived from resorcinol-formaldehyde resin with high performance for supercapacitors. <i>Journal of Solid State Electrochemistry</i> , 2015, 19, 1783-1791.	2.5	96
93	Prominently photocatalytic performance of restacked titanate nanosheets associated with H <sub>2</sub> O <sub>2</sub> under visible light irradiation. <i>Powder Technology</i> , 2015, 275, 284-289.	4.2	17
94	The amphoteric properties of g-C <sub>3</sub> N <sub>4</sub> nanosheets and fabrication of their relevant heterostructure photocatalysts by an electrostatic re-assembly route. <i>Chemical Communications</i> , 2015, 51, 7176-7179.	4.1	229
95	Graphitized hierarchical porous carbon nanospheres: simultaneous activation/graphitization and superior supercapacitance performance. <i>Journal of Materials Chemistry A</i> , 2015, 3, 9565-9577.	10.3	183
96	Recent development in exfoliated two-dimensional g-C <sub>3</sub> N <sub>4</sub> nanosheets for photocatalytic applications. <i>Journal of Materials Chemistry A</i> , 2015, 3, 23642-23652.	10.3	377
97	Controllable in situ synthesis of BiOBr <sub>1-x</sub> solid solution on reduced graphene oxide with enhanced visible light photocatalytic performance. <i>RSC Advances</i> , 2015, 5, 68151-68158.	3.6	21
98	Electrochemical Performance of Nanocrystalline and Amorphous Mg <sub>2</sub> Ni-type Alloy Electrodes Used in Ni-MH Batteries. <i>Acta Metallurgica Sinica (English Letters)</i> , 2014, 27, 1088-1098.	2.9	7
99	Graphitic carbon nitride/BiVO <sub>4</sub> heterojunctions: simple hydrothermal synthesis and high photocatalytic performances. <i>RSC Advances</i> , 2014, 4, 4187-4193.	3.6	92
100	ZnCl <sub>2</sub> -activated porous carbon spheres with high surface area and superior mesoporous structure as an efficient supercapacitor electrode. <i>RSC Advances</i> , 2014, 4, 40546-40552.	3.6	62
101	Preparation of nanospherical porous NiO by a hard template route and its supercapacitor application. <i>Materials Letters</i> , 2014, 135, 172-175.	2.6	40
102	Solvothermal synthesis and enhanced visible light photocatalytic activity of novel graphitic carbon nitride/Bi <sub>2</sub> MoO <sub>6</sub> heterojunctions. <i>Powder Technology</i> , 2014, 267, 126-133.	4.2	67
103	Overexpression of p62/SQSTM1 promotes the degradations of abnormally accumulated PrP mutants in cytoplasm and relieves the associated cytotoxicities via autophagy-lysosome-dependent way. <i>Medical Microbiology and Immunology</i> , 2014, 203, 73-84.	4.8	28
104	Graphitic carbon nitride/Cu <sub>2</sub> O heterojunctions: Preparation, characterization, and enhanced photocatalytic activity under visible light. <i>Journal of Solid State Chemistry</i> , 2014, 212, 1-6.	2.9	78
105	Significant Reduction of the GLUT3 Level, but not GLUT1 Level, Was Observed in the Brain Tissues of Several Scrapie Experimental Animals and Scrapie-Infected Cell Lines. <i>Molecular Neurobiology</i> , 2014, 49, 991-1004.	4.0	14
106	Hollow porous carbon sphere prepared by a facile activation method and its rapid phenol removal. <i>Materials Letters</i> , 2014, 126, 13-16.	2.6	19
107	Co-expressions of Casein Kinase 2 (CK2) Subunits Restore the Down-Regulation of Tubulin Levels and Disruption of Microtubule Structures Caused by PrP Mutants. <i>Journal of Molecular Neuroscience</i> , 2013, 50, 14-22.	2.3	7
108	SO <sub>3</sub> H-functionalized mesoporous carbon/silica composite with a spherical morphology and its excellent catalytic performance for biodiesel production. <i>Journal of Porous Materials</i> , 2013, 20, 1423-1431.	2.6	5

#	ARTICLE	IF	CITATIONS
109	Preparation and characterization of PbO <sub>2</sub> electrode and its application in electro-catalytic degradation of o-aminophenol in aqueous solution assisted by CuO/CeO <sub>3</sub> /Al <sub>2</sub> O <sub>3</sub> catalyst. Journal of Hazardous Materials, 2013, 260, 747-753.	12.4	18
110	A general strategy for protein immobilization in layered titanates: Polyelectrolyte-assisted self-assembly. Enzyme and Microbial Technology, 2013, 53, 79-84.	3.2	17
111	Facile fabrication of N-doped TiO <sub>2</sub> nanocatalyst with superior performance under visible light irradiation. Journal of Solid State Chemistry, 2013, 199, 280-286.	2.9	23
112	Hydrothermal Synthesis of Graphitic Carbon Nitride-Bi <sub>2</sub> WO <sub>6</sub> Heterojunctions with Enhanced Visible Light Photocatalytic Activities. ACS Applied Materials & Interfaces, 2013, 5, 7079-7085.	8.0	457
113	Yellow-colored mesoporous pure titania and its high stability in visible light photocatalysis. Powder Technology, 2013, 245, 227-232.	4.2	15
114	Convenient synthesis of porous carbon nanospheres with tunable pore structure and excellent adsorption capacity. Journal of Hazardous Materials, 2013, 262, 256-264.	12.4	108
115	Magnetically separable porous carbon nanospheres as solid acid catalysts. RSC Advances, 2013, 3, 20999.	3.6	31
116	Novel C <sub>3</sub> N <sub>4</sub> -CdS composite photocatalysts with organic-inorganic heterojunctions: in situ synthesis, exceptional activity, high stability and photocatalytic mechanism. Journal of Materials Chemistry A, 2013, 1, 3083.	10.3	471
117	Clinical and familial characteristics of eight Chinese patients with T188K genetic Creutzfeldt-Jakob disease. Infection, Genetics and Evolution, 2013, 14, 120-124.	2.3	18
118	Soft-chemical synthesis of mesoporous nitrogen-modified titania with superior photocatalytic performance under visible light irradiation. Chemical Engineering Journal, 2013, 219, 155-161.	12.7	22
119	Multifunctionalized Ordered Mesoporous Carbon as an Efficient and Stable Solid Acid Catalyst for Biodiesel Preparation. Journal of Physical Chemistry C, 2013, 117, 6252-6258.	3.1	65
120	Soft-template synthesis of sulfonated mesoporous carbon with high catalytic activity for biodiesel production. RSC Advances, 2013, 3, 1987-1994.	3.6	36
121	Rare V203I mutation in the PRNP gene of a Chinese patient with Creutzfeldt-Jakob disease. Prion, 2013, 7, 259-262.	1.8	14
122	Global transcriptional profiling of the postmortem brain of a patient with G114V genetic Creutzfeldt-Jakob disease. International Journal of Molecular Medicine, 2013, 31, 676-688.	4.0	14
123	Synthesis of antibacterially bioinorganic composite by immobilising lysozymes in layered titanates. Micro and Nano Letters, 2013, 8, 409-412.	1.3	1
124	Self-Assembled Combination of Graphene with Au Nanoparticle-Doped Copper-Hexacyanoferrate Multilayer for Sensitive Detection of Hydrazine. Advanced Materials Research, 2012, 586, 18-23.	0.3	1
125	Synthesis of Mn-intercalated layered titanate by exfoliation-flocculation approach and its efficient photocatalytic activity under visible light. Journal of Solid State Chemistry, 2012, 196, 282-287.	2.9	17
126	Mesoporous solid acid catalysts of sulfated zirconia/SBA-15 derived from a vapor-induced hydrolysis route. Applied Catalysis A: General, 2012, 437-438, 149-154.	4.3	34

#	ARTICLE	IF	CITATIONS
127	High-efficient treatment of wastewater contained the carcinogen naphthylamine by electrochemical oxidation with $\text{Al}_2\text{O}_3$ supported $\text{MnO}_2$ and Sb-doped $\text{SnO}_2$ catalyst. Journal of Hazardous Materials, 2012, 227-228, 474-479.	12.4	31
128	Activation of the macroautophagic system in scrapie-infected experimental animals and human genetic prion diseases. Autophagy, 2012, 8, 1604-1620.	9.1	48
129	$\text{BiOBr}$ carbon nitride heterojunctions: synthesis, enhanced activity and photocatalytic mechanism. Journal of Materials Chemistry, 2012, 22, 21159.	6.7	365
130	Reduction of protein kinase MARK4 in the brains of experimental scrapie rodents and human prion disease correlates with deposits of PrPSc. International Journal of Molecular Medicine, 2012, 30, 569-578.	4.0	8
131	Hybrid nanocomposite with visible light photocatalytic activity: $\text{CdS}$ pillared titanate. Chemical Engineering Journal, 2012, 180, 330-336.	12.7	31
132	Synthesis of mesoporous $\text{CdS}$ /titania composites with visible light photocatalytic activities. Materials Letters, 2012, 81, 95-98.	2.6	19
133	Protein Disulfide Isomerase Regulates Endoplasmic Reticulum Stress and the Apoptotic Process during Prion Infection and PrP Mutant-Induced Cytotoxicity. PLoS ONE, 2012, 7, e38221.	2.5	51
134	Preparation of hydrophilic mesoporous carbon and its application in dye adsorption. Materials Letters, 2011, 65, 2486-2488.	2.6	35
135	Rheological behavior of PMVE-MA aqueous solution with metallic cations. Frontiers of Chemical Science and Engineering, 2011, 5, 126-130.	4.4	1
136	Effect of substitution of aluminum for nickel on electrochemical properties of $\text{La}_{0.75}\text{Mg}_{0.25}\text{Ni}_{3.5-x}\text{Co}_{0.2}\text{Al}_x$ hydrogen storage alloys. Journal of Rare Earths, 2011, 29, 143-149.	4.8	15
137	Synthesis and layer-by-layer self-assembly of titania nanosheets controllably doped with binary transition metal ions. Journal of Materials Research, 2011, 26, 1285-1291.	2.6	2
138	The octarepeat region of hamster PrP (PrP51-91) enhances the formation of microtubule and antagonize $\text{Cu}^{2+}$ -induced microtubule-disrupting activity. Acta Biochimica Et Biophysica Sinica, 2009, 41, 929-937.	2.0	5
139	Morphology and dispersivity modulation of hollow microporous spheres synthesized by a hard template route. Materials Letters, 2009, 63, 1141-1143.	2.6	15
140	Manganese-induced changes of the biochemical characteristics of the recombinant wild-type and mutant PrPs. Medical Microbiology and Immunology, 2009, 198, 239-245.	4.8	12
141	Biocompatible Polymeric Hydrogels with Tunable Adhesion to Both Hydrophobic and Hydrophilic Surfaces. , 2009, , .		2
142	Synthesis of Mn-Substituted Titania Nanosheets and Ferromagnetic Thin Films with Controlled Doping. Chemistry of Materials, 2009, 21, 4366-4373.	6.7	63
143	Microcalorimetric investigation of the effect of berberine alkaloids from Coptis chinensis Franch on Staphylococcus aureus growth. Science in China Series B: Chemistry, 2008, 51, 640-645.	0.8	6
144	Effect of cobalt content on electrochemical performance of La-Mg-Ni system ( $\text{Ce}_2\text{Ni}_7$ -type) electrode alloys. Journal of Rare Earths, 2008, 26, 284-290.	4.8	5

#	ARTICLE	IF	CITATIONS
145	Influence of rapid quenching on cyclic stability of La-Mg-Ni system (AB <sub>3</sub> -type) electrode alloys. Journal of Rare Earths, 2008, 26, 291-297.	4.8	10
146	A mesoporous bioactive glass/polycaprolactone composite scaffold and its bioactivity behavior. Journal of Biomedical Materials Research - Part A, 2008, 84A, 84-91.	4.0	105
147	Electrochemical and oxygen desorption properties of nanostructured ternary compound Na <sub>x</sub> MnO <sub>2</sub> directly templated from mesoporous SBA-15. Microporous and Mesoporous Materials, 2008, 116, 432-438.	4.4	10
148	Influence of spark plasma sintering temperature on electrochemical performance of La <sub>0.80</sub> Mg <sub>0.20</sub> Ni <sub>3.75</sub> alloy. Materials Chemistry and Physics, 2008, 112, 596-602.	4.0	24
149	Template-Free Preparation of Mesoporous Fe <sub>2</sub> O <sub>3</sub> and Its Application as Absorbents. Journal of Physical Chemistry C, 2008, 112, 13378-13382.	3.1	140
150	Electrochemical catalytic activity for the hydrogen oxidation of mesoporous WO <sub>3</sub> and WO <sub>3</sub> /C composites. Journal of Materials Chemistry, 2008, 18, 3575.	6.7	55
151	Synthesis and Magnetic Properties of Mesostructured $\gamma$ -Fe <sub>2</sub> O <sub>3</sub> /Carbon Composites by a Co-casting Method. Chemistry of Materials, 2007, 19, 3484-3490.	6.7	104
152	Hierarchically Porous Bioactive Glass Scaffolds Synthesized with a PUF and P123 Cotemplated Approach. Chemistry of Materials, 2007, 19, 4322-4326.	6.7	122
153	Preparation of mesoporous calcium doped silica spheres with narrow size dispersion and their drug loading and degradation behavior. Microporous and Mesoporous Materials, 2007, 102, 151-158.	4.4	153
154	Preparation of highly ordered Fe-SBA-15 by physical-vapor-infiltration and their application to liquid phase selective oxidation of styrene. Journal of Molecular Catalysis A, 2007, 268, 155-162.	4.8	42
155	Templated synthesis of hierarchically porous manganese oxide with a crystalline nanorod framework and its high electrochemical performance. Journal of Materials Chemistry, 2007, 17, 855.	6.7	78
156	Investigation of the effect of berberines alkaloids in Coptis chinensis Franch on Bacillus shigae growth by microcalorimetry. Science in China Series B: Chemistry, 2007, 50, 638-642.	0.8	13
157	Effects of rapid quenching on structure and cycle stability of La-Mg-Ni-Co type hydrogen storage alloy. Rare Metals, 2006, 25, 207-212.	7.1	4
158	Effects of substituting Ni with M (M = Cu, Al and Mn) on microstructures and electrochemical characteristics of La-Mg-Ni system (PuNi <sub>3</sub> -type) electrode alloys. Rare Metals, 2006, 25, 25-32.	7.1	3
159	MnO <sub>2</sub> -Embedded-in-Mesoporous-Carbon-Wall Structure for Use as Electrochemical Capacitors. Journal of Physical Chemistry B, 2006, 110, 6015-6019.	2.6	291
160	A structure of MnO <sub>2</sub> embedded in CMK-3 framework developed by a redox method. Microporous and Mesoporous Materials, 2006, 91, 120-127.	4.4	22
161	Study on interaction between microtubule associated protein tau and prion protein. Science in China Series C: Life Sciences, 2006, 49, 473-479.	1.3	36
162	A facile method to synthesize novel hollow mesoporous silica spheres and advanced storage property. Microporous and Mesoporous Materials, 2005, 84, 218-222.	4.4	196

#	ARTICLE	IF	CITATIONS
163	Stimuli-Responsive Controlled Drug Release from a Hollow Mesoporous Silica Sphere/Polyelectrolyte Multilayer Core-Shell Structure. <i>Angewandte Chemie - International Edition</i> , 2005, 44, 5083-5087.	13.8	914
164	Adsorption of Basic Dye in Aqueous Solution by Mesoporous Carbon Materials. <i>Advanced Materials Research</i> , 0, 441, 559-563.	0.3	3