

# Xiaoping Dong

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3497964/publications.pdf>

Version: 2024-02-01

164  
papers

11,129  
citations

26567

56  
h-index

32761

100  
g-index

164  
all docs

164  
docs citations

164  
times ranked

12259  
citing authors

#	ARTICLE	IF	CITATIONS
1	Piezoelectric polarization promoted spatial separation of photoexcited electrons and holes in two-dimensional g-C <sub>3</sub> N <sub>4</sub> nanosheets for efficient elimination of chlorophenols. <i>Journal of Hazardous Materials</i> , 2022, 421, 126696.	6.5	72
2	Phenanthroline bridging graphitic carbon nitride framework and Fe (II) ions to promote transfer of photogenerated electrons for selective photocatalytic reduction of Nitrophenols. <i>Journal of Colloid and Interface Science</i> , 2022, 608, 2088-2099.	5.0	36
3	Piezoelectric polarization promoted spatial separation of photogenerated charges in Bi <sub>2</sub> MoO <sub>6</sub> catalyst and investigation of its synergistic photopiezocatalytic activity. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2022, 133, 104260.	2.7	19
4	Photocatalytic elimination of moxifloxacin by two-dimensional graphitic carbon nitride nanosheets: Enhanced activity, degradation mechanism and potential practical application. <i>Separation and Purification Technology</i> , 2022, 292, 121067.	3.9	37
5	Dual-anions engineering of bimetallic oxides as highly active electrocatalyst for boosted overall water splitting. <i>Journal of Colloid and Interface Science</i> , 2022, 623, 467-475.	5.0	26
6	Tribocatalysis of homogeneous material with multi-size granular distribution for degradation of organic pollutants. <i>Journal of Colloid and Interface Science</i> , 2022, 622, 602-611.	5.0	28
7	Strong Tribocatalytic Nitrogen Fixation of Graphite Carbon Nitride g-C <sub>3</sub> N <sub>4</sub> through Harvesting Friction Energy. <i>Nanomaterials</i> , 2022, 12, 1981.	1.9	16
8	Covalent Modification of Iron Phthalocyanine into Skeleton of Graphitic Carbon Nitride and Its Visible-Light-Driven Photocatalytic Reduction of Nitroaromatic Compounds. <i>Catalysts</i> , 2022, 12, 752.	1.6	6
9	Wool textile-derived nitrogen-doped porous carbon cloth for a binder-free electrode material for high-performance flexible solid-state supercapacitors. <i>Journal of Materials Science</i> , 2021, 56, 2412-2424.	1.7	19
10	Polydopamine mediated modification of manganese oxide on melamine sponge for photothermocatalysis of gaseous formaldehyde. <i>Journal of Hazardous Materials</i> , 2021, 407, 124795.	6.5	31
11	Built-in piezoelectric field improved photocatalytic performance of nanoflower-like Bi <sub>2</sub> WO <sub>6</sub> using low-power white LEDs. <i>Chinese Chemical Letters</i> , 2021, 32, 2317-2321.	4.8	53
12	Efficiently harvesting the ultrasonic vibration energy of two-dimensional graphitic carbon nitride for piezocatalytic degradation of dichlorophenols. <i>Environmental Science: Nano</i> , 2021, 8, 1398-1407.	2.2	42
13	Universal Strategy of Bimetal Heterostructures as Superior Bifunctional Catalysts for Electrochemical Water Splitting. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 4206-4212.	3.2	61
14	Friction energy harvesting on bismuth tungstate catalyst for tribocatalytic degradation of organic pollutants. <i>Journal of Colloid and Interface Science</i> , 2021, 587, 883-890.	5.0	49
15	Low-temperature catalytic combustion of benzene over Zr-Mn mixed oxides synthesized by redox-precipitation method. <i>Journal of Materials Science</i> , 2021, 56, 13540-13555.	1.7	6
16	Dual anions engineering on nickel cobalt-based catalyst for optimal hydrogen evolution electrocatalysis. <i>Journal of Colloid and Interface Science</i> , 2021, 589, 127-134.	5.0	30
17	Synergistic catalysis of BiOIO <sub>3</sub> catalyst for elimination of organic pollutants under simultaneous photo-irradiation and ultrasound-vibration treatment. <i>Journal of Colloid and Interface Science</i> , 2021, 601, 704-713.	5.0	40
18	Improved photocatalytic performance for selective oxidation of amines to imines on graphitic carbon nitride/bismuth tungstate heterojunctions. <i>Journal of Colloid and Interface Science</i> , 2020, 560, 40-49.	5.0	92

#	ARTICLE	IF	CITATIONS
19	Carbon quantum dots implanted CdS nanosheets: Efficient visible-light-driven photocatalytic reduction of Cr(VI) under saline conditions. <i>Applied Catalysis B: Environmental</i> , 2020, 262, 118306.	10.8	103
20	Photothermal conversion of graphene/layered manganese oxide 2D/2D composites for room-temperature catalytic purification of gaseous formaldehyde. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2020, 107, 119-128.	2.7	25
21	Carbonaceous 0D/2D composite photocatalyst for degradation of organic dyes. <i>Diamond and Related Materials</i> , 2020, 109, 108096.	1.8	9
22	Enhanced piezo-electro-chemical coupling of BaTiO <sub>3</sub> /g-C <sub>3</sub> N <sub>4</sub> nanocomposite for vibration-catalysis. <i>Journal of Materials Science</i> , 2020, 55, 14787-14797.	1.7	33
23	Layered γ-MnO <sub>2</sub> as an active catalyst for toluene catalytic combustion. <i>Applied Catalysis A: General</i> , 2020, 602, 117715.	2.2	55
24	Tribo-catalytic degradation of organic pollutants through bismuth oxyiodate triboelectrically harvesting mechanical energy. <i>Nano Energy</i> , 2020, 78, 105290.	8.2	75
25	Free-standing composite films of multiple 2D nanosheets: Synergetic photothermocatalysis/photocatalysis for efficient removal of formaldehyde under ambient condition. <i>Chemical Engineering Journal</i> , 2020, 394, 125014.	6.6	58
26	Two-dimensional/two-dimensional Z-scheme photocatalyst of graphitic carbon nitride/bismuth vanadate for visible-light-driven photocatalytic synthesis of imines. <i>Ceramics International</i> , 2020, 46, 16157-16165.	2.3	50
27	Facile surface modification of textiles with photocatalytic carbon nitride nanosheets and the excellent performance for self-cleaning and degradation of gaseous formaldehyde. <i>Journal of Colloid and Interface Science</i> , 2019, 533, 144-153.	5.0	64
28	Synergetic photocatalysis/piezocatalysis of bismuth oxybromide for degradation of organic pollutants. <i>Journal of Alloys and Compounds</i> , 2019, 809, 151840.	2.8	160
29	Large-scale synthesis of Ni(OH) <sub>2</sub> /peach gum derived carbon nanosheet composites with high energy and power density for battery-type supercapacitor. <i>Journal of Colloid and Interface Science</i> , 2019, 557, 608-616.	5.0	31
30	In situ tunable pillaring of compact and high-density graphite fluoride with pseudocapacitive diamines for supercapacitors with combined predominance in gravimetric and volumetric performances. <i>Journal of Materials Chemistry A</i> , 2019, 7, 3353-3365.	5.2	28
31	Enhanced photocatalytic performance of boron and phosphorous co-doped graphitic carbon nitride nanosheets for removal of organic pollutants. <i>Separation and Purification Technology</i> , 2019, 226, 128-137.	3.9	83
32	Synergetic effect of swelling and chemical blowing to develop peach gum derived nitrogen-doped porous carbon nanosheets for symmetric supercapacitors. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2019, 101, 24-30.	2.7	31
33	Amphiphilic two-dimensional graphitic carbon nitride nanosheets for visible-light-driven phase-boundary photocatalysis. <i>Journal of Materials Chemistry A</i> , 2019, 7, 13071-13079.	5.2	114
34	Crab shell-derived honeycomb-like graphitized hierarchically porous carbons for satisfactory rate performance of all-solid-state supercapacitors. <i>Sustainable Energy and Fuels</i> , 2019, 3, 1201-1214.	2.5	49
35	One-step synthesis of boron-doped graphene quantum dots for fluorescent sensors and biosensor. <i>Talanta</i> , 2019, 199, 581-589.	2.9	112
36	Improved adhesion and performance of vertically-aligned mesoporous silica-nanochannel film on reduced graphene oxide for direct electrochemical analysis of human serum. <i>Sensors and Actuators B: Chemical</i> , 2019, 288, 133-140.	4.0	38

#	ARTICLE	IF	CITATIONS
37	Graphene quantum dots decorated graphitic carbon nitride nanorods for photocatalytic removal of antibiotics. <i>Journal of Colloid and Interface Science</i> , 2019, 548, 56-65.	5.0	148
38	Highly dispersive and stable Fe <sup>3+</sup> active sites on 2D graphitic carbon nitride nanosheets for efficient visible-light photocatalytic nitrogen fixation. <i>Journal of Materials Chemistry A</i> , 2019, 7, 27547-27559.	5.2	142
39	Biomass based N-doped hierarchical porous carbon nanosheets for all-solid-state supercapacitors. <i>Journal of Energy Storage</i> , 2019, 21, 105-112.	3.9	134
40	Photo-induced Hydrogel Formation Based on g-C <sub>3</sub> N <sub>4</sub> Nanosheets with Self-Cross-Linked 3D Framework for UV Protection Application. <i>Macromolecular Materials and Engineering</i> , 2019, 304, 1800500.	1.7	26
41	Synergistic effects of phosphorous/sulfur co-doping and morphological regulation for enhanced photocatalytic performance of graphitic carbon nitride nanosheets. <i>Journal of Materials Science</i> , 2019, 54, 1593-1605.	1.7	52
42	KOH activation of wax gourd-derived carbon materials with high porosity and heteroatom content for aqueous or all-solid-state supercapacitors. <i>Journal of Colloid and Interface Science</i> , 2019, 537, 569-578.	5.0	81
43	Aqueous synthesis of amphiphilic graphene quantum dots and their application as surfactants for preparing of fluorescent polymer microspheres. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2019, 563, 77-83.	2.3	35
44	Oxygen-rich porous carbon sheets: Facile one-step synthesis and enhanced electrochemical performance. <i>Diamond and Related Materials</i> , 2018, 85, 89-97.	1.8	20
45	A comparison study of hydrogen storage properties of as-milled Sm 5 Mg 41 alloy catalyzed by CoS 2 and MoS 2 nano-particles. <i>Journal of Materials Science and Technology</i> , 2018, 34, 1851-1858.	5.6	27
46	Simultaneous label-free and pretreatment-free detection of heavy metal ions in complex samples using electrodes decorated with vertically ordered silica nanochannels. <i>Sensors and Actuators B: Chemical</i> , 2018, 259, 364-371.	4.0	86
47	Tailoring the Electronic Properties of Graphene Quantum Dots by P Doping and Their Enhanced Performance in Metal-Free Composite Photocatalyst. <i>Journal of Physical Chemistry C</i> , 2018, 122, 349-358.	1.5	108
48	KOH activation of biomass-derived nitrogen-doped carbons for supercapacitor and electrocatalytic oxygen reduction. <i>Electrochimica Acta</i> , 2018, 261, 49-57.	2.6	345
49	Enhanced photocatalytic activity of graphitic carbon nitride/cadmium sulfide heterojunctions by protonating treatment. <i>Journal of Physics and Chemistry of Solids</i> , 2018, 116, 50-57.	1.9	9
50	S-doped graphene quantum dots as nanophotocatalyst for visible light degradation. <i>Chinese Chemical Letters</i> , 2018, 29, 1698-1701.	4.8	59
51	Interfacial synergism of Pd-decorated BiOCl ultrathin nanosheets for the selective oxidation of aromatic alcohols. <i>Journal of Materials Chemistry A</i> , 2018, 6, 6344-6355.	5.2	127
52	Qualitatively and quantitatively comparing secondary metabolites in three medicinal parts derived from <i>Poria cocos</i> (Schw.) Wolf using UHPLC-QTOF-MS/MS-based chemical profiling. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018, 150, 278-286.	1.4	44
53	Nanochannel-Confined Graphene Quantum Dots for Ultrasensitive Electrochemical Analysis of Complex Samples. <i>ACS Nano</i> , 2018, 12, 12673-12681.	7.3	129
54	Facile preparation of N-doped graphene quantum dots as quick-dry fluorescent ink for anti-counterfeiting. <i>New Journal of Chemistry</i> , 2018, 42, 17091-17095.	1.4	41

#	ARTICLE	IF	CITATIONS
55	Highly Efficient Photoâ€Reduction of <i>p</i> -Nitrophenol by Protonated Graphitic Carbon Nitride Nanosheets. <i>ChemCatChem</i> , 2018, 10, 4747-4754.	1.8	39
56	Microstructure and Hydrogen Absorption/Desorption Behavior of Mg <sub>23</sub> -xLa <sub>x</sub> Ni <sub>10</sub> Alloy. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2018, 33, 476-484.	0.4	1
57	Enhanced charge separation ability and visible light photocatalytic performance of graphitic carbon nitride by binary S, B co-doping. <i>Materials Research Bulletin</i> , 2018, 107, 477-483.	2.7	39
58	Optimizing Pd and Au-Pd decorated Bi <sub>2</sub> WO <sub>6</sub> ultrathin nanosheets for photocatalytic selective oxidation of aromatic alcohols. <i>Journal of Catalysis</i> , 2018, 364, 154-165.	3.1	100
59	Graphene quantum dots-assisted exfoliation of graphitic carbon nitride to prepare metal-free zero-dimensional/two-dimensional composite photocatalysts. <i>Journal of Materials Science</i> , 2018, 53, 12103-12114.	1.7	49
60	Facile and scalable preparation of highly luminescent N,S co-doped graphene quantum dots and their application for parallel detection of multiple metal ions. <i>Journal of Materials Chemistry B</i> , 2017, 5, 6593-6600.	2.9	106
61	N-doped mesoporous carbon by a hard-template strategy associated with chemical activation and its enhanced supercapacitance performance. <i>Electrochimica Acta</i> , 2017, 238, 269-277.	2.6	71
62	Preparation of biomass-activated porous carbons derived from torreyia grandis shell for high-performance supercapacitor. <i>Journal of Solid State Electrochemistry</i> , 2017, 21, 2241-2249.	1.2	35
63	Graphene Quantum Dots Decorated Titania Nanosheets Heterojunction: Efficient Charge Separation and Enhanced Visibleâ€Light Photocatalytic Performance. <i>ChemCatChem</i> , 2017, 9, 3349-3357.	1.8	40
64	A ternary photocatalyst of graphitic carbon nitride/cadmium sulfide/titania based on the electrostatic assembly using two-dimensional semiconductor nanosheets. <i>Journal of Colloid and Interface Science</i> , 2017, 491, 367-374.	5.0	27
65	Ionic liquid-capped graphene quantum dots as label-free fluorescent probe for direct detection of ferricyanide. <i>Talanta</i> , 2017, 165, 429-435.	2.9	28
66	Thermo-driven catalytic degradation of organic dyes by graphitic carbon nitride with hydrogen peroxide. <i>Powder Technology</i> , 2017, 308, 114-122.	2.1	10
67	Local order and vibrational coupling of the C=O Stretching Mode of $\hat{\epsilon}$ -Caprolactone in liquid binary mixtures. <i>Scientific Reports</i> , 2017, 7, 12182.	1.6	18
68	A comparison study of catalytic effects of MoS <sub>2</sub> and CeO <sub>2</sub> on hydrogen storage performances of as-milled SmMg <sub>11</sub> Ni alloy. <i>Materials Chemistry and Physics</i> , 2017, 202, 277-284.	2.0	3
69	Preparation of 2D graphitic carbon nitride nanosheets by a green exfoliation approach and the enhanced photocatalytic performance. <i>Journal of Materials Science</i> , 2017, 52, 13091-13102.	1.7	92
70	Fabrication of metal-free two dimensional/two dimensional homojunction photocatalyst using various carbon nitride nanosheets as building blocks. <i>Journal of Colloid and Interface Science</i> , 2017, 507, 209-216.	5.0	49
71	One-step template/chemical blowing route to synthesize flake-like porous carbon nitride photocatalyst. <i>Materials Research Bulletin</i> , 2017, 94, 423-427.	2.7	36
72	Enhanced electrochemical performance of straw-based porous carbon fibers for supercapacitor. <i>Journal of Solid State Electrochemistry</i> , 2017, 21, 3449-3458.	1.2	18

#	ARTICLE	IF	CITATIONS
73	Facile synthesis of sulfur-doped graphene quantum dots as fluorescent sensing probes for Ag <sup>+</sup> ions detection. <i>Sensors and Actuators B: Chemical</i> , 2017, 242, 231-237.	4.0	194
74	Cerebrospinal fluid real-time quaking-induced conversion test for sporadic Creutzfeldt-Jakob disease in an 18-year-old woman. <i>Medicine (United States)</i> , 2017, 96, e8699.	0.4	5
75	One-pot synthesis of sulfur-doped graphene quantum dots as a novel fluorescent probe for highly selective and sensitive detection of lead(II). <i>RSC Advances</i> , 2016, 6, 69977-69983.	1.7	93
76	A melamine-assisted chemical blowing synthesis of N-doped activated carbon sheets for supercapacitor application. <i>Journal of Power Sources</i> , 2016, 319, 262-270.	4.0	186
77	Nitrogen-rich graphitic carbon nitride: Controllable nanosheet-like morphology, enhanced visible light absorption and superior photocatalytic performance. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2016, 508, 257-264.	2.3	94
78	Down-regulation of brain-derived neurotrophic factor and its signaling components in the brain tissues of scrapie experimental animals. <i>International Journal of Biochemistry and Cell Biology</i> , 2016, 79, 318-326.	1.2	12
79	In-situ construction of all-solid-state Z-scheme g-C <sub>3</sub> N <sub>4</sub> /TiO <sub>2</sub> nanotube arrays photocatalyst with enhanced visible-light-induced properties. <i>Solar Energy Materials and Solar Cells</i> , 2016, 157, 399-405.	3.0	117
80	Facile Construction of g-C <sub>3</sub> N <sub>4</sub> /TiO <sub>2</sub> Nanosheets/TiO <sub>2</sub> Nanotube Arrays as Z-scheme Photocatalyst with Enhanced Visible-Light Performance. <i>ChemCatChem</i> , 2016, 8, 3064-3073.	1.8	81
81	Mussel-inspired fabrication of novel superhydrophobic and superoleophilic sponge modified using a high density of nanoaggregates at low concentration of dopamine. <i>RSC Advances</i> , 2016, 6, 71905-71912.	1.7	20
82	Synthesis and application of ternary photocatalyst with a gradient band structure from two-dimensional nanosheets as precursors. <i>RSC Advances</i> , 2016, 6, 108955-108963.	1.7	18
83	The enhanced photocatalytic performance of Z-scheme two-dimensional/two-dimensional heterojunctions from graphitic carbon nitride nanosheets and titania nanosheets. <i>Journal of Colloid and Interface Science</i> , 2016, 478, 263-270.	5.0	42
84	An alkali treating strategy for the colloidization of graphitic carbon nitride and its excellent photocatalytic performance. <i>Journal of Colloid and Interface Science</i> , 2016, 468, 103-109.	5.0	113
85	Air-assisted activation strategy for porous carbon spheres to give enhanced electrochemical performance. <i>RSC Advances</i> , 2016, 6, 15313-15319.	1.7	17
86	Titanate nanosheets as highly efficient non-light-driven catalysts for degradation of organic dyes. <i>Chemical Communications</i> , 2015, 51, 10847-10849.	2.2	18
87	BiOBr/protonated graphitic C <sub>3</sub> N <sub>4</sub> heterojunctions: Intimate interfaces by electrostatic interaction and enhanced photocatalytic activity. <i>Journal of Alloys and Compounds</i> , 2015, 634, 215-222.	2.8	159
88	Enhanced electrochemical performance of ordered mesoporous carbons by a one-step carbonization/activation treatment. <i>Journal of Electroanalytical Chemistry</i> , 2015, 758, 39-45.	1.9	16
89	Free-standing films of titanate nanosheets as efficient visible-light-driven photocatalysts for environmental application. <i>Materials Letters</i> , 2015, 145, 111-114.	1.3	14
90	Preparation and enhanced supercapacitance performance of porous carbon spheres with a high degree of graphitization. <i>RSC Advances</i> , 2015, 5, 2088-2095.	1.7	24

#	ARTICLE	IF	CITATIONS
91	Unusual adsorption and desorption behaviors of NO and CO on nanoporous nickel phosphate VSB-5: In situ FT-IR and TPD study. <i>Catalysis Today</i> , 2015, 258, 199-204.	2.2	8
92	Mesoporous activated carbon spheres derived from resorcinol-formaldehyde resin with high performance for supercapacitors. <i>Journal of Solid State Electrochemistry</i> , 2015, 19, 1783-1791.	1.2	96
93	Prominently photocatalytic performance of restacked titanate nanosheets associated with H <sub>2</sub> O <sub>2</sub> under visible light irradiation. <i>Powder Technology</i> , 2015, 275, 284-289.	2.1	17
94	The amphoteric properties of g-C <sub>3</sub> N <sub>4</sub> nanosheets and fabrication of their relevant heterostructure photocatalysts by an electrostatic re-assembly route. <i>Chemical Communications</i> , 2015, 51, 7176-7179.	2.2	229
95	Graphitized hierarchical porous carbon nanospheres: simultaneous activation/graphitization and superior supercapacitance performance. <i>Journal of Materials Chemistry A</i> , 2015, 3, 9565-9577.	5.2	183
96	Recent development in exfoliated two-dimensional g-C <sub>3</sub> N <sub>4</sub> nanosheets for photocatalytic applications. <i>Journal of Materials Chemistry A</i> , 2015, 3, 23642-23652.	5.2	377
97	Controllable in situ synthesis of BiOBr <sub>1-x</sub> solid solution on reduced graphene oxide with enhanced visible light photocatalytic performance. <i>RSC Advances</i> , 2015, 5, 68151-68158.	1.7	21
98	Electrochemical Performance of Nanocrystalline and Amorphous Mg-Nd-Ni-Cu-Based Mg <sub>2</sub> Ni-type Alloy Electrodes Used in Ni-MH Batteries. <i>Acta Metallurgica Sinica (English Letters)</i> , 2014, 27, 1088-1098.	1.5	7
99	Graphitic carbon nitride-BiVO <sub>4</sub> heterojunctions: simple hydrothermal synthesis and high photocatalytic performances. <i>RSC Advances</i> , 2014, 4, 4187-4193.	1.7	92
100	ZnCl <sub>2</sub> -activated porous carbon spheres with high surface area and superior mesoporous structure as an efficient supercapacitor electrode. <i>RSC Advances</i> , 2014, 4, 40546-40552.	1.7	62
101	Preparation of nanospherical porous NiO by a hard template route and its supercapacitor application. <i>Materials Letters</i> , 2014, 135, 172-175.	1.3	40
102	Solvothermal synthesis and enhanced visible light photocatalytic activity of novel graphitic carbon nitride-Bi <sub>2</sub> MoO <sub>6</sub> heterojunctions. <i>Powder Technology</i> , 2014, 267, 126-133.	2.1	67
103	Overexpression of p62/SQSTM1 promotes the degradations of abnormally accumulated PrP mutants in cytoplasm and relieves the associated cytotoxicities via autophagy-lysosome-dependent way. <i>Medical Microbiology and Immunology</i> , 2014, 203, 73-84.	2.6	28
104	Graphitic carbon nitride/Cu <sub>2</sub> O heterojunctions: Preparation, characterization, and enhanced photocatalytic activity under visible light. <i>Journal of Solid State Chemistry</i> , 2014, 212, 1-6.	1.4	78
105	Significant Reduction of the GLUT3 Level, but not GLUT1 Level, Was Observed in the Brain Tissues of Several Scrapie Experimental Animals and Scrapie-Infected Cell Lines. <i>Molecular Neurobiology</i> , 2014, 49, 991-1004.	1.9	14
106	Hollow porous carbon sphere prepared by a facile activation method and its rapid phenol removal. <i>Materials Letters</i> , 2014, 126, 13-16.	1.3	19
107	Co-expressions of Casein Kinase 2 (CK2) Subunits Restore the Down-Regulation of Tubulin Levels and Disruption of Microtubule Structures Caused by PrP Mutants. <i>Journal of Molecular Neuroscience</i> , 2013, 50, 14-22.	1.1	7
108	SO <sub>3</sub> H-functionalized mesoporous carbon/silica composite with a spherical morphology and its excellent catalytic performance for biodiesel production. <i>Journal of Porous Materials</i> , 2013, 20, 1423-1431.	1.3	5

#	ARTICLE	IF	CITATIONS
109	Preparation and characterization of PbO <sub>2</sub> electrode and its application in electro-catalytic degradation of o-aminophenol in aqueous solution assisted by CuO/Ce <sub>2</sub> O <sub>3</sub> /Al <sub>2</sub> O <sub>3</sub> catalyst. <i>Journal of Hazardous Materials</i> , 2013, 260, 747-753.	6.5	18
110	A general strategy for protein immobilization in layered titanates: Polyelectrolyte-assisted self-assembly. <i>Enzyme and Microbial Technology</i> , 2013, 53, 79-84.	1.6	17
111	Facile fabrication of N-doped TiO <sub>2</sub> nanocatalyst with superior performance under visible light irradiation. <i>Journal of Solid State Chemistry</i> , 2013, 199, 280-286.	1.4	23
112	Hydrothermal Synthesis of Graphitic Carbon Nitride/Bi <sub>2</sub> WO <sub>6</sub> Heterojunctions with Enhanced Visible Light Photocatalytic Activities. <i>ACS Applied Materials &amp; Interfaces</i> , 2013, 5, 7079-7085.	4.0	457
113	Yellow-colored mesoporous pure titania and its high stability in visible light photocatalysis. <i>Powder Technology</i> , 2013, 245, 227-232.	2.1	15
114	Convenient synthesis of porous carbon nanospheres with tunable pore structure and excellent adsorption capacity. <i>Journal of Hazardous Materials</i> , 2013, 262, 256-264.	6.5	108
115	Magnetically separable porous carbon nanospheres as solid acid catalysts. <i>RSC Advances</i> , 2013, 3, 20999.	1.7	31
116	Novel C <sub>3</sub> N <sub>4</sub> /CdS composite photocatalysts with organic/inorganic heterojunctions: in situ synthesis, exceptional activity, high stability and photocatalytic mechanism. <i>Journal of Materials Chemistry A</i> , 2013, 1, 3083.	5.2	471
117	Clinical and familial characteristics of eight Chinese patients with T188K genetic Creutzfeldt-Jakob disease. <i>Infection, Genetics and Evolution</i> , 2013, 14, 120-124.	1.0	18
118	Soft-chemical synthesis of mesoporous nitrogen-modified titania with superior photocatalytic performance under visible light irradiation. <i>Chemical Engineering Journal</i> , 2013, 219, 155-161.	6.6	22
119	Multifunctionalized Ordered Mesoporous Carbon as an Efficient and Stable Solid Acid Catalyst for Biodiesel Preparation. <i>Journal of Physical Chemistry C</i> , 2013, 117, 6252-6258.	1.5	65
120	Soft-template synthesis of sulfonated mesoporous carbon with high catalytic activity for biodiesel production. <i>RSC Advances</i> , 2013, 3, 1987-1994.	1.7	36
121	Rare V203I mutation in the PRNP gene of a Chinese patient with Creutzfeldt-Jakob disease. <i>Prion</i> , 2013, 7, 259-262.	0.9	14
122	Global transcriptional profiling of the postmortem brain of a patient with G114V genetic Creutzfeldt-Jakob disease. <i>International Journal of Molecular Medicine</i> , 2013, 31, 676-688.	1.8	14
123	Synthesis of antibacterially bioinorganic composite by immobilising lysozymes in layered titanates. <i>Micro and Nano Letters</i> , 2013, 8, 409-412.	0.6	1
124	Self-Assembled Combination of Graphene with Au Nanoparticle-Doped Copper-Hexacyanoferrate Multilayer for Sensitive Detection of Hydrazine. <i>Advanced Materials Research</i> , 2012, 586, 18-23.	0.3	1
125	Synthesis of Mn-intercalated layered titanate by exfoliation-flocculation approach and its efficient photocatalytic activity under visible light. <i>Journal of Solid State Chemistry</i> , 2012, 196, 282-287.	1.4	17
126	Mesoporous solid acid catalysts of sulfated zirconia/SBA-15 derived from a vapor-induced hydrolysis route. <i>Applied Catalysis A: General</i> , 2012, 437-438, 149-154.	2.2	34



#	ARTICLE	IF	CITATIONS
127	High-efficient treatment of wastewater contained the carcinogen naphthylamine by electrochemical oxidation with $\text{Al}_2\text{O}_3$ supported $\text{MnO}_2$ and Sb-doped $\text{SnO}_2$ catalyzt. <i>Journal of Hazardous Materials</i> , 2012, 227-228, 474-479.	6.5	31
128	Activation of the macroautophagic system in scrapie-infected experimental animals and human genetic prion diseases. <i>Autophagy</i> , 2012, 8, 1604-1620.	4.3	48
129	$\text{BiOBr}$ carbon nitride heterojunctions: synthesis, enhanced activity and photocatalytic mechanism. <i>Journal of Materials Chemistry</i> , 2012, 22, 21159.	6.7	365
130	Reduction of protein kinase MARK4 in the brains of experimental scrapie rodents and human prion disease correlates with deposits of PrPSc. <i>International Journal of Molecular Medicine</i> , 2012, 30, 569-578.	1.8	8
131	Hybrid nanocomposite with visible light photocatalytic activity: CdS pillared titanate. <i>Chemical Engineering Journal</i> , 2012, 180, 330-336.	6.6	31
132	Synthesis of mesoporous CdS/titania composites with visible light photocatalytic activities. <i>Materials Letters</i> , 2012, 81, 95-98.	1.3	19
133	Protein Disulfide Isomerase Regulates Endoplasmic Reticulum Stress and the Apoptotic Process during Prion Infection and PrP Mutant-Induced Cytotoxicity. <i>PLoS ONE</i> , 2012, 7, e38221.	1.1	51
134	Preparation of hydrophilic mesoporous carbon and its application in dye adsorption. <i>Materials Letters</i> , 2011, 65, 2486-2488.	1.3	35
135	Rheological behavior of PMVE-MA aqueous solution with metallic cations. <i>Frontiers of Chemical Science and Engineering</i> , 2011, 5, 126-130.	2.3	1
136	Effect of substitution of aluminum for nickel on electrochemical properties of $\text{La}_{0.75}\text{Mg}_{0.25}\text{Ni}_{3.5-x}\text{Co}_{0.2}\text{Al}_x$ hydrogen storage alloys. <i>Journal of Rare Earths</i> , 2011, 29, 143-149.	2.5	15
137	Synthesis and layer-by-layer self-assembly of titania nanosheets controllably doped with binary transition metal ions. <i>Journal of Materials Research</i> , 2011, 26, 1285-1291.	1.2	2
138	The octarepeat region of hamster PrP (PrP51-91) enhances the formation of microtubule and antagonize $\text{Cu}^{2+}$ -induced microtubule-disrupting activity. <i>Acta Biochimica Et Biophysica Sinica</i> , 2009, 41, 929-937.	0.9	5
139	Morphology and dispersivity modulation of hollow microporous spheres synthesized by a hard template route. <i>Materials Letters</i> , 2009, 63, 1141-1143.	1.3	15
140	Manganese-induced changes of the biochemical characteristics of the recombinant wild-type and mutant PrPs. <i>Medical Microbiology and Immunology</i> , 2009, 198, 239-245.	2.6	12
141	Biocompatible Polymeric Hydrogels with Tunable Adhesion to Both Hydrophobic and Hydrophilic Surfaces. , 2009, , .		2
142	Synthesis of Mn-Substituted Titania Nanosheets and Ferromagnetic Thin Films with Controlled Doping. <i>Chemistry of Materials</i> , 2009, 21, 4366-4373.	3.2	63
143	Microcalorimetric investigation of the effect of berberine alkaloids from <i>Coptis chinensis</i> Franch on <i>Staphylococcus aureus</i> growth. <i>Science in China Series B: Chemistry</i> , 2008, 51, 640-645.	0.8	6
144	Effect of cobalt content on electrochemical performance of La-Mg-Ni system ( $\text{Ce}_2\text{Ni}_7$ -type) electrode alloys. <i>Journal of Rare Earths</i> , 2008, 26, 284-290.	2.5	5

#	ARTICLE	IF	CITATIONS
145	Influence of rapid quenching on cyclic stability of La-Mg-Ni system (AB <sub>3</sub> -type) electrode alloys. <i>Journal of Rare Earths</i> , 2008, 26, 291-297.	2.5	10
146	A mesoporous bioactive glass/polycaprolactone composite scaffold and its bioactivity behavior. <i>Journal of Biomedical Materials Research - Part A</i> , 2008, 84A, 84-91.	2.1	105
147	Electrochemical and oxygen desorption properties of nanostructured ternary compound Na <sub>x</sub> MnO <sub>2</sub> directly templated from mesoporous SBA-15. <i>Microporous and Mesoporous Materials</i> , 2008, 116, 432-438.	2.2	10
148	Influence of spark plasma sintering temperature on electrochemical performance of La <sub>0.80</sub> Mg <sub>0.20</sub> Ni <sub>3.75</sub> alloy. <i>Materials Chemistry and Physics</i> , 2008, 112, 596-602.	2.0	24
149	Template-Free Preparation of Mesoporous Fe <sub>2</sub> O <sub>3</sub> and Its Application as Absorbents. <i>Journal of Physical Chemistry C</i> , 2008, 112, 13378-13382.	1.5	140
150	Electrochemical catalytic activity for the hydrogen oxidation of mesoporous WO <sub>3</sub> and WO <sub>3</sub> /C composites. <i>Journal of Materials Chemistry</i> , 2008, 18, 3575.	6.7	55
151	Synthesis and Magnetic Properties of Mesostructured $\hat{3}$ -Fe <sub>2</sub> O <sub>3</sub> /Carbon Composites by a Co-casting Method. <i>Chemistry of Materials</i> , 2007, 19, 3484-3490.	3.2	104
152	Hierarchically Porous Bioactive Glass Scaffolds Synthesized with a PUF and P123 Cotemplated Approach. <i>Chemistry of Materials</i> , 2007, 19, 4322-4326.	3.2	122
153	Preparation of mesoporous calcium doped silica spheres with narrow size dispersion and their drug loading and degradation behavior. <i>Microporous and Mesoporous Materials</i> , 2007, 102, 151-158.	2.2	153
154	Preparation of highly ordered Fe-SBA-15 by physical-vapor-infiltration and their application to liquid phase selective oxidation of styrene. <i>Journal of Molecular Catalysis A</i> , 2007, 268, 155-162.	4.8	42
155	Templated synthesis of hierarchically porous manganese oxide with a crystalline nanorod framework and its high electrochemical performance. <i>Journal of Materials Chemistry</i> , 2007, 17, 855.	6.7	78
156	Investigation of the effect of berberines alkaloids in <i>Coptis chinensis</i> Franch on <i>Bacillus shigae</i> growth by microcalorimetry. <i>Science in China Series B: Chemistry</i> , 2007, 50, 638-642.	0.8	13
157	Effects of rapid quenching on structure and cycle stability of La-Mg-Ni-Co type hydrogen storage alloy. <i>Rare Metals</i> , 2006, 25, 207-212.	3.6	4
158	Effects of substituting Ni with M (M = Cu, Al and Mn) on microstructures and electrochemical characteristics of La-Mg-Ni system (PuNi <sub>3</sub> -type) electrode alloys. <i>Rare Metals</i> , 2006, 25, 25-32.	3.6	3
159	MnO <sub>2</sub> -Embedded-in-Mesoporous-Carbon-Wall Structure for Use as Electrochemical Capacitors. <i>Journal of Physical Chemistry B</i> , 2006, 110, 6015-6019.	1.2	291
160	A structure of MnO <sub>2</sub> embedded in CMK-3 framework developed by a redox method. <i>Microporous and Mesoporous Materials</i> , 2006, 91, 120-127.	2.2	22
161	Study on interaction between microtubule associated protein tau and prion protein. <i>Science in China Series C: Life Sciences</i> , 2006, 49, 473-479.	1.3	36
162	A facile method to synthesize novel hollow mesoporous silica spheres and advanced storage property. <i>Microporous and Mesoporous Materials</i> , 2005, 84, 218-222.	2.2	196

#	ARTICLE	IF	CITATIONS
163	Stimuli-Responsive Controlled Drug Release from a Hollow Mesoporous Silica Sphere/Polyelectrolyte Multilayer Core-Shell Structure. <i>Angewandte Chemie - International Edition</i> , 2005, 44, 5083-5087.	7.2	914
164	Adsorption of Basic Dye in Aqueous Solution by Mesoporous Carbon Materials. <i>Advanced Materials Research</i> , 0, 441, 559-563.	0.3	3