

Eun-Cheol Park

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3499739/eun-cheol-park-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

564
papers

7,541
citations

38
h-index

64
g-index

603
ext. papers

10,612
ext. citations

3.9
avg, IF

6.28
L-index

| # | Paper | IF | Citations |
|-----|--|------|-----------|
| 564 | Causes of blindness and vision impairment in 2020 and trends over 30 years, and prevalence of avoidable blindness in relation to VISION 2020: the Right to Sight: an analysis for the Global Burden of Disease Study. <i>The Lancet Global Health</i> , 2021 , 9, e144-e160 | 13.6 | 253 |
| 563 | Global, regional, and national burden of stroke and its risk factors, 1990-2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet Neurology</i> , 2021 , 20, 795-820 | 24.1 | 229 |
| 562 | Cancer statistics in Korea: incidence, mortality, survival, and prevalence in 2008. <i>Cancer Research and Treatment</i> , 2011 , 43, 1-11 | 5.2 | 201 |
| 561 | Effectiveness of the Korean National Cancer Screening Program in Reducing Gastric Cancer Mortality. <i>Gastroenterology</i> , 2017 , 152, 1319-1328.e7 | 13.3 | 199 |
| 560 | Cancer statistics in Korea: incidence, mortality and survival in 2006-2007. <i>Journal of Korean Medical Science</i> , 2010 , 25, 1113-21 | 4.7 | 174 |
| 559 | Natural products for cancer-targeted therapy: citrus flavonoids as potent chemopreventive agents. <i>Asian Pacific Journal of Cancer Prevention</i> , 2012 , 13, 427-36 | 1.7 | 149 |
| 558 | Overview of the National Cancer screening programme and the cancer screening status in Korea. <i>Asian Pacific Journal of Cancer Prevention</i> , 2011 , 12, 725-30 | 1.7 | 134 |
| 557 | Nationwide cancer incidence in Korea, 2003-2005. <i>Cancer Research and Treatment</i> , 2009 , 41, 122-31 | 5.2 | 118 |
| 556 | Job loss and re-employment of cancer patients in Korean employees: a nationwide retrospective cohort study. <i>Journal of Clinical Oncology</i> , 2008 , 26, 1302-9 | 2.2 | 97 |
| 555 | Spatial, temporal, and demographic patterns in prevalence of smoking tobacco use and attributable disease burden in 204 countries and territories, 1990-2019: a systematic analysis from the Global Burden of Disease Study 2019. <i>Lancet</i> , 2021 , 397, 2337-2360 | 40 | 97 |
| 554 | Cancer statistics in Korea: incidence, mortality and survival in 2005. <i>Journal of Korean Medical Science</i> , 2009 , 24, 995-1003 | 4.7 | 95 |
| 553 | Is marital status associated with quality of life?. <i>Health and Quality of Life Outcomes</i> , 2014 , 12, 109 | 3 | 91 |
| 552 | Effect of endoscopy screening on stage at gastric cancer diagnosis: results of the National Cancer Screening Programme in Korea. <i>British Journal of Cancer</i> , 2015 , 112, 608-12 | 8.7 | 87 |
| 551 | Performance of different gastric cancer screening methods in Korea: a population-based study. <i>PLoS ONE</i> , 2012 , 7, e50041 | 3.7 | 79 |
| 550 | Smoking, alcohol and gastric cancer risk in Korean men: the National Health Insurance Corporation Study. <i>British Journal of Cancer</i> , 2007 , 97, 700-4 | 8.7 | 78 |
| 549 | Gastric cancer screening in Korea: report on the national cancer screening program in 2008. <i>Cancer Research and Treatment</i> , 2011 , 43, 83-8 | 5.2 | 73 |
| 548 | Quality of life in Korean patients with inflammatory bowel diseases: ulcerative colitis, Crohn's disease and intestinal Behçet's disease. <i>International Journal of Colorectal Disease</i> , 1999 , 14, 52-7 | 3 | 70 |

| | | | |
|-----|---|-----|----|
| 547 | The Association between Short or Long Sleep Times and Quality of Life (QOL): Results of the Korea National Health and Nutrition Examination Survey (KNHANES IV-V). <i>Journal of Clinical Sleep Medicine</i> , 2015 , 11, 625-34 | 3.1 | 65 |
| 546 | The economic burden of cancer in Korea in 2002. <i>European Journal of Cancer Care</i> , 2008 , 17, 136-44 | 2.4 | 62 |
| 545 | Association between chronic disease and catastrophic health expenditure in Korea. <i>BMC Health Services Research</i> , 2015 , 15, 26 | 2.9 | 56 |
| 544 | Job loss and reemployment after a cancer diagnosis in Koreans - a prospective cohort study. <i>Psycho-Oncology</i> , 2007 , 16, 205-13 | 3.9 | 56 |
| 543 | Adherence to follow-up after a positive fecal occult blood test in an organized colorectal cancer screening program in Korea, 2004-2008. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2012 , 27, 1070-7 | 4 | 54 |
| 542 | Cost-effectiveness outcomes of the national gastric cancer screening program in South Korea. <i>Asian Pacific Journal of Cancer Prevention</i> , 2013 , 14, 2533-40 | 1.7 | 53 |
| 541 | Association between employment status change and depression in Korean adults. <i>BMJ Open</i> , 2016 , 6, e008570 | 3 | 50 |
| 540 | Sociodemographic gradients in breast and cervical cancer screening in Korea: the Korean National Cancer Screening Survey (KNCS) 2005-2009. <i>BMC Cancer</i> , 2011 , 11, 257 | 4.8 | 50 |
| 539 | The development of a comprehensive needs assessment tool for cancer-caregivers in patient-caregiver dyads. <i>Psycho-Oncology</i> , 2011 , 20, 1342-52 | 3.9 | 48 |
| 538 | Screening for gastric cancer in Korea: population-based preferences for endoscopy versus upper gastrointestinal series. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 1390-8 | 4 | 48 |
| 537 | Precarious employment and new-onset severe depressive symptoms: a population-based prospective study in South Korea. <i>Scandinavian Journal of Work, Environment and Health</i> , 2015 , 41, 329-37 | 4.3 | 48 |
| 536 | Comparing upper gastrointestinal X-ray and endoscopy for gastric cancer diagnosis in Korea. <i>World Journal of Gastroenterology</i> , 2010 , 16, 245-50 | 5.6 | 47 |
| 535 | Late referral to palliative care services in Korea. <i>Journal of Pain and Symptom Management</i> , 2011 , 41, 692-9 | 4.8 | 45 |
| 534 | Results of colorectal cancer screening of the national cancer screening program in Korea, 2008. <i>Cancer Research and Treatment</i> , 2010 , 42, 191-8 | 5.2 | 45 |
| 533 | Performance of gastric cancer screening by endoscopy testing through the National Cancer Screening Program of Korea. <i>Cancer Science</i> , 2011 , 102, 1559-64 | 6.9 | 44 |
| 532 | Economic Burden of Cancer in Korea during 2000-2010. <i>Cancer Research and Treatment</i> , 2015 , 47, 387-98 | 5.2 | 42 |
| 531 | The association between sleep duration and self-rated health in the Korean general population. <i>Journal of Clinical Sleep Medicine</i> , 2013 , 9, 1057-64 | 3.1 | 41 |
| 530 | Attitude and knowledge of physicians about cancer pain management: young doctors of South Korea in their early career. <i>Japanese Journal of Clinical Oncology</i> , 2011 , 41, 783-91 | 2.8 | 40 |

| | | | |
|-----|--|-----|----|
| 529 | Prediction of cancer incidence and mortality in Korea, 2011. <i>Cancer Research and Treatment</i> , 2011 , 43, 12-8 | 5.2 | 39 |
| 528 | Relationship between Mobile Phone Addiction and the Incidence of Poor and Short Sleep among Korean Adolescents: a Longitudinal Study of the Korean Children & Youth Panel Survey. <i>Journal of Korean Medical Science</i> , 2017 , 32, 1166-1172 | 4.7 | 37 |
| 527 | Deep Learning Algorithms with Demographic Information Help to Detect Tuberculosis in Chest Radiographs in Annual Workers' Health Examination Data. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16, | 4.6 | 35 |
| 526 | The differences in health care utilization between Medical Aid and health insurance: a longitudinal study using propensity score matching. <i>PLoS ONE</i> , 2015 , 10, e0119939 | 3.7 | 35 |
| 525 | Association between total sleep duration and suicidal ideation among the Korean general adult population. <i>Sleep</i> , 2013 , 36, 1563-72 | 1.1 | 34 |
| 524 | Changes in economic status of households associated with catastrophic health expenditures for cancer in South Korea. <i>Asian Pacific Journal of Cancer Prevention</i> , 2014 , 15, 2713-7 | 1.7 | 34 |
| 523 | Breakfast consumption and depressive mood: A focus on socioeconomic status. <i>Appetite</i> , 2017 , 114, 313-319 | 4.5 | 33 |
| 522 | Effect of Socioeconomic Status on the Linkage Between Suicidal Ideation and Suicide Attempts. <i>Suicide and Life-Threatening Behavior</i> , 2016 , 46, 588-597 | 3.9 | 33 |
| 521 | Biochemically-verified smoking rate trends and factors associated with inaccurate self-reporting of smoking habits in Korean women. <i>Asian Pacific Journal of Cancer Prevention</i> , 2013 , 14, 6807-12 | 1.7 | 33 |
| 520 | Newly designed delta neutrophil index-to-serum albumin ratio prognosis of early mortality in severe sepsis. <i>American Journal of Emergency Medicine</i> , 2015 , 33, 1577-82 | 2.9 | 32 |
| 519 | Impact of socioeconomic status and subjective social class on overall and health-related quality of life. <i>BMC Public Health</i> , 2015 , 15, 783 | 4.1 | 32 |
| 518 | Validity of fecal occult blood test in the national cancer screening program, Korea. <i>PLoS ONE</i> , 2013 , 8, e79292 | 3.7 | 32 |
| 517 | A change in social activity affect cognitive function in middle-aged and older Koreans: analysis of a Korean longitudinal study on aging (2006-2012). <i>International Journal of Geriatric Psychiatry</i> , 2016 , 31, 912-9 | 3.9 | 32 |
| 516 | Effect of working hours and precarious employment on depressive symptoms in South Korean employees: a longitudinal study. <i>Occupational and Environmental Medicine</i> , 2016 , 73, 816-822 | 2.1 | 32 |
| 515 | Effects of self-reported hearing or vision impairment on depressive symptoms: a population-based longitudinal study. <i>Epidemiology and Psychiatric Sciences</i> , 2019 , 28, 343-355 | 5.1 | 32 |
| 514 | Diabetic retinopathy risk prediction for fundus examination using sparse learning: a cross-sectional study. <i>BMC Medical Informatics and Decision Making</i> , 2013 , 13, 106 | 3.6 | 31 |
| 513 | Increasing uptake of colorectal cancer screening in Korea: a population-based study. <i>BMC Public Health</i> , 2010 , 10, 265 | 4.1 | 31 |
| 512 | Cross-cultural application of the Korean version of the European Organization for Research and Treatment of Cancer Quality of Life Questionnaire-Core 15-Palliative Care. <i>Journal of Pain and Symptom Management</i> , 2011 , 41, 478-84 | 4.8 | 29 |

| | | | |
|-----|---|-----|----|
| 511 | Trends in socioeconomic disparities in organized and opportunistic gastric cancer screening in Korea (2005-2009). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 1919-26 | 4 | 29 |
| 510 | Effectiveness of an organized cervical cancer screening program in Korea: results from a cohort study. <i>International Journal of Cancer</i> , 2009 , 124, 188-93 | 7.5 | 29 |
| 509 | Measuring routine childhood vaccination coverage in 204 countries and territories, 1980-2019: a systematic analysis for the Global Burden of Disease Study 2020, Release 1. <i>Lancet, The</i> , 2021 , 398, 503-521 | 40 | 29 |
| 508 | Differential association of socio-economic status with gender- and age-defined suicidal ideation among adult and elderly individuals in South Korea. <i>Psychiatry Research</i> , 2013 , 210, 323-8 | 9.9 | 28 |
| 507 | Hepatitis B virus infection, diabetes mellitus, and their synergism for cholangiocarcinoma development: a case-control study in Korea. <i>World Journal of Gastroenterology</i> , 2015 , 21, 502-10 | 5.6 | 28 |
| 506 | Antihypertensive medication adherence in cancer survivors and its affecting factors: results of a Korean population-based study. <i>Supportive Care in Cancer</i> , 2010 , 19, 211-20 | 3.9 | 28 |
| 505 | Association between Open-Angle Glaucoma and the Risks of Alzheimer's and Parkinson's Diseases in South Korea: A 10-year Nationwide Cohort Study. <i>Scientific Reports</i> , 2018 , 8, 11161 | 4.9 | 27 |
| 504 | Socioeconomic disparity in cervical cancer screening among Korean women: 1998-2010. <i>BMC Public Health</i> , 2013 , 13, 553 | 4.1 | 27 |
| 503 | Perceived social support and its impact on depression and health-related quality of life: a comparison between cancer patients and general population. <i>Japanese Journal of Clinical Oncology</i> , 2017 , 47, 728-734 | 2.8 | 27 |
| 502 | Trends in cervical cancer mortality in Korea 1993-2002: corrected mortality using national death certification data and national cancer incidence data. <i>International Journal of Cancer</i> , 2008 , 122, 393-7 | 7.5 | 27 |
| 501 | Effects of continuity of care on hospital admission in patients with type 2 diabetes: analysis of nationwide insurance data. <i>BMC Health Services Research</i> , 2015 , 15, 107 | 2.9 | 26 |
| 500 | Effect of adherence to antihypertensive medication on stroke incidence in patients with hypertension: a population-based retrospective cohort study. <i>BMJ Open</i> , 2017 , 7, e014486 | 3 | 26 |
| 499 | Long Sleep Duration is Associated With Sarcopenia in Korean Adults Based on Data from the 2008-2011 KNHANES. <i>Journal of Clinical Sleep Medicine</i> , 2017 , 13, 1097-1104 | 3.1 | 26 |
| 498 | Sustainability of Korean National Health Insurance. <i>Journal of Korean Medical Science</i> , 2012 , 27 Suppl, S21-4 | 4.7 | 26 |
| 497 | Is mammography for breast cancer screening cost-effective in both Western and Asian countries?: results of a systematic review. <i>Asian Pacific Journal of Cancer Prevention</i> , 2013 , 14, 4141-9 | 1.7 | 26 |
| 496 | Osteoporosis risk prediction for bone mineral density assessment of postmenopausal women using machine learning. <i>Yonsei Medical Journal</i> , 2013 , 54, 1321-30 | 3 | 25 |
| 495 | Discordance in perceived needs between patients and physicians in oncology practice: a nationwide survey in Korea. <i>Journal of Clinical Oncology</i> , 2011 , 29, 4424-9 | 2.2 | 25 |
| 494 | Health care utilization and costs among medical-aid enrollees, the poor not enrolled in medical-aid, and the near poor in South Korea. <i>International Journal for Equity in Health</i> , 2015 , 14, 128 | 4.6 | 24 |

| | | | |
|-----|---|-----|----|
| 493 | Depression symptom and professional mental health service use. <i>BMC Psychiatry</i> , 2015 , 15, 261 | 4.2 | 24 |
| 492 | Comparison of breast cancer screening rates between Korean women in America versus Korea. <i>Journal of Womens Health</i> , 2010 , 19, 1089-96 | 3 | 24 |
| 491 | Association between eating behaviour and diet quality: eating alone vs. eating with others. <i>Nutrition Journal</i> , 2018 , 17, 117 | 4.3 | 24 |
| 490 | Association of Education and Smoking Status on Risk of Diabetes Mellitus: A Population-Based Nationwide Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14, | 4.6 | 23 |
| 489 | Combined effect of socioeconomic status, viral hepatitis, and lifestyles on hepatocellular carcinoma risk in Korea. <i>British Journal of Cancer</i> , 2010 , 103, 741-6 | 8.7 | 23 |
| 488 | The werther effect of two celebrity suicides: an entertainer and a politician. <i>PLoS ONE</i> , 2013 , 8, e84876 | 3.7 | 23 |
| 487 | Comparing endoscopy and upper gastrointestinal X-ray for gastric cancer screening in South Korea: a cost-utility analysis. <i>Asian Pacific Journal of Cancer Prevention</i> , 2012 , 13, 2721-8 | 1.7 | 23 |
| 486 | Effect of the Online Game Shutdown Policy on Internet Use, Internet Addiction, and Sleeping Hours in Korean Adolescents. <i>Journal of Adolescent Health</i> , 2018 , 62, 548-555 | 5.8 | 22 |
| 485 | Socioeconomic inequalities in completion of hepatitis B vaccine series among Korean women: results from a nationwide interview survey. <i>Vaccine</i> , 2012 , 30, 5844-8 | 4.1 | 22 |
| 484 | Effects of social activity on health-related quality of life according to age and gender: an observational study. <i>Health and Quality of Life Outcomes</i> , 2015 , 13, 140 | 3 | 21 |
| 483 | Inequalities in adoption of cancer screening from a diffusion of innovation perspective: identification of late adopters. <i>Cancer Epidemiology</i> , 2011 , 35, 90-6 | 2.8 | 21 |
| 482 | Development of the standard hospice and palliative care education program in Korea: results from the demonstration project. <i>Journal of Palliative Medicine</i> , 2010 , 13, 703-10 | 2.2 | 21 |
| 481 | Cost-utility analysis of cochlear implants in Korea using different measures of utility. <i>Acta Oto-Laryngologica</i> , 2006 , 126, 817-23 | 1.6 | 21 |
| 480 | Breakfast eating patterns and the metabolic syndrome: the Korea National Health and Nutrition Examination Survey (KNHANES) 2007-2009. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2014 , 23, 128-37 | 1 | 21 |
| 479 | Risk factors for perihilar cholangiocarcinoma: a hospital-based case-control study. <i>Liver International</i> , 2015 , 35, 1048-53 | 7.9 | 20 |
| 478 | Factors influencing unmet need for health care services in Korea. <i>Asia-Pacific Journal of Public Health</i> , 2015 , 27, NP2555-69 | 2 | 20 |
| 477 | Relationship between Weight, Body Mass Index and Bone Mineral Density of Lumbar Spine in Women. <i>Journal of Bone Metabolism</i> , 2012 , 19, 95-102 | 2.7 | 20 |
| 476 | The relationship between sports facility accessibility and physical activity among Korean adults. <i>BMC Public Health</i> , 2016 , 16, 893 | 4.1 | 20 |

| | | | |
|-----|--|-----|----|
| 475 | A change in social activity and depression among Koreans aged 45 years and more: analysis of the Korean Longitudinal Study of Aging (2006-2010). <i>International Psychogeriatrics</i> , 2015 , 27, 629-37 | 3.4 | 19 |
| 474 | Effect of periodontitis on the development of osteoporosis: results from a nationwide population-based cohort study (2003-2013). <i>BMC Womens Health</i> , 2017 , 17, 77 | 2.9 | 19 |
| 473 | Association between Sleep Duration and Perceived Stress: Salaried Worker in Circumstances of High Workload. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15, | 4.6 | 19 |
| 472 | Predicting the stages of adoption of cervical cancer screening among Korean women. <i>Preventive Medicine</i> , 2009 , 49, 48-53 | 4.3 | 19 |
| 471 | The National Cancer Screening Program for breast cancer in the Republic of Korea: is it cost-effective?. <i>Asian Pacific Journal of Cancer Prevention</i> , 2013 , 14, 2059-65 | 1.7 | 19 |
| 470 | A single measure of cancer burden combining incidence with mortality rates for worldwide application. <i>Asian Pacific Journal of Cancer Prevention</i> , 2014 , 15, 433-9 | 1.7 | 19 |
| 469 | Patterns of Alcohol Consumption and Suicidal Behavior: Findings From the Fourth and Fifth Korea National Health and Nutritional Examination Survey (2007-2011). <i>Journal of Preventive Medicine and Public Health</i> , 2015 , 48, 142-50 | 3.7 | 18 |
| 468 | Reproductive and Hormonal Factors Associated with Fatty or Dense Breast Patterns among Korean Women. <i>Cancer Research and Treatment</i> , 2011 , 43, 42-8 | 5.2 | 18 |
| 467 | Association between thyroid hormones and the components of metabolic syndrome. <i>BMC Endocrine Disorders</i> , 2018 , 18, 29 | 3.3 | 18 |
| 466 | Tracking development assistance for health and for COVID-19: a review of development assistance, government, out-of-pocket, and other private spending on health for 204 countries and territories, 1990-2050. <i>Lancet, The</i> , 2021 , 398, 1317-1343 | 4.0 | 18 |
| 465 | Long-term trends in cancer mortality in Korea (1983-2007): a joinpoint regression analysis. <i>Asian Pacific Journal of Cancer Prevention</i> , 2010 , 11, 1451-7 | 1.7 | 18 |
| 464 | The synergistic effect of breastfeeding discontinuation and cesarean section delivery on postpartum depression: A nationwide population-based cohort study in Korea. <i>Journal of Affective Disorders</i> , 2017 , 218, 53-58 | 6.6 | 17 |
| 463 | Associations of sitting time and occupation with metabolic syndrome in South Korean adults: a cross-sectional study. <i>BMC Public Health</i> , 2016 , 16, 943 | 4.1 | 17 |
| 462 | Is one's usual dinner companion associated with greater odds of depression? Using data from the 2014 Korean National Health and Nutrition Examination Survey. <i>International Journal of Social Psychiatry</i> , 2016 , 62, 560-8 | 8.5 | 17 |
| 461 | Associations Between Hand Hygiene Education and Self-Reported Hand-Washing Behaviors Among Korean Adults During MERS-CoV Outbreak. <i>Health Education and Behavior</i> , 2019 , 46, 157-164 | 4.2 | 17 |
| 460 | Disease management index of potential years of life lost as a tool for setting priorities in national disease control using OECD health data. <i>Health Policy</i> , 2014 , 115, 92-9 | 3.2 | 17 |
| 459 | Predictors and outcomes of feeling of insufficient consultation time in cancer care in Korea: results of a nationwide multicenter survey. <i>Supportive Care in Cancer</i> , 2012 , 20, 1965-73 | 3.9 | 17 |
| 458 | Cost and effectiveness of the nationwide government-supported Smoking Cessation Clinics in the Republic of Korea. <i>Tobacco Control</i> , 2013 , 22, e73-7 | 5.3 | 17 |

| | | | |
|-----|--|-----|----|
| 457 | Does the duration and time of sleep increase the risk of allergic rhinitis? Results of the 6-year nationwide Korea youth risk behavior web-based survey. <i>PLoS ONE</i> , 2013 , 8, e72507 | 3.7 | 17 |
| 456 | Relationship between current sleep duration and past suicidal ideation or attempt among Korean adolescents. <i>Journal of Preventive Medicine and Public Health</i> , 2013 , 46, 329-35 | 3.7 | 17 |
| 455 | The association between cancer incidence and family income: analysis of Korean National Health Insurance cancer registration data. <i>Asian Pacific Journal of Cancer Prevention</i> , 2012 , 13, 1371-6 | 1.7 | 17 |
| 454 | Associations of electronic and conventional cigarette use with periodontal disease in South Korean adults. <i>Journal of Periodontology</i> , 2020 , 91, 55-64 | 4.6 | 17 |
| 453 | Mortality in Schizophrenia and Other Psychoses: Data from the South Korea National Health Insurance Cohort, 2002-2013. <i>Journal of Korean Medical Science</i> , 2017 , 32, 835-842 | 4.7 | 16 |
| 452 | Impact of a diagnosis-related group payment system on cesarean section in Korea. <i>Health Policy</i> , 2016 , 120, 596-603 | 3.2 | 16 |
| 451 | Effects of drug price reduction and prescribing restrictions on expenditures and utilisation of antihypertensive drugs in Korea. <i>BMJ Open</i> , 2015 , 5, e006940 | 3 | 16 |
| 450 | The diagnosis of healthcare policy problems in Korea. <i>Journal of the Korean Medical Association</i> , 2012 , 55, 932 | 0.5 | 16 |
| 449 | Disparities in utilization of high-volume hospitals for cancer surgery: results of a Korean population-based study. <i>Annals of Surgical Oncology</i> , 2010 , 17, 2806-15 | 3.1 | 16 |
| 448 | Trends in Cancer Screening Rates among Korean Men and Women: Results from the Korean National Cancer Screening Survey (KNCSS), 2004-2010. <i>Cancer Research and Treatment</i> , 2011 , 43, 141-7 | 5.2 | 16 |
| 447 | Effect of Ulcerative Colitis on Incidence of Colorectal Cancer: Results from the Nationwide Population-Based Cohort Study (2003-2013). <i>Journal of Cancer</i> , 2016 , 7, 681-6 | 4.5 | 16 |
| 446 | The effect of new drug pricing systems and new reimbursement guidelines on pharmaceutical expenditures and prescribing behavior among hypertensive patients in Korea. <i>Health Policy</i> , 2015 , 119, 604-11 | 3.2 | 15 |
| 445 | Positive correlation between care given by specialists and registered nurses and improved outcomes for stroke patients. <i>Journal of the Neurological Sciences</i> , 2015 , 353, 137-42 | 3.2 | 15 |
| 444 | Role of quit supporters and other factors associated with smoking abstinence in adolescent smokers: a prospective study on Quitline users in the Republic of Korea. <i>Addictive Behaviors</i> , 2012 , 37, 342-5 | 4.2 | 15 |
| 443 | Factors associated with the intention to have colorectal cancer screening in Korean adults. <i>European Journal of Cancer Care</i> , 2011 , 20, 475-82 | 2.4 | 15 |
| 442 | Initiation and discontinuation of complementary therapy among cancer patients. <i>Journal of Clinical Oncology</i> , 2007 , 25, 5267-74 | 2.2 | 15 |
| 441 | Analysis of Appropriate Outpatient Consultation Time for Clinical Departments. <i>Health Policy and Management</i> , 2014 , 24, 254-260 | | 15 |
| 440 | Do family meals affect childhood overweight or obesity?: nationwide survey 2008-2012. <i>Pediatric Obesity</i> , 2016 , 11, 161-5 | 4.6 | 15 |

| | | | |
|-----|---|-----|----|
| 439 | Low socioeconomic status and suicidal ideation among elderly individuals. <i>International Psychogeriatrics</i> , 2016 , 28, 2055-2066 | 3.4 | 15 |
| 438 | Effects of individual and neighborhood socioeconomic status on the risk of all-cause mortality in chronic obstructive pulmonary disease: A nationwide population-based cohort study, 2002-2013. <i>Respiratory Medicine</i> , 2016 , 114, 9-17 | 4.6 | 15 |
| 437 | Liver cancer screening in Korea: a report on the 2008 National Cancer Screening Programme. <i>Asian Pacific Journal of Cancer Prevention</i> , 2010 , 11, 1305-10 | 1.7 | 15 |
| 436 | Change in household income and risk for attention deficit hyperactivity disorder during childhood: A nationwide population-based cohort study. <i>Journal of Epidemiology</i> , 2017 , 27, 56-62 | 3.4 | 14 |
| 435 | The effect of subjective and objective social class on health-related quality of life: new paradigm using longitudinal analysis. <i>Health and Quality of Life Outcomes</i> , 2015 , 13, 121 | 3 | 14 |
| 434 | The association between quality of care and quality of life in long-stay nursing home residents with preserved cognition. <i>Journal of the American Medical Directors Association</i> , 2014 , 15, 220-225 | 5.9 | 14 |
| 433 | The Association between Continuity of Care and All-Cause Mortality in Patients with Newly Diagnosed Obstructive Pulmonary Disease: A Population-Based Retrospective Cohort Study, 2005-2012. <i>PLoS ONE</i> , 2015 , 10, e0141465 | 3.7 | 14 |
| 432 | The gap between physicians and the public in satisfaction with the National Health Insurance system in Korea. <i>Journal of Korean Medical Science</i> , 2012 , 27, 579-85 | 4.7 | 14 |
| 431 | Who participates in the gastric cancer screening and on-time rescreening in the National Cancer Screening Program? A population-based study in Korea. <i>Cancer Science</i> , 2011 , 102, 2241-7 | 6.9 | 14 |
| 430 | Job satisfaction and trust in Health Insurance Review Agency among Korean physicians. <i>Health Policy</i> , 2008 , 87, 249-57 | 3.2 | 14 |
| 429 | Personal background and cognitive factors as predictors of the intention to be screened for stomach cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 2473-9 | 4 | 14 |
| 428 | Breast Cancer Screening in Korean Women: Report of the National Cancer Screening Program in 2008. <i>Journal of Breast Cancer</i> , 2010 , 13, 299 | 3 | 14 |
| 427 | Factors associated with discontinuation of complementary and alternative medicine among Korean cancer patients. <i>Asian Pacific Journal of Cancer Prevention</i> , 2013 , 14, 225-30 | 1.7 | 14 |
| 426 | The Association of Level of Internet Use with Suicidal Ideation and Suicide Attempts in South Korean Adolescents: A Focus on Family Structure and Household Economic Status. <i>Canadian Journal of Psychiatry</i> , 2016 , 61, 243-51 | 4.8 | 14 |
| 425 | Effects of a change in social activity on quality of life among middle-aged and elderly Koreans: Analysis of the Korean longitudinal study of aging (2006-2012). <i>Geriatrics and Gerontology International</i> , 2017 , 17, 132-141 | 2.9 | 13 |
| 424 | Associations between time in bed and suicidal thoughts, plans and attempts in Korean adolescents. <i>BMJ Open</i> , 2015 , 5, e008766 | 3 | 13 |
| 423 | The effect of competition on the relationship between the introduction of the DRG system and quality of care in Korea. <i>European Journal of Public Health</i> , 2016 , 26, 42-7 | 2.1 | 13 |
| 422 | Hemoglobin and mortality in patients with COPD: a nationwide population-based cohort study. <i>International Journal of COPD</i> , 2018 , 13, 1599-1605 | 3 | 13 |

| | | | |
|-----|---|-----|----|
| 421 | Do early onset and pack-years of smoking increase risk of type II diabetes?. <i>BMC Public Health</i> , 2014 , 14, 178 | 4.1 | 13 |
| 420 | The association between loss of work ability and depression: a focus on employment status. <i>International Archives of Occupational and Environmental Health</i> , 2017 , 90, 109-116 | 3.2 | 13 |
| 419 | Gender-specific differences in risk for intimate partner violence in South Korea. <i>BMC Public Health</i> , 2014 , 14, 415 | 4.1 | 13 |
| 418 | A single measure of cancer burden in Korea from 1999 to 2010. <i>Asian Pacific Journal of Cancer Prevention</i> , 2013 , 14, 5249-55 | 1.7 | 13 |
| 417 | Sex Difference in the Association between High-sensitivity C-reactive Protein and Depression: The 2016 Korea National Health and Nutrition Examination Survey. <i>Scientific Reports</i> , 2019 , 9, 1918 | 4.9 | 13 |
| 416 | Sex differences in the association between thyroid-stimulating hormone levels and depressive symptoms among the general population with normal free T4 levels. <i>Journal of Affective Disorders</i> , 2019 , 249, 151-158 | 6.6 | 13 |
| 415 | Temporary work and depressive symptoms in South Korean workers. <i>Occupational Medicine</i> , 2017 , 67, 421-424 | 2.1 | 12 |
| 414 | Sexually Transmitted Infections and First Sexual Intercourse Age in Adolescents: The Nationwide Retrospective Cross-Sectional Study. <i>Journal of Sexual Medicine</i> , 2015 , 12, 2313-23 | 1.1 | 12 |
| 413 | Socioeconomic Disparities in Colorectal Cancer Screening in Korea: A Nationwide Cross-Sectional Study. <i>Medicine (United States)</i> , 2015 , 94, e1368 | 1.8 | 12 |
| 412 | Big gap between risk perception for breast cancer and risk factors: nationwide survey in Korea. <i>Patient Education and Counseling</i> , 2009 , 76, 113-9 | 3.1 | 12 |
| 411 | Does stress increase the risk of atopic dermatitis in adolescents? results of the Korea Youth Risk Behavior Web-based Survey (KYRBWS-VI). <i>PLoS ONE</i> , 2013 , 8, e67890 | 3.7 | 12 |
| 410 | Factors associated with attending the National Cancer Screening Program for liver cancer in Korea. <i>Asian Pacific Journal of Cancer Prevention</i> , 2012 , 13, 731-6 | 1.7 | 12 |
| 409 | Catastrophic health expenditure according to employment status in South Korea: a population-based panel study. <i>BMJ Open</i> , 2016 , 6, e011747 | 3 | 12 |
| 408 | Impact of health insurance status changes on healthcare utilisation patterns: a longitudinal cohort study in South Korea. <i>BMJ Open</i> , 2016 , 6, e009538 | 3 | 12 |
| 407 | Midcourse evaluation of the second-term 10-year plan for cancer control in Korea. <i>Asian Pacific Journal of Cancer Prevention</i> , 2011 , 12, 327-33 | 1.7 | 12 |
| 406 | Combined effect of body mass index and body size perception on metabolic syndrome in South Korea: results of the fifth Korea National Health and Nutrition Examination Surveys (2010-2012). <i>BMC Public Health</i> , 2015 , 15, 554 | 4.1 | 11 |
| 405 | The outcomes of psychiatric inpatients by proportion of experienced psychiatrists and nurse staffing in hospital: New findings on improving the quality of mental health care in South Korea. <i>Psychiatry Research</i> , 2015 , 229, 880-6 | 9.9 | 11 |
| 404 | Alcohol consumption frequency or alcohol intake per drinking session: Which has a larger impact on the metabolic syndrome and its components?. <i>Alcohol</i> , 2018 , 71, 15-23 | 2.7 | 11 |

| | | | |
|-----|---|------|----|
| 403 | Cohort study of cervical ossification of posterior longitudinal ligament in a Korean populations: Demographics of prevalence, surgical treatment, and disability. <i>Clinical Neurology and Neurosurgery</i> , 2018 , 166, 4-9 | 2 | 11 |
| 402 | Combined effect of individual and neighborhood socioeconomic status on mortality in patients with newly diagnosed dyslipidemia: A nationwide Korean cohort study from 2002 to 2013. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2016 , 26, 207-15 | 4.5 | 11 |
| 401 | An analysis of the inpatient charge and length of stay for patients with joint diseases in Korea: specialty versus small general hospitals. <i>Health Policy</i> , 2013 , 113, 93-9 | 3.2 | 11 |
| 400 | Effects of inhaled corticosteroids /long-acting agonists in a single inhaler versus inhaled corticosteroids alone on all-cause mortality, pneumonia, and fracture in chronic obstructive pulmonary disease: A nationwide cohort study 2002-2013. <i>Respiratory Medicine</i> , 2017 , 130, 75-84 | 4.6 | 11 |
| 399 | Is secondhand smoke associated with stress in smokers and non-smokers?. <i>BMC Public Health</i> , 2015 , 15, 1249 | 4.1 | 11 |
| 398 | The association of market competition with hospital charges, length of stay, and quality outcomes for patients with joint diseases: a longitudinal study in Korea. <i>Asia-Pacific Journal of Public Health</i> , 2015 , 27, 195-207 | 2 | 11 |
| 397 | The impact of job status on quality of life: general population versus long-term cancer survivors. <i>Psycho-Oncology</i> , 2015 , 24, 1552-9 | 3.9 | 11 |
| 396 | Perceived risk for gastric cancer among the general Korean population: a population-based survey. <i>Psycho-Oncology</i> , 2009 , 18, 708-15 | 3.9 | 11 |
| 395 | Comparison of satisfaction with cancer screening at mobile van and static sites: National Cancer Screening Program in Korea. <i>Japanese Journal of Clinical Oncology</i> , 2009 , 39, 169-74 | 2.8 | 11 |
| 394 | Risk Factors for Colorectal Cancer in Korea: A Population-Based Retrospective Cohort Study. <i>Annals of Coloproctology</i> , 2019 , 35, 347-356 | 1.9 | 11 |
| 393 | Projection of Breast Cancer Burden due to Reproductive/Lifestyle Changes in Korean Women (2013-2030) Using an Age-Period-Cohort Model. <i>Cancer Research and Treatment</i> , 2018 , 50, 1388-1395 | 5.2 | 11 |
| 392 | The Effect of Economic Participatory Change on Unmet Needs of Health Care among Korean Adults. <i>Health Policy and Management</i> , 2015 , 25, 11-21 | | 11 |
| 391 | Effect of poor sleep quality on subjective cognitive decline (SCD) or SCD-related functional difficulties: Results from 220,000 nationwide general populations without dementia. <i>Journal of Affective Disorders</i> , 2020 , 260, 32-37 | 6.6 | 11 |
| 390 | Spatial, temporal, and demographic patterns in prevalence of chewing tobacco use in 204 countries and territories, 1990-2019: a systematic analysis from the Global Burden of Disease Study 2019. <i>Lancet Public Health, The</i> , 2021 , 6, e482-e499 | 22.4 | 11 |
| 389 | The impact of shift and night work on health related quality of life of working women: findings from the Korea Health Panel. <i>Health and Quality of Life Outcomes</i> , 2016 , 14, 162 | 3 | 11 |
| 388 | Association of sleep duration with rheumatoid arthritis in Korean adults: analysis of seven years of aggregated data from the Korea National Health and Nutrition Examination Survey (KNHANES). <i>BMJ Open</i> , 2016 , 6, e011420 | 3 | 11 |
| 387 | Association between sleep disorder and panic disorder in South Korea: Nationwide nested case-control study of data from 2004 to 2013. <i>Psychiatry Research</i> , 2018 , 260, 286-291 | 9.9 | 11 |
| 386 | The influence of family stress and conflict on depressive symptoms among working married women: A longitudinal study. <i>Health Care for Women International</i> , 2018 , 39, 275-288 | 1.5 | 11 |

| | | | |
|-----|---|-----|----|
| 385 | Association between health behaviours and depression: findings from a national cross-sectional study in South Korea. <i>BMC Psychiatry</i> , 2020 , 20, 238 | 4.2 | 10 |
| 384 | Mortality differences by surgical volume among patients with stomach cancer: a threshold for a favorable volume-outcome relationship. <i>World Journal of Surgical Oncology</i> , 2017 , 15, 134 | 3.4 | 10 |
| 383 | Effects of diagnosis-related group payment system on appendectomy outcomes. <i>Journal of Surgical Research</i> , 2016 , 206, 347-354 | 2.5 | 10 |
| 382 | Depression in the Family of Patients With Dementia in Korea. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2016 , 31, 481-91 | 2.5 | 10 |
| 381 | Factors associated with mental health consultation in South Korea. <i>BMC Psychiatry</i> , 2018 , 18, 17 | 4.2 | 10 |
| 380 | Impact of the gap between socioeconomic stratum and subjective social class on depressive symptoms: unique insights from a longitudinal analysis. <i>Social Science and Medicine</i> , 2014 , 120, 49-56 | 5.1 | 10 |
| 379 | Cross-level interaction between individual socioeconomic status and regional deprivation on overall survival after onset of ischemic stroke: National health insurance cohort sample data from 2002 to 2013. <i>Journal of Epidemiology</i> , 2017 , 27, 381-388 | 3.4 | 10 |
| 378 | Mortality, length of stay, and inpatient charges for heart failure patients at public versus private hospitals in South Korea. <i>Yonsei Medical Journal</i> , 2015 , 56, 853-61 | 3 | 10 |
| 377 | Analysis of rating appropriateness and patient outcomes in cataract surgery. <i>Yonsei Medical Journal</i> , 2009 , 50, 368-74 | 3 | 10 |
| 376 | Sliding mode control of the inchworm displacement with hysteresis compensation. <i>International Journal of Precision Engineering and Manufacturing</i> , 2009 , 10, 43-49 | 1.7 | 10 |
| 375 | Medical costs, Cesarean delivery rates, and length of stay in specialty hospitals vs. non-specialty hospitals in South Korea. <i>PLoS ONE</i> , 2017 , 12, e0188612 | 3.7 | 10 |
| 374 | The combined effect of subjective body image and body mass index (distorted body weight perception) on suicidal ideation. <i>Journal of Preventive Medicine and Public Health</i> , 2015 , 48, 94-104 | 3.7 | 10 |
| 373 | Cost Effectiveness of Colorectal Cancer Screening Interventions with Their Effects on Health Disparity Being Considered. <i>Cancer Research and Treatment</i> , 2016 , 48, 1010-9 | 5.2 | 10 |
| 372 | Factors associated with organized and opportunistic cancer screening: Results of the Korea National Health and Nutrition Examination Survey (KNHANES) 2007-2011. <i>Asian Pacific Journal of Cancer Prevention</i> , 2014 , 15, 3279-86 | 1.7 | 10 |
| 371 | Quality of Life of Family Members Living with Cancer Patients. <i>Asian Pacific Journal of Cancer Prevention</i> , 2015 , 16, 6913-7 | 1.7 | 10 |
| 370 | Risk of cardiac disease after adjuvant radiation therapy among breast cancer survivors. <i>Breast</i> , 2019 , 43, 48-54 | 3.6 | 10 |
| 369 | Association between Smoking Behavior Patterns and Glycated Hemoglobin Levels in a General Population. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15, | 4.6 | 10 |
| 368 | Depressive symptoms in spouse caregivers of dementia patients: A longitudinal study in South Korea. <i>Geriatrics and Gerontology International</i> , 2017 , 17, 973-983 | 2.9 | 9 |

| | | | |
|-----|---|-----|---|
| 367 | Quality of life and national pension receipt after retirement among older adults. <i>Geriatrics and Gerontology International</i> , 2017 , 17, 1205-1213 | 2.9 | 9 |
| 366 | The Relationship between Sleep Duration and Perceived Stress: Findings from the 2017 Community Health Survey in Korea. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16, | 4.6 | 9 |
| 365 | The impact of age differences in couples on depressive symptoms: evidence from the Korean longitudinal study of aging (2006-2012). <i>BMC Psychiatry</i> , 2015 , 15, 10 | 4.2 | 9 |
| 364 | Cigarette type or smoking history: Which has a greater impact on the metabolic syndrome and its components?. <i>Scientific Reports</i> , 2020 , 10, 10467 | 4.9 | 9 |
| 363 | Impact of payment system change from per-case to per-diem on high severity patient's length of stay. <i>Medicine (United States)</i> , 2016 , 95, e4839 | 1.8 | 9 |
| 362 | Gender gap in self-rated health in South Korea compared with the United States. <i>International Journal of Clinical and Health Psychology</i> , 2016 , 16, 11-20 | 5.1 | 9 |
| 361 | Unmet healthcare needs and community health center utilization among the low-income population based on a nationwide community health survey. <i>Health Policy</i> , 2016 , 120, 630-7 | 3.2 | 9 |
| 360 | Disparities in socioeconomic status and neighborhood characteristics affect all-cause mortality in patients with newly diagnosed hypertension in Korea: a nationwide cohort study, 2002-2013. <i>International Journal for Equity in Health</i> , 2016 , 15, 3 | 4.6 | 9 |
| 359 | Effect of Weekend Admission on In-Hospital Mortality in Patients with Ischemic Stroke: An Analysis of Korean Nationwide Claims Data from 2002 to 2013. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2016 , 25, 419-27 | 2.8 | 9 |
| 358 | Implementation of a multidisciplinary clinical pathway for the management of postpartum hemorrhage: a retrospective study. <i>International Journal for Quality in Health Care</i> , 2015 , 27, 459-65 | 1.9 | 9 |
| 357 | Effects of number and gender of offspring on quality of life among older adults: evidence from the Korean Longitudinal Study of Aging, 2006-2012. <i>BMJ Open</i> , 2015 , 5, e007346 | 3 | 9 |
| 356 | The Effect of Stress and Depression on Unmet Medical Needs. <i>Korean Journal of Clinical Pharmacy</i> , 2017 , 27, 44-54 | 0.2 | 9 |
| 355 | Trends of US Hospitalist and Suggestions for Introduction of Korean Hospitalist. <i>Korean Journal of Medicine</i> , 2015 , 89, 1 | 0.5 | 9 |
| 354 | Population based study of the association between binge drinking and mortality from cancer of oropharynx and esophagus in Korean men: the Kangwha cohort study. <i>Asian Pacific Journal of Cancer Prevention</i> , 2014 , 15, 3675-9 | 1.7 | 9 |
| 353 | Do long term cancer survivors have better health-promoting behavior than non-cancer populations?: case-control study in Korea. <i>Asian Pacific Journal of Cancer Prevention</i> , 2015 , 16, 1415-20 | 1.7 | 9 |
| 352 | Impact of Onset of Psychiatric Disorders and Psychiatric Treatment on Mortality Among Patients with Cancer. <i>Oncologist</i> , 2020 , 25, e733-e742 | 5.7 | 9 |
| 351 | Influence of Social Engagement on Mortality in Korea: Analysis of the Korean Longitudinal Study of Aging (2006-2012). <i>Journal of Korean Medical Science</i> , 2016 , 31, 1020-6 | 4.7 | 9 |
| 350 | Greater continuity of care reduces hospital admissions in patients with hypertension: An analysis of nationwide health insurance data in Korea, 2011-2013. <i>Health Policy</i> , 2016 , 120, 604-11 | 3.2 | 9 |

| | | | |
|-----|---|-----|---|
| 349 | Sex differences in depressive effects of experiencing spousal bereavement. <i>Geriatrics and Gerontology International</i> , 2017 , 17, 322-329 | 2.9 | 8 |
| 348 | The effects of patient education on patient safety: can we change patient perceptions and attitudes?: Lessons from the Armed Forces Capital Hospital in Korea. <i>International Journal for Quality in Health Care</i> , 2017 , 29, 392-398 | 1.9 | 8 |
| 347 | Association between Occupational Noise and Vibration Exposure and Insomnia among Workers in Korea. <i>Life</i> , 2020 , 10, | 3 | 8 |
| 346 | The impact of sitting time and physical activity on major depressive disorder in South Korean adults: a cross-sectional study. <i>BMC Psychiatry</i> , 2017 , 17, 274 | 4.2 | 8 |
| 345 | The association between parental depression and adolescent Internet addiction in South Korea. <i>Annals of General Psychiatry</i> , 2018 , 17, 15 | 3.4 | 8 |
| 344 | The impact of differences between subjective and objective social class on life satisfaction among the Korean population in early old age: Analysis of Korean longitudinal study on aging. <i>Archives of Gerontology and Geriatrics</i> , 2016 , 67, 98-105 | 4 | 8 |
| 343 | Thyroid fine-needle aspiration biopsy positively correlates with increased diagnosis of thyroid cancer in South Korean patients. <i>BMC Cancer</i> , 2017 , 17, 114 | 4.8 | 8 |
| 342 | The effect of increasing the coinsurance rate on outpatient utilization of healthcare services in South Korea. <i>BMC Health Services Research</i> , 2017 , 17, 152 | 2.9 | 8 |
| 341 | Associations of volume and other hospital characteristics on mortality within 30 days of acute myocardial infarction in South Korea. <i>BMJ Open</i> , 2015 , 5, e009186 | 3 | 8 |
| 340 | The effect of cost-sharing in private health insurance on the utilization of health care services between private insurance purchasers and non-purchasers: a study of the Korean health panel survey (2008-2012). <i>BMC Health Services Research</i> , 2015 , 15, 489 | 2.9 | 8 |
| 339 | Quality assurance in ultrasound screening for hepatocellular carcinoma using a standardized phantom and standard clinical images: a 3-year national investigation in Korea. <i>Journal of Ultrasound in Medicine</i> , 2014 , 33, 985-95 | 2.9 | 8 |
| 338 | Variations in pain management outcomes among palliative care centers and the impact of organizational factors. <i>Cancer</i> , 2012 , 118, 5688-97 | 6.4 | 8 |
| 337 | Performance of papanicolaou testing and detection of cervical carcinoma in situ in participants of organized cervical cancer screening in South Korea. <i>PLoS ONE</i> , 2012 , 7, e35469 | 3.7 | 8 |
| 336 | Gender Difference in Self-Esteem of Medical Students. <i>Korean Journal of Medical Education</i> , 2003 , 15, 241-248 | 1.8 | 8 |
| 335 | Trends of mammography use in a national breast cancer screening program, 2004-2008. <i>Cancer Research and Treatment</i> , 2010 , 42, 199-202 | 5.2 | 8 |
| 334 | Relationship between BMI, body image, and smoking in Korean women as determined by urine cotinine: results of a nationwide survey. <i>Asian Pacific Journal of Cancer Prevention</i> , 2012 , 13, 1003-10 | 1.7 | 8 |
| 333 | Associations between quality of life and marital status in cancer patients and survivors. <i>Asian Pacific Journal of Cancer Prevention</i> , 2014 , 15, 5287-91 | 1.7 | 8 |
| 332 | Factors affecting the quality of life of Korean cancer survivors who return to the workplace. <i>Asian Pacific Journal of Cancer Prevention</i> , 2014 , 15, 8783-8 | 1.7 | 8 |

| | | | |
|-----|--|-----|---|
| 331 | Suicide risk after cancer diagnosis among older adults: A nationwide retrospective cohort study. <i>Journal of Geriatric Oncology</i> , 2020 , 11, 814-819 | 3.6 | 8 |
| 330 | Statin adherence and risk of all-cause, cancer, and cardiovascular mortality among dyslipidemia patients: A time-dependent analysis. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020 , 30, 2207-2214 | 4.5 | 8 |
| 329 | The Association between Inappropriate Weight Control Behaviors and Suicide Ideation and Attempt among Korean Adolescents. <i>Journal of Korean Medical Science</i> , 2016 , 31, 1529-37 | 4.7 | 8 |
| 328 | Depressive symptoms of house-poor persons: Korean panel data evidence. <i>International Journal of Social Psychiatry</i> , 2016 , 62, 569-77 | 8.5 | 8 |
| 327 | Socio-demographic and clinical factors contributing to smoking cessation among men: a four-year follow up study of the Korean Health Panel Survey. <i>BMC Public Health</i> , 2016 , 16, 908 | 4.1 | 8 |
| 326 | Nurse Staffing and 30-day Readmission of Chronic Obstructive Pulmonary Disease Patients: A 10-year Retrospective Study of Patient Hospitalization. <i>Asian Nursing Research</i> , 2016 , 10, 283-288 | 2.5 | 8 |
| 325 | Early Impact on Outpatients of Mandatory Adoption of the Diagnosis-Related Group-Based Reimbursement System in Korea on Use of Outpatient Care: Differences in Medical Utilization and Presurgery Examination. <i>Health Services Research</i> , 2018 , 53, 2064-2083 | 3.4 | 8 |
| 324 | The relationship between catastrophic health expenditure and health-related quality of life. <i>International Journal for Equity in Health</i> , 2018 , 17, 166 | 4.6 | 8 |
| 323 | Relationship between socioeconomic status and accessibility for endoscopic resection among gastric cancer patients: using National Health Insurance Cohort in Korea: poverty and endoscopic resection. <i>Gastric Cancer</i> , 2017 , 20, 61-69 | 7.6 | 7 |
| 322 | Association between unmet healthcare needs and health-related quality of life: a longitudinal study. <i>European Journal of Public Health</i> , 2017 , 27, 631-637 | 2.1 | 7 |
| 321 | The impact of smoking cessation attempts on stress levels. <i>BMC Public Health</i> , 2019 , 19, 267 | 4.1 | 7 |
| 320 | Effective strategy for improving health care outcomes: Multidisciplinary care in cerebral infarction patients. <i>Health Policy</i> , 2015 , 119, 1039-45 | 3.2 | 7 |
| 319 | Effects of the gap between socioeconomic status and perceived social class on suicidal ideation: Unique perspectives using a longitudinal analysis. <i>Archives of Gerontology and Geriatrics</i> , 2015 , 61, 384-91 | 9.4 | 7 |
| 318 | Different socioeconomic inequalities exist in terms of the prevention, diagnosis and control of diabetes. <i>European Journal of Public Health</i> , 2015 , 25, 961-5 | 2.1 | 7 |
| 317 | The association between satisfaction with husband's participation in housework and suicidal ideation among married working women in Korea. <i>Psychiatry Research</i> , 2018 , 261, 541-546 | 9.9 | 7 |
| 316 | Impact of continuity of care on preventable hospitalization of patients with type 2 diabetes: a nationwide Korean cohort study, 2002-10. <i>International Journal for Quality in Health Care</i> , 2016 , 28, 478-85 | 1.9 | 7 |
| 315 | The impact of occupation according to income on depressive symptoms in South Korean individuals: Findings from the Korean Welfare Panel Study. <i>International Journal of Social Psychiatry</i> , 2016 , 62, 227-34 | 8.5 | 7 |
| 314 | Toward safer prescribing: evaluation of a prospective drug utilization review system on inappropriate prescriptions, prescribing patterns, and adverse drug events and related health expenditure in South Korea. <i>Public Health</i> , 2018 , 163, 128-136 | 4 | 7 |

| | | | |
|-----|--|-----|---|
| 313 | Gender Discrimination in the Workplace: Effects on Pregnancy Planning and Childbirth among South Korean Women. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16, | 4.6 | 7 |
| 312 | Association of Bedtime with both Suicidal Ideation and Suicide Planning among Korean Adolescents. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16, | 4.6 | 7 |
| 311 | Effects of a mandatory DRG payment system in South Korea: Analysis of multi-year nationwide hospital claims data. <i>BMC Health Services Research</i> , 2019 , 19, 776 | 2.9 | 7 |
| 310 | Determinants of suboptimal hepatitis B vaccine uptake among men in the Republic of Korea: where should our efforts be focused: results from cross-sectional study. <i>BMC Infectious Diseases</i> , 2013 , 13, 2184 | 4 | 7 |
| 309 | The impact of living arrangements on quality of life among Korean elderly: findings from the Korean Longitudinal Study of Aging (2006-2012). <i>Quality of Life Research</i> , 2017 , 26, 1303-1314 | 3.7 | 7 |
| 308 | The association between socioeconomic status and visual impairments among primary glaucoma: the results from Nationwide Korean National Health Insurance Cohort from 2004 to 2013. <i>BMC Ophthalmology</i> , 2017 , 17, 153 | 2.3 | 7 |
| 307 | Combined effects of education level and perceived social class on self-rated health and life satisfaction: Results of Korean labor and income panel study wave 8-wave 15. <i>Health and Quality of Life Outcomes</i> , 2015 , 13, 178 | 3 | 7 |
| 306 | Governmental designation of spine specialty hospitals, their characteristics, performance and designation effects: a longitudinal study in Korea. <i>BMJ Open</i> , 2014 , 4, e006525 | 3 | 7 |
| 305 | Mode of primary cancer detection as an indicator of screening practice for second primary cancer in cancer survivors: a nationwide survey in Korea. <i>BMC Cancer</i> , 2012 , 12, 557 | 4.8 | 7 |
| 304 | What is the best practical survey method for the comparative assessment of palliative care services: results from a national quality assessment project in Korea. <i>Journal of Pain and Symptom Management</i> , 2011 , 42, 251-64 | 4.8 | 7 |
| 303 | Hepatitis B vaccinations among Koreans: Results from 2005 Korea National Cancer Screening Survey. <i>BMC Infectious Diseases</i> , 2009 , 9, 185 | 4 | 7 |
| 302 | Sex differences in type of exercise associated with depression in South Korean adults. <i>Scientific Reports</i> , 2020 , 10, 18271 | 4.9 | 7 |
| 301 | The Combined Effect of Sleep Duration and Quality on Mental Health Among Republic of Korea Armed Forces. <i>Military Medicine</i> , 2016 , 181, e1581-e1589 | 1.3 | 7 |
| 300 | The effect of childhood and current economic status on depressive symptoms in South Korean individuals: a longitudinal study. <i>International Journal for Equity in Health</i> , 2016 , 15, 111 | 4.6 | 7 |
| 299 | Impact of Market Competition on Continuity of Care and Hospital Admissions for Asthmatic Children: A Longitudinal Analysis of Nationwide Health Insurance Data 2009-2013. <i>PLoS ONE</i> , 2016 , 11, e0150926 | 3.7 | 7 |
| 298 | The impact of poverty transitions on frailty among older adults in South Korea: findings from the Korean longitudinal study of ageing. <i>BMC Geriatrics</i> , 2020 , 20, 139 | 4.1 | 7 |
| 297 | Association between parents' smoking status and tobacco exposure in school-age children: assessment using major urine biomarkers. <i>Scientific Reports</i> , 2021 , 11, 4536 | 4.9 | 7 |
| 296 | The effect of continuity of care on the incidence of end-stage renal disease in patients with newly detected type 2 diabetic nephropathy: a retrospective cohort study. <i>BMC Nephrology</i> , 2018 , 19, 127 | 2.7 | 7 |

| | | | |
|-----|--|-----|---|
| 295 | Association between depressive-symptom trajectories and cognitive function in the late middle-aged and older population: results of the Korean Longitudinal Study of Ageing. <i>Scientific Reports</i> , 2019 , 9, 7807 | 4.9 | 6 |
| 294 | The economic burden of cancer attributable to obesity in Korea: A population-based cohort study. <i>European Journal of Cancer Care</i> , 2019 , 28, e13084 | 2.4 | 6 |
| 293 | Does hospital need more hospice beds? Hospital charges and length of stays by lung cancer inpatients at their end of life: A retrospective cohort design of 2002-2012. <i>Palliative Medicine</i> , 2015 , 29, 808-16 | 5.5 | 6 |
| 292 | Changes in prescription pattern, pharmaceutical expenditure and quality of care after introduction of reimbursement restriction in diabetes in Korea. <i>European Journal of Public Health</i> , 2018 , 28, 209-214 | 2.1 | 6 |
| 291 | Sleep disorders and risk of hospitalization in patients with mood disorders: Analysis of the National Sample Cohort over 10 years. <i>Psychiatry Research</i> , 2016 , 245, 259-266 | 9.9 | 6 |
| 290 | Relationship between socioeconomic status and mortality after femur fracture in a Korean population aged 65 years and older: Nationwide retrospective cohort study. <i>Medicine (United States)</i> , 2016 , 95, e5311 | 1.8 | 6 |
| 289 | Readmission rates of South Korean psychiatric inpatients by inpatient volumes per psychiatrist. <i>BMC Psychiatry</i> , 2016 , 16, 96 | 4.2 | 6 |
| 288 | Incidence of Pressure Ulcers During Home and Institutional Care Among Long-Term Care Insurance Beneficiaries With Dementia Using the Korean Elderly Cohort. <i>Journal of the American Medical Directors Association</i> , 2017 , 18, 638.e1-638.e5 | 5.9 | 6 |
| 287 | Association between secondhand smoke and glycemic control in adult diabetes patients. <i>Preventive Medicine</i> , 2017 , 94, 48-54 | 4.3 | 6 |
| 286 | Is nutritional labeling associated with individual health? The effects of labeling-based awareness on dyslipidemia risk in a South Korean population. <i>Nutrition Journal</i> , 2016 , 15, 81 | 4.3 | 6 |
| 285 | Chronic obstructive lung disease-related health care utilisation in Korean adults with obstructive lung disease. <i>International Journal of Tuberculosis and Lung Disease</i> , 2011 , 15, 824-9 | 2.1 | 6 |
| 284 | User satisfaction as a tool for assessment and improvement of Quitline in the Republic of Korea. <i>Nicotine and Tobacco Research</i> , 2012 , 14, 816-23 | 4.9 | 6 |
| 283 | Pattern and factors leading to the diffusion of magnetic resonance imaging in Korean hospitals. <i>International Journal of Technology Assessment in Health Care</i> , 2007 , 23, 292-8 | 1.8 | 6 |
| 282 | Variation in meal-skipping rates of Korean adolescents according to socio-economic status: results of the Korea Youth Risk Behavior Web-based Survey. <i>Journal of Preventive Medicine and Public Health</i> , 2014 , 47, 158-68 | 3.7 | 6 |
| 281 | Cost-effectiveness of Korea's National Cervical Cancer Screening Program. <i>Asian Pacific Journal of Cancer Prevention</i> , 2013 , 14, 4329-34 | 1.7 | 6 |
| 280 | Copayment policy effects on healthcare spending and utilization by Korean lung cancer patients at end of life: a retrospective cohort design 2003-2012. <i>Asian Pacific Journal of Cancer Prevention</i> , 2014 , 15, 5265-70 | 1.7 | 6 |
| 279 | Gender differences in marital disruption among patients with cancer: results from the Korean National Health and Nutrition Examination Survey (KNHANES). <i>Asian Pacific Journal of Cancer Prevention</i> , 2014 , 15, 6547-52 | 1.7 | 6 |
| 278 | Mortality of patients with chronic obstructive pulmonary disease: a nationwide populationbased cohort study. <i>Korean Journal of Internal Medicine</i> , 2019 , 34, 1272-1278 | 2.5 | 6 |

| | | | |
|-----|---|-----|---|
| 277 | Hospitalizations and mortality among patients with fetal alcohol spectrum disorders: a prospective study. <i>Scientific Reports</i> , 2020 , 10, 19512 | 4.9 | 6 |
| 276 | Association between reduction in copayment and gastric cancer patient concentration to the capital area in South Korea: NHI cohort 2003-2013. <i>Health Policy</i> , 2016 , 120, 580-9 | 3.2 | 6 |
| 275 | Impact of co-payment for outpatient utilization among Medical Aid beneficiaries in Korea: A 5-year time series study. <i>Health Policy</i> , 2016 , 120, 960-6 | 3.2 | 6 |
| 274 | Employment status and unmet dental care needs in South Korea: a population-based panel study. <i>BMJ Open</i> , 2019 , 9, e022436 | 3 | 6 |
| 273 | Disparities in avoidable hospitalization by income in South Korea: data from the National Health Insurance cohort. <i>European Journal of Public Health</i> , 2019 , 29, 225-231 | 2.1 | 6 |
| 272 | Does long-term care insurance reduce the burden of medical costs? A retrospective elderly cohort study. <i>Geriatrics and Gerontology International</i> , 2018 , 18, 1641-1646 | 2.9 | 6 |
| 271 | Association between depression and risk of Parkinson's disease in South Korean adults. <i>Journal of Affective Disorders</i> , 2021 , 292, 75-80 | 6.6 | 6 |
| 270 | Maternal age and risk of early neonatal mortality: a national cohort study. <i>Scientific Reports</i> , 2021 , 11, 814 | 4.9 | 6 |
| 269 | Disparities in Kidney Transplantation Access among Korean Patients Initiating Dialysis: A Population-Based Cohort Study Using National Health Insurance Data (2003-2013). <i>American Journal of Nephrology</i> , 2017 , 45, 32-39 | 4.6 | 5 |
| 268 | The effect of job loss on depressive symptoms: The results from the Korean Welfare Panel Study (2007-2013). <i>International Journal of Social Psychiatry</i> , 2017 , 63, 57-62 | 8.5 | 5 |
| 267 | Primary Reason for Drinking Among Current, Former, and Never Flushing College Students. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16, | 4.6 | 5 |
| 266 | The Effects of Intense Physical Activity on Stress in Adolescents: Findings from Korea Youth Risk Behavior Web-Based Survey (2015-2017). <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16, | 4.6 | 5 |
| 265 | Association between night work and dyslipidemia in South Korean men and women: a cross-sectional study. <i>Lipids in Health and Disease</i> , 2019 , 18, 75 | 4.4 | 5 |
| 264 | Psychiatry outpatient visits by atopic dermatitis patients varying in the complexity of their prescriptions: A nationwide cohort study conducted from 2005 to 2013. <i>Medicine (United States)</i> , 2016 , 95, e5411 | 1.8 | 5 |
| 263 | Association between weight control failure and suicidal ideation in overweight and obese adults: a cross-sectional study. <i>BMC Public Health</i> , 2016 , 16, 259 | 4.1 | 5 |
| 262 | Effects of Household Income Change on Children's Problem Behavior: Findings From a Longitudinal Study. <i>Journal of Adolescent Health</i> , 2019 , 65, 527-535 | 5.8 | 5 |
| 261 | Income disparity and mortality among patients with alcohol use disorder in South Korea. <i>Psychiatry Research</i> , 2017 , 258, 358-364 | 9.9 | 5 |
| 260 | The impact of intensive grandchild care on depressive symptoms among older Koreans. <i>International Journal of Geriatric Psychiatry</i> , 2017 , 32, 1381-1391 | 3.9 | 5 |

| | | | |
|-----|---|-----|---|
| 259 | Lack of Retirement Preparation is Associated with Increased Depressive Symptoms in the Elderly: Findings from the Korean Retirement and Income Panel Study. <i>Journal of Korean Medical Science</i> , 2017 , 32, 1516-1521 | 4.7 | 5 |
| 258 | Synergistic effect of interaction between perceived health and social activity on depressive symptoms in the middle-aged and elderly: a population-based longitudinal study. <i>BMJ Open</i> , 2015 , 5, e007154 | 3 | 5 |
| 257 | Effects of Disease Detection on Changes in Smoking Behavior. <i>Yonsei Medical Journal</i> , 2015 , 56, 1143-9 | 3 | 5 |
| 256 | Quality of life correlation with socioeconomic status in Korean hepatitis-B patients: a cross sectional study. <i>Health and Quality of Life Outcomes</i> , 2015 , 13, 55 | 3 | 5 |
| 255 | Analysis of Hospital Volume and Factors Influencing Economic Outcomes in Cancer Surgery: Results from a Population-based Study in Korea. <i>Osong Public Health and Research Perspectives</i> , 2017 , 8, 34-46 | 6.1 | 5 |
| 254 | The Association between Social Contacts and Depressive Symptoms among Elderly Koreans. <i>Psychiatry Investigation</i> , 2018 , 15, 861-868 | 3.1 | 5 |
| 253 | Family Members of Cancer Patients in Korea Are at an Increased Risk of Medically Diagnosed Depression. <i>Journal of Preventive Medicine and Public Health</i> , 2018 , 51, 100-108 | 3.7 | 5 |
| 252 | Patterns of Care for Radiotherapy in the Neoadjuvant and Adjuvant Treatment of Gastric Cancer: A Twelve-Year Nationwide Cohort Study in Korea. <i>Cancer Research and Treatment</i> , 2018 , 50, 118-128 | 5.2 | 5 |
| 251 | Relationships between Body Image, Body Mass Index, and Smoking in Korean Adolescents: Results of a Nationwide Korea Youth Risk Behavior Web-based Survey. <i>Asian Pacific Journal of Cancer Prevention</i> , 2015 , 16, 6273-8 | 1.7 | 5 |
| 250 | Association between change in lifestyle and cognitive functions among elderly Koreans: findings from the Korean longitudinal study of aging (2006-2016). <i>BMC Geriatrics</i> , 2020 , 20, 317 | 4.1 | 5 |
| 249 | Association between sitting time and non-alcoholic fatty liver disease in South Korean population: a cross-sectional study. <i>Lipids in Health and Disease</i> , 2020 , 19, 212 | 4.4 | 5 |
| 248 | Development and Evolution of Hospital Medicine in Korea. <i>Journal of Hospital Medicine</i> , 2021 , 16, 247-250 | 7 | 5 |
| 247 | Positive effects of medical staffing on readmission within 30 days after discharge: a retrospective analysis of obstetrics and gynecology data. <i>European Journal of Public Health</i> , 2016 , 26, 935-939 | 2.1 | 5 |
| 246 | Disparities in the experience and treatment of dental caries among children aged 9-18 years: the cross-sectional study of Korean National Health and Nutrition Examination Survey (2012-2013). <i>International Journal for Equity in Health</i> , 2016 , 15, 88 | 4.6 | 5 |
| 245 | Incidence of Keratoconus and Its Association with Systemic Comorbid Conditions: A Nationwide Cohort Study from South Korea. <i>Journal of Ophthalmology</i> , 2020 , 2020, 3493614 | 2 | 5 |
| 244 | Impact of family characteristics by marital status of cohabitating adult children on depression among Korean older adults. <i>Geriatrics and Gerontology International</i> , 2017 , 17, 2527-2536 | 2.9 | 4 |
| 243 | Association between Breakfast Frequency and Atherosclerotic Cardiovascular Disease Risk: A Cross-Sectional Study of KNHANES Data, 2014-2016. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16, | 4.6 | 4 |
| 242 | Alcohol Mixed with Energy Drinks (AmED) and Negative Alcohol-Related Consequences among South Korean College Students. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16, | 4.6 | 4 |

| | | | |
|-----|---|-----|---|
| 241 | Do Sleep Disorders Positively Correlate with Dry Eye Syndrome? Results of National Claim Data. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16, | 4.6 | 4 |
| 240 | Association between all-cause mortality and insurance status transition among the elderly population in a rural area in Korea: Kangwha Cohort Study. <i>Health Policy</i> , 2015 , 119, 680-7 | 3.2 | 4 |
| 239 | The relationship between economic status and mortality of South Koreans, as it relates to average life expectancy. <i>Asia-Pacific Journal of Public Health</i> , 2015 , 27, NP2443-57 | 2 | 4 |
| 238 | Home oxygen therapy reduces risk of hospitalisation in patients with chronic obstructive pulmonary disease: a population-based retrospective cohort study, 2005-2012. <i>BMJ Open</i> , 2015 , 5, e009065 | 3.6 | 4 |
| 237 | Association between Pulse Pressure and Onset of Dementia in an Elderly Korean Population: A Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17, | 4.6 | 4 |
| 236 | The Relationship Between Physical Activity Level of Parents and That of Their Adolescent Children. <i>Journal of Physical Activity and Health</i> , 2018 , 15, 613-619 | 2.5 | 4 |
| 235 | The cross-interaction between global and age-comparative self-rated health on depressive symptoms-considering both the individual and combined effects. <i>BMC Psychiatry</i> , 2016 , 16, 433 | 4.2 | 4 |
| 234 | Are sleep disorders associated with increased mortality in asthma patients?. <i>BMC Pulmonary Medicine</i> , 2016 , 16, 154 | 3.5 | 4 |
| 233 | Differences in Fracture Incidence According to Caregiver Type in Stroke Survivors. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2018 , 27, 2849-2856 | 2.8 | 4 |
| 232 | Do hospital characteristics influence Cesarean delivery? Analysis of National Health Insurance claim data. <i>European Journal of Public Health</i> , 2017 , 27, 801-807 | 2.1 | 4 |
| 231 | The association between number of doctors per bed and readmission of elderly patients with pneumonia in South Korea. <i>BMC Health Services Research</i> , 2017 , 17, 393 | 2.9 | 4 |
| 230 | Effect of Changes in Sleep Quantity and Quality on Depressive Symptoms Among Korean Children. <i>Journal of School Nursing</i> , 2017 , 33, 299-306 | 2.1 | 4 |
| 229 | The effect of high medical expenses on household income in South Korea: a longitudinal study using propensity score matching. <i>BMC Health Services Research</i> , 2015 , 15, 369 | 2.9 | 4 |
| 228 | The temporal association of excessive health expenditure with suicidal ideation among primary income earners: a cross-sectional design using the Korean Welfare Panel Survey (KoWePS). <i>BMJ Open</i> , 2015 , 5, e007421 | 3 | 4 |
| 227 | The gender-specific association between age at first drink and later alcohol drinking patterns in Korea. <i>PLoS ONE</i> , 2014 , 9, e90713 | 3.7 | 4 |
| 226 | A Renal Transplantation and Hemodialysis Cost-Utility Analysis in Patients with End-Stage Renal Disease. <i>The Journal of the Korean Society for Transplantation</i> , 2010 , 24, 173 | 0.3 | 4 |
| 225 | Assessment of participant satisfaction with upper gastrointestinal endoscopy in South Korea. <i>World Journal of Gastroenterology</i> , 2011 , 17, 4124-9 | 5.6 | 4 |
| 224 | Factors Influencing the Specialty Selection of Medical Students. <i>Korean Journal of Medical Education</i> , 2003 , 15, 151-161 | 1.8 | 4 |

| | | | |
|-----|--|-----|---|
| 223 | Cost-effectiveness of liver cancer screening in adults at high risk for liver cancer in the republic of Korea. <i>Cancer Research and Treatment</i> , 2014 , 46, 223-33 | 5.2 | 4 |
| 222 | Impact of Job Status on Accessibility of Cancer Screening. <i>Cancer Research and Treatment</i> , 2016 , 48, 825-33 | 5.3 | 4 |
| 221 | The Health Burden of Cancer Attributable to Obesity in Korea: A Population-Based Cohort Study. <i>Cancer Research and Treatment</i> , 2019 , 51, 933-940 | 5.2 | 4 |
| 220 | The Effect of Mandatory Diagnosis-Related Groups Payment System. <i>Health Policy and Management</i> , 2016 , 26, 135-147 | | 4 |
| 219 | Health policy for the new government. <i>Journal of the Korean Medical Association</i> , 2012 , 55, 1040 | 0.5 | 4 |
| 218 | Satisfaction in the National Cancer Screening Program for breast cancer with and without clinical breast examination. <i>Asian Pacific Journal of Cancer Prevention</i> , 2012 , 13, 63-7 | 1.7 | 4 |
| 217 | Cost-effectiveness analysis of HPV vaccination: comparing the general population with socially vulnerable individuals. <i>Asian Pacific Journal of Cancer Prevention</i> , 2014 , 15, 8503-8 | 1.7 | 4 |
| 216 | Association Between Presenteeism/Absenteeism and Well-being Among Korean Workers. <i>Journal of Occupational and Environmental Medicine</i> , 2020 , 62, 574-580 | 2 | 4 |
| 215 | The effect of shifting medical coverage from National Health Insurance to Medical Aid type I and type II on health care utilization and out-of-pocket spending in South Korea. <i>BMC Health Services Research</i> , 2020 , 20, 979 | 2.9 | 4 |
| 214 | Synergistic association of high-sensitivity C-reactive protein and body mass index with insulin resistance in non-diabetic adults. <i>Scientific Reports</i> , 2020 , 10, 18417 | 4.9 | 4 |
| 213 | Does relationship satisfaction and financial aid from offspring influence the quality of life of older parents?: a longitudinal study based on findings from the Korean longitudinal study of aging, 2006-2012. <i>Health and Quality of Life Outcomes</i> , 2016 , 14, 108 | 3 | 4 |
| 212 | Association between continuity of care and type 2 diabetes development among patients with thyroid disorder. <i>Medicine (United States)</i> , 2019 , 98, e18537 | 1.8 | 4 |
| 211 | Measuring of quality of care in patients with stroke and acute myocardial infarction: An application of algebra effectiveness model. <i>Medicine (United States)</i> , 2019 , 98, e15353 | 1.8 | 4 |
| 210 | Associations between substandard housing and depression: insights from the Korea welfare panel study. <i>BMC Psychiatry</i> , 2021 , 21, 12 | 4.2 | 4 |
| 209 | Implementation of the Chronic Disease Care System and its association with health care costs and continuity of care in Korean adults with type 2 diabetes mellitus. <i>BMC Health Services Research</i> , 2018 , 18, 991 | 2.9 | 4 |
| 208 | Association of self-reported sedentary time with insulin resistance among Korean adults without diabetes mellitus: a cross-sectional study. <i>BMC Public Health</i> , 2018 , 18, 1335 | 4.1 | 4 |
| 207 | The association between objective income and subjective financial need and depressive symptoms in South Koreans aged 60 and older. <i>Psychogeriatrics</i> , 2017 , 17, 389-396 | 1.8 | 3 |
| 206 | Factors Related to the Institutionalization of Older Aged Individuals Using Home- and Community-Based Care Services: Data From the South Korea Long-Term Care Insurance Program, 2008-2013. <i>Journal of Aging and Social Policy</i> , 2019 , 31, 321-337 | 7.4 | 3 |

| | | | |
|-----|---|-----|---|
| 205 | The effect of off-hour delivery on severe maternal morbidity: a population-based cohort study. <i>European Journal of Public Health</i> , 2019 , 29, 1031-1036 | 2.1 | 3 |
| 204 | Association between Frequency of Breakfast Consumption and Insulin Resistance Using Triglyceride-Glucose Index: A Cross-Sectional Study of the Korea National Health and Nutrition Examination Survey (2016-2018). <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17, | 4.6 | 3 |
| 203 | Mental Disorders and Suicide Risk among Cancer Patients: A Nationwide Cohort Study. <i>Archives of Suicide Research</i> , 2020 , 1-12 | 2.3 | 3 |
| 202 | Association between community outpatient clinic care accessibility and the uptake of diabetic retinopathy screening: A multi-level analysis. <i>Primary Care Diabetes</i> , 2020 , 14, 616-621 | 2.4 | 3 |
| 201 | The Effect of Socioeconomic Status on All-Cause Maternal Mortality: A Nationwide Population-Based Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17, | 4.6 | 3 |
| 200 | Association of exposure to secondhand smoke at home with early age at menarche in South Korea. <i>Public Health</i> , 2020 , 185, 144-149 | 4 | 3 |
| 199 | Effect of socioeconomic deprivation on outcomes of diabetes complications in patients with type 2 diabetes mellitus: a nationwide population-based cohort study of South Korea. <i>BMJ Open Diabetes Research and Care</i> , 2020 , 8, | 4.5 | 3 |
| 198 | Self-reported campus alcohol policy and college alcohol consumption: a multilevel analysis of 4592 Korean students from 82 colleges. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2020 , 15, 9 | 3.4 | 3 |
| 197 | Association Between Personal Protective Equipment Use and Injury Occurrence Among the Republic of Korea Armed Forces. <i>Military Medicine</i> , 2017 , 182, e1900-e1907 | 1.3 | 3 |
| 196 | The association between low level of high-density lipoprotein cholesterol and mood disorder using time-dependent analysis. <i>Journal of Affective Disorders</i> , 2018 , 225, 317-325 | 6.6 | 3 |
| 195 | Long-term effects of parental divorce timing on depression: A population-based longitudinal study. <i>International Journal of Social Psychiatry</i> , 2016 , 62, 645-650 | 8.5 | 3 |
| 194 | Higher cost sharing for visiting general hospitals and the changing trend in the first-visited healthcare organization among newly diagnosed hypertension patients. <i>Medicine (United States)</i> , 2016 , 95, e4880 | 1.8 | 3 |
| 193 | Association between serum 25-hydroxyvitamin D levels and pulmonary function, among Korean adults, during 2010-2014, by sex, age, and body mass index. <i>Respiratory Medicine</i> , 2018 , 140, 32-38 | 4.6 | 3 |
| 192 | Effects of Physician Volume on Readmission and Mortality in Elderly Patients with Heart Failure: Nationwide Cohort Study. <i>Yonsei Medical Journal</i> , 2018 , 59, 243-251 | 3 | 3 |
| 191 | Patient and hospital factors associated with 30-day unplanned readmission in patients with stroke. <i>Journal of Investigative Medicine</i> , 2019 , 67, 52-58 | 2.9 | 3 |
| 190 | Solitary drinking and the risk of depressive symptoms and suicidal ideation in college students: Findings from a nationwide survey in Korea. <i>Journal of Affective Disorders</i> , 2019 , 257, 710-715 | 6.6 | 3 |
| 189 | Depressive symptoms in individuals with family members requiring ADL assistance. <i>Environmental Health and Preventive Medicine</i> , 2019 , 24, 49 | 4.2 | 3 |
| 188 | The Association between Eating-Out Rate and BMI in Korea. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16, | 4.6 | 3 |

| | | | |
|-----|--|-----|---|
| 187 | The influence of sexual harassment on mental health among female military personnel of the Republic of Korea Armed Forces. <i>Journal of the Royal Army Medical Corps</i> , 2017 , 163, 104-110 | 0.8 | 3 |
| 186 | Psychiatric outcomes after hysterectomy in women with uterine myoma: a population-based retrospective cohort study. <i>Archives of Women's Mental Health</i> , 2017 , 20, 487-494 | 5 | 3 |
| 185 | Healthcare Spending and Performance of Specialty Hospitals: Nationwide Evidence from Colorectal-Anal Specialty Hospitals in South Korea. <i>Yonsei Medical Journal</i> , 2015 , 56, 1721-30 | 3 | 3 |
| 184 | Central government reform to improve national disease control. <i>Journal of the Korean Medical Association</i> , 2015 , 58, 714 | 0.5 | 3 |
| 183 | The effect of offspring on depressive disorder among old adults: Evidence from the Korean Longitudinal Study of Aging from 2006 to 2012. <i>Archives of Gerontology and Geriatrics</i> , 2015 , 61, 351-62 | 4 | 3 |
| 182 | Association between occupational noise and vibration and anxiety in the South Korean working population: a cross-sectional study.. <i>Journal of Occupational Medicine and Toxicology</i> , 2022 , 17, 1 | 2.7 | 3 |
| 181 | The Association between Adequate Prenatal Care and Severe Maternal Morbidity: A Population-based Cohort Study. <i>Journal of the Korean Society of Maternal and Child Health</i> , 2018 , 22, 112-123 | 0.6 | 3 |
| 180 | Association between Parents' Country of Birth and Adolescent Depressive Symptoms: the Early Stages of Multicultural Society. <i>Journal of Korean Medical Science</i> , 2018 , 33, e116 | 4.7 | 3 |
| 179 | Factors for cecal intubation time during colonoscopy in women: Impact of surgical history. <i>Saudi Journal of Gastroenterology</i> , 2019 , 25, 377-383 | 3 | 3 |
| 178 | Setting a health policy research agenda for controlling cancer burden in Korea. <i>Cancer Research and Treatment</i> , 2015 , 47, 149-57 | 5.2 | 3 |
| 177 | The Impact of Hospital Specialization on Length of Stay per Case and Hospital Charge per Case. <i>Health Policy and Management</i> , 2016 , 26, 107-114 | | 3 |
| 176 | Pitfalls in reimbursement decisions for oncology drugs in South Korea: need for addressing the ethical dimensions in technology assessment. <i>Asian Pacific Journal of Cancer Prevention</i> , 2013 , 14, 3785-3787 | 1.7 | 3 |
| 175 | Impact of perceived cancer risk on the cancer screening rate in the general Korean population: results from the Korean health panel survey data. <i>Asian Pacific Journal of Cancer Prevention</i> , 2014 , 15, 10525-9 | 1.7 | 3 |
| 174 | Influence of offspring on quality of life among cancer patients and survivors: results from the Korean longitudinal study of aging (KLoSA), 2008-2011. <i>Asian Pacific Journal of Cancer Prevention</i> , 2014 , 15, 10531-7 | 1.7 | 3 |
| 173 | Strategic Distributional Cost-Effectiveness Analysis for Improving National Cancer Screening Uptake in Cervical Cancer: A Focus on Regional Inequality in South Korea. <i>Cancer Research and Treatment</i> , 2018 , 50, 212-221 | 5.2 | 3 |
| 172 | Relationship between parents' occupational characteristics and untreated dental caries in offspring: A population-based study of data from the Korean National Health and Nutrition Examination Survey, 2008-2015. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018 , 44, 303-311 | 4.3 | 3 |
| 171 | Association between changes in economic activity and catastrophic health expenditure: findings from the Korea Health Panel Survey, 2014-2016. <i>Cost Effectiveness and Resource Allocation</i> , 2020 , 18, 36 | 2.4 | 3 |
| 170 | Associations between Gender, Alcohol Use and Negative Consequences among Korean College Students: A National Study. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17, | 4.6 | 3 |

| | | | |
|-----|--|-----|---|
| 169 | Association between community deprivation and practising health behaviours among South Korean adults: a survey-based cross-sectional study. <i>BMJ Open</i> , 2021 , 11, e047244 | 3 | 3 |
| 168 | Changes in child abuse experience associated to sleep quality: results of the Korean Children & Youth Panel Survey. <i>BMC Public Health</i> , 2021 , 21, 1210 | 4.1 | 3 |
| 167 | Length of stay and readmission in lumbar intervertebral disc disorder inpatients by hospital characteristics and volumes. <i>Health Policy</i> , 2016 , 120, 1008-16 | 3.2 | 3 |
| 166 | Association between the Type of Diabetes Treatment and Depressive Symptoms among Patients with Diabetes: A Cross-Sectional Study of Korea Community Health Surveys Data, 2011-2016. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16, | 4.6 | 3 |
| 165 | The association of under-weight and obesity with mortality after hip arthroplasty. <i>Age and Ageing</i> , 2019 , 48, 94-100 | 3 | 3 |
| 164 | Association between family dinner and BMI in adults: data from the 2013 to 2015 Korean National Health and Nutrition Examination Survey. <i>Public Health Nutrition</i> , 2019 , 22, 681-688 | 3.3 | 3 |
| 163 | Association between family conflict resolution methods and depressive symptoms in South Korea: a longitudinal study. <i>Archives of Women's Mental Health</i> , 2020 , 23, 123-129 | 5 | 3 |
| 162 | Is Work Hour Mismatch Associated with Depression?. <i>Safety and Health at Work</i> , 2021 , 12, 96-101 | 4 | 3 |
| 161 | Association between continuity of care and subsequent hospitalization and mortality in patients with mood disorders: Results from the Korea National Health Insurance cohort. <i>PLoS ONE</i> , 2018 , 13, e0207740 | 3.7 | 3 |
| 160 | Job displacement and social safety net on depressive symptoms in individuals aged 45 years or above: findings from the Korean Longitudinal Study of Aging. <i>Ageing and Society</i> , 2018 , 38, 1199-1222 | 1.7 | 3 |
| 159 | Comparison of Patient Satisfaction in Inpatient Care Provided by Hospitalists and Nonhospitalists in South Korea. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18, | 4.6 | 3 |
| 158 | Association between quality and duration of sleep and subjective cognitive decline: a cross-sectional study in South Korea. <i>Scientific Reports</i> , 2021 , 11, 16989 | 4.9 | 3 |
| 157 | Effectiveness of Digital Interventions for Preventing Alcohol Consumption in Pregnancy: Systematic Review and Meta-analysis.. <i>Journal of Medical Internet Research</i> , 2022 , 24, e35554 | 7.6 | 3 |
| 156 | Incidence of hip fracture among long-term care insurance beneficiaries with dementia: comparison of home care and institutional care services. <i>BMC Geriatrics</i> , 2019 , 19, 152 | 4.1 | 2 |
| 155 | The association between intimate partner violence onset and gender-specific depression: A longitudinal study of a nationally representative sample. <i>Journal of Affective Disorders</i> , 2019 , 250, 79-84 | 6.6 | 2 |
| 154 | Occupational differences in standardized mortality ratios for non-melanotic skin cancer and melanoma in exposed areas among individuals with Fitzpatrick skin types III and IV. <i>Journal of Occupational Health</i> , 2019 , 61, 235-241 | 2.3 | 2 |
| 153 | The Influences of Visceral Fat Area on the Sites of Esophageal Mucosal Breaks in Subjects with Gastroesophageal Reflux Diseases. <i>Gastroenterology Research and Practice</i> , 2019 , 2019, 9672861 | 2 | 2 |
| 152 | Can diabetes patients seeking a second hospital get better care? Results from nested case-control study. <i>PLoS ONE</i> , 2019 , 14, e0210809 | 3.7 | 2 |

| | | | |
|-----|--|-----|---|
| 151 | Effects of different types and frequencies of physical activity on the homeostatic model assessment of insulin resistance. <i>Journal of Investigative Medicine</i> , 2019 , 67, 841-849 | 2.9 | 2 |
| 150 | Association between Continuity of Care and the Onset of Thyroid Disorder among Diabetes Patients in Korea. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16, | 4.6 | 2 |
| 149 | Support from superiors reduces depression in Republic of Korea military officers. <i>BMJ Military Health</i> , 2021 , 167, 378-382 | 1 | 2 |
| 148 | The relationship between severe maternal morbidity and a risk of postpartum readmission among Korean women: a nationwide population-based cohort study. <i>BMC Pregnancy and Childbirth</i> , 2020 , 20, 148 | 3.2 | 2 |
| 147 | The Association of Smoking Exposure at Home with Attempts to Quit Smoking and Cessation Success: A Survey of South Korean Adolescents Who Smoke. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17, | 4.6 | 2 |
| 146 | The Association Between the Changes in General, Family, and Financial Aspects of Quality of Life and Their Effects on Cognitive Function in an Elderly Population: The Korean Longitudinal Study of Aging, 2008-2016. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17, | 4.6 | 2 |
| 145 | The association of physical function and quality of life on physical activity for non-small cell lung cancer survivors. <i>Supportive Care in Cancer</i> , 2020 , 28, 4847-4856 | 3.9 | 2 |
| 144 | Effects of social integration on depressive symptoms in Korea: analysis from the Korean Longitudinal Study of Aging (2006-12). <i>Australian Health Review</i> , 2017 , 41, 222-230 | 1.8 | 2 |
| 143 | Are Mothers Working Hours Associated with General and Abdominal Obesity in Children and Adolescents? The Korean National Health and Nutrition Examination Survey (2008-2012). <i>Maternal and Child Health Journal</i> , 2018 , 22, 474-484 | 2.4 | 2 |
| 142 | Impact of continuous Medical Aid utilisation on healthcare utilisation: unique insight using the 2008-2012 Korean Welfare Panel Study (KOWEPS). <i>BMJ Open</i> , 2016 , 6, e008583 | 3 | 2 |
| 141 | The differences in healthcare utilization for dental caries based on the implementation of water fluoridation in South Korea. <i>BMC Oral Health</i> , 2016 , 16, 119 | 3.7 | 2 |
| 140 | The association between low frequency of having breakfast and dyslipidemia in South Korean men and women. <i>European Journal of Clinical Nutrition</i> , 2019 , 73, 896-904 | 5.2 | 2 |
| 139 | Evaluation of the South Korean national long-term care insurance-funded cognitive function training programme for older people with mild dementia. <i>Age and Ageing</i> , 2019 , 48, 636-642 | 3 | 2 |
| 138 | Do severe maternal morbidity and adequate prenatal care affect the delivery cost? A nationwide cohort study for 11 years with follow up. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2019 , 126, 1623-1631 | 3.7 | 2 |
| 137 | Association between home-visit nursing utilization and all-cause hospitalization among long-term care insurance beneficiaries: A retrospective cohort study. <i>International Journal of Nursing Studies</i> , 2017 , 75, 93-100 | 5.8 | 2 |
| 136 | How did market competition affect outpatient utilization under the diagnosis-related group-based payment system?. <i>International Journal for Quality in Health Care</i> , 2017 , 29, 399-405 | 1.9 | 2 |
| 135 | Do causes of stress differ in their association with problem drinking by sex in Korean adolescents?. <i>Addictive Behaviors</i> , 2017 , 64, 62-69 | 4.2 | 2 |
| 134 | Pay-for-performance reduces healthcare spending and improves quality of care: Analysis of target and non-target obstetrics and gynecology surgeries. <i>International Journal for Quality in Health Care</i> , 2017 , 29, 222-227 | 1.9 | 2 |

| | | | |
|-----|--|-----|---|
| 133 | The association between perceived unmet medical need and mental health among the Republic of Korea Armed Forces. <i>Journal of the Royal Army Medical Corps</i> , 2017 , 163, 184-192 | 0.8 | 2 |
| 132 | The relationship between changes in employment status and mortality risk based on the Korea Labor and Income Panel Study (2003-2008). <i>Asia-Pacific Journal of Public Health</i> , 2015 , 27, NP993-1001 | 2 | 2 |
| 131 | Problems and future directions for quality evaluation of the Health Insurance Review and Assessment Service. <i>Journal of the Korean Medical Association</i> , 2015 , 58, 176 | 0.5 | 2 |
| 130 | Time to follow up after an abnormal finding in organized gastric cancer screening in Korea. <i>BMC Cancer</i> , 2012 , 12, 400 | 4.8 | 2 |
| 129 | An observational study of the Korean proactive quitline service for smoking cessation and relapse prevention. <i>Public Health Reports</i> , 2011 , 126, 583-90 | 2.5 | 2 |
| 128 | Satisfaction with mammography in the National Cancer Screening Programme participants of age 40s in Korea. <i>European Journal of Cancer Care</i> , 2011 , 20, 803-9 | 2.4 | 2 |
| 127 | Unwanted effects of risk notification for breast cancer regarding intention toward mammography utilization. <i>Psycho-Oncology</i> , 2010 , 19, 823-9 | 3.9 | 2 |
| 126 | Hospital staff and patient recognition toward opening of medical services market, and factors in selecting a foreign hospital. <i>Yonsei Medical Journal</i> , 2007 , 48, 184-91 | 3 | 2 |
| 125 | Association Between Parental Marital Status and Types of Suicidal Behavior Among Korean Adolescents: A Cross-sectional Study. <i>Journal of Preventive Medicine and Public Health</i> , 2020 , 53, 419-428 | 3.7 | 2 |
| 124 | Socioeconomic Status and Successful Delivery after an Infertility Diagnosis: a Nationwide Health Insurance Cohort Study in Korea Conducted from 2005 to 2013. <i>Journal of Korean Medical Science</i> , 2020 , 35, e341 | 4.7 | 2 |
| 123 | Sex differences associated with hepatitis B virus surface antigen seropositivity unawareness in hepatitis B virus surface antigen-positive adults: 2007-2012 Korea National Health and Nutrition Examination Survey. <i>Journal of Preventive Medicine and Public Health</i> , 2015 , 48, 74-83 | 3.7 | 2 |
| 122 | The Impact of Transitions in Caregiving Status on Depressive Symptoms among Older Family Caregivers: Findings from the Korean Longitudinal Study of Aging. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 18, | 4.6 | 2 |
| 121 | Association between relative handgrip strength and prediabetes among South Korean adults. <i>PLoS ONE</i> , 2020 , 15, e0240027 | 3.7 | 2 |
| 120 | The Relationship between Physical Exercise and Cognitive Function in Korean Middle Aged and Elderly Adults without Dementia. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17, | 4.6 | 2 |
| 119 | The Financial Burden Associated with Medical Costs among Childhood Cancer Patients and Their Families Related to Their Socioeconomic Status: The Perspective of National Health Insurance Service. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17, | 4.6 | 2 |
| 118 | Associations between earplug use and hearing loss in ROK military personnel. <i>BMJ Military Health</i> , 2021 , 167, 398-401 | 1 | 2 |
| 117 | Association between commensality with depression and suicidal ideation of Korean adults: the sixth and seventh Korean National Health and Nutrition Examination Survey, 2013, 2015, 2017. <i>Nutrition Journal</i> , 2020 , 19, 131 | 4.3 | 2 |
| 116 | Strategies for Improving Healthcare Delivery System in Korea. <i>HIRA Research</i> , 2021 , 1, 9-15 | | 2 |

| | | | |
|-----|--|-----|---|
| 115 | Frailty transitions and cognitive function among South Korean older adults. <i>Scientific Reports</i> , 2021 , 11, 10658 | 4.9 | 2 |
| 114 | Improved Inpatient Care through Greater Patient-Doctor Contact under the Hospitalist Management Approach: A Real-Time Assessment. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18, | 4.6 | 2 |
| 113 | Social Welfare Centers Protect Outpatients with Mood Disorders from Risk of Hospital Admission. <i>PLoS ONE</i> , 2016 , 11, e0146754 | 3.7 | 2 |
| 112 | Effects of difference in self-esteem between spouses on depressive symptom: Result from a data nationally representative of South Korean. <i>Psychiatry Research</i> , 2016 , 246, 623-628 | 9.9 | 2 |
| 111 | The effect of suicide attempts on suicide ideation by family members in fast developed country, Korea. <i>Comprehensive Psychiatry</i> , 2016 , 66, 132-8 | 7.3 | 2 |
| 110 | Impact of change in job status on mortality for newly onset type II diabetes patients: 7 years follow-up using cohort data of National Health Insurance, Korea. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2016 , 10, S1-6 | 8.9 | 2 |
| 109 | Is a Price Increase Policy Enough for Adolescent Smokers?: Factors Affecting the Effectiveness of Increasing Cigarette Prices Among Korean Adolescent Smokers. <i>Nicotine and Tobacco Research</i> , 2016 , 18, 2013-9 | 4.9 | 2 |
| 108 | Long working hours are associated with unmet dental needs in south Korean male adults who have experienced dental pain. <i>BMC Oral Health</i> , 2019 , 19, 256 | 3.7 | 2 |
| 107 | Gender Differences With Regard to Perceived Job Insecurity and Insomnia in a Working Population. <i>Journal of Occupational and Environmental Medicine</i> , 2019 , 61, e474-e479 | 2 | 2 |
| 106 | Association between Changes in Depressive State and Cognitive Function. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16, | 4.6 | 2 |
| 105 | Weight control success and depression by gender with respect to weight control behaviors. <i>Obesity Research and Clinical Practice</i> , 2019 , 13, 168-175 | 5.4 | 2 |
| 104 | The effects of on-call work on mental health issues among wage workers in the Republic of Korea. <i>Psychology, Health and Medicine</i> , 2020 , 25, 675-686 | 2.1 | 2 |
| 103 | Urinary incontinence status changes and depressive symptoms among middle-aged and older women: Using data from a survey of the Korean Longitudinal Study of Aging. <i>Journal of Affective Disorders</i> , 2021 , 279, 549-553 | 6.6 | 2 |
| 102 | Effect of pre existing respiratory conditions on survival of lung cancer patients: A nationwide population-based cohort study. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2018 , 14, e71-e80 | 1.9 | 2 |
| 101 | The effect of neonatal hypothyroidism and low family income on intellectual disability: A population-based cohort study. <i>PLoS ONE</i> , 2018 , 13, e0205955 | 3.7 | 2 |
| 100 | Synergistic associations of visual and self-reported hearing acuity with low handgrip strength in older adults: a population-based cross-sectional study. <i>BMC Geriatrics</i> , 2021 , 21, 513 | 4.1 | 2 |
| 99 | Depression before and during-COVID-19 by Gender in the Korean Population.. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19, | 4.6 | 2 |
| 98 | Utilization of professional mental health services according to recognition rate of mental health centers. <i>Psychiatry Research</i> , 2017 , 250, 204-209 | 9.9 | 1 |

| | | | |
|----|--|------|---|
| 97 | Association between awareness of nutrition labeling and high-density lipoprotein cholesterol concentration in cancer survivors and the general population: The Korean National Health and Nutrition Examination Survey (KNHANES) 2010-2016. <i>BMC Cancer</i> , 2019 , 19, 16 | 4.8 | 1 |
| 96 | The 30-day unplanned readmission rate and hospital volume: a national population-based study in South Korea. <i>International Journal for Quality in Health Care</i> , 2019 , 31, 768-773 | 1.9 | 1 |
| 95 | Uric acid level and kidney function: a cross-sectional study of the Korean national health and nutrition examination survey (2016-2017). <i>Scientific Reports</i> , 2020 , 10, 21672 | 4.9 | 1 |
| 94 | Chronic alcoholism and all-cause mortality among disabled individuals: Findings from the Korea National Health Insurance Service-National Sample Cohort. <i>Alcohol</i> , 2020 , 89, 57-62 | 2.7 | 1 |
| 93 | Association between social participation and mental health consultation in individuals with suicidal ideation: a cross-sectional study. <i>BMC Psychiatry</i> , 2020 , 20, 305 | 4.2 | 1 |
| 92 | The Association of Maternal Accompaniment at Family Dinners and Depressive Symptoms of Korean Adolescents. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17, | 4.6 | 1 |
| 91 | Association between energy drink consumption, depression and suicide ideation in Korean adolescents. <i>International Journal of Social Psychiatry</i> , 2020 , 66, 335-343 | 8.5 | 1 |
| 90 | Association of habitual alcohol use on risk-taking behaviors while using a car: The Korean National Health and Nutrition Examination Survey 2009-2013. <i>Accident Analysis and Prevention</i> , 2020 , 144, 105651 | 6.1 | 1 |
| 89 | Deregulation of sale of over-the-counter drugs outside of pharmacies in the Republic of Korea: interrupted-time-series analysis of outpatient visits before and after the policy. <i>BMC Health Services Research</i> , 2017 , 17, 478 | 2.9 | 1 |
| 88 | Hospital characteristics related to the hospital length of stay among inpatients receiving invasive cervical discectomy due to road traffic accidents under automobile insurance in South Korea. <i>BMC Health Services Research</i> , 2017 , 17, 567 | 2.9 | 1 |
| 87 | Do Reduced Copayments Affect Mortality after Surgery due to Stroke? An Interrupted Time Series Analysis of a National Cohort Sampled in 2003-2012. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2018 , 27, 1502-1510 | 2.8 | 1 |
| 86 | The effect of multimorbidity on the gap between global and age-comparative self-rated health scores among the Korean elderly. <i>Archives of Gerontology and Geriatrics</i> , 2018 , 76, 19-25 | 4 | 1 |
| 85 | Association Between Results of Quality Assessment of Long-Term Care Facilities and Hospital-Acquired Pneumonia in Individuals with Stroke or Neurodegenerative Disease in Korea. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, e311-e313 | 5.6 | 1 |
| 84 | Beyond volume: hospital-based healthcare technology as a predictor of mortality for cardiovascular patients in Korea. <i>Medicine (United States)</i> , 2016 , 95, e3917 | 1.8 | 1 |
| 83 | Associations between lipid profiles of adolescents and their mothers based on a nationwide health and nutrition survey in South Korea. <i>BMJ Open</i> , 2019 , 9, e024731 | 3 | 1 |
| 82 | Influenza vaccination in Korea. <i>Journal of Infection</i> , 2014 , 68, 190-3 | 18.9 | 1 |
| 81 | Effects of home-visit nursing services on hospitalization in the elderly with pressure ulcers: a longitudinal study. <i>European Journal of Public Health</i> , 2017 , 27, 822-826 | 2.1 | 1 |
| 80 | The current status and directions of healthcare policy in Korea. <i>Journal of the Korean Medical Association</i> , 2012 , 55, 930 | 0.5 | 1 |

| | | | |
|----|---|-----|---|
| 79 | Disparities in diabetes-related avoidable hospitalization among diabetes patients with disability using a nationwide cohort study.. <i>Scientific Reports</i> , 2022 , 12, 1794 | 4.9 | 1 |
| 78 | Does Home Oxygen Therapy Slow Down the Progression of Chronic Obstructive Pulmonary Diseases?. <i>The Korean Journal of Hospice and Palliative Care</i> , 2015 , 18, 128-135 | 0.5 | 1 |
| 77 | Association between change in handgrip strength and cognitive function in Korean adults: a longitudinal panel study. <i>BMC Geriatrics</i> , 2021 , 21, 671 | 4.1 | 1 |
| 76 | Joint Statement of the Ad-hoc Committee of the Korean Society for Preventive Medicine and the Korean Society of Epidemiology on Tobacco Lawsuits on the Causal Link Between Tobacco Smoking and Lung Cancer. <i>Journal of Preventive Medicine and Public Health</i> , 2015 , 48, 119-31 | 3.7 | 1 |
| 75 | Differential Association of Vitamin D Deficiency With Albuminuria by Sex in the Korean General Population: A Cross-sectional Study of the Korea National Health and Nutrition Examination Survey 2011-2012. <i>Journal of Preventive Medicine and Public Health</i> , 2018 , 51, 92-99 | 3.7 | 1 |
| 74 | Hospital Charges and Continuity of Care for Outpatients with Hypertension in South Korea: A Nationwide Population-Based Cohort Study from 2002 to 2013. <i>Korean Journal of Family Medicine</i> , 2017 , 38, 242-248 | 1.7 | 1 |
| 73 | The Relief Effect of Copayment Decreasing Policy on Unmet Needs in Targeted Diseases. <i>Health Policy and Management</i> , 2014 , 24, 24-34 | | 1 |
| 72 | Effects of Offspring-Related Characteristics on Depressive Disorder among Cancer Patients and Survivors. <i>Asian Pacific Journal of Cancer Prevention</i> , 2015 , 16, 4531-6 | 1.7 | 1 |
| 71 | Influence of Offspring on Self-Rated Health among Older Adults: Evidence from the Korean Longitudinal Study of Aging (2006-2012). <i>Korean Journal of Family Medicine</i> , 2018 , 39, 191-199 | 1.7 | 1 |
| 70 | Rate and predictive factors of recurrence: Analysis of a screening cohort. <i>Saudi Journal of Gastroenterology</i> , 2019 , 25, 251-256 | 3 | 1 |
| 69 | Arthritis status changes and depressive symptoms among middle-aged and older Koreans: Analysis of data from the Korean Longitudinal Study of Aging survey. <i>Journal of Psychosomatic Research</i> , 2021 , 151, 110662 | 4.1 | 1 |
| 68 | Effects of BMI and LDL-cholesterol change pattern on cardiovascular disease in normal adults and diabetics. <i>BMJ Open Diabetes Research and Care</i> , 2020 , 8, | 4.5 | 1 |
| 67 | Need to pay more attention to attendance at follow-up consultation after cancer screening in smokers and drinkers. <i>Asian Pacific Journal of Cancer Prevention</i> , 2015 , 16, 109-17 | 1.7 | 1 |
| 66 | Readmission Rate: Experience in USA, Canada and UK 2016 , 22, 29-37 | | 1 |
| 65 | Association of Occupational Class with Healthcare Utilization among Economically Active Korean Adults from 2006 to 2014: A Repeated Cross-Sectional Study of Koreans Aged 19 Years and Older. <i>Korean Journal of Family Medicine</i> , 2017 , 38, 365-371 | 1.7 | 1 |
| 64 | Factors Affecting Beneficiary Satisfaction on Financial Aid Program for Cancer Patients in Korea. <i>Health Policy and Management</i> , 2011 , 21, 61-76 | | 1 |
| 63 | Differences of Medical Costs by Classifications of Severity in Patients of Liver Diseases. <i>Health Policy and Management</i> , 2013 , 23, 35-43 | | 1 |
| 62 | Effect of Sedentary Time on the Risk of Orthopaedic Problems in People Aged 50 Years and Older. <i>Journal of Nutrition, Health and Aging</i> , 2020 , 24, 839-845 | 5.2 | 1 |

| | | | |
|----|--|------|---|
| 61 | Association of continuity of care with readmission, mortality and suicide after hospital discharge among psychiatric patients. <i>International Journal for Quality in Health Care</i> , 2020 , 32, 569-576 | 1.9 | 1 |
| 60 | Association between Living with Patients with Dementia and Family CaregiversRDepressive Symptoms-Living with Dementia Patients and Family CaregiversRDepressive Symptoms. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18, | 4.6 | 1 |
| 59 | Association Between the Use of Hypnotics and the Risk of AlzheimerR Disease. <i>Journal of AlzheimerR Disease</i> , 2021 , 81, 1381-1389 | 4.3 | 1 |
| 58 | Association Between Smoking Behavior and Insulin Resistance Using Triglyceride-Glucose Index Among South Korean Adults. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e4531-e4541 | 5.6 | 1 |
| 57 | Effect of Practicing Health Behaviors on Unmet Needs among Patients with Chronic Diseases: A Longitudinal Study. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18, | 4.6 | 1 |
| 56 | Association between human resources and risk of hospitalisation in end-stage renal disease outpatients receiving haemodialysis: a longitudinal cohort study using claim data during 2013-2014. <i>BMJ Open</i> , 2016 , 6, e011319 | 3 | 1 |
| 55 | Cross-sectional study of the association between long working hours and pre-diabetes: 2010-2017 Korea national health and nutrition examination survey. <i>BMJ Open</i> , 2019 , 9, e033579 | 3 | 1 |
| 54 | Associations of Handgrip Strength and Handgrip Strength Asymmetry With Depression in the Elderly in Korea: A Cross-sectional Study. <i>Journal of Preventive Medicine and Public Health</i> , 2021 , 54, 63-72 | 3.7 | 1 |
| 53 | Impact of Intensivist and Nursing Staff on Critically Ill Patient Mortality: A Retrospective Analysis of the Korean NHIS Cohort Data, 2011-2015. <i>Yonsei Medical Journal</i> , 2021 , 62, 50-58 | 3 | 1 |
| 52 | Effects of material hardship on depression among adults in South Korea: insights from by the Korea Welfare Panel Study 2008-2017. <i>International Journal for Equity in Health</i> , 2021 , 20, 202 | 4.6 | 1 |
| 51 | Association Between Cohabitation Status and Sleep Quality in Families of Persons With Dementia in Korea: A Cross-sectional Study. <i>Journal of Preventive Medicine and Public Health</i> , 2021 , 54, 317-329 | 3.7 | 1 |
| 50 | Impact of changes in housing tenure and affordability status on depressive symptoms: Evidence from a longitudinal study. <i>Journal of Affective Disorders</i> , 2021 , 295, 40-49 | 6.6 | 1 |
| 49 | Does Urinary Incontinence and Mode of Delivery Affect Postpartum Depression? A Nationwide Population-Based Cohort Study in Korea. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18, | 4.6 | 1 |
| 48 | Association between Physical Exercise and Glycated Hemoglobin Levels in Korean Patients Diagnosed with Diabetes.. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19, | 4.6 | 1 |
| 47 | Development of Open-Angle Glaucoma in Adults With Seropositive Rheumatoid Arthritis in Korea.. <i>JAMA Network Open</i> , 2022 , 5, e223345 | 10.4 | 1 |
| 46 | Association between sedentary time and sleep quality based on the Pittsburgh Sleep Quality Index among South Korean adults.. <i>BMC Public Health</i> , 2021 , 21, 2290 | 4.1 | 1 |
| 45 | Association between tinnitus and depressive symptoms in the South Korean population.. <i>PLoS ONE</i> , 2021 , 16, e0261257 | 3.7 | 1 |
| 44 | The impact of offspring marital status on depressive symptoms of parents: findings from the Korean Longitudinal Study of Aging. <i>International Psychogeriatrics</i> , 2017 , 29, 399-407 | 3.4 | 0 |

| | | | |
|----|--|------|---|
| 43 | Correlation between private education costs and parental depression in South Korea. <i>BMC Public Health</i> , 2020 , 20, 972 | 4.1 | ○ |
| 42 | Suicidal ideation from parents to their children: An association between parent's suicidal ideation and their children's suicidal ideation in South Korea. <i>Comprehensive Psychiatry</i> , 2020 , 101, 152181 | 7.3 | ○ |
| 41 | Association between social phobia and the risk of arrhythmia using the Korean National Sample Cohort: a retrospective cohort study.. <i>BMC Psychiatry</i> , 2022 , 22, 39 | 4.2 | ○ |
| 40 | Association Between Sleep Quality and Anxiety in Korean Adolescents.. <i>Journal of Preventive Medicine and Public Health</i> , 2022 , 55, 173-181 | 3.7 | ○ |
| 39 | Association Between Graphic Health Warning Labels on Cigarette Packs and Smoking Cessation Attempts in Korean Adolescent Smokers: A Cross-Sectional Study.. <i>Frontiers in Public Health</i> , 2022 , 10, 789707 | 6 | ○ |
| 38 | Association of the type of counselor with suicidal ideation and suicide attempts: a survey of South Korean adolescents. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2021 , 15, 62 | 6.8 | ○ |
| 37 | Suicide after cancer diagnosis in South Korea: a population-based cohort study. <i>BMJ Open</i> , 2021 , 11, e049358 | 3 | ○ |
| 36 | Association between depression and the risk of Alzheimer's disease using the Korean National Health Insurance Service-Elderly Cohort. <i>Scientific Reports</i> , 2021 , 11, 22591 | 4.9 | ○ |
| 35 | The effect of menopausal hormone therapy on gastrointestinal cancer risk and mortality in South Korea: a population-based cohort study. <i>BMC Gastroenterology</i> , 2021 , 21, 440 | 3 | ○ |
| 34 | Association between healthy lifestyle score changes and quality of life and health-related quality of life: a longitudinal analysis of South Korean panel data. <i>BMJ Open</i> , 2021 , 11, e047933 | 3 | ○ |
| 33 | Cost-Effectiveness Analysis of Hospice-Palliative Care for Adults with Terminal Cancer in South Korea. <i>Korean Journal of Medicine</i> , 2019 , 94, 273-280 | 0.5 | ○ |
| 32 | Association of Cigarette Type Initially Smoked With Suicidal Behaviors Among Adolescents in Korea From 2015 to 2018. <i>JAMA Network Open</i> , 2021 , 4, e218803 | 10.4 | ○ |
| 31 | Association between successful aging transitions and depressive symptoms among older Korean adults: findings from the Korean longitudinal study of aging (2006-2018). <i>BMC Geriatrics</i> , 2021 , 21, 352 | 4.1 | ○ |
| 30 | The effect of depression status change on daily cigarette smoking amount according to sex: an eleven-year follow up study of the Korea Welfare Panel Study. <i>BMC Public Health</i> , 2021 , 21, 1304 | 4.1 | ○ |
| 29 | Beyond Volume: Hospital-Based Healthcare Technology for Better Outcomes in Cerebrovascular Surgical Patients Diagnosed With Ischemic Stroke: A Population-Based Nationwide Cohort Study From 2002 to 2013. <i>Medicine (United States)</i> , 2016 , 95, e3035 | 1.8 | ○ |
| 28 | Changes in Saturday outpatient volume and billings after introducing the Saturday incentive programme to clinics in South Korea: a longitudinal cohort study using claims data from 2012 to 2014. <i>BMJ Open</i> , 2016 , 6, e011248 | 3 | ○ |
| 27 | Association between the severity of new-onset depression and unmet healthcare needs of South Korean adults. <i>PLoS ONE</i> , 2021 , 16, e0256222 | 3.7 | ○ |
| 26 | Association between smoking cessation and obstructive spirometry pattern among Korean adults aged 40-79 years. <i>Scientific Reports</i> , 2021 , 11, 18667 | 4.9 | ○ |

| | | | |
|----|--|-----|---|
| 25 | Does low income effects 5-year mortality of hepatocellular carcinoma patients?. <i>International Journal for Equity in Health</i> , 2021 , 20, 151 | 4.6 | o |
| 24 | Korean colonoscopy screening pilot study (K-cospi) for screening colorectal cancer: study protocol for the multicenter, community-based clinical trial. <i>BMC Gastroenterology</i> , 2021 , 21, 36 | 3 | o |
| 23 | Association between smartphone addiction risk, sleep quality, and sleep duration among Korean school-age children: a population-based panel study. <i>Sleep and Biological Rhythms</i> , 1 | 1.3 | o |
| 22 | Association Between Unequal Division of Caregiving Work and South Korean Married Women's Depressive Symptoms.. <i>Frontiers in Public Health</i> , 2022 , 10, 739477 | 6 | o |
| 21 | Suicide after cancer diagnosis in South Korea: a population-based cohort study. <i>BMJ Open</i> , 2021 , 11, e049358 | 3 | o |
| 20 | Risk of suicide death in psychiatric patients according to the level of continuity of care and area deprivation: A population-based nested case-control study.. <i>Journal of Psychiatric Research</i> , 2022 , 151, 279-285 | 5.2 | o |
| 19 | Association between new-onset Parkinson's disease and suicide risk in South Korea: a nationwide cohort study.. <i>BMC Psychiatry</i> , 2022 , 22, 341 | 4.2 | o |
| 18 | Positive correlation between regional emergency medical resources and mortality in severely injured patients: results from the Korean National Hospital Discharge In-depth Survey. <i>Canadian Journal of Emergency Medicine</i> , 2017 , 19, 450-458 | 0.6 | |
| 17 | Governmental designation of emergency medical institutes: 30 days mortality by types of designation. <i>Journal of the Neurological Sciences</i> , 2019 , 397, 162-168 | 3.2 | |
| 16 | Annual Disease Experience by Type and Correlations with Unmet Healthcare Needs among ROK Military Personnel. <i>Military Medicine</i> , 2020 , 185, e944-e951 | 1.3 | |
| 15 | Association between unplanned readmission to a different hospital and all-cause mortality among older patients with ischemic heart disease: A nationwide claim study. <i>European Journal of Internal Medicine</i> , 2018 , 51, e25-e27 | 3.9 | |
| 14 | Association between re-admission rate and hospital characteristics for ischemic heart disease. <i>Current Medical Research and Opinion</i> , 2018 , 34, 441-446 | 2.5 | |
| 13 | Do cost containment policies save money and influence physicians' prescribing behavior? Lessons from South Korea's drug policy for diabetes medication. <i>International Journal for Quality in Health Care</i> , 2019 , 31, 96-102 | 1.9 | |
| 12 | Joint Symposium of Korean Cancer Association & UICC-ARO-Cross-boundary cancer studies: cancer and Universal Health Coverage (UHC) in Asia. <i>Japanese Journal of Clinical Oncology</i> , 2017 , 47, 889-895 | 2.8 | |
| 11 | Consumption of pharmaceutical drugs in exception region of separation for drug prescribing and dispensing program in South Korea. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2015 , 10, 36 | 3.4 | |
| 10 | Cross-specialty linkage and extrapolation of resource-based relative value scales. <i>Yonsei Medical Journal</i> , 1995 , 36, 497-507 | 3 | |
| 9 | Association Between Changes in Depressive Symptoms and Hazardous Drinking: Findings From the Korea Welfare Panel Study (2013-2018).. <i>Frontiers in Public Health</i> , 2021 , 9, 809043 | 6 | |
| 8 | Public Reporting of Hospital Level Surgical Volumes: Its Influence on Patient Behavior 2018 , 24, 62-75 | | |

- 7 Impact of Changes in Medical Aid Status on Unmet Need and Catastrophic Health Expenditure: Data from the Korea Health Panel **2019**, 25, 44-55
- 6 Effects of spouse's employment status on depression. *Archives of Environmental and Occupational Health*, **2021**, 76, 554-560 2
- 5 Household income changes and suicidal ideation in South Korea: Findings from a longitudinal study. *Suicide and Life-Threatening Behavior*, **2021**, 51, 795-806 3.9
- 4 Health policy for 20th National Assembly. *Journal of the Korean Medical Association*, **2016**, 59, 750 0.5
- 3 Accident prevention activity and accident experience in the Republic of Korea military. *BMJ Military Health*, **2021**, 167, 187-191 1
- 2 Association between Stroke Quality Assessments and Mortality within 30 Days among Patients Who Underwent Hemorrhagic Stroke Surgeries in South Korea. *Cerebrovascular Diseases*, **2021**, 1-10 3.2
- 1 Association between gastric cancer and the risk of depression among South Korean adults.. *BMC Psychiatry*, **2022**, 22, 207 4.2