

# Andrea Candido dos Reis

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/3500056/andrea-candido-dos-reis-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

63

papers

585

citations

12

h-index

21

g-index

79

ext. papers

903

ext. citations

2.8

avg, IF

4.6

L-index

#	Paper	IF	Citations
63	Mini vs. Standard Implants for Mandibular Overdentures: A Randomized Trial. <i>Journal of Dental Research</i> , <b>2015</b> , 94, 1376-84	8.1	61
62	Evaluation of antibiofilm and mechanical properties of new nanocomposites based on acrylic resins and silver vanadate nanoparticles. <i>Archives of Oral Biology</i> , <b>2016</b> , 67, 46-53	2.8	47
61	Fabrication of dental implants by the additive manufacturing method: A systematic review. <i>Journal of Prosthetic Dentistry</i> , <b>2019</b> , 122, 270-274	4	40
60	In vitro study of the antibacterial properties and impact strength of dental acrylic resins modified with a nanomaterial. <i>Journal of Prosthetic Dentistry</i> , <b>2016</b> , 115, 238-46	4	34
59	Short-term post-operative pain and discomfort following insertion of mini-implants for retaining mandibular overdentures: a randomized controlled trial. <i>Journal of Oral Rehabilitation</i> , <b>2015</b> , 42, 605-14	3.4	26
58	Comparative analysis of corrosion resistance between beta titanium and Ti-6Al-4V alloys: A systematic review. <i>Journal of Trace Elements in Medicine and Biology</i> , <b>2020</b> , 62, 126618	4.1	25
57	Passive Layers and Corrosion Resistance of Biomedical Ti-6Al-4V and Ti Alloys. <i>Coatings</i> , <b>2021</b> , 11, 487	2.9	25
56	Analysis of the influence of implant shape on primary stability using the correlation of multiple methods. <i>Clinical Oral Investigations</i> , <b>2015</b> , 19, 1861-6	4.2	20
55	Development of a novel resin with antimicrobial properties for dental application. <i>Journal of Applied Oral Science</i> , <b>2014</b> , 22, 442-9	3.3	19
54	Ear symptomatology and occlusal factors: a clinical report. <i>Journal of Prosthetic Dentistry</i> , <b>2000</b> , 83, 21-4	4	16
53	Analysis of the oral microbiome on the surface of modified dental polymers. <i>Archives of Oral Biology</i> , <b>2018</b> , 93, 107-114	2.8	15
52	Analysis of primary stability of dental implants inserted in different substrates using the pullout test and insertion torque. <i>International Journal of Dentistry</i> , <b>2013</b> , 2013, 194987	1.9	14
51	Comparative analysis of stress in a new proposal of dental implants. <i>Materials Science and Engineering C</i> , <b>2017</b> , 77, 360-365	8.3	12
50	Analyzing the Influence of a New Dental Implant Design on Primary Stability. <i>Clinical Implant Dentistry and Related Research</i> , <b>2016</b> , 18, 168-73	3.9	12
49	Influence of AgVO incorporation on antimicrobial properties, hardness, roughness and adhesion of a soft denture liner. <i>Scientific Reports</i> , <b>2019</b> , 9, 11889	4.9	12
48	Use of polyethylene terephthalate as a prosthetic component in the prosthesis on an overdenture implant. <i>Materials Science and Engineering C</i> , <b>2019</b> , 99, 1341-1349	8.3	11
47	Elemental ion release and cytotoxicity of antimicrobial acrylic resins incorporated with nanomaterial. <i>Gerodontology</i> , <b>2017</b> , 34, 320-325	2.8	10

46	Microstructure and mechanical properties of composite resins subjected to accelerated artificial aging. <i>Brazilian Dental Journal</i> , <b>2013</b> , 24, 599-604	1.9	9
45	Color change of composite resins subjected to accelerated artificial aging. <i>Indian Journal of Dental Research</i> , <b>2013</b> , 24, 605-9	0.8	9
44	Bioglass <sup>®</sup> and resulting crystalline materials synthesized via an acetic acid-assisted sol-gel route. <i>Journal of Sol-Gel Science and Technology</i> , <b>2017</b> , 83, 165-173	2.3	8
43	Denture Liners: A Systematic Review Relative to Adhesion and Mechanical Properties. <i>Scientific World Journal</i> , <b>2019</b> , 2019, 6913080	2.2	8
42	Cytotoxicity and release ions of endodontic sealers incorporated with a silver and vanadium base nanomaterial. <i>Odontology / the Society of the Nippon Dental University</i> , <b>2020</b> , 108, 661-668	3.6	8
41	Influence of torsional strength on different types of dental implant platforms. <i>Implant Dentistry</i> , <b>2015</b> , 24, 281-6	2.4	8
40	Combination therapies in the treatment of temporomandibular disorders: a clinical report. <i>Journal of Prosthetic Dentistry</i> , <b>2003</b> , 89, 536-9	4	8
39	Bacterial adhesion to biomaterials: What regulates this attachment? A review. <i>Japanese Dental Science Review</i> , <b>2021</b> , 57, 85-96	6.8	8
38	Endodontic Sealers Modified with Silver Vanadate: Antibacterial, Compositional, and Setting Time Evaluation. <i>BioMed Research International</i> , <b>2019</b> , 2019, 4676354	3	7
37	Influence of an Alternative Implant Design and Surgical Protocol on Primary Stability. <i>Brazilian Dental Journal</i> , <b>2019</b> , 30, 47-51	1.9	7
36	Effect of nanomaterial incorporation on the mechanical and microbiological properties of dental porcelain. <i>Journal of Prosthetic Dentistry</i> , <b>2020</b> , 123, 529.e1-529.e5	4	7
35	Microstructural characterization and evaluation of the properties of polymeric materials for maxillofacial prosthetics. <i>Journal of Medical Engineering and Technology</i> , <b>2014</b> , 38, 67-75	1.8	7
34	Incorporating Antimicrobial Nanomaterial and its Effect on the Antimicrobial Activity, Flow and Radiopacity of Endodontic Sealers. <i>European Endodontic Journal</i> , <b>2017</b> , 2, 1-6	1.5	6
33	Effect of incorporation of a new antimicrobial nanomaterial on the physical-chemical properties of endodontic sealers. <i>Journal of Conservative Dentistry</i> , <b>2017</b> , 20, 392-397	0.9	6
32	Incorporating Antimicrobial Nanomaterial and its Effect on the Antimicrobial Activity, Flow and Radiopacity of Endodontic Sealers. <i>European Endodontic Journal</i> ,	1.5	6
31	Influence of chemical composition on cell viability on titanium surfaces: A systematic review. <i>Journal of Prosthetic Dentistry</i> , <b>2021</b> , 125, 421-425	4	6
30	Effect of casting atmosphere on the marginal deficiency and misfit of Ni-Cr alloys with and without beryllium. <i>Journal of Prosthetic Dentistry</i> , <b>2017</b> , 118, 83-88	4	5
29	Retention force and deformation of an innovative attachment model for mini-implant-retained overdentures. <i>Journal of Prosthetic Dentistry</i> , <b>2019</b> , 121, 129-134	4	5

28	In vitro microstructural analysis of dental implants subjected to insertion torque and pullout test. <i>Brazilian Dental Journal</i> , <b>2014</b> , 25, 343-5	1.9	5
27	In vitro analysis of the influence of surface treatment of dental implants on primary stability. <i>Brazilian Oral Research</i> , <b>2012</b> , 26, 313-7	2.6	5
26	Influence of the ultimate torsion on the geometry of dental implants. <i>Brazilian Dental Journal</i> , <b>2013</b> , 24, 213-7	1.9	5
25	Analysis of the mechanical and physicochemical properties of Ti-6Al-4 V discs obtained by selective laser melting and subtractive manufacturing method. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , <b>2021</b> , 109, 420-427	3.5	5
24	Development of an Impression Material with Antimicrobial Properties for Dental Application. <i>Journal of Prosthodontics</i> , <b>2019</b> , 28, 906-912	3.9	4
23	Analysis of surface hardness of artificially aged resin composites. <i>Materials Research</i> , <b>2012</b> , 15, 9-14	1.5	3
22	Effect of implant design and bone density in primary stability. <i>Brazilian Journal of Oral Sciences</i> , <b>2013</b> , 12, 158-163	10	3
21	Influence of the electrostatic condition of the titanium surface on bacterial adhesion: A systematic review. <i>Journal of Prosthetic Dentistry</i> , <b>2021</b> , 125, 416-420	4	3
20	Digital versus conventional workflow for the fabrication of physical casts for fixed prosthodontics: A systematic review of accuracy. <i>Journal of Prosthetic Dentistry</i> , <b>2021</b> ,	4	3
19	Neuroscience contributes to the understanding of the neurobiology of temporomandibular disorders associated with stress and anxiety. <i>Cranio - Journal of Craniomandibular Practice</i> , <b>2021</b> , 1-6	1.2	3
18	Relationship between the surface chemical composition of implants and contact with the substrate. <i>Journal of Oral Implantology</i> , <b>2015</b> , 41, 17-21	1.2	2
17	Traumatic ulcerative granuloma with stromal eosinophilia around mini dental implants without the protection of a denture base. <i>Journal of Prosthodontics</i> , <b>2015</b> , 24, 83-6	3.9	2
16	Analysis of the surface deformation of dental implants submitted to pullout and insertion test. <i>Indian Journal of Dental Research</i> , <b>2014</b> , 25, 32-5	0.8	2
15	Use of Recorded Poetic Audios to Manage Levels of Anxiety and Sleep Disorders. <i>Journal of Religion and Health</i> , <b>2020</b> , 59, 1626-1634	2.6	2
14	Surface treatment of implant materials with antimicrobial nanoparticulates. <i>General Dentistry</i> , <b>2018</b> , 66, 66-73	1.2	2
13	Effects of photobiomodulation on auriculotherapy points for sleep disorders, anxiety, and temporomandibular dysfunctions. <i>Cranio - Journal of Craniomandibular Practice</i> , <b>2020</b> , 1-6	1.2	1
12	Relationship between temporomandibular dysfunctions, sleep disorders, and anxiety among dentistry students. <i>Cranio - Journal of Craniomandibular Practice</i> , <b>2020</b> , 1-4	1.2	1
11	Nanostructured silver vanadate decorated with silver particles and their applicability in dental materials: A scope review. <i>Heliyon</i> , <b>2021</b> , 7, e07168	3.6	1

10	Cytotoxic and genotoxic effects in human gingival fibroblast and ions release of endodontic sealers incorporated with nanostructured silver vanadate. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , <b>2021</b> , 109, 1380-1388	3.5	1
9	Incorporation of Hybrid Nanomaterial in Dental Porcelains: Antimicrobial, Chemical, and Mechanical Properties. <i>Antibiotics</i> , <b>2021</b> , 10,	4.9	1
8	Effect of saliva and beverages on the surface roughness and hardness of acrylic resin modified with nanomaterial. <i>American Journal of Dentistry</i> , <b>2020</b> , 33, 191-195	1.3	1
7	Estudo in vitro da influência do formato e do tratamento de superfície de implantes odontológicos no torque de inserção, resistência ao arrancamento e frequência de ressonância. <i>Universidade Estadual Paulista Revista De Odontologia</i> , <b>2013</b> , 42, 283-290	1.3	0
6	Effects of Denture Cleansing Solutions on Different Materials Used for Fabrication of Polymer Attachment Components. <i>International Journal of Prosthodontics</i> , <b>2020</b> , 33, 74-80	1.9	0
5	Comparison of oral microbiome profile of polymers modified with silver and vanadium base nanomaterial by next-generation sequencing. <i>Odontology / the Society of the Nippon Dental University</i> , <b>2021</b> , 109, 605-614	3.6	0
4	Color stability evaluation of micro hybrid composite resins submitted to accelerated artificial aging. <i>Clinical and Laboratorial Research in Dentistry</i> , <b>2015</b> , 21, 227	0.5	
3	Efeito da prática de instrumentos musicais nas disfunções temporomandibulares e distúrbios do sono. <i>Clinical and Laboratorial Research in Dentistry</i> , <b>2015</b> , 21, 220	0.5	
2	Influence of surface treatment on the fluorescence of composite resins subjected to in situ bleaching. <i>Journal of Esthetic and Restorative Dentistry</i> , <b>2020</b> , 32, 51-56	3.5	
1	Oral Rehabilitation of a Child with Hypohidrotic Ectodermal Dysplasia. <i>Journal of Dentistry for Children</i> , <b>2019</b> , 86, 158-163	0.4	