Kathryn K Chadman

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3500312/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Minimal aberrant behavioral phenotypes of neuroliginâ€3 R451C knockin mice. Autism Research, 2008, 1, 147-158.	2.1	263
2	Antioxidant-rich diets improve cerebellar physiology and motor learning in aged rats. Brain Research, 2000, 866, 211-217.	1.1	262
3	Brain IL-6 elevation causes neuronal circuitry imbalances and mediates autism-like behaviors. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2012, 1822, 831-842.	1.8	186
4	Working memory deficits, increased anxiety-like traits, and seizure susceptibility in BDNF overexpressing mice. Learning and Memory, 2011, 18, 534-544.	0.5	108
5	Criteria for validating mouse models of psychiatric diseases. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2009, 150B, 1-11.	1.1	96
6	Fluoxetine but not risperidone increases sociability in the BTBR mouse model of autism. Pharmacology Biochemistry and Behavior, 2011, 97, 586-594.	1.3	95
7	Increasing Maternal or Post-Weaning Folic Acid Alters Gene Expression and Moderately Changes Behavior in the Offspring. PLoS ONE, 2014, 9, e101674.	1.1	83
8	Single-base resolution of mouse offspring brain methylome reveals epigenome modifications caused by gestational folic acid. Epigenetics and Chromatin, 2014, 7, 3.	1.8	57
9	Water T-maze: A useful assay for determination of repetitive behaviors in mice. Journal of Neuroscience Methods, 2013, 220, 24-29.	1.3	46
10	Microarray Analysis Reveals Higher Gestational Folic Acid Alters Expression of Genes in the Cerebellum of Mice Offspring—A Pilot Study. Brain Sciences, 2015, 5, 14-31.	1.1	35
11	Animal models for autism in 2017 and the consequential implications to drug discovery. Expert Opinion on Drug Discovery, 2017, 12, 1187-1194.	2.5	33
12	NMDA receptor antagonism impairs reversal learning in developing rats Behavioral Neuroscience, 2006, 120, 1071-1083.	0.6	32
13	New directions in the treatment of autism spectrum disorders from animal model research. Expert Opinion on Drug Discovery, 2012, 7, 407-416.	2.5	31
14	Chlorination byproducts induce gender specific autistic-like behaviors in CD-1 mice. NeuroToxicology, 2011, 32, 545-553.	1.4	23
15	Partial Agenesis and Hypoplasia of the Corpus Callosum in Idiopathic Autism. Journal of Neuropathology and Experimental Neurology, 2017, 76, 225-237.	0.9	21
16	Effect of normobaric hyperoxia on two indexes of synaptic function in fisher 344 rats. Free Radical Biology and Medicine, 1999, 26, 817-824.	1.3	20
17	Mice over-expressing BDNF in forebrain neurons develop an altered behavioral phenotype with age. Behavioural Brain Research, 2014, 268, 222-228.	1.2	18
18	Assessment of social interaction and anxiety-like behavior in senescence-accelerated-prone and -resistant mice. Physiology and Behavior, 2013, 118, 97-102.	1.0	17

KATHRYN K CHADMAN

#	Article	IF	CITATIONS
19	Cued and contextual fear conditioning in BTBR mice is improved with training or atomoxetine. Neuroscience Letters, 2013, 549, 120-124.	1.0	15
20	Do animal models hold value in Autism spectrum disorder (ASD) drug discovery?. Expert Opinion on Drug Discovery, 2019, 14, 727-734.	2.5	13
21	Cardiovascular Effects of Nicotine, Chlorisondamine, and Mecamylamine in the Pigeon. Journal of Pharmacology and Experimental Therapeutics, 2004, 308, 73-78.	1.3	11
22	Pharmacological inhibition of the primary endocannabinoid producing enzyme, DGL â€Î±, induces autism spectrum disorderâ€like and coâ€morbid phenotypes in adult C57BL /J mice. Autism Research, 2021, 14, 1375-1389.	2.1	11
23	Inbred strain preference in the BTBR T + Itpr3 tf /J mouse model of autism spectrum disorder: Does the stranger mouse matter in social approach?. Autism Research, 2019, 12, 1184-1191.	2.1	10
24	Behavioral Evaluation of Genetic Mouse Models of Autism. , 2011, , 906-934.		5
25	Making progress in autism drug discovery. Expert Opinion on Drug Discovery, 2014, 9, 1389-1391.	2.5	4
26	Taurine Partially Improves Abnormal Anxiety in Taurine-Deficient Mice. Advances in Experimental Medicine and Biology, 2019, 1155, 905-921.	0.8	4
27	Pharmacological inhibition of BKCa channels induces a specific social deficit in adult C57BL6/J mice Behavioral Neuroscience, 2021, 135, 462-468.	0.6	3
28	Chlorisondamine inhibits the nicotine-induced stimulation of c-fos in the pigeon brain for up to 2 weeks. Nicotine and Tobacco Research, 2007, 9, 927-936.	1.4	2
29	The BTBR T+tf/J (BTBR) Mouse Model of Autism. Autism-open Access, 2012, 01, .	0.2	2