

Emmanuel Montassier

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3502938/emmanuel-montassier-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

111
papers

2,250
citations

20
h-index

46
g-index

117
ext. papers

3,084
ext. citations

4.4
avg, IF

5.03
L-index

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 111 | Impact of Phage Therapy on Multidrug-Resistant Intestinal Carriage in a Murine Model.. <i>Microorganisms</i> , 2021 , 9, | 4.9 | 1 |
| 110 | Effect of a Diagnostic Strategy Using an Elevated and Age-Adjusted D-Dimer Threshold on Thromboembolic Events in Emergency Department Patients With Suspected Pulmonary Embolism: A Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2021 , 326, 2141-2149 | 27.4 | 10 |
| 109 | Electrocardiographic abnormalities in COVID-19 patients visiting the emergency department: a multicenter retrospective study. <i>BMC Emergency Medicine</i> , 2021 , 21, 141 | 2.4 | 2 |
| 108 | Gut microbiome in allogeneic hematopoietic stem cell transplantation and specific changes associated with acute graft host disease.. <i>World Journal of Gastroenterology</i> , 2021 , 27, 7792-7800 | 5.6 | 0 |
| 107 | Effect of chest ultrasound on diagnostic workup in elderly patients with acute respiratory failure in the emergency department: a prospective study. <i>European Journal of Emergency Medicine</i> , 2021 , 28, 29-33 ³ | 2.3 | 1 |
| 106 | Concomitant decrease of double-positive lymphocyte population CD4CD8 ⁺ and Faecalibacterium prausnitzii in patients with colorectal cancer. <i>European Journal of Gastroenterology and Hepatology</i> , 2021 , 32, 149-156 | 2.2 | 3 |
| 105 | EMS dispatch center activity during the COVID-19 containment. <i>American Journal of Emergency Medicine</i> , 2021 , 46, 654-655 | 2.9 | 5 |
| 104 | Neurological Outcome of Chest Compression-Only Bystander CPR in Asphyxial and Non-Asphyxial Out-Of-Hospital Cardiac Arrest: An Observational Study. <i>Prehospital Emergency Care</i> , 2021 , 25, 812-821 | 2.8 | 0 |
| 103 | Association between benzodiazepine outpatient treatment and risk of early seizure recurrence in emergency patients with seizure: A multicenter retrospective study. <i>Academic Emergency Medicine</i> , 2021 , 28, 882-889 | 3.4 | |
| 102 | Goal-directed ultrasound protocol in patients with nontraumatic undifferentiated shock in the emergency department: prospective dual centre study. <i>European Journal of Emergency Medicine</i> , 2021 , 28, 306-311 | 2.3 | 1 |
| 101 | Hyponatremia is associated with poor outcome in COVID-19. <i>Journal of Nephrology</i> , 2021 , 34, 991-998 | 4.8 | 12 |
| 100 | Added value of cerebrospinal fluid spectrophotometry associated with computed tomography angiogram for suspected subarachnoid hemorrhage in the emergency department. <i>European Journal of Emergency Medicine</i> , 2021 , 28, 151-152 | 2.3 | |
| 99 | Outpatient Management of Patients With COVID-19: Multicenter Prospective Validation of the Hospitalization or Outpatient Management of Patients With SARS-CoV-2 Infection Rule to Discharge Patients Safely. <i>Chest</i> , 2021 , 160, 1222-1231 | 5.3 | 3 |
| 98 | Association of preoperative infections, nasal Staphylococcus aureus colonization and gut microbiota with left ventricular assist device outcomes. <i>European Journal of Heart Failure</i> , 2021 , 23, 1404-1415 ⁶ | 12.2 | 6 |
| 97 | An Evidence-Based Narrative Review of the Emergency Department Management of Acute Hyperkalemia. <i>Journal of Emergency Medicine</i> , 2021 , 60, 599-606 | 1.5 | 1 |
| 96 | Stroke With Delayed Visit to the Emergency Department: The Next Public Crisis?. <i>Journal of Emergency Medicine</i> , 2021 , 60, e147-e148 | 1.5 | |
| 95 | Impact of non-antibiotic drugs on the human intestinal microbiome. <i>Expert Review of Molecular Diagnostics</i> , 2021 , 21, 911-924 | 3.8 | 4 |

| | | | |
|----|---|------|----|
| 94 | Videoconferencing in the emergency medical dispatch center: A pilot study. <i>American Journal of Emergency Medicine</i> , 2021 , 41, 257-258 | 2.9 | 0 |
| 93 | A murine model to study the gut bacteria parameters during complex antibiotics like cefotaxime and ceftriaxone treatment. <i>Computational and Structural Biotechnology Journal</i> , 2021 , 19, 1423-1430 | 6.8 | 2 |
| 92 | Electrolyte imbalance in COVID-19 patients admitted to the Emergency Department: a case-control study. <i>Internal and Emergency Medicine</i> , 2021 , 16, 1945-1950 | 3.7 | 20 |
| 91 | Probiotics impact the antibiotic resistance gene reservoir along the human GI tract in a person-specific and antibiotic-dependent manner. <i>Nature Microbiology</i> , 2021 , 6, 1043-1054 | 26.6 | 20 |
| 90 | Endotracheal intubation versus supraglottic procedure in paediatric out-of-hospital cardiac arrest: a registry-based study. <i>Resuscitation</i> , 2021 , 168, 191-198 | 4 | 3 |
| 89 | Contribution of lung ultrasound in diagnosis of community-acquired pneumonia in the emergency department: a prospective multicentre study. <i>BMJ Open</i> , 2021 , 11, e046849 | 3 | 0 |
| 88 | Assessment of rewarming methods in unplanned out-of-hospital births from a prospective cohort. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2020 , 28, 50 | 3.6 | 1 |
| 87 | Fluid loading guided by cardiac and lung ultrasound for patients with sepsis in the emergency department: proof-of-concept study. <i>European Journal of Emergency Medicine</i> , 2020 , 27, 228-229 | 2.3 | 1 |
| 86 | Methoxyflurane May Provide Faster Relief Than Suboptimal Treatment, but Not Better. <i>Annals of Emergency Medicine</i> , 2020 , 75, 550-551 | 2.1 | 2 |
| 85 | Impact of the COVID-19 lockdown period on adult musculoskeletal injuries and surgical management: a retrospective monocentric study. <i>Scientific Reports</i> , 2020 , 10, 22442 | 4.9 | 7 |
| 84 | Organisation of prehospital care: the French experience. <i>European Journal of Emergency Medicine</i> , 2020 , 27, 404-405 | 2.3 | 12 |
| 83 | The effects of inulin on gut microbial composition: a systematic review of evidence from human studies. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2020 , 39, 403-413 | 5.3 | 41 |
| 82 | US Immigration Is Associated With Rapid and Persistent Acquisition of Antibiotic Resistance Genes in the Gut. <i>Clinical Infectious Diseases</i> , 2020 , 71, 419-421 | 11.6 | 5 |
| 81 | Assessment of Neonatal Intensive Care Unit Practices and Preterm Newborn Gut Microbiota and 2-Year Neurodevelopmental Outcomes. <i>JAMA Network Open</i> , 2020 , 3, e2018119 | 10.4 | 15 |
| 80 | Gut microbiome signatures of nursing home residents carrying Enterobacteria producing extended-spectrum β -lactamases. <i>Antimicrobial Resistance and Infection Control</i> , 2020 , 9, 107 | 6.2 | 0 |
| 79 | Sindrome meningea dell'adulto: orientamento diagnostico e condotta da tenere in urgenza. <i>EMC - Urgenze</i> , 2020 , 24, 1-10 | 0 | |
| 78 | Phages versus Antibiotics To Treat Infected Diabetic Wounds in a Mouse Model: a Microbiological and Microbiotic Evaluation. <i>MSystems</i> , 2020 , 5, | 7.6 | 2 |
| 77 | Association Between Pulmonary Embolism and COVID-19 in Emergency Department Patients Undergoing Computed Tomography Pulmonary Angiogram: The PEPCOV International Retrospective Study. <i>Academic Emergency Medicine</i> , 2020 , 27, 811-820 | 3.4 | 36 |

| | | | |
|----|--|-----|----|
| 76 | Hypokalemia is frequent and has prognostic implications in stable patients attending the emergency department. <i>PLoS ONE</i> , 2020 , 15, e0236934 | 3.7 | 2 |
| 75 | Insulin glucose infusion versus nebulised salbutamol versus combination of salbutamol and insulin glucose in acute hyperkalemia in the emergency room: protocol for a randomised, multicentre, controlled study (INSAKA). <i>BMJ Open</i> , 2020 , 10, e039277 | 3 | 1 |
| 74 | Hyponatremie semble être un facteur prédictif d'évolution défavorable dans l'infection COVID-19. <i>Néphrologie Et Thérapeutique</i> , 2020 , 16, 294-295 | 0.6 | 78 |
| 73 | Maximum Value of End-Tidal Carbon Dioxide Concentrations during Resuscitation as an Indicator of Return of Spontaneous Circulation in out-of-Hospital Cardiac Arrest. <i>Prehospital Emergency Care</i> , 2020 , 24, 478-484 | 2.8 | 7 |
| 72 | Incidence of hyperkalemia in the emergency department: a 10-year retrospective study. <i>Internal and Emergency Medicine</i> , 2020 , 15, 727-728 | 3.7 | 2 |
| 71 | Unique and specific Proteobacteria diversity in urinary microbiota of tolerant kidney transplanted recipients. <i>American Journal of Transplantation</i> , 2020 , 20, 145-158 | 8.7 | 13 |
| 70 | Hypokalemia is frequent and has prognostic implications in stable patients attending the emergency department 2020 , 15, e0236934 | | |
| 69 | Hypokalemia is frequent and has prognostic implications in stable patients attending the emergency department 2020 , 15, e0236934 | | |
| 68 | Hypokalemia is frequent and has prognostic implications in stable patients attending the emergency department 2020 , 15, e0236934 | | |
| 67 | Hypokalemia is frequent and has prognostic implications in stable patients attending the emergency department 2020 , 15, e0236934 | | |
| 66 | Thrombolysis During Resuscitation for Out-of-Hospital Cardiac Arrest Caused by Pulmonary Embolism Increases 30-Day Survival: Findings From the French National Cardiac Arrest Registry. <i>Chest</i> , 2019 , 156, 1167-1175 | 5.3 | 26 |
| 65 | Inflammatory skin is associated with changes in the skin microbiota composition on the back of severe acne patients. <i>Experimental Dermatology</i> , 2019 , 28, 961-967 | 4 | 21 |
| 64 | Response to letter to the editor: "comment on unplanned out-of-hospital birth and risk factors of adverse perinatal outcome: findings from a prospective cohort". <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2019 , 27, 59 | 3.6 | |
| 63 | Unplanned out-of-hospital birth and risk factors of adverse perinatal outcome: findings from a prospective cohort. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2019 , 27, 26 | 3.6 | 14 |
| 62 | Connect dispatch centers for call handling improves performance. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2019 , 27, 21 | 3.6 | 1 |
| 61 | Guideline-Based Clinical Assessment Versus Procalcitonin-Guided Antibiotic Use in Pneumonia: A Pragmatic Randomized Trial. <i>Annals of Emergency Medicine</i> , 2019 , 74, 580-591 | 2.1 | 14 |
| 60 | A Rigorous Evaluation of Methoxyflurane is Needed: Comment on "Methoxyflurane Versus Standard of Care for Acute Trauma-Related Pain in the Emergency Setting: Protocol for a Randomised, Controlled Study in Italy (MEDITA)". <i>Advances in Therapy</i> , 2019 , 36, 1241-1242 | 4.1 | 3 |
| 59 | Psychoactive drug prescription and urine colonization with extended-spectrum β -lactamase-producing. <i>Infection and Drug Resistance</i> , 2019 , 12, 1763-1770 | 4.2 | 0 |

| | | | |
|----|--|------|-----|
| 58 | Hyperkalemia in the Emergency Department: Urgent Need for a Rigorous Evaluation of the First-Line Treatments. <i>Journal of Emergency Medicine</i> , 2019 , 57, 102-103 | 1.5 | 0 |
| 57 | Trends and prediction of antimicrobial susceptibility in urinary bacteria isolated in European emergency departments: the EuroUTI 2010-2016 Study. <i>Journal of Antimicrobial Chemotherapy</i> , 2019 , 74, 3069-3076 | 5.1 | 6 |
| 56 | Early point-of-care focused echocardiographic asystole as a predictive factor for absence of return of spontaneous circulatory in out-of-hospital cardiac arrests: a study protocol for a prospective, multicentre observational study. <i>BMJ Open</i> , 2019 , 9, e027448 | 3 | 2 |
| 55 | Association between excreta management and incidence of extended-spectrum β -lactamase-producing Enterobacteriaceae: role of healthcare workers' knowledge and practices. <i>Journal of Hospital Infection</i> , 2019 , 102, 31-36 | 6.9 | 4 |
| 54 | Hyperkalemia in the emergency department: Consider the use of nebulized salbutamol. <i>American Journal of Emergency Medicine</i> , 2019 , 37, 1004 | 2.9 | |
| 53 | Is There an Association Between Use of Amoxicillin-Clavulanate and Resistance to Third-Generation Cephalosporins in <i>Klebsiella pneumoniae</i> and <i>Escherichia coli</i> at the Hospital Level?. <i>Microbial Drug Resistance</i> , 2018 , 24, 987-994 | 2.9 | 2 |
| 52 | Fecal microbiota transplantation reverses antibiotic and chemotherapy-induced gut dysbiosis in mice. <i>Scientific Reports</i> , 2018 , 8, 6219 | 4.9 | 61 |
| 51 | Prognostic performance of early absence of pupillary light reaction after recovery of out of hospital cardiac arrest. <i>Resuscitation</i> , 2018 , 127, 8-13 | 4 | 20 |
| 50 | Key performance indicators' assessment to develop best practices in an Emergency Medical Communication Centre. <i>European Journal of Emergency Medicine</i> , 2018 , 25, 335-340 | 2.3 | 5 |
| 49 | Are third-generation cephalosporins associated with a better prognosis than amoxicillin-clavulanate in patients hospitalized in the medical ward for community-onset pneumonia?. <i>Clinical Microbiology and Infection</i> , 2018 , 24, 1171-1176 | 9.5 | 3 |
| 48 | Is intravenously administered, subdissociative-dose KETamine non-inferior to MORPHine for prehospital analgesia (the KETAMORPH study): study protocol for a randomized controlled trial. <i>Trials</i> , 2018 , 19, 260 | 2.8 | 4 |
| 47 | CLOUD: a non-parametric detection test for microbiome outliers. <i>Microbiome</i> , 2018 , 6, 137 | 16.6 | 3 |
| 46 | Systematic review: human gut dysbiosis induced by non-antibiotic prescription medications. <i>Alimentary Pharmacology and Therapeutics</i> , 2018 , 47, 332-345 | 6.1 | 110 |
| 45 | Colorectal cancer mutational profiles correlate with defined microbial communities in the tumor microenvironment. <i>PLoS Genetics</i> , 2018 , 14, e1007376 | 6 | 41 |
| 44 | Tetracycline use in the community may promote decreased susceptibility to quinolones in <i>Escherichia coli</i> isolates. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2018 , 37, 271-278 | 5.3 | 0 |
| 43 | Are the decrease in circulating anti- β -1,3-Gal IgG and the lower content of galactosyl transferase A1 in the microbiota of patients with multiple sclerosis a novel environmental risk factor for the disease?. <i>Molecular Immunology</i> , 2018 , 93, 162-165 | 4.3 | 10 |
| 42 | Impact of pre-hospital vital parameters on the neurological outcome of out-of-hospital cardiac arrest: Results from the French National Cardiac Arrest Registry. <i>Resuscitation</i> , 2018 , 133, 5-11 | 4 | 6 |
| 41 | Expression of CCR6 and CXCR6 by Gut-Derived CD4/CD8 ⁺ Regulatory Cells, Which Are Decreased in Blood Samples From Patients With Inflammatory Bowel Diseases. <i>Gastroenterology</i> , 2018 , 155, 1205-1217 | 13.3 | 24 |

| | | | |
|----|--|------|-----|
| 40 | American Gut: an Open Platform for Citizen Science Microbiome Research. <i>MSystems</i> , 2018 , 3, | 7.6 | 336 |
| 39 | Use of broad-spectrum antibiotics in French EDs: different trends for third-generation cephalosporins and fluoroquinolones. <i>European Journal of Emergency Medicine</i> , 2017 , 24, 189-195 | 2.3 | 1 |
| 38 | ECG interpretation in Emergency Department residents: an update and e-learning as a resource to improve skills. <i>European Journal of Emergency Medicine</i> , 2017 , 24, 149-156 | 2.3 | 15 |
| 37 | The oral cavity microbiota: between health, oral disease, and cancers of the aerodigestive tract. <i>Canadian Journal of Microbiology</i> , 2017 , 63, 475-492 | 3.2 | 43 |
| 36 | High-Fat Diet Changes Fungal Microbiomes and Interkingdom Relationships in the Murine Gut. <i>MSphere</i> , 2017 , 2, | 5 | 53 |
| 35 | Multi-drug-resistant Enterobacteriaceae carriage in highly exposed nursing homes: prevalence in western France. <i>Journal of Hospital Infection</i> , 2017 , 97, 258-259 | 6.9 | 3 |
| 34 | Rapid detection of amoxicillin-susceptible <i>Escherichia coli</i> in fresh uncultured urine: a new tool to limit the use of broad-spectrum empirical therapy of community-acquired pyelonephritis. <i>International Journal of Antimicrobial Agents</i> , 2016 , 47, 486-9 | 14.3 | 2 |
| 33 | Pretreatment gut microbiome predicts chemotherapy-related bloodstream infection. <i>Genome Medicine</i> , 2016 , 8, 49 | 14.4 | 98 |
| 32 | NINJA-OPS: Fast Accurate Marker Gene Alignment Using Concatenated Ribosomes. <i>PLoS Computational Biology</i> , 2016 , 12, e1004658 | 5 | 47 |
| 31 | e-Learning versus lecture-based courses in ECG interpretation for undergraduate medical students: a randomized noninferiority study. <i>European Journal of Emergency Medicine</i> , 2016 , 23, 108-13 | 2.3 | 20 |
| 30 | Cfazoleline : une alternative ^ la cloxacilline ?. <i>Journal Des Anti-infectieux</i> , 2016 , 18, 182-186 | | |
| 29 | Gut microbiota from metabolic disease-resistant, macrophage-specific RIP140 knockdown mice improves metabolic phenotype and gastrointestinal integrity. <i>Scientific Reports</i> , 2016 , 6, 38599 | 4.9 | 4 |
| 28 | Gut microbiome predictors of treatment response and recurrence in primary <i>Clostridium difficile</i> infection. <i>Alimentary Pharmacology and Therapeutics</i> , 2016 , 44, 715-727 | 6.1 | 63 |
| 27 | The effect of work shift configurations on emergency medical dispatch center response. <i>Prehospital Emergency Care</i> , 2015 , 19, 254-9 | 2.8 | 5 |
| 26 | High variability among Emergency Departments in 3rd-generation cephalosporins and fluoroquinolones use for community-acquired pneumonia. <i>Infection</i> , 2015 , 43, 681-9 | 5.8 | 9 |
| 25 | Chemotherapy-driven dysbiosis in the intestinal microbiome. <i>Alimentary Pharmacology and Therapeutics</i> , 2015 , 42, 515-28 | 6.1 | 223 |
| 24 | <i>Escherichia coli</i> antibiotic resistance in emergency departments. Do local resistance rates matter?. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2015 , 34, 571-7 | 5.3 | 8 |
| 23 | Systematic review: the role of the gut microbiota in chemotherapy- or radiation-induced gastrointestinal mucositis - current evidence and potential clinical applications. <i>Alimentary Pharmacology and Therapeutics</i> , 2014 , 40, 409-21 | 6.1 | 218 |

| | | | |
|----|--|------|-----|
| 22 | LB-learning interactif comme outil de développement professionnel continu : évaluation de la participation à un programme de formation au bon usage des antibiotiques dans un service d'urgences. <i>Annales Francaises De Medecine DrUrgence</i> , 2014 , 4, 167-172 | 0.2 | 1 |
| 21 | Prise en charge des états septiques sévères chez l'adulte aux urgences. <i>Annales Francaises De Medecine DrUrgence</i> , 2014 , 4, 242-248 | 0.2 | 1 |
| 20 | Use of fluoroquinolones and third-generation cephalosporins in the emergency department: an 11-year survey. <i>European Journal of Emergency Medicine</i> , 2014 , 21, 442-6 | 2.3 | 3 |
| 19 | 16S rRNA gene pyrosequencing reveals shift in patient faecal microbiota during high-dose chemotherapy as conditioning regimen for bone marrow transplantation. <i>Microbial Ecology</i> , 2014 , 67, 690-9 | 4.4 | 89 |
| 18 | Peut-on réduire l'usage des céphalosporines de 3e génération et des fluoroquinolones dans les infections respiratoires basses aux urgences ?. <i>Annales Francaises De Medecine DrUrgence</i> , 2013 , 3, 74-78 | 0.2 | 1 |
| 17 | Why is antimicrobial de-escalation under-prescribed for urinary tract infections?. <i>Infection</i> , 2013 , 41, 211-48 | 4.8 | 11 |
| 16 | Recent changes in bacteremia in patients with cancer: a systematic review of epidemiology and antibiotic resistance. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2013 , 32, 841-50 | 5.3 | 174 |
| 15 | Relationship between hospital antibiotic use and quinolone resistance in Escherichia coli. <i>International Journal of Infectious Diseases</i> , 2013 , 17, e254-8 | 10.5 | 14 |
| 14 | How to reduce antibiotic consumption for community-acquired pneumonia?. <i>Medecine Et Maladies Infectieuses</i> , 2013 , 43, 52-9 | 4 | 2 |
| 13 | Results of an outpatient transient ischemic attack evaluation: a 90-day follow-up study. <i>Journal of Emergency Medicine</i> , 2013 , 44, 970-5 | 1.5 | 7 |
| 12 | Predictive factors of successful telephone-assisted cardiopulmonary resuscitation. <i>Journal of Emergency Medicine</i> , 2013 , 44, 406-12 | 1.5 | 6 |
| 11 | Urgent computed tomography brain scan for elderly patients: can we improve its diagnostic yield?. <i>European Journal of Emergency Medicine</i> , 2013 , 20, 51-3 | 2.3 | 4 |
| 10 | Aspiration pneumonia and severe self-poisoning: about the necessity of early airway management. <i>Journal of Emergency Medicine</i> , 2012 , 43, 122-3 | 1.5 | 8 |
| 9 | Effect of early reassessment of antimicrobial prescription on antibiotic use in acute respiratory tract infections. <i>International Journal of Infectious Diseases</i> , 2012 , 16, e73-4 | 10.5 | 3 |
| 8 | Identification of potential organ donors of advanced age in EDs. <i>American Journal of Emergency Medicine</i> , 2012 , 30, 170-3 | 2.9 | 10 |
| 7 | Base excess is an accurate predictor of elevated lactate in ED septic patients. <i>American Journal of Emergency Medicine</i> , 2012 , 30, 184-7 | 2.9 | 13 |
| 6 | Outcome of chest pain patients discharged from a French emergency department: a 60-day prospective study. <i>Journal of Emergency Medicine</i> , 2012 , 42, 341-4 | 1.5 | 9 |
| 5 | Palliative care for patients who died in emergency departments: analysis of a multicentre cross-sectional survey. <i>Emergency Medicine Journal</i> , 2012 , 29, 795-7 | 1.5 | 23 |

- 4 Synchrotron radiation infrared microspectroscopy to assess the activity of vancomycin against endocarditis vegetation bacteria. *Journal of Microbiological Methods*, **2011**, 85, 235-8 2.8 3
- 3 Streptococcus pneumoniae meningitis in an adult with normal cerebrospinal fluid. *Cmaj*, **2011**, 183, 1618-20 3.5 6
- 2 Human intestinal microbiota gene risk factors for antibiotic-associated diarrhea: perspectives for prevention. Risk factors for antibiotic-associated diarrhea. *Microbial Ecology*, **2010**, 59, 830-7 4.4 13
- 1 ¶propos d¶n cas de syndrome de Tako-Tsubo ou comment une situation stressante peut vous amener en salle de coronarographie¶ *JEUR/Journal Europ¶n Des Urgences*, **2009**, 22, 114-117