
## Luisa Foltran

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3502987/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Pharmacogenetics of the systemic treatment in advanced hepatocellular carcinoma. World Journal of Gastroenterology, 2019, 25, 3870-3896.	1.4	70
2	Dihydropyrimidine dehydrogenase pharmacogenetics for predicting fluoropyrimidine-related toxicity in the randomised, phase III adjuvant TOSCA trial in high-risk colon cancer patients. British Journal of Cancer, 2017, 117, 1269-1277.	2.9	55
3	Biglycan expression and clinical outcome in patients with pancreatic adenocarcinoma. Tumor Biology, 2013, 34, 131-137.	0.8	49
4	Prognostic role of <i>KRAS, NRAS, BRAF</i> and <i>PIK3CA</i> mutations in advanced colorectal cancer. Future Oncology, 2015, 11, 629-640.	1,1	49
5	Unplanned presentations of cancer outpatients: a retrospective cohort study. Supportive Care in Cancer, 2013, 21, 397-404.	1.0	48
6	The Genotype for <i><scp>DPYD</scp></i> Risk Variants in Patients With Colorectal Cancer and the Related Toxicity Management Costs in Clinical Practice. Clinical Pharmacology and Therapeutics, 2019, 105, 994-1002.	2.3	39
7	Genetic markers for toxicity of adjuvant oxaliplatin and fluoropyrimidines in the phase III TOSCA trial in high-risk colon cancer patients. Scientific Reports, 2015, 4, 6828.	1.6	31
8	Efficacy and safety of rechallenge treatment with gefitinib in patients with advanced non-small cell lung cancer. Lung Cancer, 2016, 99, 31-37.	0.9	31
9	The MIMIC Study: Prognostic Role and Cutoff Definition of Monocyte-to-Lymphocyte Ratio and Lactate Dehydrogenase Levels in Metastatic Colorectal Cancer. Oncologist, 2020, 25, 661-668.	1.9	21
10	Phase II study of liposome-encapsulated doxorubicin plus cyclophosphamide, followed by sequential trastuzumab plus docetaxel as primary systemic therapy for breast cancer patients withAHER2 overexpression or amplification. Breast, 2013, 22, 1101-1107.	0.9	16
11	Risk of unplanned visits for colorectal cancer outpatients receiving chemotherapy: a case-crossover study. Supportive Care in Cancer, 2014, 22, 2527-2533.	1.0	16
12	A LC–MS/MS method for therapeutic drug monitoring of sorafenib, regorafenib and their active metabolites in patients with hepatocellular carcinoma. Journal of Pharmaceutical and Biomedical Analysis, 2020, 187, 113358.	1.4	16
13	Prognostic factors of survival in patients treated with nab-paclitaxel plus gemcitabine regimen for advanced or metastatic pancreatic cancer: A single institutional experience. Oncotarget, 2015, 6, 8255-8260.	0.8	14
14	Sex-Related Differences in Impact on Safety of Pharmacogenetic Profile for Colon Cancer Patients Treated with FOLFOX-4 or XELOX Adjuvant Chemotherapy. Scientific Reports, 2019, 9, 11527.	1.6	13
15	Oxaliplapin and Capecitabine (XELOX) Based Chemotherapy in the Treatment of Metastatic Colorectal Cancer: The Right Choice in Elderly Patients. Anti-Cancer Agents in Medicinal Chemistry, 2013, 13, 1344-1353.	0.9	10
16	FARMAPRICE: A Pharmacogenetic Clinical Decision Support System for Precise and Cost-Effective Therapy. Genes, 2019, 10, 276.	1.0	9
17	Liquid Biopsy Testing Can Improve Selection of Advanced Non-Small-Cell Lung Cancer Patients to Rechallenge With Gefitinib. Cancers, 2019, 11, 1431.	1.7	7
18	Impact of second-line treatment (2L T) in advanced pancreatic cancer (APDAC) patients (pts) receiving first line Nab-Paclitaxel (nab-P) + Gemcitabine (G): An Italian multicentre real life experience Journal of Clinical Oncology, 2016, 34, 4124-4124.	0.8	5

Luisa Foltran

#	Article	IF	CITATIONS
19	Erlotinib-Associated Interstitial Lung Disease in Advanced Pancreatic Carcinoma: A Case Report and Literature Review. Tumori, 2015, 101, e122-e127.	0.6	4
20	Feasibility and Oncological Outcome of Preoperative Chemoradiation With IMRT Dose Intensification for Locally Advanced Esophageal and Gastroesophageal Cancer. Frontiers in Oncology, 2021, 11, 626275.	1.3	4
21	Neoadjuvant epirubicyn, oxaliplatin, capecitabine and radiation therapy (NEOX-RT) followed by surgery for locally advanced gastric cancer (LAGC): A phase II multicentric study Journal of Clinical Oncology, 2019, 37, 4066-4066.	0.8	2
22	Neoadjuvant chemotherapy with nonpegylated liposome-encapsulated doxorubicin (NPLD) plus cyclophosphamide followed by trastuzumab plus nabpaclitaxel for HER2-positive breast cancer (BC) Journal of Clinical Oncology, 2014, 32, 648-648.	0.8	1
23	Molecular and clinical prognostic factors in metastatic colorectal cancer (CRC) patients (pts): A retrospective study Journal of Clinical Oncology, 2014, 32, 511-511.	0.8	1
24	Does multiple mutational analysis of the EGFR pathway have a prognostic role in advanced colorectal cancer (CRC)?. Journal of Clinical Oncology, 2012, 30, 3612-3612.	0.8	0
25	Offlabel nab-paclitaxel: Gemcitabine chemotherapy in advanced pancreatic cancer—A monoinstitutional experience Journal of Clinical Oncology, 2014, 32, e15239-e15239.	0.8	0
26	Everolimus plus exemestane for hormone resistant metastatic breast cancer (MBC): A single institutional experience Journal of Clinical Oncology, 2015, 33, e11576-e11576.	0.8	0