

# Giannuzzi Pantaleo

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/3503331/giannuzzi-pantaleo-publications-by-year.pdf>

**Version:** 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

131  
papers

13,160  
citations

43  
h-index

114  
g-index

137  
ext. papers

14,757  
ext. citations

5.5  
avg, IF

5.73  
L-index

#	Paper	IF	Citations
131	Challenges in secondary prevention after acute myocardial infarction: A call for action. <i>European Heart Journal: Acute Cardiovascular Care</i> , <b>2017</b> , 6, 299-310	4.3	16
130	Challenges in secondary prevention after acute myocardial infarction: A call for action. <i>European Journal of Cardiovascular Nursing</i> , <b>2017</b> , 16, 369-380	3.3	9
129	Heart failure and anemia: Effects on prognostic variables. <i>European Journal of Internal Medicine</i> , <b>2017</b> , 37, 56-63	3.9	23
128	Disability after cardiac surgery is the major predictor of infections occurring in the rehabilitation phase. <i>European Journal of Preventive Cardiology</i> , <b>2016</b> , 23, 584-92	3.9	2
127	Greater functional improvement in patients with diabetes after rehabilitation following cardiac surgery. <i>Diabetic Medicine</i> , <b>2016</b> , 33, 1067-75	3.5	2
126	Sex Profile and Risk Assessment With Cardiopulmonary Exercise Testing in Heart Failure: Propensity Score Matching for Sex Selection Bias. <i>Canadian Journal of Cardiology</i> , <b>2016</b> , 32, 754-9	3.8	14
125	The metabolic exercise test data combined with Cardiac And Kidney Indexes (MECKI) score and prognosis in heart failure. A validation study. <i>International Journal of Cardiology</i> , <b>2016</b> , 203, 1067-72	3.2	25
124	Prognostic value of angiotensin-converting enzyme inhibitor in patients with chronic heart failure. <i>International Journal of Cardiology</i> , <b>2016</b> , 212, 364-8	3.2	21
123	Challenges in secondary prevention after acute myocardial infarction: A call for action. <i>European Journal of Preventive Cardiology</i> , <b>2016</b> , 23, 1994-2006	3.9	88
122	The Italian MacNew heart disease health-related quality of life questionnaire: a validation study. <i>Internal and Emergency Medicine</i> , <b>2015</b> , 10, 359-68	3.7	3
121	Hemodynamic, not ventilatory, inefficiency is associated with high VE/VCO2 slope in repaired, noncyanotic congenital heart disease. <i>International Journal of Cardiology</i> , <b>2015</b> , 191, 132-7	3.2	8
120	Healthy Lifestyle Interventions to Combat Noncommunicable Disease: A Novel Nonhierarchical Connectivity Model for Key Stakeholders: A Policy Statement From the American Heart Association, European Society of Cardiology, European Association for Cardiovascular Prevention and Rehabilitation, and American College of Preventive Medicine. <i>Mayo Clinic Proceedings</i> , <b>2015</b> , 90, 1082-103	6.4	59
119	Healthy lifestyle interventions to combat noncommunicable disease—a novel nonhierarchical connectivity model for key stakeholders: a policy statement from the American Heart Association, European Society of Cardiology, European Association for Cardiovascular Prevention and Rehabilitation, and American College of Preventive Medicine. <i>European Heart Journal</i> , <b>2015</b> , 36, 2097-2109	9.5	77
118	Metabolic exercise data combined with cardiac and kidney indexes: MECKI score. Predictive role in cardiopulmonary exercise testing with low respiratory exchange ratio in heart failure. <i>International Journal of Cardiology</i> , <b>2015</b> , 184, 299-301	3.2	8
117	Renal function and peak exercise oxygen consumption in chronic heart failure with reduced left ventricular ejection fraction. <i>Circulation Journal</i> , <b>2015</b> , 79, 583-91	2.9	24
116	The 10-year anniversary of the European Association for Cardiovascular Prevention and Rehabilitation: achievements and challenges. <i>European Journal of Preventive Cardiology</i> , <b>2015</b> , 22, 1340-5	3.9	1
115	Individual Interventions for Prevention and Control of CVDs <b>2015</b> , 237-244		0

114	Systemic perfusion at peak incremental exercise in left ventricular assist device recipients: Partitioning pump and native left ventricle relative contribution. <i>International Journal of Cardiology Heart &amp; Vessels</i> , <b>2014</b> , 4, 40-45		14
113	Early-start Exercise training after acute hemodynamic decompensation in patients with chronic heart failure (RE-START). A multicenter, randomized, controlled trial on short-term feasibility and impact on functional capacity, symptoms and neurohumoral activation. <i>Monaldi Archives for Chest Disease</i> , <b>2014</b> , 82, 20-2	2.7	6
112	Cardiovascular mortality and chronotropic incompetence in systolic heart failure: the importance of a reappraisal of current cut-off criteria. <i>European Journal of Heart Failure</i> , <b>2014</b> , 16, 201-9	12.3	37
111	Fibrosis markers and CRIM1 increase in chronic heart failure of increasing severity. <i>Biomarkers</i> , <b>2014</b> , 19, 214-21	2.6	3
110	Secondary prevention in the clinical management of patients with cardiovascular diseases. Core components, standards and outcome measures for referral and delivery: a policy statement from the cardiac rehabilitation section of the European Association for Cardiovascular Prevention & Rehabilitation. Endorsed by the Committee for Practice Guidelines of the European Society of	3.9	365
109	Flow-mediated dilation normalization predicts outcome in chronic heart failure patients. <i>Journal of Cardiac Failure</i> , <b>2013</b> , 19, 260-7	3.3	27
108	Aerobic training and angiogenesis activation in patients with stable chronic heart failure: a preliminary report. <i>Biomarkers</i> , <b>2013</b> , 18, 418-24	2.6	26
107	Peak oxygen consumption and prognosis in heart failure: 14 mL/kg/min is not a "gender-neutral" reference. <i>International Journal of Cardiology</i> , <b>2013</b> , 167, 157-61	3.2	20
106	Speeding of pulmonary VO <sub>2</sub> on-kinetics by light-to-moderate-intensity aerobic exercise training in chronic heart failure: clinical and pathophysiological correlates. <i>International Journal of Cardiology</i> , <b>2013</b> , 167, 2189-95	3.2	41
105	Metabolic exercise test data combined with cardiac and kidney indexes, the MECKI score: a multiparametric approach to heart failure prognosis. <i>International Journal of Cardiology</i> , <b>2013</b> , 167, 2710-8	3.2	131
104	Severe heart failure prognosis evaluation for transplant selection in the era of beta-blockers: role of peak oxygen consumption. <i>International Journal of Cardiology</i> , <b>2013</b> , 168, 5078-81	3.2	21
103	Prognostic significance of peak oxygen consumption $\geq 10$ mL/kg/min in heart failure: context vs. criteria. <i>International Journal of Cardiology</i> , <b>2013</b> , 168, 3419-23	3.2	3
102	How to face emergencies in heart failure patients with ventricular assist device. <i>International Journal of Cardiology</i> , <b>2013</b> , 168, 5143-8	3.2	7
101	Guía de práctica clínica de la ESC para el manejo del infarto agudo de miocardio en pacientes con elevación del segmento ST. <i>Revista Espanola De Cardiologia</i> , <b>2013</b> , 66, 53.e1-53.e46	1.5	17
100	ESC core curriculum for the general cardiologist (2013). <i>European Heart Journal</i> , <b>2013</b> , 34, 2381-411	9.5	56
99	Isolation and characterization of CD276+/HLA-E+ human subendocardial mesenchymal stem cells from chronic heart failure patients: analysis of differentiative potential and immunomodulatory markers expression. <i>Stem Cells and Development</i> , <b>2013</b> , 22, 1-17	4.4	14
98	Prognostic implications of left ventricular dilation in patients with nonischemic heart failure: interactions with restrictive filling pattern and mitral regurgitation. <i>Congestive Heart Failure</i> , <b>2012</b> , 18, 198-204		1
97	Effects of electrical muscle stimulation in a left ventricular assist device patient. <i>International Journal of Cardiology</i> , <b>2012</b> , 160, e44-5	3.2	8

96	Getting patients to target- implementing the guidelines. <i>Current Vascular Pharmacology</i> , <b>2012</b> , 10, 715-733		1
95	Cardiopulmonary exercise testing and prognosis in heart failure due to systolic left ventricular dysfunction: a validation study of the European Society of Cardiology Guidelines and Recommendations (2008) and further developments. <i>European Journal of Preventive Cardiology</i> , <b>2012</b> , 19, 32-40	3.9	41
94	ESC Guidelines for the management of acute myocardial infarction in patients presenting with ST-segment elevation. <i>European Heart Journal</i> , <b>2012</b> , 33, 2569-619	9.5	3978
93	Reduced exercise capacity in early-stage amyotrophic lateral sclerosis: Role of skeletal muscle. <i>Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders</i> , <b>2012</b> , 13, 87-94		9
92	A new cardiopulmonary exercise testing prognosticating algorithm for heart failure patients treated with beta-blockers. <i>European Journal of Preventive Cardiology</i> , <b>2012</b> , 19, 185-91	3.9	6
91	Cardiovascular prevention and rehabilitation for patients with ventricular assist device from exercise therapy to long-term therapy. Part II: long-term therapy. <i>Monaldi Archives for Chest Disease</i> , <b>2011</b> , 76, 136-45	2.7	5
90	Cardiovascular prevention and rehabilitation for patients with ventricular assist device from exercise therapy to long-term therapy. Part I: Exercise therapy. <i>Monaldi Archives for Chest Disease</i> , <b>2011</b> , 76, 27-32	2.7	19
89	Wharton's jelly mesenchymal stem cells as candidates for beta cells regeneration: extending the differentiative and immunomodulatory benefits of adult mesenchymal stem cells for the treatment of type 1 diabetes. <i>Stem Cell Reviews and Reports</i> , <b>2011</b> , 7, 342-63	6.4	115
88	Exercise training in heart failure: from theory to practice. A consensus document of the Heart Failure Association and the European Association for Cardiovascular Prevention and Rehabilitation. <i>European Journal of Heart Failure</i> , <b>2011</b> , 13, 347-57	12.3	430
87	Stepwise increase of angiotensin-2 serum levels is related to haemodynamic and functional impairment in stable chronic heart failure. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2011</b> , 18, 607-14		28
86	Perinatal and Wharton's Jelly-Derived Mesenchymal Stem Cells in Cartilage Regenerative Medicine and Tissue Engineering Strategies. <i>The Open Tissue Engineering and Regenerative Medicine Journal</i> , <b>2011</b> , 4, 72-81		17
85	Doppler echocardiography in advanced systolic heart failure: a noninvasive alternative to Swan-Ganz catheter. <i>Circulation: Heart Failure</i> , <b>2010</b> , 3, 387-94	7.6	67
84	Age-related prolongation of phase I of VO <sub>2</sub> on-kinetics in healthy humans. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2010</b> , 299, R968-76	3.2	25
83	Cardiac death prevention by automated defibrillators in Churches: rationale and design of the CHURCH trial. <i>American Heart Journal</i> , <b>2010</b> , 159, 170-5	4.9	1
82	Secondary prevention through cardiac rehabilitation: physical activity counselling and exercise training: key components of the position paper from the Cardiac Rehabilitation Section of the European Association of Cardiovascular Prevention and Rehabilitation. <i>European Heart Journal</i> , <b>2010</b> , 31, 1967-74	9.5	239
81	Upper intensity limit for prolonged aerobic exercise in chronic heart failure. <i>Medicine and Science in Sports and Exercise</i> , <b>2010</b> , 42, 633-9	1.2	26
80	Role of oxidative and nitrosative stress biomarkers in chronic heart failure. <i>Frontiers in Bioscience - Landmark</i> , <b>2009</b> , 14, 2230-7	2.8	47
79	Exercise haemodynamic variables rather than ventilatory efficiency indexes contribute to risk assessment in chronic heart failure patients treated with carvedilol. <i>European Heart Journal</i> , <b>2009</b> , 30, 3000-6	9.5	30

78	Long-term secondary prevention programs after cardiac rehabilitation for the reduction of future cardiovascular events: focus on regular physical activity. <i>Future Cardiology</i> , <b>2009</b> , 5, 297-314	1.3	7
77	Isolation and characterization of Oct-4+/HLA-G+ mesenchymal stem cells from human umbilical cord matrix: differentiation potential and detection of new markers. <i>Histochemistry and Cell Biology</i> , <b>2009</b> , 131, 267-82	2.4	208
76	Oxidative stress induces myeloperoxidase expression in endocardial endothelial cells from patients with chronic heart failure. <i>Basic Research in Cardiology</i> , <b>2009</b> , 104, 307-20	11.8	42
75	Tissue factor gene polymorphisms and haplotypes and the risk of ischemic vascular events: four studies and a meta-analysis. <i>Journal of Thrombosis and Haemostasis</i> , <b>2009</b> , 7, 1465-71	15.4	12
74	Early right coronary vasospasm presenting with malignant arrhythmias in a heart transplantation recipient without allograft vasculopathy. <i>International Journal of Cardiology</i> , <b>2009</b> , 131, e120-3	3.2	6
73	Increased nitrotyrosine plasma levels in relation to systemic markers of inflammation and myeloperoxidase in chronic heart failure. <i>International Journal of Cardiology</i> , <b>2009</b> , 135, 386-90	3.2	29
72	Interleukin-1 receptor antagonist gene polymorphism and susceptibility to ischemic stroke. <i>Immunological Investigations</i> , <b>2009</b> , 38, 220-30	2.9	13
71	Two-year multicomprehensive secondary prevention program: favorable effects on cardiovascular functional capacity and coronary risk profile after acute myocardial infarction. <i>Journal of Cardiovascular Medicine</i> , <b>2009</b> , 10, 772-80	1.9	33
70	Role of endothelial cell stress in the pathogenesis of chronic heart failure. <i>Frontiers in Bioscience - Landmark</i> , <b>2009</b> , 14, 2238-47	2.8	10
69	Determination of the acceptable MPEG-4 quality for clinical real-time tele-echocardiography services. <i>Annali Dell'Istituto Superiore Di Sanita</i> , <b>2009</b> , 45, 372-7	1.6	1
68	Comorbidity in patients undergoing coronary artery bypass graft surgery: impact on outcome and implications for cardiac rehabilitation. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2008</b> , 15, 379-85		37
67	Global secondary prevention strategies to limit event recurrence after myocardial infarction: results of the GOSPEL study, a multicenter, randomized controlled trial from the Italian Cardiac Rehabilitation Network. <i>Archives of Internal Medicine</i> , <b>2008</b> , 168, 2194-204		258
66	Permanent atrial fibrillation affects exercise capacity in chronic heart failure patients. <i>European Heart Journal</i> , <b>2008</b> , 29, 2367-72	9.5	59
65	Perioperative and postoperative predictors of outcome in patients with low ejection fraction early after coronary artery bypass grafting: the additional value of left ventricular remodeling. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2008</b> , 15, 441-7		4
64	Anaerobic and aerobic relative contribution to total energy release during supramaximal effort in patients with left ventricular dysfunction. <i>Journal of Applied Physiology</i> , <b>2008</b> , 104, 97-102	3.7	3
63	Central adaptations to exercise training in patients with chronic heart failure. <i>Heart Failure Reviews</i> , <b>2008</b> , 13, 13-20	5	34
62	Assessment of cardiac asynchrony by radionuclide phase analysis: correlation with ventricular function in patients with narrow or prolonged QRS interval. <i>European Journal of Heart Failure</i> , <b>2007</b> , 9, 484-90	12.3	18
61	Low plasma levels of brain natriuretic peptide in severe acute heart failure: merely a case?. <i>International Journal of Cardiology</i> , <b>2007</b> , 122, e18-20	3.2	1

60	Unreliability of the %VO <sub>2</sub> reserve versus %heart rate reserve relationship for aerobic effort relative intensity assessment in chronic heart failure patients on or off beta-blocking therapy. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2007</b> , 14, 92-8		23
59	Prognostic value of time-related changes of cardiopulmonary exercise testing indices in stable chronic heart failure: a pragmatic and operative scheme. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2006</b> , 13, 186-92		31
58	Sleep and exertional periodic breathing in chronic heart failure: prognostic importance and interdependence. <i>Circulation</i> , <b>2006</b> , 113, 44-50	16.7	202
57	Cardiac rehabilitation in the elderly: patient selection and outcomes. <i>The American Journal of Geriatric Cardiology</i> , <b>2006</b> , 15, 22-7		22
56	Response to Letter Regarding Article Sleep and Exertional Periodic Breathing in Chronic Heart Failure: Prognostic Importance and Interdependence. <i>Circulation</i> , <b>2006</b> , 114,	16.7	2
55	Interventional strategies in early atherosclerosis. <i>Monaldi Archives for Chest Disease</i> , <b>2006</b> , 66, 54-62	2.7	7
54	Maximal accumulated oxygen deficit in patients with chronic heart failure. <i>Medicine and Science in Sports and Exercise</i> , <b>2006</b> , 38, 424-32	1.2	8
53	Executive summary of the position paper of the Working Group on Cardiac Rehabilitation and Exercise Physiology of the European Society of Cardiology (ESC): core components of cardiac rehabilitation in chronic heart failure. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2005</b> , 12, 321-5		52
52	Autonomic cardiovascular regulation in subjects with acute mountain sickness. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2005</b> , 289, H2364-72	5.2	52
51	Right ventricular functional recovery after acute myocardial infarction: relation with left ventricular function and interventricular septum motion. GISSI-3 echo substudy. <i>Heart</i> , <b>2005</b> , 91, 484-8	5.1	42
50	Polymorphisms of the interleukin-1beta gene affect the risk of myocardial infarction and ischemic stroke at young age and the response of mononuclear cells to stimulation in vitro. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2005</b> , 25, 222-7	9.4	139
49	Global Secondary Prevention strategies to Limit event recurrence after myocardial infarction: the GOSPEL study. A trial from the Italian Cardiac Rehabilitation Network: rationale and design. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2005</b> , 12, 555-561		11
48	Cardiopulmonary exercise testing and prognosis in chronic heart failure: a prognosticating algorithm for the individual patient. <i>Chest</i> , <b>2004</b> , 126, 942-50	5.3	90
47	Left atrium remodeling after acute myocardial infarction (results of the GISSI-3 Echo Substudy). <i>American Journal of Cardiology</i> , <b>2004</b> , 93, 1156-9	3	23
46	Doppler-derived mitral deceleration time as a strong prognostic marker of left ventricular remodeling and survival after acute myocardial infarction: results of the GISSI-3 echo substudy. <i>Journal of the American College of Cardiology</i> , <b>2004</b> , 43, 1646-53	15.1	117
45	Limited predictive value of cardiopulmonary exercise indices in patients with moderate chronic heart failure treated with carvedilol. <i>American Heart Journal</i> , <b>2004</b> , 147, 553-60	4.9	24
44	Differential systolic and diastolic effects of beta-adrenergic stimulation in patients with severe left ventricular dysfunction: a radionuclide ventriculographic study. <i>Journal of Nuclear Cardiology</i> , <b>2003</b> , 10, 46-50	2.1	3
43	Chronic heart failure-related myopathy and exercise training: a developing therapy for heart failure symptoms. <i>Current Problems in Cardiology</i> , <b>2003</b> , 28, 521-47	17.1	6

42	Contribution of peak respiratory exchange ratio to peak VO <sub>2</sub> prognostic reliability in patients with chronic heart failure and severely reduced exercise capacity. <i>American Heart Journal</i> , <b>2003</b> , 145, 1102-7	4.9	78
41	Efficacy of perindopril in reduction of cardiovascular events among patients with stable coronary artery disease: randomised, double-blind, placebo-controlled, multicentre trial (the EUROPA study). <i>Lancet, The</i> , <b>2003</b> , 362, 782-8	4.0	1630
40	Secondary prevention through cardiac rehabilitation: position paper of the Working Group on Cardiac Rehabilitation and Exercise Physiology of the European Society of Cardiology. <i>European Heart Journal</i> , <b>2003</b> , 24, 1273-8	9.5	151
39	Antiremodeling effect of long-term exercise training in patients with stable chronic heart failure: results of the Exercise in Left Ventricular Dysfunction and Chronic Heart Failure (ELVD-CHF) Trial. <i>Circulation</i> , <b>2003</b> , 108, 554-9	16.7	251
38	Central sleep apnea in left ventricular dysfunction: prevalence and implications for arrhythmic risk. <i>Circulation</i> , <b>2003</b> , 107, 727-32	16.7	241
37	Physical activity for primary and secondary prevention. Position paper of the Working Group on Cardiac Rehabilitation and Exercise Physiology of the European Society of Cardiology. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2003</b> , 10, 319-27		103
36	Chronic heart failure-related myopathy and exercise training: A developing therapy for heart failure symptoms. <i>Progress in Cardiovascular Diseases</i> , <b>2002</b> , 45, 157-72	8.5	8
35	Prediction of 6 months left ventricular dilatation after myocardial infarction in relation to cardiac morbidity and mortality. Application of a new dilatation model to GISSI-3 data. <i>European Heart Journal</i> , <b>2002</b> , 23, 536-42	9.5	20
34	Oscillatory ventilation during exercise in patients with chronic heart failure: clinical correlates and prognostic implications. <i>Chest</i> , <b>2002</b> , 121, 1572-80	5.3	139
33	Ventilatory response to exercise improves risk stratification in patients with chronic heart failure and intermediate functional capacity. <i>American Heart Journal</i> , <b>2002</b> , 143, 418-26	4.9	134
32	Electrocardiographic evolution after Q-wave anterior myocardial infarction: correlations between QRS score and changes in left ventricular perfusion and function. <i>Journal of Nuclear Cardiology</i> , <b>2001</b> , 8, 561-7	2.1	6
31	Recommendations for exercise training in chronic heart failure patients. <i>European Heart Journal</i> , <b>2001</b> , 22, 125-35	9.5	159
30	Recommendations for exercise testing in chronic heart failure patients. <i>European Heart Journal</i> , <b>2001</b> , 22, 37-45	9.5	97
29	Accurate noninvasive estimation of pulmonary vascular resistance by Doppler echocardiography in patients with chronic failure heart failure. <i>Journal of the American College of Cardiology</i> , <b>2001</b> , 37, 1813-9	15.1	84
28	Heterogeneity of left ventricular remodeling after acute myocardial infarction: results of the Gruppo Italiano per lo Studio della Sopravvivenza nell'Infarto Miocardico-3 Echo Substudy. <i>American Heart Journal</i> , <b>2001</b> , 141, 131-8	4.9	83
27	Chlamydia pneumoniae and cytomegalovirus seropositivity, inflammatory markers, and the risk of myocardial infarction at a young age. <i>American Heart Journal</i> , <b>2001</b> , 142, 633-40	4.9	55
26	Chronic mitral regurgitation and Doppler estimation of left ventricular filling pressures in patients with heart failure. <i>Journal of the American Society of Echocardiography</i> , <b>2001</b> , 14, 1094-9	5.8	15
25	The E27 $\beta$ -adrenergic Receptor Polymorphism Reduces the Risk of Myocardial Infarction in Dyslipidemic Young Males. <i>Thrombosis and Haemostasis</i> , <b>2001</b> , 85, 231-233	7	10

24	Habitual activities and peak aerobic capacity in patients with asymptomatic and symptomatic left ventricular dysfunction. <i>Chest</i> , <b>2000</b> , 117, 1291-9	5.3	29
23	Independent and incremental prognostic value of (201)Tl lung uptake at rest in patients with severe postischemic left ventricular dysfunction. <i>Circulation</i> , <b>2000</b> , 102, 1795-801	16.7	13
22	Electrocardiographic evolutionary changes and left ventricular remodeling after acute myocardial infarction: results of the GISSI-3 Echo substudy. <i>Journal of the American College of Cardiology</i> , <b>2000</b> , 35, 127-35	15.1	39
21	Prognostic value of nocturnal Cheyne-Stokes respiration in chronic heart failure. <i>Circulation</i> , <b>1999</b> , 99, 1435-40	16.7	563
20	Transient left ventricular dilation at quantitative stress-rest sestamibi tomography: clinical, electrocardiographic, and angiographic correlates. <i>Journal of Nuclear Cardiology</i> , <b>1999</b> , 6, 397-405	2.1	31
19	Estimation of pulmonary wedge pressure by transmitral Doppler in patients with chronic heart failure and atrial fibrillation. <i>American Journal of Cardiology</i> , <b>1999</b> , 83, 724-7	3	82
18	Comparison between spectral analysis and the phenylephrine method for the assessment of baroreflex sensitivity in chronic heart failure. <i>Clinical Science</i> , <b>1999</b> , 97, 503	6.5	12
17	Doppler-derived acceleration rate of right ventricular early filling as a measurement of right atrial pressure in chronic heart failure secondary to ischemic or idiopathic dilated cardiomyopathy. <i>American Journal of Cardiology</i> , <b>1998</b> , 81, 513-5	3	10
16	Heterogeneous fate of perfusion and contraction after anterior wall acute myocardial infarction and effects on left ventricular remodeling. <i>American Journal of Cardiology</i> , <b>1998</b> , 82, 1457-62	3	0
15	Reversible restrictive left ventricular diastolic filling with optimized oral therapy predicts a more favorable prognosis in patients with chronic heart failure. <i>Journal of the American College of Cardiology</i> , <b>1998</b> , 31, 1591-7	15.1	112
14	ECG-manifest and ECG-silent dipyridamole technetium-99m sestamibi SPET perfusion defects in patients with ischaemic heart disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>1997</b> , 24, 160-9		2
13	Ischemic burden in silent and painful myocardial ischemia: a quantitative exercise sestamibi tomographic study. <i>Journal of the American College of Cardiology</i> , <b>1997</b> , 29, 948-54	15.1	14
12	Attenuation of unfavorable remodeling by exercise training in postinfarction patients with left ventricular dysfunction: results of the Exercise in Left Ventricular Dysfunction (ELVD) trial. <i>Circulation</i> , <b>1997</b> , 96, 1790-7	16.7	123
11	Independent and incremental prognostic value of Doppler-derived mitral deceleration time of early filling in both symptomatic and asymptomatic patients with left ventricular dysfunction. <i>Journal of the American College of Cardiology</i> , <b>1996</b> , 28, 383-90	15.1	207
10	Reproducibility of wall motion score and its correlation with left ventricular ejection fraction in patients with acute myocardial infarction. <i>American Journal of Cardiology</i> , <b>1996</b> , 78, 855-8	3	21
9	Technetium-99m sestamibi tomographic evaluation of residual ischemia after anterior myocardial infarction. <i>Journal of the American College of Cardiology</i> , <b>1995</b> , 25, 590-6	15.1	13
8	Residual exertional ischemia and unfavorable left ventricular remodeling in patients with systolic dysfunction after anterior myocardial infarction. <i>Journal of the American College of Cardiology</i> , <b>1995</b> , 25, 1539-46	15.1	16
7	Effects of nitroglycerin by technetium-99m sestamibi tomoscintigraphy on resting regional myocardial hypoperfusion in stable patients with healed myocardial infarction. <i>American Journal of Cardiology</i> , <b>1994</b> , 74, 843-8	3	41



6	A simple electrocardiographic predictor of the outcome of patients with acute myocardial infarction treated with a thrombolytic agent. A Gruppo Italiano per lo Studio della Sopravvivenza nell'Infarto Miocardico (GISSI-2)-Derived Analysis. <i>Journal of the American College of Cardiology</i> , 1994, 24, 600-7	15.1	85
5	Doppler-derived mitral deceleration time of early filling as a strong predictor of pulmonary capillary wedge pressure in postinfarction patients with left ventricular systolic dysfunction. <i>Journal of the American College of Cardiology</i> , 1994, 23, 1630-7	15.1	312
4	Long-term physical training and left ventricular remodeling after anterior myocardial infarction: results of the Exercise in Anterior Myocardial Infarction (EAMI) trial. EAMI Study Group. <i>Journal of the American College of Cardiology</i> , 1993, 22, 1821-9	15.1	124
3	Safety of intravenous high-dose dipyridamole echocardiography. The Echo-Persantine International Cooperative Study Group. <i>American Journal of Cardiology</i> , 1992, 70, 252-8	3	139
2	Worsening of Regional Postinfarction Asynergy after Dipyridamole: Does It Reflect Ischemic Viable Myocardium?. <i>American Journal of Noninvasive Cardiology</i> , 1991, 5, 240-247		
1	Exercise hemodynamics 1 month, 2 months and 1 year after myocardial infarction: prognostic considerations. <i>Cardiology</i> , 1981, 68 Suppl 2, 53-66	1.6	1