Jan Nyman

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3503635/publications.pdf

Version: 2024-02-01

566801 476904 1,620 32 15 29 citations h-index g-index papers 32 32 32 2288 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	Tecemotide (L-BLP25) versus placebo after chemoradiotherapy for stage III non-small-cell lung cancer (START): a randomised, double-blind, phase 3 trial. Lancet Oncology, The, 2014, 15, 59-68.	5.1	446
2	SPACE \hat{a} \in "A randomized study of SBRT vs conventional fractionated radiotherapy in medically inoperable stage I NSCLC. Radiotherapy and Oncology, 2016, 121, 1-8.	0.3	270
3	Stereotactic hypofractionated radiotherapy for stage I non-small cell lung cancer—Mature results for medically inoperable patients. Lung Cancer, 2006, 51, 97-103.	0.9	239
4	The HILUS-Trial—a Prospective Nordic Multicenter Phase 2 Study of Ultracentral Lung Tumors Treated With Stereotactic Body Radiotherapy. Journal of Thoracic Oncology, 2021, 16, 1200-1210.	0.5	92
5	ARTSCAN III: A Randomized Phase III Study Comparing Chemoradiotherapy With Cisplatin Versus Cetuximab in Patients With Locoregionally Advanced Head and Neck Squamous Cell Cancer. Journal of Clinical Oncology, 2021, 39, 38-47.	0.8	89
6	High-dose versus standard-dose twice-daily thoracic radiotherapy for patients with limited stage small-cell lung cancer: an open-label, randomised, phase 2 trial. Lancet Oncology, The, 2021, 22, 321-331.	5.1	74
7	START: A phase III study of L-BLP25 cancer immunotherapy for unresectable stage III non-small cell lung cancer Journal of Clinical Oncology, 2013, 31, 7500-7500.	0.8	40
8	Prognostic factors for head and neck cancer of unknown primary including the impact of human papilloma virus infection. Journal of Otolaryngology - Head and Neck Surgery, 2017, 46, 45.	0.9	38
9	Effect of prophylactic percutaneous endoscopic gastrostomy tube on swallowing in advanced head and neck cancer: A randomized controlled study. Head and Neck, 2017, 39, 908-915.	0.9	37
10	Prognostic Factors for Local Control and Survival of Cancer of the Oral Tongue a retrospective analysis of 230 cases in Western Sweden. Acta Oncológica, 1993, 32, 667-673.	0.8	36
11	Can a person-centred-care intervention improve health-related quality of life in patients with head and neck cancer? A randomized, controlled study. BMC Nursing, 2017, 16, 9.	0.9	32
12	Systematic evaluation of lung tumor motion using four-dimensional computed tomography. Acta Oncol \tilde{A}^3 gica, 2017, 56, 525-530.	0.8	30
13	Effects of Irradiation on the Biomechanics of Osseointegration: an Experimental in Vivo Study in Rats. Scandinavian Journal of Plastic and Reconstructive Surgery and Hand Surgery, 1997, 31, 281-293.	0.6	29
14	Impact on quality of life of IMRT versus 3-D conformal radiation therapy in head and neck cancer patients: A case control study. Advances in Radiation Oncology, 2017, 2, 346-353.	0.6	27
15	Mature results from a Swedish comparison study of conventional versus accelerated radiotherapy in head and neck squamous cell carcinoma – The ARTSCAN trial. Radiotherapy and Oncology, 2015, 117, 99-105.	0.3	26
16	Long-Term Aspects of Quality of Life in Head and Neck Cancer Patients Treated With Intensity Modulated Radiation Therapy: A 5-Year Longitudinal Follow-up and Comparison with a Normal Population Cohort. Advances in Radiation Oncology, 2020, 5, 101-110.	0.6	18
17	Results of preoperative chemoradiotherapy for patients with advanced cancer of the nasal cavity and paranasal sinuses. Acta Oto-Laryngologica, 2017, 137, 1292-1300.	0.3	16
18	Differences in health related quality of life in the randomised ARTSCAN study; accelerated vs. conventional radiotherapy for head and neck cancer. A five year follow up. Radiotherapy and Oncology, 2016, 118, 335-341.	0.3	15

#	Article	IF	Citations
19	Evaluation of deformable image registration accuracy for CT images of the thorax region. Physica Medica, 2019, 57, 191-199.	0.4	14
20	KRAS Mutations Impact Clinical Outcome in Metastatic Non-Small Cell Lung Cancer. Cancers, 2022, 14, 2063.	1.7	10
21	Accelerated Hyperfractionated Radiotherapy Combined with Induction and Concomitant Chemotherapy for Inoperable Non-small-cell Lung Cancer: Impact of Total Treatment Time. Acta Oncológica, 1998, 37, 539-545.	0.8	7
22	The unannounced patient in the corridor: trust, friction and person-centered care. International Journal of Health Planning and Management, 2017, 32, e1-e16.	0.7	6
23	Double strand break induction and kinetics indicate preserved hypersensitivity in keratinocytes to subtherapeutic doses for 7weeks of radiotherapy. Radiotherapy and Oncology, 2017, 122, 163-169.	0.3	6
24	Analysis of early respiratory-related mortality after radiation therapy of non-small-cell lung cancer: feasibility of automatic data extraction for dose–response studies. Acta Oncológica, 2020, 59, 628-635.	0.8	5
25	The effect of age on health-related quality of life for head and neck cancer patients up to 1 year after curative treatment. Journal of Geriatric Oncology, 2022, 13 , 60 - 66 .	0.5	5
26	Randomized phase II trial comparing the efficacy of standard-dose with high-dose twice-daily thoracic radiotherapy (TRT) in limited disease small-cell lung cancer (LD SCLC) Journal of Clinical Oncology, 2020, 38, 9007-9007.	0.8	5
27	Harmonization of proton treatment planning for head and neck cancer using pencil beam scanning: first report of the IPACS collaboration group. Acta Oncol \tilde{A}^3 gica, 2019, 58, 1720-1730.	0.8	4
28	Effect of Increased Radiotoxicity on Survival of Patients with Non-small Cell Lung Cancer Treated with Curatively Intended Radiotherapy. Anticancer Research, 2015, 35, 5491-7.	0.5	3
29	Patient-reported health-related quality of life from a randomized phase II trial comparing standard-dose with high-dose twice daily thoracic radiotherapy in limited stage small-cell lung cancer. Lung Cancer, 2022, 166, 49-57.	0.9	1
30	Reply to Alongi et al Radiotherapy and Oncology, 2017, 122, 320.	0.3	O
31	Twice-daily chemoradiotherapy in limited-stage small-cell lung cancer – Authors' reply. Lancet Oncology, The, 2021, 22, e222.	5.1	0
32	The ACCROBAT I study: Three-year follow-up of a prospective phase II study with neoadjuvant TPF before bioradiotherapy for stage III-IV unresectable squamous cell head and neck cancer Journal of Clinical Oncology, 2014, 32, e17004-e17004.	0.8	0