
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/350389/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | A Novel Multifunctional β-N-Acetylhexosaminidase Revealed through Metagenomics of an Oil-Spilled Mangrove. Bioengineering, 2017, 4, 62. | 3.5 | 13 |
| 2 | Control of Diatraea saccharalis by the endophytic Pantoea agglomerans 33.1 expressing cry1Ac7. Archives of Microbiology, 2014, 196, 227-234. | 2.2 | 21 |
| 3 | Endophytic fungi: expanding the arsenal of industrial enzyme producers. Journal of Industrial Microbiology and Biotechnology, 2014, 41, 1467-1478. | 3.0 | 91 |
| 4 | Isolation and enzyme bioprospection of endophytic bacteria associated with plants of Brazilian mangrove ecosystem. SpringerPlus, 2014, 3, 382. | 1.2 | 87 |
| 5 | Colonization of Madagascar periwinkle (Catharanthus roseus), by endophytes encoding gfp marker. Archives of Microbiology, 2013, 195, 483-489. | 2.2 | 9 |
| 6 | Species diversity of culturable endophytic fungi from Brazilian mangrove forests. Current Genetics, 2013, 59, 153-166. | 1.7 | 78 |
| 7 | Molecular characterization by amplified ribosomal DNA restriction analysis and antimicrobial potential of endophytic fungi isolated from Luehea divaricata (Malvaceae) against plant pathogenic fungi and pathogenic bacteria. Genetics and Molecular Research, 2013, 12, 5072-5084. | 0.2 | 4 |
| 8 | In silico analysis of diverse endophytic fungi by using ITS1-5,8S-ITS2 sequences with isolates from various plant families in Brazil. Genetics and Molecular Research, 2013, 12, 935-950. | 0.2 | 18 |
| 9 | Sugarcane Growth Promotion by the Endophytic Bacterium Pantoea agglomerans 33.1. Applied and Environmental Microbiology, 2012, 78, 7511-7518. | 3.1 | 121 |
| 10 | Abundance and Genetic Diversity of <i>nifH</i> Gene Sequences in Anthropogenically Affected Brazilian Mangrove Sediments. Applied and Environmental Microbiology, 2012, 78, 7960-7967. | 3.1 | 44 |
| 11 | 3-Hydroxypropionic Acid as an Antibacterial Agent from Endophytic Fungi Diaporthe phaseolorum. Current Microbiology, 2012, 65, 622-632. | 2.2 | 71 |
| 12 | of Fusarium oxysporum. Genetics and Molecular Research, 2012, 11, 4187-4197. | 0.2 | 60 |
| 13 | Phylogenetic diversity of endophytic leaf fungus isolates from the medicinal tree Trichilia elegans (Meliaceae). Genetics and Molecular Research, 2012, 11, 2513-2522. | 0.2 | 46 |
| 14 | Endophytic Methylobacterium extorquens expresses a heterologous β-1,4-endoglucanase A (EglA) in Catharanthus roseus seedlings, a model host plant for Xylella fastidiosa. World Journal of Microbiology and Biotechnology, 2012, 28, 1475-1481. | 3.6 | 26 |
| 15 | Genetic transformation of Diaporthe phaseolorum, an endophytic fungus found in mangrove forests, mediated by Agrobacterium tumefaciens. Current Genetics, 2012, 58, 21-33. | 1.7 | 26 |
| 16 | Eucalyptus growth promotion by endophytic Bacillus spp. Genetics and Molecular Research, 2012, 11, 3711-3720. | 0.2 | 31 |
| 17 | Pathogenicity of Metarhizium anisopliae towards Rhipicephalus (Boophilus) microplus under laboratory and field conditions. African Journal of Microbiology Research, 2012, 6, . | 0.4 | 0 |
| 18 | Identification and isolation of full-length cDNA sequences by sequencing and analysis of expressed sequence tags from guarana (Paullinia cupana). Genetics and Molecular Research, 2011, 10, 1188-1199. | 0.2 | 7 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Specific plant induced biofilm formation in Methylobacterium species. Brazilian Journal of Microbiology, 2011, 42, 878-883. | 2.0 | 23 |
| 20 | Enzymatic differences between the endophyte Guignardia mangiferae (Botryosphaeriaceae) and the citrus pathogen G. citricarpa. Genetics and Molecular Research, 2011, 10, 243-252. | 0.2 | 18 |
| 21 | Archaeal communities in the sediments of three contrasting mangroves. Journal of Soils and Sediments, 2011, 11, 1466-1476. | 3.0 | 50 |
| 22 | Acaricidal activity of Palicourea marcgravii, a species from the Amazon forest, on cattle tick Rhipicephalus (Boophilus) microplus. Veterinary Parasitology, 2011, 179, 189-194. | 1.8 | 17 |
| 23 | Endophytic and pathogenic isolates of the cacao fungal pathogen Moniliophthora perniciosa (Tricholomataceae) are indistinguishable based on genetic and physiological analysis. Genetics and Molecular Research, 2011, 10, 326-334. | 0.2 | 25 |
| 24 | Culturable endophytic filamentous fungi from leaves of transgenic imidazolinone-tolerant sugarcane and its non-transgenic isolines. Archives of Microbiology, 2010, 192, 307-313. | 2.2 | 52 |
| 25 | Effect of bacterial inoculation, plant genotype and developmental stage on root-associated and endophytic bacterial communities in potato (Solanum tuberosum). Antonie Van Leeuwenhoek, 2010, 97, 389-399. | 1.7 | 113 |
| 26 | The effect of different growth regimes on the endophytic bacterial communities of the fern, Dicksonia sellowiana hook (Dicksoniaceae). Brazilian Journal of Microbiology, 2010, 41, 956-965. | 2.0 | 13 |
| 27 | Colonization of rice and Spodoptera frugiperda J.E. Smith (Lepidoptera: Noctuidae) larvae by genetically modified endophytic Methylobacterium mesophilicum. Neotropical Entomology, 2010, 39, 308-310. | 1.2 | 6 |
| 28 | Endophytic and entomopathogenic strains of Beauveria sp to control the bovine tick Rhipicephalus (Boophilus) microplus. Genetics and Molecular Research, 2010, 9, 1421-1430. | 0.2 | 26 |
| 29 | Diversity of endophytic yeasts from sweet orange and their localization by scanning electron microscopy. Journal of Basic Microbiology, 2009, 49, 441-451. | 3.3 | 42 |
| 30 | Isolation of micropropagated strawberry endophytic bacteria and assessment of their potential for plant growth promotion. World Journal of Microbiology and Biotechnology, 2009, 25, 189-195. | 3.6 | 159 |
| 31 | Diversity and biotechnological potential of culturable bacteria from Brazilian mangrove sediment. World Journal of Microbiology and Biotechnology, 2009, 25, 1305-1311. | 3.6 | 79 |
| 32 | Bacteriosomes in axenic plants: endophytes as stable endosymbionts. World Journal of Microbiology and Biotechnology, 2009, 25, 1757-1764. | 3.6 | 47 |
| 33 | Bacterial community in the rhizosphere and rhizoplane of wild type and transgenic eucalyptus. World Journal of Microbiology and Biotechnology, 2009, 25, 1065-1073. | 3.6 | 20 |
| 34 | Transmission of Methylobacterium mesophilicum by Bucephalogonia xanthophis for paratransgenic control strategy of Citrus variegated chlorosis. Journal of Microbiology, 2009, 47, 448-454. | 2.8 | 47 |
| 35 | Culture-Independent Assessment of Rhizobiales-Related Alphaproteobacteria and the Diversity of Methylobacterium in the Rhizosphere and Rhizoplane of Transgenic Eucalyptus. Microbial Ecology, 2009, 57, 82-93. | 2.8 | 44 |
| 36 | Diversity of endophytic enterobacteria associated with different host plants. Journal of Microbiology, 2008, 46, 373-379. | 2.8 | 42 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Transgenic tobacco revealing altered bacterial diversity in the rhizosphere during early plant development. Antonie Van Leeuwenhoek, 2008, 93, 415-424. | 1.7 | 53 |
| 38 | Endophytic population of <i>Pantoea agglomerans</i> in citrus plants and development of a cloning vector for endophytes. Journal of Basic Microbiology, 2008, 48, 338-346. | 3.3 | 10 |
| 39 | Diversity of endophytic bacteria from <i>Eucalyptus</i> species seeds and colonization of seedlings by <i>Pantoea agglomerans</i> . FEMS Microbiology Letters, 2008, 287, 8-14. | 1.8 | 194 |
| 40 | Chitinolytic activity of endophytic <i>Streptomyces</i> and potential for biocontrol. Letters in Applied Microbiology, 2008, 47, 486-491. | 2.2 | 104 |
| 41 | Bioassay assessment of metarhizium anisopliae (metchnikoff) sorokin (deuteromycota: hyphomycetes) against Oncometopia facialis (signoret) (hemiptera: cicadellidae). Brazilian Journal of Microbiology, 2008, 39, 128-132. | 2.0 | 8 |
| 42 | Colletotrichum sublineolum genetic instability assessed by mutants resistant to chlorate. Mycological Research, 2007, 111, 93-105. | 2.5 | 11 |
| 43 | Redução dos sintomas causados pela Xylella fastidiosa subsp. pauca por meio de aplicação de benzotiadiazole e silÃcio. Pesquisa Agropecuaria Brasileira, 2007, 42, 1083-1089. | 0.9 | 3 |
| 44 | Model plants for studying the interaction between Methylobacterium mesophilicum and Xylella fastidiosa. Canadian Journal of Microbiology, 2006, 52, 419-426. | 1.7 | 53 |
| 45 | Rapid, specific and quantitative assays for the detection of the endophytic bacterium Methylobacterium mesophilicum in plants. Journal of Microbiological Methods, 2006, 65, 535-541. | 1.6 | 48 |
| 46 | Disruption ofXylella fastidiosaCVCgumBandgumFgenes affects biofilm formation without a detectable influence on exopolysaccharide production. FEMS Microbiology Letters, 2006, 257, 236-242. | 1.8 | 19 |
| 47 | Horizontal transfer and hypovirulence associated with double-stranded RNA in Beauveria bassiana. Mycological Research, 2006, 110, 1475-1481. | 2.5 | 38 |
| 48 | Capillary electrophoresis-mass spectrometry of citrus endophytic bacteria siderophores. Electrophoresis, 2006, 27, 2567-2574. | 2.4 | 17 |
| 49 | Caracterização da comunidade bacteriana endofÃŧica de citros por isolamento, PCR especÃfico e DGGE. Pesquisa Agropecuaria Brasileira, 2006, 41, 637-642. | 0.9 | 14 |
| 50 | Endophytic yeasts and filamentous fungi associated with southern Brazilian apple(Malus domestica) orchards subjected to conventional, integrated or organic cultivation. Journal of Basic Microbiology, 2005, 45, 397-402. | 3.3 | 72 |
| 51 | Molecular characterization of a β-1,4-endoglucanase from an endophytic Bacillus pumilus strain. Applied Microbiology and Biotechnology, 2005, 68, 57-65. | 3.6 | 51 |
| 52 | Isolation and characterization of endophytic bacteria from soybean (Glycine max) grown in soil treated with glyphosate herbicide. Plant and Soil, 2005, 273, 91-99. | 3.7 | 128 |
| 53 | Pulsed field gel electrophoresis reveals chromosome length and number differences in Brazilian strains of Metarhizium Anisopliae. Brazilian Archives of Biology and Technology, 2005, 48, 1-6. | 0.5 | 3 |
| 54 | The foliar fungal endophytes of Citrus limon in Argentina. Canadian Journal of Botany, 2005, 83, 350-355. | 1.1 | 29 |

| # | Article | IF | CITATIONS |
|----|---|------------------|-----------|
| 55 | Co-transformation of a tropical maize endophytic isolate of Fusarium verticillioides (synonym F.) Tj ETQq1 1 0.784 | 1314 rgBT 1.3 | /Qyerlock |
| 56 | Ambient pH-regulated enzime secretion in endophytic and pathogenic isolates of the fungal genus Colletotrichum. Scientia Agricola, 2004, 61, 298-302. | 1.2 | 19 |
| 57 | Genetic variability in regenerated Metarhizium flavoviride protoplasts. Brazilian Archives of Biology and Technology, 2004, 47, 1-6. | 0.5 | 7 |
| 58 | Isolation and characterization of soybean-associated bacteria and their potential for plant growth promotion. Environmental Microbiology, 2004, 6, 1244-1251. | 3.8 | 583 |
| 59 | Interaction between endophytic bacteria from citrus plants and the phytopathogenic bacteria Xylella fastidiosa, causal agent of citrus-variegated chlorosis. Letters in Applied Microbiology, 2004, 39, 55-59. | 2.2 | 133 |
| 60 | Direct RAPD evaluation of bacteria without conventional DNA extraction. Brazilian Archives of Biology and Technology, 2004, 47, 375-380. | 0.5 | 20 |
| 61 | RAPD analyses of recombination processes in the entomopathogenic fungus Beauveria bassiana. Mycological Research, 2003, 107, 1069-1074. | 2.5 | 16 |
| 62 | Genetically modified crops: environmental and human health concerns. Mutation Research - Reviews in Mutation Research, 2003, 544, 223-233. | 5.5 | 35 |
| 63 | Nonpathogenic Isolates of the Citrus Black Spot Fungus, Guignardia citricarpa, Identified as a Cosmopolitan Endophyte of Woody Plants, G. mangiferae (Phyllosticta capitalensis). Phytopathology, 2002, 92, 464-477. | 2.2 | 176 |
| 64 | Diversity of Endophytic Bacterial Populations and Their Interaction with Xylella fastidiosa in Citrus Plants. Applied and Environmental Microbiology, 2002, 68, 4906-4914. | 3.1 | 485 |
| 65 | LC50 of the Peptide Produced by the Entomopathogenic Fungus Nomuraea rileyi (Farlow) Samson Active Against Third Instar Larvae of Anticarsia gemmatalis (Lep.: Noctuidae). Brazilian Archives of Biology and Technology, 2002, 45, 269-275. | 0.5 | 8 |
| 66 | Title is missing!. World Journal of Microbiology and Biotechnology, 2002, 18, 391-396. | 3.6 | 61 |
| 67 | Pathogenicity of four strains of entomopathogenic fungi against the bovine tick Boophilus microplus. American Journal of Veterinary Research, 2001, 62, 1478-1480. | 0.6 | 53 |
| 68 | A biolistic process for in vitro gene transfer into chicken embryos. Brazilian Journal of Medical and Biological Research, 2001, 34, 1115-1124. | 1.5 | 0 |
| 69 | RAPD profile and antibiotic susceptibility of Xylella fastidiosa, causal agent of citrus variegated chlorosis. Letters in Applied Microbiology, 2001, 33, 302-306. | 2.2 | 20 |
| 70 | Variability and interactions between endophytic bacteria and fungi isolated from leaf tissues of citrus rootstocks. Canadian Journal of Microbiology, 2001, 47, 229-236. | 1.7 | 37 |
| 71 | Isolation of endophytic actinomycetes from roots and leaves of maize (Zea mays L.). Brazilian Archives of Biology and Technology, 2000, 43, 447-451. | 0.5 | 96 |
| 72 | In situ DNA transfer to chicken embryos by biolistics. Genetics and Molecular Biology, 1999, 22, 525-529. | 1.3 | 1 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Selection for breed-specific growth hormone and IGF-I alleles in a synthetic beef cattle cross, Canchim. Genetics and Molecular Biology, 1999, 22, 531-537. | 1.3 | 15 |
| 74 | Re-evaluation of antibiotic and mercury resistance in Escherichia coli populations isolated in 1978 from Amazonian rubber tree tappers and Indians. Research in Microbiology, 1999, 150, 407-411. | 2.1 | 14 |
| 75 | Isolation and characterization of selenate resistant mutants of Acremonium chrysogenum. Brazilian Archives of Biology and Technology, 1999, 42, 369-374. | 0.5 | 3 |
| 76 | Characterization of Beauveria bassiana, Metarhizium anisopliae and Aspergillus nidulans through electrophoretic patterns of their protein fractions. Journal of Bioscience and Bioengineering, 1996, 82, 89-92. | 0.9 | 4 |
| 77 | Endophytic Fungi of Stylosanthes: A First Report. Mycologia, 1993, 85, 362. | 1.9 | 28 |
| 78 | Endophytic Fungi of <i>Stylosanthes</i> : A First Report. Mycologia, 1993, 85, 362-364. | 1.9 | 59 |
| 79 | Parasexuality in Beauveria bassiana. Journal of Invertebrate Pathology, 1991, 57, 172-176. | 3.2 | 52 |
| 80 | Protoplast fusion and genetic recombination in Metarhizium anisopliae. Enzyme and Microbial Technology, 1987, 9, 149-152. | 3.2 | 23 |
| 81 | Detection of point-mutation mutagens in Aspergillus nidulans: Comparison of methionine suppressors and arginine resistance induction by fungicides. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 1987, 176, 29-35. | 1.0 | 7 |
| 82 | Two-way selection of mutants and revertants to chloroneb resistance in Aspergillus nidulans. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 1982, 96, 31-39. | 1.0 | 3 |
| 83 | Production of extracellular enzymes by isolates of Metarhizium anisopliae. Journal of Invertebrate Pathology, 1981, 38, 1-3. | 3.2 | 31 |
| 84 | Resistance to ethidium bromide inAspergillus nidulans. Experientia, 1979, 35, 307-308. | 1.2 | 3 |
| 85 | Reversion in variants from a duplication strain a Aspergillus nidulans. Molecular Genetics and Genomics, 1978, 164, 255-258. | 2.4 | 2 |
| 86 | Effects of ethidium bromide in diploid and duplication strains of Aspergillus nidulans. Experientia, 1977, 33, 311-312. | 1.2 | 7 |
| 87 | Resistance and mitotic instability to chloroneb and 1,4-oxathiin in Aspergillus nidulans. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 1977, 48, 163-172. | 1.0 | 15 |
| 88 | Nicotinic acid suppressors inAspergillus nidulans. Experientia, 1974, 30, 356-358. | 1.2 | 0 |
| 89 | Recessive lethals induced by nitrours acid in Aspergillus nidulans. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 1970, 10, 111-117. | 1.0 | 7 |