

# Jiu-Chang Zhong

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/3504014/jiu-chang-zhong-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

93  
papers

4,406  
citations

29  
h-index

66  
g-index

106  
ext. papers

5,480  
ext. citations

5.3  
avg, IF

5.79  
L-index

#	Paper	IF	Citations
93	Knockdown of forkhead box protein P1 alleviates hypoxia reoxygenation injury in H9c2 cells through regulating Pik3ip1/Akt/eNOS and ROS/mPTP pathway.. <i>Bioengineered</i> , <b>2022</b> , 13, 1320-1334	5.7	2
92	MiRNA-122-5p inhibitor abolishes angiotensin II-mediated loss of autophagy and promotion of apoptosis in rat cardiofibroblasts by modulation of the apelin-AMPK-mTOR signaling.. <i>In Vitro Cellular and Developmental Biology - Animal</i> , <b>2022</b> , 58, 136	2.6	1
91	MicroRNA-122-5p promotes renal fibrosis and injury in spontaneously hypertensive rats by targeting FOXO3.. <i>Experimental Cell Research</i> , <b>2022</b> , 113017	4.2	2
90	MicroRNA-122-5p Aggravates Angiotensin II-Mediated Myocardial Fibrosis and Dysfunction in Hypertensive Rats by Regulating the Elabela/Apelin-APJ and ACE2-GDF15-Porimin Signaling.. <i>Journal of Cardiovascular Translational Research</i> , <b>2022</b> , 1	3.3	0
89	Association between Gut Microbiota Dysbiosis and the CHA2DS2-VASc Score in Atrial Fibrillation Patients. <i>International Journal of Clinical Practice</i> , <b>2022</b> , 2022, 1-10	2.9	0
88	Sirtuin 7 serves as a promising therapeutic target for cardiorenal diseases.. <i>European Journal of Pharmacology</i> , <b>2022</b> , 925, 174977	5.3	0
87	The Elabela-APJ axis: a promising therapeutic target for heart failure. <i>Heart Failure Reviews</i> , <b>2021</b> , 26, 1249-1258	5	17
86	Targeting the microRNA-34a as a Novel Therapeutic Strategy for Cardiovascular Diseases.. <i>Frontiers in Cardiovascular Medicine</i> , <b>2021</b> , 8, 784044	5.4	3
85	Examining the Development of Chronic Thromboembolic Pulmonary Hypertension at the Single-Cell Level.. <i>Hypertension</i> , <b>2021</b> , HYPERTENSIONAHA12118105	8.5	1
84	Expression Profiles of Circular RNA in Aortic Vascular Tissues of Spontaneously Hypertensive Rats.. <i>Frontiers in Cardiovascular Medicine</i> , <b>2021</b> , 8, 814402	5.4	3
83	Long non-coding RNA MALAT1 modulates myocardial ischemia-reperfusion injury through the PI3K/Akt/eNOS pathway by sponging miRNA-133a-3p to target IGF1R expression.. <i>European Journal of Pharmacology</i> , <b>2021</b> , 916, 174719	5.3	2
82	Targeting the elabela/apelin-apelin receptor axis as a novel therapeutic approach for hypertension. <i>Chinese Medical Journal</i> , <b>2021</b> ,	2.9	2
81	In-hospital outcome of primary PCI for patients with acute myocardial infarction and prior coronary artery bypass grafting. <i>Journal of Thoracic Disease</i> , <b>2021</b> , 13, 1737-1745	2.6	
80	Impact of Prior Digestive System Disease on In-Hospital Gastrointestinal Bleeding in Patients with Acute Myocardial Infarction. <i>Risk Management and Healthcare Policy</i> , <b>2021</b> , 14, 1233-1239	2.8	0
79	Cell landscape atlas for patients with chronic thromboembolic pulmonary hypertension after pulmonary endarterectomy constructed using single-cell RNA sequencing. <i>Aging</i> , <b>2021</b> , 13, 16485-16499 <sup>5.6</sup>	5.6	1
78	Possible immune regulation mechanisms for the progression of chronic thromboembolic pulmonary hypertension. <i>Thrombosis Research</i> , <b>2021</b> , 198, 122-131	8.2	3
77	TRPC5 in cardiovascular diseases. <i>Reviews in Cardiovascular Medicine</i> , <b>2021</b> , 22, 127-135	3.9	2

76	Lower Plasma Elabela Levels in Hypertensive Patients With Heart Failure Predict the Occurrence of Major Adverse Cardiac Events: A Preliminary Study. <i>Frontiers in Cardiovascular Medicine</i> , <b>2021</b> , 8, 638468	5.4	1
75	Genetic deletion of CMG2 exacerbates systemic-to-pulmonary shunt-induced pulmonary arterial hypertension. <i>FASEB Journal</i> , <b>2021</b> , 35, e21421	0.9	
74	Elabela prevents angiotensin II-induced apoptosis and inflammation in rat aortic adventitial fibroblasts via the activation of FGF21-ACE2 signaling. <i>Journal of Molecular Histology</i> , <b>2021</b> , 52, 905-918	3.3	1
73	Altered synthesis of genes associated with short-chain fatty acids in the gut of patients with atrial fibrillation. <i>BMC Genomics</i> , <b>2021</b> , 22, 634	4.5	4
72	Abnormal apelin-ACE2 and SGLT2 signaling contribute to adverse cardiorenal injury in patients with COVID-19. <i>International Journal of Cardiology</i> , <b>2021</b> , 336, 123-129	3.2	1
71	Declined ELABELA plasma levels in hypertension patients with atrial fibrillation: a case control study. <i>BMC Cardiovascular Disorders</i> , <b>2021</b> , 21, 390	2.3	1
70	The long-term impact of a chronic total occlusion in a non-infarct-related artery on acute ST-segment elevation myocardial infarction after primary coronary intervention. <i>BMC Cardiovascular Disorders</i> , <b>2021</b> , 21, 59	2.3	0
69	One-Stop Hybrid Coronary Revascularization Versus Off-Pump Coronary Artery Bypass Grafting in Patients With Multivessel Coronary Artery Disease.. <i>Frontiers in Cardiovascular Medicine</i> , <b>2021</b> , 8, 755797	5.4	0
68	p38/JNK Is Required for the Proliferation and Phenotype Changes of Vascular Smooth Muscle Cells Induced by in Essential Hypertension. <i>International Journal of Hypertension</i> , <b>2020</b> , 2020, 3123968	2.4	1
67	Prognostic values of the SYNTAX score II and the erythrocyte sedimentation rate on long-term clinical outcomes in STEMI patients with multivessel disease: a retrospective cohort study. <i>BMC Cardiovascular Disorders</i> , <b>2020</b> , 20, 213	2.3	3
66	Genetic screening for monogenic hypertension in hypertensive individuals in a clinical setting. <i>Journal of Medical Genetics</i> , <b>2020</b> , 57, 571-580	5.8	3
65	Response by Gheblawi et al to Letter Regarding Article, "Angiotensin-Converting Enzyme 2: SARS-CoV-2 Receptor and Regulator of the Renin-Angiotensin System: Celebrating the 20th Anniversary of the Discovery of ACE2". <i>Circulation Research</i> , <b>2020</b> , 127, e46-e47	15.7	10
64	Targeting the forkhead box protein P1 pathway as a novel therapeutic approach for cardiovascular diseases. <i>Heart Failure Reviews</i> , <b>2020</b> , 1	5	3
63	Circulating exosomal long non-coding RNAs in patients with acute myocardial infarction. <i>Journal of Cellular and Molecular Medicine</i> , <b>2020</b> , 24, 9388-9396	5.6	11
62	Speckle tracking for predicting outcomes of balloon pulmonary angioplasty in patients with chronic thromboembolic pulmonary hypertension. <i>Echocardiography</i> , <b>2020</b> , 37, 841-849	1.5	3
61	Role of Epicardial Adipose Tissue in Heart Failure: From Basic to Clinical Perspectives <b>2020</b> , 173-194		
60	Plasma levels of Elabela are associated with coronary angiographic severity in patients with acute coronary syndrome. <i>Journal of Geriatric Cardiology</i> , <b>2020</b> , 17, 674-679	1.7	0
59	Hsa_circ_0046159 is involved in the development of chronic thromboembolic pulmonary hypertension. <i>Journal of Thrombosis and Thrombolysis</i> , <b>2020</b> , 49, 386-394	5.1	15

58	MicroRNA-122 aggravates angiotensin II-mediated apoptosis and autophagy imbalance in rat aortic adventitial fibroblasts via the modulation of SIRT6-elabela-ACE2 signaling. <i>European Journal of Pharmacology</i> , <b>2020</b> , 883, 173374	5.3	25
57	Increased plasma ACE2 concentration does not mean increased risk of SARS-CoV-2 infection and increased fatality rate of COVID-19. <i>Acta Pharmaceutica Sinica B</i> , <b>2020</b> , 10, 2010-2014	15.5	6
56	hsa-miR-106b-5p participates in the development of chronic thromboembolic pulmonary hypertension via targeting matrix metalloproteinase 2. <i>Pulmonary Circulation</i> , <b>2020</b> , 10, 2045894020928300	2.7	4
55	MiR-181c protects cardiomyocyte injury by preventing cell apoptosis through PI3K/Akt signaling pathway. <i>Cardiovascular Diagnosis and Therapy</i> , <b>2020</b> , 10, 849-858	2.6	8
54	Roles of MicroRNA-122 in Cardiovascular Fibrosis and Related Diseases. <i>Cardiovascular Toxicology</i> , <b>2020</b> , 20, 463-473	3.4	20
53	Gender Differences in Hypertension. <i>Journal of Cardiovascular Translational Research</i> , <b>2020</b> , 13, 47-54	3.3	38
52	Myofibroblast-Derived Exosomes Contribute to Development of a Susceptible Substrate for Atrial Fibrillation. <i>Cardiology</i> , <b>2020</b> , 145, 324-332	1.6	11
51	Angiotensin-Converting Enzyme 2: SARS-CoV-2 Receptor and Regulator of the Renin-Angiotensin System: Celebrating the 20th Anniversary of the Discovery of ACE2. <i>Circulation Research</i> , <b>2020</b> , 126, 1456-1474 <sup>1012</sup>	15.7	1012
50	Roles of Growth Differentiation Factor 15 in Atherosclerosis and Coronary Artery Disease. <i>Journal of the American Heart Association</i> , <b>2019</b> , 8, e012826	6	24
49	Circulating Connective Tissue Growth Factor Is Associated with Diastolic Dysfunction in Patients with Diastolic Heart Failure. <i>Cardiology</i> , <b>2019</b> , 143, 77-84	1.6	6
48	Disordered gut microbiota and alterations in metabolic patterns are associated with atrial fibrillation. <i>GigaScience</i> , <b>2019</b> , 8,	7.6	47
47	Dysbiotic gut microbes may contribute to hypertension by limiting vitamin D production. <i>Clinical Cardiology</i> , <b>2019</b> , 42, 710-719	3.3	28
46	Ferritinophagy activation and sideroflexin1-dependent mitochondria iron overload is involved in apelin-13-induced cardiomyocytes hypertrophy. <i>Free Radical Biology and Medicine</i> , <b>2019</b> , 134, 445-457	7.8	33
45	The association between orthostatic blood pressure changes and subclinical target organ damage in subjects over 60 years old. <i>Journal of Geriatric Cardiology</i> , <b>2019</b> , 16, 387-394	1.7	2
44	Correlation of left atrial wall thickness and atrial remodeling in atrial fibrillation: Study based on low-dose-ibutilide-facilitated catheter ablation. <i>Medicine (United States)</i> , <b>2019</b> , 98, e15170	1.8	5
43	PINK1/Parkin-mediated mitophagy promotes apelin-13-induced vascular smooth muscle cell proliferation by AMPK and exacerbates atherosclerotic lesions. <i>Journal of Cellular Physiology</i> , <b>2019</b> , 234, 8668-8682	7	51
42	Gut-dependent microbial translocation induces inflammation and cardiovascular events after ST-elevation myocardial infarction. <i>Microbiome</i> , <b>2018</b> , 6, 66	16.6	100
41	A1156 Cardioprotective effects of Apelin-13 on aging- and angiotensin II-mediated adverse myocardial injury and dysfunction in hypertensive mice. <i>Journal of Hypertension</i> , <b>2018</b> , 36, e11	1.9	

40	A13137 Genetic screening for monogenic hypertension in a clinical setting among hypertensive individuals. <i>Journal of Hypertension</i> , <b>2018</b> , 36, e218	1.9	
39	A16299 Interaction between Neutrophil to Lymphocyte Ratio and Arterial Stiffness in Hypertensive Patients. <i>Journal of Hypertension</i> , <b>2018</b> , 36, e239	1.9	
38	A7645 Hypertension Is Mediated by the Gut K.pneumoniae. <i>Journal of Hypertension</i> , <b>2018</b> , 36, e45-e46	1.9	
37	A12686 The sirtuin 6 attenuates myocardial injury and dysfunction by regulating ADAM17/ACE2 pathway in hypertensive rats. <i>Journal of Hypertension</i> , <b>2018</b> , 36, e70	1.9	
36	Apelin Is a Negative Regulator of Angiotensin II-Mediated Adverse Myocardial Remodeling and Dysfunction. <i>Hypertension</i> , <b>2017</b> , 70, 1165-1175	8.5	62
35	Targeting the apelin pathway as a novel therapeutic approach for cardiovascular diseases. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , <b>2017</b> , 1863, 1942-1950	6.9	61
34	The sirtuin 6 prevents angiotensin II-mediated myocardial fibrosis and injury by targeting AMPK-ACE2 signaling. <i>Oncotarget</i> , <b>2017</b> , 8, 72302-72314	3.3	35
33	miR-17-3p Contributes to Exercise-Induced Cardiac Growth and Protects against Myocardial Ischemia-Reperfusion Injury. <i>Theranostics</i> , <b>2017</b> , 7, 664-676	12.1	129
32	Ascending aortic adventitial remodeling and fibrosis are ameliorated with Apelin-13 in rats after TAC via suppression of the miRNA-122 and LGR4-βcatenin signaling. <i>Peptides</i> , <b>2016</b> , 86, 85-94	3.8	22
31	Association between circulating levels of ACE2-Ang-(1-7)-MAS axis and ACE2 gene polymorphisms in hypertensive patients. <i>Medicine (United States)</i> , <b>2016</b> , 95, e3876	1.8	25
30	Crucial Role of miR-433 in Regulating Cardiac Fibrosis. <i>Theranostics</i> , <b>2016</b> , 6, 2068-2083	12.1	100
29	OS 36-07 TREATMENT WITH APELIN-13 PREVENTS PRESSURE OVERLOAD-INDUCED AORTIC ADVENTITIAL REMODELING AND FIBROSIS IN HYPERTENSIVE RATS WITH TAC. <i>Journal of Hypertension</i> , <b>2016</b> , 34, e403-e404	1.9	3
28	Role of the ACE2/Angiotensin 1-7 Axis of the Renin-Angiotensin System in Heart Failure. <i>Circulation Research</i> , <b>2016</b> , 118, 1313-26	15.7	478
27	Angiotensin-converting enzyme 2 ameliorates renal fibrosis by blocking the activation of mTOR/ERK signaling in apolipoprotein E-deficient mice. <i>Peptides</i> , <b>2016</b> , 79, 49-57	3.8	26
26	Inhibition of miR-155 Protects Against LPS-induced Cardiac Dysfunction and Apoptosis in Mice. <i>Molecular Therapy - Nucleic Acids</i> , <b>2016</b> , 5, e374	10.7	68
25	Deletion of angiotensin-converting enzyme 2 exacerbates renal inflammation and injury in apolipoprotein E-deficient mice through modulation of the nephrin and TNF-alpha-TNFRSF1A signaling. <i>Journal of Translational Medicine</i> , <b>2015</b> , 13, 255	8.5	24
24	The ACE2/Apelin Signaling, MicroRNAs, and Hypertension. <i>International Journal of Hypertension</i> , <b>2015</b> , 2015, 896861	2.4	56
23	Angiotensin-converting enzyme 2 is a critical determinant of angiotensin II-induced loss of vascular smooth muscle cells and adverse vascular remodeling. <i>Hypertension</i> , <b>2014</b> , 64, 157-64	8.5	70

22	ACE2/Ang-(1-7) signaling and vascular remodeling. <i>Science China Life Sciences</i> , <b>2014</b> , 57, 802-8	8.5	30
21	Effects of rapamycin on DC-SIGN expression and biological functions in DC. <i>Frontiers in Bioscience - Landmark</i> , <b>2014</b> , 19, 557-65	2.8	2
20	The interaction of transient receptor potential melastatin 7 with macrophages promotes vascular adventitial remodeling in transverse aortic constriction rats. <i>Hypertension Research</i> , <b>2014</b> , 37, 35-42	4.7	16
19	The relationship between nocturnal blood pressure and hemorrhagic stroke in Chinese hypertensive patients. <i>Journal of Clinical Hypertension</i> , <b>2014</b> , 16, 652-7	2.3	11
18	A core promoter variant of angiotensinogen gene and interindividual variation in response to angiotensin-converting enzyme inhibitors. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , <b>2014</b> , 15, 540-6	3	8
17	A Lectin-EGF antibody promotes regulatory T cells and attenuates nephrotoxic nephritis via DC-SIGN on dendritic cells. <i>Journal of Translational Medicine</i> , <b>2013</b> , 11, 103	8.5	8
16	Angiotensin-converting enzyme 2 attenuates oxidative stress and VSMC proliferation via the JAK2/STAT3/SOCS3 and profilin-1/MAPK signaling pathways. <i>Regulatory Peptides</i> , <b>2013</b> , 185, 44-51		38
15	GW24-e3625 Effects of apelin on the phosphodiesterase 1 expression and oxidative stress levels in mouse kidney fibroblast cells. <i>Heart</i> , <b>2013</b> , 99, A11.2-A12	5.1	
14	Cardiac protective effects of irbesartan via the PPAR-gamma signaling pathway in angiotensin-converting enzyme 2-deficient mice. <i>Journal of Translational Medicine</i> , <b>2013</b> , 11, 229	8.5	29
13	Loss of angiotensin-converting enzyme 2 exacerbates myocardial injury via activation of the CTGF-fractalkine signaling pathway. <i>Circulation Journal</i> , <b>2013</b> , 77, 2997-3006	2.9	34
12	Manipulating angiotensin metabolism with angiotensin converting enzyme 2 (ACE2) in heart failure. <i>Drug Discovery Today: Therapeutic Strategies</i> , <b>2012</b> , 9, e141-e148		3
11	Cardioprotective effects mediated by angiotensin II type 1 receptor blockade and enhancing angiotensin 1-7 in experimental heart failure in angiotensin-converting enzyme 2-null mice. <i>Hypertension</i> , <b>2012</b> , 59, 1195-203	8.5	81
10	Loss of angiotensin-converting enzyme-2 exacerbates diabetic cardiovascular complications and leads to systolic and vascular dysfunction: a critical role of the angiotensin II/AT1 receptor axis. <i>Circulation Research</i> , <b>2012</b> , 110, 1322-35	15.7	125
9	ACE2 deficiency enhances angiotensin II-mediated aortic profilin-1 expression, inflammation and peroxynitrite production. <i>PLoS ONE</i> , <b>2012</b> , 7, e38502	3.7	64
8	Prevention of angiotensin II-mediated renal oxidative stress, inflammation, and fibrosis by angiotensin-converting enzyme 2. <i>Hypertension</i> , <b>2011</b> , 57, 314-22	8.5	183
7	Telmisartan attenuates aortic hypertrophy in hypertensive rats by the modulation of ACE2 and profilin-1 expression. <i>Regulatory Peptides</i> , <b>2011</b> , 166, 90-7		88
6	Angiotensin-converting enzyme 2 suppresses pathological hypertrophy, myocardial fibrosis, and cardiac dysfunction. <i>Circulation</i> , <b>2010</b> , 122, 717-28, 18 p following 728	16.7	341
5	Human recombinant ACE2 reduces the progression of diabetic nephropathy. <i>Diabetes</i> , <b>2010</b> , 59, 529-38	0.9	234

4	Loss of angiotensin-converting enzyme 2 accelerates maladaptive left ventricular remodeling in response to myocardial infarction. <i>Circulation: Heart Failure</i> , <b>2009</b> , 2, 446-55	7.6	173
3	Apelin modulates aortic vascular tone via endothelial nitric oxide synthase phosphorylation pathway in diabetic mice. <i>Cardiovascular Research</i> , <b>2007</b> , 74, 388-95	9.9	126
2	The novel peptide apelin regulates intrarenal artery tone in diabetic mice. <i>Regulatory Peptides</i> , <b>2007</b> , 144, 109-14		31
1	Upregulation of angiotensin-converting enzyme 2 by all-trans retinoic acid in spontaneously hypertensive rats. <i>Hypertension</i> , <b>2004</b> , 44, 907-12	8.5	102