

Xinde Cao

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3504044/xinde-cao-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

152
papers

13,808
citations

57
h-index

116
g-index

158
ext. papers

16,655
ext. citations

9.9
avg, IF

7.03
L-index

#	Paper	IF	Citations
152	Evaluation of long-term carbon sequestration of biochar in soil with biogeochemical field model.. <i>Science of the Total Environment</i> , 2022 , 822, 153576	10.2	3
151	Direct and Indirect Electron Transfer Routes of Chromium(VI) Reduction with Different Crystalline Ferric Oxyhydroxides in the Presence of Pyrogenic Carbon.. <i>Environmental Science & Technology</i> , 2022 ,	10.3	3
150	Electroactive Fe-biochar for redox-related remediation of arsenic and chromium: Distinct redox nature with varying iron/carbon speciation. <i>Journal of Hazardous Materials</i> , 2022 , 430, 128479	12.8	3
149	Straw return promoted the simultaneous elimination of sulfamethoxazole and related antibiotic resistance genes in the paddy soil. <i>Science of the Total Environment</i> , 2022 , 806, 150525	10.2	1
148	Development of phosphorus composite biochar for simultaneous enhanced carbon sink and heavy metal immobilization in soil.. <i>Science of the Total Environment</i> , 2022 , 154845	10.2	1
147	Effects of different modifiers on the sorption and structural properties of biochar derived from wheat stalk.. <i>Environmental Science and Pollution Research</i> , 2022 , 1	5.1	0
146	Simultaneous reduction and sequestration of hexavalent chromium by magnetic β -cyclodextrin stabilized FeS.. <i>Journal of Hazardous Materials</i> , 2022 , 431, 128592	12.8	0
145	UV/ozone induced physicochemical transformations of polystyrene nanoparticles and their aggregation tendency and kinetics with natural organic matter in aqueous systems.. <i>Journal of Hazardous Materials</i> , 2022 , 433, 128790	12.8	0
144	Colloid formation and facilitated chromium transport in the coastal area soil induced by freshwater and seawater alternating fluctuations.. <i>Water Research</i> , 2022 , 218, 118456	12.5	0
143	A novel lignin hydrogel supported nZVI for efficient removal of Cr(VI).. <i>Chemosphere</i> , 2022 , 301, 134781	8.4	0
142	Biochar for carbon sequestration and environmental remediation in soil 2022 , 35-49		
141	Modeling and visualizing the transport and retention of cationic and oxyanionic metals (Cd and Cr) in saturated soil under various hydrochemical and hydrodynamic conditions. <i>Science of the Total Environment</i> , 2021 , 151467	10.2	4
140	Ionic liquid-assisted production of high-porosity biochar with more surface functional groups: Taking cellulose as attacking target. <i>Chemical Engineering Journal</i> , 2021 , 433, 133811	14.7	0
139	Contrasting effects of dry-wet and freeze-thaw aging on the immobilization of As in As-contaminated soils amended by zero-valent iron-embedded biochar.. <i>Journal of Hazardous Materials</i> , 2021 , 426, 128123	12.8	0
138	Dispersion and transport of microplastics in three water-saturated coastal soils. <i>Journal of Hazardous Materials</i> , 2021 , 424, 127614	12.8	0
137	Critical Impact of Nitrogen Vacancies in Nonradical Carbocatalysis on Nitrogen-Doped Graphitic Biochar. <i>Environmental Science & Technology</i> , 2021 , 55, 7004-7014	10.3	34
136	Computational study and optimization experiment of nZVI modified by anionic and cationic polymer for Cr(VI) stabilization in soil: Kinetics and response surface methodology (RSM). <i>Environmental Pollution</i> , 2021 , 276, 116745	9.3	19

135	Stabilization of dissolvable biochar by soil minerals: Release reduction and organo-mineral complexes formation. <i>Journal of Hazardous Materials</i> , 2021 , 412, 125213	12.8	14
134	Soil colloids affect the aggregation and stability of biochar colloids. <i>Science of the Total Environment</i> , 2021 , 771, 145414	10.2	10
133	New insights into the underlying influence of bentonite on Pb immobilization by undissolvable and dissolvable fractions of biochar. <i>Science of the Total Environment</i> , 2021 , 775, 145824	10.2	2
132	Nano ferric oxide adsorbents with self-acidification effect for efficient adsorption of Sb(V).. <i>Chemosphere</i> , 2021 , 272, 129933	8.4	5
131	Persulfate Oxidation of Sulfamethoxazole by Magnetic Iron-Char Composites via Nonradical Pathways: Fe(IV) Versus Surface-Mediated Electron Transfer. <i>Environmental Science & Technology</i> , 2021 , 55, 10077-10086	10.3	31
130	Evolution of redox activity of biochar during interaction with soil minerals: Effect on the electron donating and mediating capacities for Cr(VI) reduction. <i>Journal of Hazardous Materials</i> , 2021 , 414, 125483	12.8	27
129	Dynamic release and transformation of metallic copper colloids in flooded paddy soil: Role of soil reducible sulfate and temperature. <i>Journal of Hazardous Materials</i> , 2021 , 402, 123462	12.8	2
128	Application of iron-biochar composite in topsoil for simultaneous remediation of chromium-contaminated soil and groundwater: Immobilization mechanism and long-term stability. <i>Journal of Hazardous Materials</i> , 2021 , 405, 124226	12.8	15
127	Metal chloride-loaded biochar for phosphorus recovery: Noteworthy roles of inherent minerals in precursor. <i>Chemosphere</i> , 2021 , 266, 128991	8.4	12
126	Country-level potential of carbon sequestration and environmental benefits by utilizing crop residues for biochar implementation. <i>Applied Energy</i> , 2021 , 282, 116275	10.7	20
125	Biochar-impacted sulfur cycling affects methylmercury phytoavailability in soils under different redox conditions. <i>Journal of Hazardous Materials</i> , 2021 , 407, 124397	12.8	9
124	Sorption of reactive red by biochars ball milled in different atmospheres: Co-effect of surface morphology and functional groups. <i>Chemical Engineering Journal</i> , 2021 , 413, 127468	14.7	8
123	Protein corona-induced aggregation of differently sized nanoplastics: impacts of protein type and concentration. <i>Environmental Science: Nano</i> , 2021 , 8, 1560-1570	7.1	6
122	Migration and transformation of chromium in unsaturated soil during groundwater table fluctuations induced by rainfall. <i>Journal of Hazardous Materials</i> , 2021 , 416, 126229	12.8	4
121	Synergistic role of bulk carbon and iron minerals inherent in the sludge-derived biochar for As(V) immobilization. <i>Chemical Engineering Journal</i> , 2021 , 417, 129183	14.7	8
120	Contribution of pristine and reduced microbial extracellular polymeric substances of different sources to Cu(II) reduction. <i>Journal of Hazardous Materials</i> , 2021 , 415, 125616	12.8	16
119	Chemical and photo-initiated aging enhances transport risk of microplastics in saturated soils: Key factors, mechanisms, and modeling. <i>Water Research</i> , 2021 , 202, 117407	12.5	8
118	Impacts of different activation processes on the carbon stability of biochar for oxidation resistance. <i>Bioresource Technology</i> , 2021 , 338, 125555	11	20

117	Pyrolysis temperature-dependent carbon retention and stability of biochar with participation of calcium: Implications to carbon sequestration. <i>Environmental Pollution</i> , 2021 , 287, 117566	9.3	11
116	Enhanced trichloroethylene biodegradation: Roles of biochar-microbial collaboration beyond adsorption. <i>Science of the Total Environment</i> , 2021 , 792, 148451	10.2	6
115	Further reuse of phosphorus-laden biochar for lead sorption from aqueous solution: Isotherm, kinetics, and mechanism. <i>Science of the Total Environment</i> , 2021 , 792, 148550	10.2	4
114	Microplastics in the soil-groundwater environment: Aging, migration, and co-transport of contaminants - A critical review. <i>Journal of Hazardous Materials</i> , 2021 , 419, 126455	12.8	41
113	Biomass-derived pyrolytic carbons accelerated Fe(III)/Fe(II) redox cycle for persulfate activation: Pyrolysis temperature-dependent performance and mechanisms. <i>Applied Catalysis B: Environmental</i> , 2021 , 297, 120446	21.8	10
112	Mesoporous ball-milling iron-loaded biochar for enhanced sorption of reactive red: Performance and mechanisms. <i>Environmental Pollution</i> , 2021 , 290, 117992	9.3	4
111	Unraveling iron speciation on Fe-biochar with distinct arsenic removal mechanisms and depth distributions of As and Fe. <i>Chemical Engineering Journal</i> , 2021 , 425, 131489	14.7	14
110	Ball milling as a mechanochemical technology for fabrication of novel biochar nanomaterials. <i>Bioresource Technology</i> , 2020 , 312, 123613	11	124
109	The microorganism and biochar-augmented bioreactive top-layer soil for degradation removal of 2,4-dichlorophenol from surface runoff. <i>Science of the Total Environment</i> , 2020 , 733, 139244	10.2	4
108	Sustainable impact of tartaric acid as electron shuttle on hierarchical iron-incorporated biochar. <i>Chemical Engineering Journal</i> , 2020 , 395, 125138	14.7	30
107	One-pot synthesis of nZVI-embedded biochar for remediation of two mining arsenic-contaminated soils: Arsenic immobilization associated with iron transformation. <i>Journal of Hazardous Materials</i> , 2020 , 398, 122901	12.8	47
106	Coupling mixture reference models with DGT-perceived metal flux for deciphering the nonadditive effects of rare earth mixtures to wheat in soils. <i>Environmental Research</i> , 2020 , 188, 109736	7.9	3
105	The shuttling effects and associated mechanisms of different types of iron oxide nanoparticles for Cu(II) reduction by <i>Geobacter sulfurreducens</i> . <i>Journal of Hazardous Materials</i> , 2020 , 393, 122390	12.8	6
104	Contribution of different iron species in the iron-biochar composites to sorption and degradation of two dyes with varying properties. <i>Chemical Engineering Journal</i> , 2020 , 389, 124471	14.7	38
103	Elucidating Toxicodynamic Differences at the Molecular Scale between ZnO Nanoparticles and ZnCl ₂ in via Nontargeted Metabolomics. <i>Environmental Science & Technology</i> , 2020 , 54, 3487-3498	10.3	16
102	Effective Modeling Framework for Quantifying the Potential Impacts of Coexisting Anions on the Toxicity of Arsenate, Selenite, and Vanadate. <i>Environmental Science & Technology</i> , 2020 , 54, 2379-2388	10.3	7
101	Different alkaline minerals interacted with biomass carbon during pyrolysis: Which one improved biochar carbon sequestration?. <i>Journal of Cleaner Production</i> , 2020 , 255, 120162	10.3	35
100	Uptake of vegetable and soft drink affected transformation and bioaccessibility of lead in gastrointestinal track exposed to lead-contaminated soil particles. <i>Ecotoxicology and Environmental Safety</i> , 2020 , 194, 110411	7	6

99	Sustainable remediation with an electroactive biochar system: mechanisms and perspectives. <i>Green Chemistry</i> , 2020 , 22, 2688-2711	10	64
98	Coherent toxicity prediction framework for deciphering the joint effects of rare earth metals (La and Ce) under varied levels of calcium and NTA. <i>Chemosphere</i> , 2020 , 254, 126905	8.4	6
97	Roles of the mineral constituents in sludge-derived biochar in persulfate activation for phenol degradation. <i>Journal of Hazardous Materials</i> , 2020 , 398, 122861	12.8	33
96	New insights into CO ₂ sorption on biochar/Fe oxyhydroxide composites: Kinetics, mechanisms, and in situ characterization. <i>Chemical Engineering Journal</i> , 2020 , 384, 123289	14.7	14
95	Participation of soil active components in the reduction of Cr(VI) by biochar: Differing effects of iron mineral alone and its combination with organic acid. <i>Journal of Hazardous Materials</i> , 2020 , 384, 121455	12.8	25
94	Biochar as simultaneous shelter, adsorbent, pH buffer, and substrate of <i>Pseudomonas citronellolis</i> to promote biodegradation of high concentrations of phenol in wastewater. <i>Water Research</i> , 2020 , 172, 115494	12.5	56
93	Sustainable conversion of contaminated dredged river sediment into eco-friendly foamed concrete. <i>Journal of Cleaner Production</i> , 2020 , 252, 119799	10.3	20
92	Interactions of CeO nanoparticles with natural colloids and electrolytes impact their aggregation kinetics and colloidal stability. <i>Journal of Hazardous Materials</i> , 2020 , 386, 121973	12.8	16
91	Pyrolysis-temperature depended electron donating and mediating mechanisms of biochar for Cr(VI) reduction. <i>Journal of Hazardous Materials</i> , 2020 , 388, 121794	12.8	49
90	Impact of CeO nanoparticles on the aggregation kinetics and stability of polystyrene nanoplastics: Importance of surface functionalization and solution chemistry. <i>Water Research</i> , 2020 , 186, 116324	12.5	22
89	Interactions of arsenic, copper, and zinc in soil-plant system: Partition, uptake and phytotoxicity. <i>Science of the Total Environment</i> , 2020 , 745, 140926	10.2	13
88	Occurrence of contaminants in drinking water sources and the potential of biochar for water quality improvement: A review. <i>Critical Reviews in Environmental Science and Technology</i> , 2020 , 50, 549-611	14.1	67
87	Suppressed formation of polycyclic aromatic hydrocarbons (PAHs) during pyrolytic production of Fe-enriched composite biochar. <i>Journal of Hazardous Materials</i> , 2020 , 382, 121033	12.8	25
86	Infiltration behavior of heavy metals in runoff through soil amended with biochar as bulking agent. <i>Environmental Pollution</i> , 2019 , 254, 113114	9.3	16
85	Physicochemical property and colloidal stability of micron- and nano-particle biochar derived from a variety of feedstock sources. <i>Science of the Total Environment</i> , 2019 , 661, 685-695	10.2	66
84	Multifunctional iron-biochar composites for the removal of potentially toxic elements, inherent cations, and hetero-chloride from hydraulic fracturing wastewater. <i>Environment International</i> , 2019 , 124, 521-532	12.9	287
83	Facilitated transport of cadmium by biochar-FeO nanocomposites in water-saturated natural soils. <i>Science of the Total Environment</i> , 2019 , 684, 265-275	10.2	39
82	Pyrolysis-temperature depended quinone and carbonyl groups as the electron accepting sites in barley grass derived biochar. <i>Chemosphere</i> , 2019 , 232, 273-280	8.4	42

81	Interaction with low molecular weight organic acids affects the electron shuttling of biochar for Cr(VI) reduction. <i>Journal of Hazardous Materials</i> , 2019 , 378, 120705	12.8	55
80	Different mechanisms between biochar and activated carbon for the persulfate catalytic degradation of sulfamethoxazole: Roles of radicals in solution or solid phase. <i>Chemical Engineering Journal</i> , 2019 , 375, 121908	14.7	69
79	The cation competition and electrostatic theory are equally valid in quantifying the toxicity of trivalent rare earth ions (Y and Ce) to <i>Triticum aestivum</i> . <i>Environmental Pollution</i> , 2019 , 250, 456-463	9.3	12
78	Potassium doping increases biochar carbon sequestration potential by 45%, facilitating decoupling of carbon sequestration from soil improvement. <i>Scientific Reports</i> , 2019 , 9, 5514	4.9	43
77	N-doped biochar synthesized by a facile ball-milling method for enhanced sorption of CO ₂ and reactive red. <i>Chemical Engineering Journal</i> , 2019 , 368, 564-572	14.7	96
76	Highly Efficient Utilization of Nano-Fe(0) Embedded in Mesoporous Carbon for Activation of Peroxydisulfate. <i>Environmental Science & Technology</i> , 2019 , 53, 9081-9090	10.3	83
75	A sustainable biochar catalyst synergized with copper heteroatoms and CO ₂ for singlet oxygenation and electron transfer routes. <i>Green Chemistry</i> , 2019 , 21, 4800-4814	10	133
74	Green remediation of As and Pb contaminated soil using cement-free clay-based stabilization/solidification. <i>Environment International</i> , 2019 , 126, 336-345	12.9	175
73	Phytotoxicity of individual and binary mixtures of rare earth elements (Y, La, and Ce) in relation to bioavailability. <i>Environmental Pollution</i> , 2019 , 246, 114-121	9.3	18
72	Biochar as both electron donor and electron shuttle for the reduction transformation of Cr(VI) during its sorption. <i>Environmental Pollution</i> , 2019 , 244, 423-430	9.3	146
71	Interaction of Inherent Minerals with Carbon during Biomass Pyrolysis Weakens Biochar Carbon Sequestration Potential. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 1591-1599	8.3	43
70	Contrasting effects of biochar nanoparticles on the retention and transport of phosphorus in acidic and alkaline soils. <i>Environmental Pollution</i> , 2018 , 239, 562-570	9.3	54
69	Immobilization of Heavy Metals in Contaminated Soils Amended by Phosphate-, Carbonate-, and Silicate-Based Materials: From Lab to Field 2018 , 535-543		3
68	In vitro bioaccessibility and health risk assessment of heavy metals in atmospheric particulate matters from three different functional areas of Shanghai, China. <i>Science of the Total Environment</i> , 2018 , 610-611, 546-554	10.2	57
67	Contrasting impacts of pre- and post-application aging of biochar on the immobilization of Cd in contaminated soils. <i>Environmental Pollution</i> , 2018 , 242, 1362-1370	9.3	78
66	Characterization and quantification of electron donating capacity and its structure dependence in biochar derived from three waste biomasses. <i>Chemosphere</i> , 2018 , 211, 1073-1081	8.4	73
65	Release of nutrients and heavy metals from biochar-amended soil under environmentally relevant conditions. <i>Environmental Science and Pollution Research</i> , 2018 , 25, 2517-2527	5.1	23
64	An integrated approach for simultaneous immobilization of lead in both contaminated soil and groundwater: Laboratory test and numerical modeling. <i>Journal of Hazardous Materials</i> , 2018 , 342, 107-113	12.8	21

63	Kaolinite Enhances the Stability of the Dissolvable and Undissolvable Fractions of Biochar via Different Mechanisms. <i>Environmental Science & Technology</i> , 2018 , 52, 8321-8329	10.3	50
62	Transformation and bioaccessibility of lead induced by steamed bread feed in the gastrointestinal tract. <i>Ecotoxicology and Environmental Safety</i> , 2017 , 137, 158-164	7	10
61	Converting Ni-loaded biochars into supercapacitors: Implication on the reuse of exhausted carbonaceous sorbents. <i>Scientific Reports</i> , 2017 , 7, 41523	4.9	37
60	Roles of Phosphoric Acid in Biochar Formation: Synchronously Improving Carbon Retention and Sorption Capacity. <i>Journal of Environmental Quality</i> , 2017 , 46, 393-401	3.4	70
59	Development of phosphate rock integrated with iron amendment for simultaneous immobilization of Zn and Cr(VI) in an electroplating contaminated soil. <i>Chemosphere</i> , 2017 , 182, 15-21	8.4	20
58	Indispensable role of biochar-inherent mineral constituents in its environmental applications: A review. <i>Bioresource Technology</i> , 2017 , 241, 887-899	11	170
57	Magnetic Nanoscale Zerovalent Iron Assisted Biochar: Interfacial Chemical Behaviors and Heavy Metals Remediation Performance. <i>ACS Sustainable Chemistry and Engineering</i> , 2017 , 5, 9673-9682	8.3	121
56	Transport and retention of biochar nanoparticles in a paddy soil under environmentally-relevant solution chemistry conditions. <i>Environmental Pollution</i> , 2017 , 230, 540-549	9.3	90
55	Role of Inherent Inorganic Constituents in SO Sorption Ability of Biochars Derived from Three Biomass Wastes. <i>Environmental Science & Technology</i> , 2016 , 50, 12957-12965	10.3	24
54	Sorption of arsenic onto Ni/Fe layered double hydroxide (LDH)-biochar composites. <i>RSC Advances</i> , 2016 , 6, 17792-17799	3.7	62
53	Copyrolysis of Biomass with Phosphate Fertilizers To Improve Biochar Carbon Retention, Slow Nutrient Release, and Stabilize Heavy Metals in Soil. <i>ACS Sustainable Chemistry and Engineering</i> , 2016 , 4, 1630-1636	8.3	129
52	The Interfacial Behavior between Biochar and Soil Minerals and Its Effect on Biochar Stability. <i>Environmental Science & Technology</i> , 2016 , 50, 2264-71	10.3	192
51	Biochar-supported carbon nanotube and graphene oxide nanocomposites for Pb(II) and Cd(II) removal. <i>RSC Advances</i> , 2016 , 6, 24314-24319	3.7	61
50	A review of biochar as a low-cost adsorbent for aqueous heavy metal removal. <i>Critical Reviews in Environmental Science and Technology</i> , 2016 , 46, 406-433	11.1	703
49	Comparison of the characteristics and mechanisms of Hg(II) sorption by biochars and activated carbon. <i>Journal of Colloid and Interface Science</i> , 2016 , 463, 55-60	9.3	107
48	Transformation and bioaccessibility of lead during physiologically based extraction test: effects of phosphate amendment and extract fluid components. <i>RSC Advances</i> , 2016 , 6, 43786-43793	3.7	4
47	Chemical transformation of CO ₂ during its capture by waste biomass derived biochars. <i>Environmental Pollution</i> , 2016 , 213, 533-540	9.3	83
46	Endogenous minerals have influences on surface electrochemistry and ion exchange properties of biochar. <i>Chemosphere</i> , 2015 , 136, 133-9	8.4	46

45	Facilitated transport of anatase titanium dioxides nanoparticles in the presence of phosphate in saturated sands. <i>Journal of Colloid and Interface Science</i> , 2015 , 451, 134-43	9.3	35
44	Toxicity characteristic leaching procedure over- or under-estimates leachability of lead in phosphate-amended contaminated soils. <i>Chemosphere</i> , 2015 , 138, 744-50	8.4	27
43	Short-term effects of rice straw biochar on sorption, emission, and transformation of soil $\text{NH}_4\text{-N}$. <i>Environmental Science and Pollution Research</i> , 2015 , 22, 9184-92	5.1	35
42	Sorption and cosorption of lead and sulfapyridine on carbon nanotube-modified biochars. <i>Environmental Science and Pollution Research</i> , 2015 , 22, 1868-76	5.1	106
41	Distribution and evolution of organic matter phases during biochar formation and their importance in carbon loss and pore structure. <i>Chemical Engineering Journal</i> , 2014 , 250, 240-247	14.7	55
40	Interaction of organic and inorganic fractions of biochar with Pb(II) ion: further elucidation of mechanisms for Pb(II) removal by biochar. <i>RSC Advances</i> , 2014 , 4, 44930-44937	3.7	79
39	Effects of mineral additives on biochar formation: carbon retention, stability, and properties. <i>Environmental Science & Technology</i> , 2014 , 48, 11211-7	10.3	180
38	Comparison of sewage sludge- and pig manure-derived biochars for hydrogen sulfide removal. <i>Chemosphere</i> , 2014 , 111, 296-303	8.4	89
37	Phosphorus release from dairy manure, the manure-derived biochar, and their amended soil: effects of phosphorus nature and soil property. <i>Journal of Environmental Quality</i> , 2014 , 43, 1504-9	3.4	78
36	Phosphorus-assisted biomass thermal conversion: reducing carbon loss and improving biochar stability. <i>PLoS ONE</i> , 2014 , 9, e115373	3.7	52
35	Biochar-supported zerovalent iron reclaims silver from aqueous solution to form antimicrobial nanocomposite. <i>Chemosphere</i> , 2014 , 117, 801-5	8.4	57
34	Biochar- and phosphate-induced immobilization of heavy metals in contaminated soil and water: implication on simultaneous remediation of contaminated soil and groundwater. <i>Environmental Science and Pollution Research</i> , 2014 , 21, 4665-74	5.1	75
33	Biochar-supported zerovalent iron for removal of various contaminants from aqueous solutions. <i>Bioresource Technology</i> , 2014 , 152, 538-42	11	275
32	Mobility of Pb, Cu, and Zn in the phosphorus-amended contaminated soils under simulated landfill and rainfall conditions. <i>Environmental Science and Pollution Research</i> , 2013 , 20, 5913-21	5.1	30
31	Synthesis of a multifunctional graphene-carbon nanotube aerogel and its strong adsorption of lead from aqueous solution. <i>RSC Advances</i> , 2013 , 3, 21099	3.7	60
30	Comparison of rice husk- and dairy manure-derived biochars for simultaneously removing heavy metals from aqueous solutions: role of mineral components in biochars. <i>Chemosphere</i> , 2013 , 92, 955-61	8.4	313
29	Removal of Cu, Zn, and Cd from aqueous solutions by the dairy manure-derived biochar. <i>Environmental Science and Pollution Research</i> , 2013 , 20, 358-68	5.1	388
28	Sorption of heavy metals on chitosan-modified biochars and its biological effects. <i>Chemical Engineering Journal</i> , 2013 , 231, 512-518	14.7	241

27	Heterogeneity of biochar properties as a function of feedstock sources and production temperatures. <i>Journal of Hazardous Materials</i> , 2013 , 256-257, 1-9	12.8	206
26	Short-term effects of raw rice straw and its derived biochar on greenhouse gas emission in five typical soils in China. <i>Soil Science and Plant Nutrition</i> , 2013 , 59, 800-811	1.6	47
25	Mineral constituents profile of biochar derived from diversified waste biomasses: implications for agricultural applications. <i>Journal of Environmental Quality</i> , 2013 , 42, 545-52	3.4	74
24	Removal of heavy metals from aqueous solution by biochars derived from anaerobically digested biomass. <i>Bioresource Technology</i> , 2012 , 110, 50-6	11	519
23	Adsorption of sulfamethoxazole on biochar and its impact on reclaimed water irrigation. <i>Journal of Hazardous Materials</i> , 2012 , 209-210, 408-13	12.8	198
22	Effects of phosphorus amendments and plant growth on the mobility of Pb, Cu, and Zn in a multi-metal-contaminated soil. <i>Environmental Science and Pollution Research</i> , 2012 , 19, 1659-67	5.1	65
21	Simultaneous immobilization of lead and atrazine in contaminated soils using dairy-manure biochar. <i>Environmental Science & Technology</i> , 2011 , 45, 4884-9	10.3	429
20	Enhanced Lead Sorption by Biochar Derived from Anaerobically Digested Sugarcane Bagasse. <i>Separation Science and Technology</i> , 2011 , 46, 1950-1956	2.5	179
19	Biochar derived from anaerobically digested sugar beet tailings: characterization and phosphate removal potential. <i>Bioresource Technology</i> , 2011 , 102, 6273-8	11	424
18	Sorption and desorption behavior of lead on a Chinese kaolin. <i>Environmental Earth Sciences</i> , 2011 , 63, 145-149	2.9	6
17	Removal of phosphate from aqueous solution by biochar derived from anaerobically digested sugar beet tailings. <i>Journal of Hazardous Materials</i> , 2011 , 190, 501-7	12.8	395
16	Colloid Deposition and Release in Soils and Their Association With Heavy Metals. <i>Critical Reviews in Environmental Science and Technology</i> , 2011 , 41, 336-372	11.1	74
15	Biomass reduction and arsenic transformation during composting of arsenic-rich hyperaccumulator <i>Pteris vittata</i> L. <i>Environmental Science and Pollution Research</i> , 2010 , 17, 586-94	5.1	27
14	Properties of dairy-manure-derived biochar pertinent to its potential use in remediation. <i>Bioresource Technology</i> , 2010 , 101, 5222-8	11	780
13	Immobilization of Zn, Cu, and Pb in contaminated soils using phosphate rock and phosphoric acid. <i>Journal of Hazardous Materials</i> , 2009 , 164, 555-64	12.8	275
12	Dairy-manure derived biochar effectively sorbs lead and atrazine. <i>Environmental Science & Technology</i> , 2009 , 43, 3285-91	10.3	888
11	Phosphate-induced lead immobilization from different lead minerals in soils under varying pH conditions. <i>Environmental Pollution</i> , 2008 , 152, 184-92	9.3	124
10	Carbonate and magnesium interactive effect on calcium phosphate precipitation. <i>Environmental Science & Technology</i> , 2008 , 42, 436-42	10.3	120

9	Evaluating the applicability of regulatory leaching tests for assessing lead leachability in contaminated shooting range soils. <i>Environmental Monitoring and Assessment</i> , 2008 , 139, 1-13	3.1	22
8	Bench-scale recovery of phosphorus from flushed dairy manure wastewater. <i>Bioresource Technology</i> , 2008 , 99, 3036-43	11	33
7	Immobilization of lead in shooting range soils by means of cement, quicklime, and phosphate amendments. <i>Environmental Science and Pollution Research</i> , 2008 , 15, 120-7	5.1	72
6	Accumulation of Pb, Cu, and Zn in native plants growing on a contaminated Florida site. <i>Science of the Total Environment</i> , 2006 , 368, 456-64	10.2	1045
5	Mechanisms of lead, copper, and zinc retention by phosphate rock. <i>Environmental Pollution</i> , 2004 , 131, 435-44	9.3	283
4	Effects of compost and phosphate on plant arsenic accumulation from soils near pressure-treated wood. <i>Environmental Pollution</i> , 2004 , 132, 435-42	9.3	138
3	Field assessment of lead immobilization in a contaminated soil after phosphate application. <i>Science of the Total Environment</i> , 2003 , 305, 117-27	10.2	154
2	Lead transformation and distribution in the soils of shooting ranges in Florida, USA. <i>Science of the Total Environment</i> , 2003 , 307, 179-89	10.2	115
1	Impacts of phosphate amendments on lead biogeochemistry at a contaminated site. <i>Environmental Science & Technology</i> , 2002 , 36, 5296-304	10.3	220