

Manel Sabat Tenas

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3504496/manel-sabate-tenas-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

391
papers

21,419
citations

59
h-index

142
g-index

454
ext. papers

25,252
ext. citations

5
avg, IF

5.86
L-index

#	Paper	IF	Citations
391	A Score to Assess Mortality After Percutaneous Mitral Valve Repair.. <i>Journal of the American College of Cardiology</i> , 2022 , 79, 562-573	15.1	1
390	Coronary Microvascular Angina: A State-of-the-Art Review.. <i>Frontiers in Cardiovascular Medicine</i> , 2022 , 9, 800918	5.4	0
389	Transcatheter mitral valve repair in nonagenarians.. <i>Journal of Geriatric Cardiology</i> , 2022 , 19, 90-94	1.7	
388	Circulating miRNA Fingerprint and Endothelial Function in Myocardial Infarction: Comparison at Acute Event and One-Year Follow-Up. <i>Cells</i> , 2022 , 11, 1823	7.9	2
387	Treatment of device related thrombosis after left atrial appendage occlusion: Initial experience with low-dose apixaban. <i>Cardiovascular Revascularization Medicine</i> , 2021 ,	1.6	
386	Coronary Endothelium-Dependent Vasomotor Function After Drug-Eluting Stent and Bioresorbable Scaffold Implantation. <i>Journal of the American Heart Association</i> , 2021 , 10, e022123	6	0
385	Amphilimus- versus zotarolimus-eluting stents in patients with diabetes mellitus and coronary artery disease (SUGAR trial). <i>European Heart Journal</i> , 2021 ,	9.5	6
384	Drug-Eluting or Bare-Metal Stents for Left Anterior Descending or Left Main Coronary Artery Revascularization. <i>Journal of the American Heart Association</i> , 2021 , 10, e018828	6	1
383	Spanish Cardiac Catheterization and Coronary Intervention Registry. 30th Official Report of the Interventional Cardiology Association of the Spanish Society of Cardiology (1990-2020) in the year of the COVID-19 pandemic. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2021 , 74, 1095-1105	0.7	1
382	10-Year Follow-Up of Patients With Everolimus-Eluting Versus Bare-Metal Stents After ST-Segment Elevation Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2021 , 77, 1165-1178	15.1	5
381	Funci3n endotelial y microvascular distal a stents farmacoactivos sin pol3mero y captadores de c3lulas endoteliales. Estudio aleatorizado FUNCOMBO. <i>Revista Espanola De Cardiologia</i> , 2021 , 74, 1014-1014	1.5	2
380	Acute coronary syndrome in nonagenarians: gender gap?. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021 , 10,	4.3	78
379	International Prospective Registry of Acute Coronary Syndromes in Patients With COVID-19. <i>Journal of the American College of Cardiology</i> , 2021 , 77, 2466-2476	15.1	25
378	Myocardial Injury in COVID-19 Patients: Association with Inflammation, Coagulopathy and In-Hospital Prognosis. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	5
377	Anatomical Fusion of MitraClip Device With Native Mitral Apparatus: Insights From an Explanted Human Heart. <i>JACC: Cardiovascular Interventions</i> , 2021 , 14, 1257-1258	5	
376	Thin- versus thick-strut polymer-free biolimus-eluting stents: the BioFreedom QCA randomised trial. <i>EuroIntervention</i> , 2021 , 17, 233-239	3.1	1
375	Antithrombotic regimens for percutaneous coronary intervention of the left main coronary artery: The EXCEL trial. <i>Catheterization and Cardiovascular Interventions</i> , 2021 , 97, 766-773	2.7	1

374	Survival benefit of revascularization versus optimal medical therapy alone for chronic total occlusion management in patients with diabetes. <i>Catheterization and Cardiovascular Interventions</i> , 2021 , 97, 376-383	2.7	5
373	Two-year outcomes after percutaneous coronary intervention with drug-eluting stents or bare-metal stents in elderly patients with coronary artery disease. <i>Catheterization and Cardiovascular Interventions</i> , 2021 , 97, E607-E613	2.7	
372	Prognosis of Patients With Reduced Left Ventricular Ejection Fraction and Chronic Total Occlusion According to Treatment Applied. <i>Cardiovascular Revascularization Medicine</i> , 2021 , 27, 22-27	1.6	1
371	Effect of sildenafil on right ventricular performance in an experimental large-animal model of postcapillary pulmonary hypertension. <i>Translational Research</i> , 2021 , 228, 64-75	11	1
370	Impact of pre-angioplasty antithrombotic therapy administration on coronary reperfusion in ST-segment elevation myocardial infarction: Does time matter?. <i>International Journal of Cardiology</i> , 2021 , 325, 9-15	3.2	0
369	Longitudinal Neointimal Distribution Pattern After Everolimus-Eluting Stent Implantation: Insights From Optical Coherence Tomography Study. <i>Cardiovascular Revascularization Medicine</i> , 2021 , 26, 17-23	1.6	1
368	Sex-gender disparities in nonagenarians with acute coronary syndrome. <i>Clinical Cardiology</i> , 2021 , 44, 371-378	3.3	1
367	Five-year outcomes after state-of-the-art percutaneous coronary revascularization in patients with de novo three-vessel disease: final results of the SYNTAX II study. <i>European Heart Journal</i> , 2021 ,	9.5	11
366	Predicting 2-year all-cause mortality after contemporary PCI: Updating the logistic clinical SYNTAX score. <i>Catheterization and Cardiovascular Interventions</i> , 2021 , 98, 1287-1297	2.7	2
365	Coronary endothelial and microvascular function distal to polymer-free and endothelial cell-capturing drug-eluting stents. The randomized FUNCOMBO trial. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2021 , 74, 1013-1022	0.7	1
364	Plaque modification in calcified chronic total occlusions: the PLACCTON study. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2021 , 75, 213-213	0.7	0
363	Long-term effects of coronavirus disease 2019 on the cardiovascular system, CV COVID registry: A structured summary of a study protocol. <i>PLoS ONE</i> , 2021 , 16, e0255263	3.7	1
362	New Interventional Therapies beyond Stenting to Treat ST-Segment Elevation Acute Myocardial Infarction. <i>Journal of Cardiovascular Development and Disease</i> , 2021 , 8,	4.2	2
361	Rationale and design of the BA-SCAD (Beta-blockers and Antiplatelet agents in patients with Spontaneous Coronary Artery Dissection) randomized clinical trial. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2021 ,	0.7	1
360	[Transcatheter valve implantation in 2021: A reality whose limits we still do not know]. <i>Medicina Clinica</i> , 2021 , 157, 535-536	1	
359	Combined left atrial appendage occlusion with other transseptal procedures: should we use the same transseptal puncture?. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2021 , 75, 181-181	0.7	
358	Amplatzer Vascular Plug III and Interclip Mitral Regurgitation: A Good Alternative When Another Clip Doesn't Fit. <i>JACC: Cardiovascular Interventions</i> , 2021 , 14, e9-e10	5	0
357	Clinical Impact of Medical Therapy Versus Revascularization in Patients With Chronic Coronary Total Occlusions. <i>Journal of Invasive Cardiology</i> , 2021 , 33, E2-E8	0.7	1

356	Response by Ortega-Paz et al to Letter Regarding Article, "Magnesium-Based Resorbable Scaffold Versus Permanent Metallic Sirolimus-Eluting Stent in Patients With ST-Segment Elevation Myocardial Infarction: The MAGSTEMI Randomized Clinical Trial". <i>Circulation</i> , 2020 , 141, e748-e749	16.7	
355	Very-late restenosis of a magnesium-based resorbable scaffold. <i>European Heart Journal</i> , 2020 , 41, 2602	9.5	0
354	Sex-based differences in chronic total occlusion management and long-term clinical outcomes. <i>International Journal of Cardiology</i> , 2020 , 319, 46-51	3.2	4
353	Kv1.3 blockade inhibits proliferation of vascular smooth muscle cells in vitro and intimal hyperplasia in vivo. <i>Translational Research</i> , 2020 , 224, 40-54	11	5
352	Unravelling the best management strategy for older patients with acute coronary syndrome. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020 , 9, 478-479	4.3	
351	Intravenous Statin Administration During Myocardial Infarction Compared With Oral Post-Infarct Administration. <i>Journal of the American College of Cardiology</i> , 2020 , 75, 1386-1402	15.1	13
350	Late Cerebrovascular Events Following Transcatheter Aortic Valve Replacement. <i>JACC: Cardiovascular Interventions</i> , 2020 , 13, 872-881	5	14
349	Transcatheter Mitral Repair for Functional Mitral Regurgitation According to Left Ventricular Function: A Real-Life Propensity-Score Matched Study. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	1
348	Moderate Hypothermia Modifies Coronary Hemodynamics and Endothelium-Dependent Vasodilation in a Porcine Model of Temperature Management. <i>Journal of the American Heart Association</i> , 2020 , 9, e014035	6	3
347	Comparison of Transfemoral Versus Transradial Secondary Access in Transcatheter Aortic Valve Replacement. <i>Circulation: Cardiovascular Interventions</i> , 2020 , 13, e008609	6	10
346	Comparison of clinical outcomes in STEMI patients treated with primary PCI according to day-time of medical attention and its relationship with circadian pattern. <i>International Journal of Cardiology</i> , 2020 , 305, 35-41	3.2	0
345	Second-Generation Drug-Eluting Stents in Diabetes (SUGAR) trial: Rationale and study design. <i>American Heart Journal</i> , 2020 , 222, 174-182	4.9	6
344	Acute Coronary Syndrome Following Transcatheter Aortic Valve Replacement. <i>Circulation: Cardiovascular Interventions</i> , 2020 , 13, e008620	6	17
343	Inpatient Randomization to Study Strut Coverage in Polymer-Free Versus Biodegradable-Polymer Sirolimus-Eluting Stent Implantations. <i>JACC: Cardiovascular Interventions</i> , 2020 , 13, 899-900	5	1
342	Disparate miRNA expression in serum and plasma of patients with acute myocardial infarction: a systematic and paired comparative analysis. <i>Scientific Reports</i> , 2020 , 10, 5373	4.9	26
341	Angiographic and clinical outcomes of STEMI patients treated with bioresorbable or metallic everolimus-eluting stents: a pooled analysis of individual patient data. <i>EuroIntervention</i> , 2020 , 15, 1451-1457	3.1	12
340	Coronary vasomotor function and myocardial flow with bioresorbable vascular scaffolds or everolimus-eluting metallic stents: a randomised trial. <i>EuroIntervention</i> , 2020 , 16, e155-e163	3.1	7
339	Ticagrelor monotherapy beyond one month after PCI in ACS or stable CAD in elderly patients: a pre-specified analysis of the GLOBAL LEADERS trial. <i>EuroIntervention</i> , 2020 , 15, e1605-e1614	3.1	16

338	Bioresorbable vascular scaffolds versus everolimus-eluting metallic stents in patients with ST-segment elevation myocardial infarction: 5-year results of the BVS-EXAMINATION study. <i>EuroIntervention</i> , 2020 , 15, 1436-1443	3.1	11
337	Bioresorbable scaffolds versus permanent sirolimus-eluting stents in patients with ST-segment elevation myocardial infarction: vascular healing outcomes from the MAGSTEMI trial. <i>EuroIntervention</i> , 2020 , 16, e913-e921	3.1	9
336	A randomised controlled trial of the sirolimus-eluting biodegradable polymer ultra-thin Supraflex stent versus the everolimus-eluting biodegradable polymer SYNERGY stent for three-vessel coronary artery disease: rationale and design of the Multivessel TALENT trial. <i>EuroIntervention</i> , 2020 , 16, e997-e1004	3.1	1
335	The impact of the COVID-19 pandemic upon patients, staff, and on the future practices of percutaneous coronary intervention. <i>European Heart Journal Supplements</i> , 2020 , 22, P13-P18	1.5	3
334	Outcomes of Nonagenarians With ST Elevation Myocardial Infarction. <i>American Journal of Cardiology</i> , 2020 , 125, 11-18	3	6
333	Endothelial shear stress and vascular remodeling in bioresorbable scaffold and metallic stent. <i>Atherosclerosis</i> , 2020 , 312, 79-89	3.1	
332	Delayed Mitral Leaflet Perforation in a Tethered Valve After MitraClip XTR Implantation. <i>JACC: Cardiovascular Interventions</i> , 2020 , 13, 2438-2439	5	1
331	Percutaneous complete revascularization strategies using sirolimus-eluting biodegradable polymer-coated stents in patients presenting with acute coronary syndrome and multivessel disease: Rationale and design of the BIOVASC trial. <i>American Heart Journal</i> , 2020 , 227, 111-117	4.9	2
330	Implications of Alternative Definitions of Peri-Procedural Myocardial Infarction After Coronary Revascularization. <i>Journal of the American College of Cardiology</i> , 2020 , 76, 1609-1621	15.1	26
329	Recurrent atherosclerosis complications as a mechanism for stent failure. <i>Hellenic Journal of Cardiology</i> , 2020 , 61, 9-14	2.1	7
328	Safety and outcomes of MitraClip implantation in functional mitral regurgitation according to degree of left ventricular dysfunction. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2020 , 73, 530-535	0.7	3
327	Does Large Vessel Size Justify Use of Bare-Metal Stents in Primary Percutaneous Coronary Intervention?. <i>Circulation: Cardiovascular Interventions</i> , 2019 , 12, e007705	6	3
326	Percutaneous coronary intervention versus coronary artery bypass grafting in patients with three-vessel or left main coronary artery disease: 10-year follow-up of the multicentre randomised controlled SYNTAX trial. <i>Lancet, The</i> , 2019 , 394, 1325-1334	40	206
325	Magnesium-Based Resorbable Scaffold Versus Permanent Metallic Sirolimus-Eluting Stent in Patients With ST-Segment Elevation Myocardial Infarction: The MAGSTEMI Randomized Clinical Trial. <i>Circulation</i> , 2019 , 140, 1904-1916	16.7	46
324	Antithrombotic Therapy in Patients With Atrial Fibrillation and Acute Coronary Syndrome Treated Medically or With Percutaneous Coronary Intervention or Undergoing Elective Percutaneous Coronary Intervention: Insights From the AUGUSTUS Trial. <i>Circulation</i> , 2019 , 140, 1921-1932	16.7	40
323	Clinical Implication of Quantitative Flow Ratio After Percutaneous Coronary Intervention for 3-Vessel Disease. <i>JACC: Cardiovascular Interventions</i> , 2019 , 12, 2064-2075	5	23
322	Five-Year Outcomes after PCI or CABG for Left Main Coronary Disease. <i>New England Journal of Medicine</i> , 2019 , 381, 1820-1830	59.2	265
321	Impact of post-procedural minimal stent area on 2-year clinical outcomes in the SYNTAX II trial. <i>Catheterization and Cardiovascular Interventions</i> , 2019 , 93, E225-E234	2.7	10

320	Eventos trombóticos y hemorrágicos después de una intervención coronaria percutánea tras parada cardíaca extrahospitalaria con y sin hipotermia terapéutica. <i>Revista Espanola De Cardiologia</i> , 2019 , 72, 433-435	1.5	2
319	Minimally Invasive Transradial Percutaneous Closure of an Aortic Paravalvular Leak After Transcatheter Aortic Valve Replacement. <i>Canadian Journal of Cardiology</i> , 2019 , 35, 941.e1-941.e2	3.8	3
318	Drug-eluting or bare-metal stents for percutaneous coronary intervention: a systematic review and individual patient data meta-analysis of randomised clinical trials. <i>Lancet, The</i> , 2019 , 393, 2503-2510	4.0	87
317	Long-term impact of diabetes in patients with ST-segment elevation myocardial infarction: Insights from the EXAMINATION randomized trial. <i>Catheterization and Cardiovascular Interventions</i> , 2019 , 94, 917-925	2.7	3
316	Impact of revascularization versus medical therapy alone for chronic total occlusion management in older patients. <i>Catheterization and Cardiovascular Interventions</i> , 2019 , 94, 527-535	2.7	11
315	Multivessel spontaneous coronary artery dissection involving the left main coronary artery: a case report. <i>European Heart Journal - Case Reports</i> , 2019 , 3, yty168	0.9	2
314	Bypass Surgery or Stenting for Left Main Coronary Artery Disease in Patients With Diabetes. <i>Journal of the American College of Cardiology</i> , 2019 , 73, 1616-1628	15.1	37
313	Thrombotic and Bleeding Events After Percutaneous Coronary Intervention in Out-of-hospital Cardiac Arrest With and Without Therapeutic Hypothermia. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2019 , 72, 433-435	0.7	0
312	Procedural, Functional and Prognostic Outcomes Following Recanalization of Coronary Chronic Total Occlusions. Results of the Iberian Registry. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2019 , 72, 373-382	0.7	4
311	Minimally-invasive Transesophageal Echocardiography for Left Atrial Appendage Occlusion With a Latest-generation Microprobe. Initial Experience. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2019 , 72, 511-512	0.7	3
310	Intravenous Statin Administration During Ischemia Exerts Cardioprotective Effects. <i>Journal of the American College of Cardiology</i> , 2019 , 74, 475-477	15.1	7
309	Cost-Effectiveness of Drug-Eluting Stents in Elderly Patients With Coronary Artery Disease: The SENIOR Trial. <i>Value in Health</i> , 2019 , 22, 1355-1361	3.3	2
308	Validation of the updated logistic clinical SYNTAX score for all-cause mortality in the GLOBAL LEADERS trial. <i>EuroIntervention</i> , 2019 , 15, e539-e546	3.1	9
307	New percutaneous interventions in heart failure. <i>Minerva Cardioangiologica</i> , 2019 , 67, 145-162	1.1	0
306	Spontaneous coronary artery dissection: Not so infrequent to be ignored. <i>Medicina Clínica</i> , 2019 , 153, 245-249	1	5
305	Ecocardiografía transesofágica mínimamente invasiva con microsonda de última generación para el cierre percutáneo de la orejuela izquierda. Experiencia inicial. <i>Revista Espanola De Cardiologia</i> , 2019 , 72, 511-512	1.5	4
304	Descifrando la fisiopatología de la disección coronaria espontánea. <i>Revista Espanola De Cardiologia</i> , 2019 , 72, 604-605	1.5	2
303	Molecular pathways involved in the cardioprotective effects of intravenous statin administration during ischemia. <i>Basic Research in Cardiology</i> , 2019 , 115, 2	11.8	10

302	Efficacy and Safety of Stents in ST-Segment Elevation Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2019 , 74, 2572-2584	15.1	18
301	MAGnesium-based bioresorbable scaffold and vasomotor function in patients with acute ST segment elevation myocardial infarction: The MAGSTEMI trial: Rationale and design. <i>Catheterization and Cardiovascular Interventions</i> , 2019 , 93, 64-70	2.7	7
300	Comparison of the Frequency of Thrombocytopenia After Transfemoral Transcatheter Aortic Valve Implantation Between Balloon-Expandable and Self-Expanding Valves. <i>American Journal of Cardiology</i> , 2019 , 123, 1120-1126	3	9
299	Effect of pulmonary artery denervation in postcapillary pulmonary hypertension: results of a randomized controlled translational study. <i>Basic Research in Cardiology</i> , 2019 , 114, 5	11.8	8
298	ADN libre y daño microvascular en el infarto agudo de miocardio con elevación del segmento ST tratado con intervención coronaria primaria. <i>Revista Espanola De Cardiologia</i> , 2019 , 72, 317-323	1.5	7
297	Thrombocytopenia after transcatheter aortic valve implantation. A comparison between balloon-expandable and self-expanding valves. <i>Catheterization and Cardiovascular Interventions</i> , 2019 , 93, 1344-1351	2.7	7
296	Cell-free DNA and Microvascular Damage in ST-segment Elevation Myocardial Infarction Treated With Primary Percutaneous Coronary Intervention. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2019 , 72, 317-323	0.7	4
295	Resultados inmediatos e impacto funcional y pronóstico tras la recanalización de oclusiones coronarias crónicas. Resultados del Registro Ibérico. <i>Revista Espanola De Cardiologia</i> , 2019 , 72, 373-382	1.5	3
294	Clinical, Angiographic, and Procedural Correlates of Very Late Absorb Scaffold Thrombosis: Multistudy Registry Results. <i>JACC: Cardiovascular Interventions</i> , 2018 , 11, 638-644	5	14
293	Quantitative Flow Ratio Identifies Nonculprit Coronary Lesions Requiring Revascularization in Patients With ST-Segment-Elevation Myocardial Infarction and Multivessel Disease. <i>Circulation: Cardiovascular Interventions</i> , 2018 , 11, e006023	6	51
292	In Vivo Evaluation of the Synergic Effect of Metformin and mTOR Inhibitors on the Endothelial Healing of Drug-eluting Stents in Diabetic Patients. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2018 , 71, 917-925	0.7	3
291	Role of ST-Segment Resolution in Patients With ST-Segment Elevation Myocardial Infarction Treated With Primary Percutaneous Coronary Intervention (from the 5-Year Outcomes of the EXAMINATION [Evaluation of the Xience-V Stent in Acute Myocardial Infarction] Trial). <i>American Journal of Cardiology</i> , 2018 , 121, 1029-1035	3	4
290	Falsos positivos en la activación por IAMCEST en una red regional: análisis integral e impacto clínico. Resultados del registro Codi Infart de Cataluña. <i>Revista Espanola De Cardiologia</i> , 2018 , 71, 243-249	1.5	6
289	Análisis morfológico y funcional de la arteria descendente anterior de pacientes con síndrome de tako-tsubo. <i>Revista Espanola De Cardiologia</i> , 2018 , 71, 986-988	1.5	2
288	Angina and Ischemia at 2 Years With Bioresorbable Vascular Scaffolds and Metallic Drug-eluting Stents. ESTROFA Ischemia BVS-mDES Study. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2018 , 71, 327-334	0.7	3
287	False Positive STEMI Activations in a Regional Network: Comprehensive Analysis and Clinical Impact. Results From the Catalanian Codi Infart Network. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2018 , 71, 243-249	0.7	4
286	TicaGrEloR and Absorb bioresorbable vascular scaffold implantation for recovery of vascular function after successful chronic total occlusion recanalization (TIGER-BVS trial): Rationale and study design. <i>Catheterization and Cardiovascular Interventions</i> , 2018 , 91, 1-6	2.7	3
285	Three- and 6-month optical coherence tomographic surveillance following percutaneous coronary intervention with the Angiolite drug-eluting stent: The ANCHOR study. <i>Catheterization and Cardiovascular Interventions</i> , 2018 , 91, 435-443	2.7	5

284	Angina e isquemia a los 2 años con armazón vascular bioabsorbible y stents farmacoactivos metálicos. Estudio ESTROFA Isquemia AVB-SFAM. <i>Revista Espanola De Cardiologia</i> , 2018 , 71, 327-334	1.5	2
283	Drug-eluting stents in elderly patients with coronary artery disease (SENIOR): a randomised single-blind trial. <i>Lancet, The</i> , 2018 , 391, 41-50	4.0	219
282	Tricuspid Percutaneous Repair With the MitraClip System: First Implant in Spain. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2018 , 71, 976-977	0.7	
281	Functional and Morphological Assessment of Left Anterior Descending Artery in Patients With Tako-tsubo Syndrome. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2018 , 71, 986-988	0.7	2
280	Corrección de fugas paravalvulares: buscando el equilibrio entre las técnicas quirúrgicas y percutáneas. <i>Revista Espanola De Cardiologia</i> , 2018 , 71, 679-681	1.5	1
279	Ticagrelor versus clopidogrel for recovery of vascular function immediately after successful chronic coronary total occlusion recanalization: A randomized clinical trial. <i>American Heart Journal</i> , 2018 , 204, 205-209	4.9	3
278	Impact of PSP Technique on Clinical Outcomes Following Bioresorbable Scaffolds Implantation. <i>Journal of Clinical Medicine</i> , 2018 , 7,	5.1	6
277	Cost-effectiveness of everolimus-eluting versus bare-metal stents in ST-segment elevation myocardial infarction: An analysis from the EXAMINATION randomized controlled trial. <i>PLoS ONE</i> , 2018 , 13, e0201985	3.7	2
276	Angiographic late lumen loss revisited: impact on long-term target lesion revascularization. <i>European Heart Journal</i> , 2018 , 39, 3381-3389	9.5	17
275	Radial versus femoral access and bivalirudin versus unfractionated heparin in invasively managed patients with acute coronary syndrome (MATRIX): final 1-year results of a multicentre, randomised controlled trial. <i>Lancet, The</i> , 2018 , 392, 835-848	4.0	129
274	Ticagrelor plus aspirin for 1 month, followed by ticagrelor monotherapy for 23 months vs aspirin plus clopidogrel or ticagrelor for 12 months, followed by aspirin monotherapy for 12 months after implantation of a drug-eluting stent: a multicentre, open-label, randomised superiority trial. <i>Lancet, The</i> , 2018 , 392, 940-949	4.0	356
273	Association between coronary atherosclerosis progression and in-stent neoatherosclerosis in patients with ST-elevation myocardial infarction at five-year follow-up. <i>EuroIntervention</i> , 2018 , 14, 206-214	3.1	3
272	Functional comparison between the BuMA Supreme biodegradable polymer sirolimus-eluting stent and a durable polymer zotarolimus-eluting coronary stent using quantitative flow ratio: PIONEER QFR substudy. <i>EuroIntervention</i> , 2018 , 14, e570-e579	3.1	20
271	First-in-man randomised comparison of the BuMA Supreme biodegradable polymer sirolimus-eluting stent versus a durable polymer zotarolimus-eluting coronary stent: the PIONEER trial. <i>EuroIntervention</i> , 2018 , 13, 2026-2035	3.1	13
270	Correlates of non-target vessel-related adverse events in patients with ST-segment elevation myocardial infarction: insights from five-year follow-up of the EXAMINATION trial. <i>EuroIntervention</i> , 2018 , 13, 1939-1945	3.1	5
269	Four-year follow-up of the randomised comparison between an everolimus-eluting bioresorbable scaffold and an everolimus-eluting metallic stent for the treatment of coronary artery stenosis (ABSORB II Trial). <i>EuroIntervention</i> , 2018 , 13, 1561-1564	3.1	32
268	Quality difference of neointima following the implantation of everolimus-eluting bioresorbable scaffolds and metallic stents in patients with ST-elevation myocardial infarction: quantitative assessments by light intensity, light attenuation, and backscatter on optical coherence tomography in the TROFI II trial. <i>EuroIntervention</i> , 2018 , 14, 678-685	3.1	11
267	Three-year follow-up of the randomised comparison between an everolimus-eluting bioresorbable scaffold and a durable polymer everolimus-eluting metallic stent in patients with ST-segment elevation myocardial infarction (TROFI II trial). <i>EuroIntervention</i> , 2018 , 14, e1224-e1226	3.1	11

266	The future of vascular restoration therapy. <i>EuroIntervention</i> , 2018 , 14, e976-e979	3.1	1
265	Paravalvular Leak Correction: Searching for a Balance Between Surgical and Percutaneous Techniques. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2018 , 71, 679-681	0.7	1
264	Pulmonary function predicts mortality and hospitalizations in outpatients with heart failure and preserved ejection fraction. <i>Respiratory Medicine</i> , 2018 , 134, 124-129	4.6	6
263	Clinical outcomes of patients with diabetes mellitus treated with Absorb bioresorbable vascular scaffolds: a subanalysis of the European Multicentre GHOST-EU Registry. <i>Catheterization and Cardiovascular Interventions</i> , 2018 , 91, 444-453	2.7	6
262	Reparaci3n percut3nea de la v3lvula tric3spide con el sistema MitraClip: primer implante en Espa3a. <i>Revista Espanola De Cardiologia</i> , 2018 , 71, 976-977	1.5	2
261	Evaluaci3n del efecto sin3rgico de la metformina y los inhibidores mTOR sobre la endotelizaci3n de los stents farmacoactivos en pacientes diab3ticos. <i>Revista Espanola De Cardiologia</i> , 2018 , 71, 917-925	1.5	2
260	Impact of renin-angiotensin system inhibitors on clinical outcomes and ventricular remodelling after transcatheter aortic valve implantation: rationale and design of the RASTAVI randomised multicentre study. <i>BMJ Open</i> , 2018 , 8, e020255	3	14
259	Percutaneous coronary intervention due to chronic total occlusion in the left main coronary artery after bypass grafting: A feasible option in selected cases. <i>Revista Portuguesa De Cardiologia</i> , 2018 , 37, 865.e1-865.e4	1	0
258	Latest STEMI treatment: a focus on current and upcoming devices. <i>Expert Review of Medical Devices</i> , 2018 , 15, 807-817	3.5	8
257	Effects of Ticagrelor, Prasugrel, or Clopidogrel on Endothelial Function and Other Vascular Biomarkers: A Randomized Crossover Study. <i>JACC: Cardiovascular Interventions</i> , 2018 , 11, 1576-1586	5	28
256	Long-Term Coronary Functional Assessment of the Infarct-Related Artery Treated With Everolimus-Eluting Bioresorbable Scaffolds or Everolimus-Eluting Metallic Stents: Insights of the TROFI II Trial. <i>JACC: Cardiovascular Interventions</i> , 2018 , 11, 1559-1571	5	22
255	Comparison of a Novel Biodegradable Polymer Sirolimus-Eluting Stent With a Durable Polymer Everolimus-Eluting Stent: 5-Year Outcomes of the Randomized BIOFLOW-II Trial. <i>JACC: Cardiovascular Interventions</i> , 2018 , 11, 995-1002	5	45
254	Fractional Flow Reserve Derived From Computed Tomographic Angiography in Patients With Multivessel CAD. <i>Journal of the American College of Cardiology</i> , 2018 , 71, 2756-2769	15.1	58
253	The Long-Term Impact of Post-Procedural Asymmetry and Eccentricity of Bioresorbable Everolimus-Eluting Scaffold and Metallic Everolimus-Eluting Stent on Clinical Outcomes in the ABSORB II Trial. <i>JACC: Cardiovascular Interventions</i> , 2018 , 11, 1013-1015	5	2
252	Outcomes After Coronary Stenting or Bypass Surgery for Men and Women With Unprotected Left Main Disease: The EXCEL Trial. <i>JACC: Cardiovascular Interventions</i> , 2018 , 11, 1234-1243	5	42
251	Restenosis patterns after bioresorbable vascular scaffold implantation: Angiographic substudy of the GHOST-EU registry. <i>Catheterization and Cardiovascular Interventions</i> , 2018 , 92, 276-282	2.7	3
250	MitraClip Repair in Cardiogenic Shock Due to Acute Mitral Regurgitation: From Near-Death to Walking. <i>Journal of Heart Valve Disease</i> , 2018 , 27, 114-116		3
249	«No es pa3 para viejos» con infarto agudo de miocardio y elevaci3n del segmento ST. <i>Revista Espanola De Cardiologia</i> , 2017 , 70, 70-71	1.5	4

248	Endothelial function impairment in STEMI patients with out-of-hospital cardiac arrest under therapeutic hypothermia treatment. <i>International Journal of Cardiology</i> , 2017 , 232, 70-75	3.2	3
247	Usefulness of Drug-Eluting Balloons for Bare-Metal and Drug-Eluting In-Stent Restenosis (from the RIBS IV and V Randomized Trials). <i>American Journal of Cardiology</i> , 2017 , 119, 983-990	3	13
246	Out-of-hospital cardiac arrest and stent thrombosis: Ticagrelor versus clopidogrel in patients with primary percutaneous coronary intervention under mild therapeutic hypothermia. <i>Resuscitation</i> , 2017 , 114, 141-145	4	21
245	Bioresorbable Everolimus-Eluting Vascular Scaffold for Long Coronary Lesions: A Subanalysis of the International, Multicenter GHOST-EU ¹ Registry. <i>JACC: Cardiovascular Interventions</i> , 2017 , 10, 560-568	5	13
244	Intracoronary Administration of Allogeneic Adipose Tissue-Derived Mesenchymal Stem Cells Improves Myocardial Perfusion But Not Left Ventricle Function, in a Translational Model of Acute Myocardial Infarction. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	33
243	Acute Kidney Injury After Radial or Femoral Access for Invasive Acute Coronary Syndrome Management: AKI-MATRIX. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 2592-2592	15.1	95
242	IMPACT OF FINAL MINIMAL STENT AREA BY IVUS ON 3-YEAR OUTCOME AFTER PCI OF LEFT MAIN CORONARY ARTERY DISEASE: THE EXCEL TRIAL. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 963	15.1	10
241	Clinical outcomes of state-of-the-art percutaneous coronary revascularization in patients with de novo three vessel disease: 1-year results of the SYNTAX II study. <i>European Heart Journal</i> , 2017 , 38, 3124-3134	9.5	165
240	Clinical, Angiographic, and Procedural Correlates of Acute, Subacute, and Late Absorb Scaffold Thrombosis. <i>JACC: Cardiovascular Interventions</i> , 2017 , 10, 1809-1815	5	20
239	Effect of Post-Dilatation Following Primary PCI With Everolimus-Eluting Bioresorbable Scaffold Versus Everolimus-Eluting Metallic Stent Implantation: An Angiographic and Optical Coherence Tomography TROFI ¹ II ¹ Substudy. <i>JACC: Cardiovascular Interventions</i> , 2017 , 10, 1867-1877	5	10
238	Acute coronary syndrome in dextrocardia and situs inversus patient. <i>Medicina Clínica (English Edition)</i> , 2017 , 148, e69	0.3	
237	Impact of Body Mass Index on 5-Year Clinical Outcomes in Patients With ST-Segment Elevation Myocardial Infarction After Everolimus-Eluting or Bare-Metal Stent Implantation. <i>American Journal of Cardiology</i> , 2017 , 120, 1460-1466	3	17
236	Three-dimensional printing of an aortic model for transcatheter aortic valve implantation: possible clinical applications. <i>International Journal of Cardiovascular Imaging</i> , 2017 , 33, 283-285	2.5	15
235	Impact of overlapping on 1-year clinical outcomes in patients undergoing everolimus-eluting bioresorbable scaffolds implantation in routine clinical practice: Insights from the European multicenter GHOST-EU registry. <i>Catheterization and Cardiovascular Interventions</i> , 2017 , 89, 812-818	2.7	12
234	Cost-effectiveness of percutaneous coronary intervention with cobalt-chromium everolimus eluting stents versus bare metal stents: Results from a patient level meta-analysis of randomized trials. <i>Catheterization and Cardiovascular Interventions</i> , 2017 , 89, 994-1002	2.7	7
233	ST-segment elevation mimicking myocardial infarction after hydrochloric acid ingestion: Acute caustic myocarditis. <i>Journal of Cardiovascular Computed Tomography</i> , 2017 , 11, 70-71	2.8	1
232	Acute coronary syndrome in dextrocardia and situs inversus patient. <i>Medicina Clínica</i> , 2017 , 148, e69	1	
231	Serial optical coherence tomography assessment of malapposed struts after everolimus-eluting stent implantation. A subanalysis from the HEAL-EES study. <i>Cardiovascular Revascularization Medicine</i> , 2017 , 18, 47-52	1.6	1

230	Comentarios a la guà ESC 2017 sobre el tratamiento del infarto agudo de miocardio en pacientes con elevaci3n del segmento ST. <i>Revista Espanola De Cardiologia</i> , 2017 , 70, 1039-1045	1.5	9
229	Selective use of contemporary drug-eluting stents in primary angioplasty for ST-elevation myocardial infarction: pooled analysis of COMFORTABLE AMI and EXAMINATION. <i>EuroIntervention</i> , 2017 , 12, 1577-1586	3.1	2
228	A randomised trial of paclitaxel-eluting balloon after bare metal stent implantation vs. bare metal stent in ST-elevation myocardial infarction (the PEBSI study). <i>EuroIntervention</i> , 2017 , 12, 1587-1594	3.1	5
227	Impact of stent overlapping on long-term clinical outcomes in patients with ST-segment elevation myocardial infarction: insights from the five-year follow-up of the EXAMINATION trial. <i>EuroIntervention</i> , 2017 , 13, e557-e563	3.1	4
226	Twelve-month outcomes after bioresorbable vascular scaffold implantation in patients with acute coronary syndromes. Data from the European Multicenter GHOST-EU Extended Registry. <i>EuroIntervention</i> , 2017 , 13, e1104-e1111	3.1	9
225	Spain: coronary and structural heart interventions from 2010 to 2015. <i>EuroIntervention</i> , 2017 , 13, Z64-Z69	3.1	5
224	Predilation, sizing and post-dilation scoring in patients undergoing everolimus-eluting bioresorbable scaffold implantation for prediction of cardiac adverse events: development and internal validation of the PSP score. <i>EuroIntervention</i> , 2017 , 12, 2110-2117	3.1	92
223	The SYNERGY II Everolimus eluting stent in patients Older than 75 years undergoing coronary Revascularisation associated with a short dual antiplatelet therapy (SENIOR) trial: rationale and design of a large-scale randomised multicentre study. <i>EuroIntervention</i> , 2017 , 12, 1614-1622	3.1	9
222	Propensity-matched comparison of percutaneous and surgical cut-down approaches in transfemoral transcatheter aortic valve implantation using a balloon-expandable valve. Moving to the percutaneous approach. <i>EuroIntervention</i> , 2017 , 13, 1365-1366	3.1	
221	Initial Results of Combined MitraClip™ Implantation and Left Atrial Appendage Occlusion. <i>Journal of Heart Valve Disease</i> , 2017 , 26, 169-174		2
220	Levosimendan as an adjunctive therapy to MitraClip implantation in patients with severe mitral regurgitation and left ventricular dysfunction. <i>International Journal of Cardiology</i> , 2016 , 202, 517-8	3.2	11
219	Can new generation P2Y12 inhibitors play a role in microvascular obstruction in STEMI?. <i>International Journal of Cardiology</i> , 2016 , 223, 226-227	3.2	3
218	Safety of glycoprotein IIb/IIIa inhibitors in patients under therapeutic hypothermia admitted for an acute coronary syndrome. <i>Resuscitation</i> , 2016 , 106, 108-12	4	11
217	Comparison of an everolimus-eluting bioresorbable scaffold with an everolimus-eluting metallic stent for the treatment of coronary artery stenosis (ABSORB II): a 3 year, randomised, controlled, single-blind, multicentre clinical trial. <i>Lancet, The</i> , 2016 , 388, 2479-2491	4.0	352
216	Everolimus-Eluting Stents or Bypass Surgery for Left Main Coronary Artery Disease. <i>New England Journal of Medicine</i> , 2016 , 375, 2223-2235	59.2	603
215	The incidence and relevance of site-reported vs. patient-reported angina: insights from the ABSORB II randomized trial comparing Absorb everolimus-eluting bioresorbable scaffold with XIENCE everolimus-eluting metallic stent. <i>European Heart Journal Quality of Care & Clinical</i>	4.6	3
214	Beta-3 adrenergic agonists reduce pulmonary vascular resistance and improve right ventricular performance in a porcine model of chronic pulmonary hypertension. <i>Basic Research in Cardiology</i> , 2016 , 111, 49	11.8	25
213	Outcomes in the EXAMINATION trial - AuthorsReply. <i>Lancet, The</i> , 2016 , 387, 1998	4.0	

212	Overtime evaluation of the vascular HEALing process after everolimus-eluting stent implantation by optical coherence tomography. The HEAL-EES study. <i>Cardiovascular Revascularization Medicine</i> , 2016 , 17, 241-7	1.6	6
211	Minimally Invasive Transradial Percutaneous Closure of Aortic Paravalvular Leaks: Following the Steps of Percutaneous Coronary Intervention. <i>Canadian Journal of Cardiology</i> , 2016 , 32, 1575.e17-1575.e19	3.8	4
210	Everolimus-eluting bioresorbable stent vs. durable polymer everolimus-eluting metallic stent in patients with ST-segment elevation myocardial infarction: results of the randomized ABSORB ST-segment elevation myocardial infarction-TROFI II trial. <i>European Heart Journal</i> , 2016 , 37, 229-40	9.5	159
209	A Randomized Comparison of Reservoir-Based Polymer-Free Amphilimus-Eluting Stents Versus Everolimus-Eluting Stents With Durable Polymer in Patients With Diabetes Mellitus: The RESERVOIR Clinical Trial. <i>JACC: Cardiovascular Interventions</i> , 2016 , 9, 42-50	5	55
208	1-Year Outcomes of Everolimus-Eluting Bioresorbable Scaffolds Versus Everolimus-Eluting Stents: A Propensity-Matched Comparison of the GHOST-EU and XIENCE V USA Registries. <i>JACC: Cardiovascular Interventions</i> , 2016 , 9, 440-9	5	17
207	Clinical outcomes in patients with ST-segment elevation myocardial infarction treated with everolimus-eluting stents versus bare-metal stents (EXAMINATION): 5-year results of a randomised trial. <i>Lancet, The</i> , 2016 , 387, 357-366	4.0	119
206	Benefits of chronic total coronary occlusion percutaneous intervention in patients with heart failure and reduced ejection fraction: insights from a cardiovascular magnetic resonance study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016 , 18, 78	6.9	26
205	The 2011-2012 pilot European Society of Cardiology Sentinel Registry of Transcatheter Aortic Valve Implantation: 12-month clinical outcomes. <i>EuroIntervention</i> , 2016 , 12, 79-87	3.1	16
204	Arterial healing following primary PCI using the Absorb everolimus-eluting bioresorbable vascular scaffold (Absorb BVS) versus the durable polymer everolimus-eluting metallic stent (XIENCE) in patients with acute ST-elevation myocardial infarction: rationale and design of the randomised TROFI II study. <i>EuroIntervention</i> , 2016 , 12, 482-9	3.1	20
203	Early and midterm outcomes of bioresorbable vascular scaffolds for ostial coronary lesions: insights from the GHOST-EU registry. <i>EuroIntervention</i> , 2016 , 12, e550-6	3.1	23
202	Randomised comparison of a bioresorbable everolimus-eluting scaffold with a metallic everolimus-eluting stent for ischaemic heart disease caused by de novo native coronary artery lesions: the 2-year clinical outcomes of the ABSORB II trial. <i>EuroIntervention</i> , 2016 , 12, 1102-1107	3.1	40
201	Virtual Histology (VH) for Detecting Necrotic Core (NC) 2016 , 877-896		
200	Bioresorbable vascular scaffolds technology: current use and future developments. <i>Medical Devices: Evidence and Research</i> , 2016 , 9, 185-98	1.5	7
199	Puncture Versus Surgical Cutdown Complications of Transfemoral Aortic Valve Implantation (from the Spanish TAVI Registry). <i>American Journal of Cardiology</i> , 2016 , 118, 578-84	3	16
198	ABSORB bioresorbable vascular scaffold vs. everolimus-eluting metallic stent in ST-segment elevation myocardial infarction (BVS EXAMINATION study): 2-Year results from a propensity score matched comparison. <i>International Journal of Cardiology</i> , 2016 , 214, 483-4	3.2	17
197	Unfavorable bioresorbable vascular scaffold resorption, a cause of restenosis?. <i>Cardiovascular Revascularization Medicine</i> , 2016 , 17, 571-573	1.6	1
196	Five-Year Optical Coherence Tomography in Patients With ST-Segment-Elevation Myocardial Infarction Treated With Bare-Metal Versus Everolimus-Eluting Stents. <i>Circulation: Cardiovascular Interventions</i> , 2016 , 9,	6	21
195	Sex differences in angiotensin II responses contribute to a differential regulation of cox-mediated vascular dysfunction during aging. <i>Experimental Gerontology</i> , 2016 , 85, 71-80	4.5	10

194	Bioresorbable vascular scaffolds in clinical practice: state-of-the-art. <i>Panminerva Medica</i> , 2016 , 58, 130-42		1
193	Frequency and predictors of thrombus inside the guiding catheter during interventional procedures: an optical coherence tomography study. <i>International Journal of Cardiovascular Imaging</i> , 2015 , 31, 239-46	2.5	3
192	CT coronary angiography increases diagnostic certainty in patients with stable chest pain. <i>Evidence-Based Medicine</i> , 2015 , 20, 187		1
191	Platelet reactivity assessment with VerifyNow [®] : substitute or complement for light transmission aggregometry?. <i>International Journal of Cardiology</i> , 2015 , 178, 221-2	3.2	
190	Percutaneous Mitral Valve Repair for Acute Mitral Regurgitation After an Acute Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2015 , 66, 91-2	15.1	29
189	Drug-eluting stent thrombosis in the treatment of chronic total coronary occlusions: Incidence, presentation and related factors. Data from the CIBELES trial. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2015 , 34, 193-199	0	1
188	Ventricular restoration: new therapeutic approaches. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2015 , 68, 257-9	0.7	1
187	Influencia del sexo en los resultados clínicos de los stents liberadores de everolimus en comparación con los stents metálicos sin recubrimiento en el infarto agudo de miocardio con elevación del segmento ST. Perspectivas del ensayo EXAMINATION. <i>Revista Espanola De Cardiologia</i> , 2015 , 68, 382-389	1.5	10
186	Restauración ventricular: nuevos enfoques terapéuticos. <i>Revista Espanola De Cardiologia</i> , 2015 , 68, 257-259.5		
185	Sex-related Impact on Clinical Outcome of Everolimus-eluting Versus Bare-metal Stents in ST-segment Myocardial Infarction. Insights From the EXAMINATION Trial. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2015 , 68, 382-9	0.7	1
184	Comparison of a novel biodegradable polymer sirolimus-eluting stent with a durable polymer everolimus-eluting stent: results of the randomized BIOFLOW-II trial. <i>Circulation: Cardiovascular Interventions</i> , 2015 , 8, e001441	6	137
183	Infective endocarditis in patients with an implanted transcatheter aortic valve: Clinical characteristics and outcome of a new entity. <i>Journal of Infection</i> , 2015 , 70, 565-76	18.9	22
182	Very Late Scaffold Thrombosis: Intracoronary Imaging and Histopathological and Spectroscopic Findings. <i>Journal of the American College of Cardiology</i> , 2015 , 66, 1901-14	15.1	155
181	Bivalirudin or Unfractionated Heparin in Acute Coronary Syndromes. <i>New England Journal of Medicine</i> , 2015 , 373, 997-1009	59.2	263
180	Incidence and Potential Mechanism(s) of Post-Procedural Rise of Cardiac Biomarker in Patients With Coronary Artery Narrowing After Implantation of an Everolimus-Eluting Bioresorbable Vascular Scaffold or Everolimus-Eluting Metallic Stent. <i>JACC: Cardiovascular Interventions</i> , 2015 , 8, 1053-1063	5	27
179	Drug-eluting stent thrombosis in the treatment of chronic total coronary occlusions: incidence, presentation and related factors. Data from the CIBELES trial. <i>Revista Portuguesa De Cardiologia</i> , 2015 , 34, 193-9	1	1
178	Everolimus-eluting stent versus bare-metal stent in elderly (≥75 years) versus non-elderly (. <i>International Journal of Cardiology</i> , 2015 , 179, 73-8	3.2	15
177	Radial versus femoral access for angioplasty of ST-segment elevation acute myocardial infarction with second-generation drug-eluting stents. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2015 , 68, 47-53	0.7	1

176	ST-segment elevation myocardial infarction [Ideal scenario for bioresorbable vascular scaffold implantation?]. <i>Circulation Journal</i> , 2015 , 79, 263-70	2.9	14
175	Cost-effectiveness of a European ST-segment elevation myocardial infarction network: results from the Catalan Codi Infart network. <i>BMJ Open</i> , 2015 , 5, e009148	3	14
174	Impact of the "ACT NOW. SAVE A LIFE" public awareness campaign on the performance of a European STEMI network. <i>International Journal of Cardiology</i> , 2015 , 197, 110-2	3.2	8
173	Prognosis of new-onset heart failure outpatients and collagen biomarkers. <i>European Journal of Clinical Investigation</i> , 2015 , 45, 842-9	4.6	17
172	Rationale and study design of the RESERVOIR trial: a randomized trial comparing reservoir-based polymer-free amphiphilic-eluting stents versus everolimus-eluting stents with durable polymer in patients with diabetes mellitus. <i>Catheterization and Cardiovascular Interventions</i> , 2015 , 85, E116-22	2.7	8
171	Bioresorbable vascular scaffold implantation in acute coronary syndromes: clinical evidence, tips and tricks. <i>Postępy W Kardiologii Interwencyjnej</i> , 2015 , 11, 161-9	0.4	9
170	Clinical impact and evolution of mitral regurgitation following transcatheter aortic valve replacement: a meta-analysis. <i>Heart</i> , 2015 , 101, 1395-405	5.1	78
169	Changes in thrombus composition and profilin-1 release in acute myocardial infarction. <i>European Heart Journal</i> , 2015 , 36, 965-75	9.5	40
168	Acceso radial frente a femoral en angioplastia por infarto agudo de miocardio con elevación del segmento ST con stent farmacoactivo de segunda generación. <i>Revista Española De Cardiología</i> , 2015 , 68, 47-53	1.5	9
167	Absorb bioresorbable vascular scaffold versus everolimus-eluting metallic stent in ST-segment elevation myocardial infarction: 1-year results of a propensity score matching comparison: the BVS-EXAMINATION Study (bioresorbable vascular scaffold-a clinical evaluation of everolimus eluting coronary stents in the treatment of patients with ST-segment elevation myocardial infarction). <i>Journal of the American College of Cardiology</i> , 2015 , 65, 117-25	5	117
166	Association of myocardial T1-mapping CMR with hemodynamics and RV performance in pulmonary hypertension. <i>JACC: Cardiovascular Imaging</i> , 2015 , 8, 76-82	8.4	62
165	How should I treat subacute stent thrombosis in the context of brain haemorrhage with abciximab?. <i>EuroIntervention</i> , 2015 , 10, e1-6	3.1	2
164	Predictors of adverse events among patients undergoing primary percutaneous coronary intervention: insights from a pooled analysis of the COMFORTABLE AMI and EXAMINATION trials. <i>EuroIntervention</i> , 2015 , 11, 391-8	3.1	9
163	Contemporary practice and technical aspects in coronary intervention with bioresorbable scaffolds: a European perspective. <i>EuroIntervention</i> , 2015 , 11, 45-52	3.1	111
162	Virtual Histology (VH) for Detecting Necrotic Core (NC) 2015 , 1-20		
161	Double atrial septum or redundant Eustachian valve: procedural management during atrial septal defect occlusion. <i>EuroIntervention</i> , 2015 , 11, e1-2	3.1	
160	Distal side-branch technique: a new use for the Tornus' Catheter. <i>Cardiovascular Revascularization Medicine</i> , 2014 , 15, 97-9	1.6	1
159	Comparison of newer-generation drug-eluting with bare-metal stents in patients with acute ST-segment elevation myocardial infarction: a pooled analysis of the EXAMINATION (clinical Evaluation of the Xience-V stent in Acute Myocardial INfArction) and COMFORTABLE-AMI (Comparison of Biolimus Eluted From an Erodible Stent Coating with Bare Metal Stents in Acute ST-Elevation Myocardial Infarction) trials. <i>JACC: Cardiovascular Interventions</i> , 2014 , 7, 55-63	5	75

158	Clinical outcomes with bioabsorbable polymer- versus durable polymer-based drug-eluting and bare-metal stents: evidence from a comprehensive network meta-analysis. <i>Journal of the American College of Cardiology</i> , 2014 , 63, 299-307	15.1	217
157	Local and general anaesthesia do not influence outcome of transfemoral aortic valve implantation. <i>International Journal of Cardiology</i> , 2014 , 177, 448-54	3.2	56
156	Acute myocardial infarction, primary percutaneous coronary intervention and stent thrombosis in heart transplanted patient: Potential role of elevated coagulation factor VIII. <i>Cor Et Vasa</i> , 2014 , 56, e311-e315	0.3	15
155	Lung function abnormalities are highly frequent in patients with heart failure and preserved ejection fraction. <i>Heart Lung and Circulation</i> , 2014 , 23, 273-9	1.8	26
154	The EXAMINATION trial (Everolimus-Eluting Stents Versus Bare-Metal Stents in ST-Segment Elevation Myocardial Infarction): 2-year results from a multicenter randomized controlled trial. <i>JACC: Cardiovascular Interventions</i> , 2014 , 7, 64-71	5	70
153	Coronary kinking in a marathon runner: a "dangerous liaison"?. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2014 , 67, 767	0.7	1
152	Effectiveness and safety beyond 10 years of percutaneous transluminal septal ablation in hypertrophic obstructive cardiomyopathy. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2014 , 67, 353-8	0.7	5
151	Guía de Práctica Clínica de la ESC 2013 sobre diagnóstico y tratamiento de la cardiopatía isquémica estable. <i>Revista Espanola De Cardiologia</i> , 2014 , 67, 135.e1-135.e81	1.5	9
150	Impact of therapeutic hypothermia on coronary flow. <i>International Journal of Cardiology</i> , 2014 , 172, 228-32	3.2	5
149	Optimization in stent implantation by manual thrombus aspiration in ST-segment-elevation myocardial infarction: findings from the EXAMINATION trial. <i>Circulation: Cardiovascular Interventions</i> , 2014 , 7, 294-300	6	24
148	Stent bioactivo de titanio y níquel, ¿más seguro y eficaz que los stents farmacoactivos de segunda generación?. <i>Revista Espanola De Cardiologia</i> , 2014 , 67, 511-513	1.5	1
147	Assessment of plaque composition by intravascular ultrasound and near-infrared spectroscopy: from PROSPECT I to PROSPECT II. <i>Circulation Journal</i> , 2014 , 78, 1531-9	2.9	17
146	Edge vascular response after polymer-free vs. polymer-based paclitaxel-eluting stent implantation. <i>Circulation Journal</i> , 2014 , 78, 2657-64	2.9	1
145	Effects of cobalt-chromium everolimus eluting stents or bare metal stent on fatal and non-fatal cardiovascular events: patient level meta-analysis. <i>BMJ, The</i> , 2014 , 349, g6427	5.9	71
144	Selected CD133+ progenitor cells to promote angiogenesis in patients with refractory angina: final results of the PROGENITOR randomized trial. <i>Circulation Research</i> , 2014 , 115, 950-60	15.7	51
143	Recanalized thrombus treated with bioresorbable vascular scaffold: insights from optical coherence tomography. <i>JACC: Cardiovascular Interventions</i> , 2014 , 7, 1453-5	5	10
142	RANdomized Comparison of raDial vs. femorAL Access for Routine Catheterization of Heart Transplant Patients (RADIAL-heart transplant study). <i>Transplantation Proceedings</i> , 2014 , 46, 3262-7	1.1	5
141	Randomized comparison between polymer-free versus polymer-based paclitaxel-eluting stent: two-year final clinical results. <i>Circulation: Cardiovascular Interventions</i> , 2014 , 7, 312-21	6	12

140	Reperfusion therapy for ST elevation acute myocardial infarction 2010/2011: current status in 37 ESC countries. <i>European Heart Journal</i> , 2014 , 35, 1957-70	9.5	193
139	Eficacia y seguridad a m de 10 as de la ablaci septal percutnea en la miocardiopat hipertrfica obstructiva. <i>Revista Espanola De Cardiologia</i> , 2014 , 67, 353-358	1.5	10
138	Qualitative and quantitative accuracy of ultrasound-based virtual histology for detection of necrotic core in human coronary arteries. <i>International Journal of Cardiovascular Imaging</i> , 2014 , 30, 469-76	7.5	22
137	Acute Absorb bioresorbable vascular scaffold thrombosis in ST-segment elevation myocardial infarction: to stent or not to stent?. <i>EuroIntervention</i> , 2014 , 10, 600; discussion 600	3.1	12
136	Does manual thrombus aspiration help optimize stent implantation in ST-segment elevation myocardial infarction?. <i>World Journal of Cardiology</i> , 2014 , 6, 1030-7	2.1	5
135	Drug-eluting stents and acute myocardial infarction: A lethal combination or friends?. <i>World Journal of Cardiology</i> , 2014 , 6, 929-38	2.1	2
134	Cardiac embolism after implantable cardiac defibrillator shock in non-anticoagulated atrial fibrillation: The role of left atrial appendage occlusion. <i>World Journal of Cardiology</i> , 2014 , 6, 213-5	2.1	
133	Drug eluting stent implantation in patients requiring concomitant vitamin K antagonist therapy. One-year outcome of the worldwide e-SELECT registry. <i>International Journal of Cardiology</i> , 2013 , 168, 2522-7	3.2	1
132	Predictores de mortalidad hospitalaria y a medio plazo tras el ´ reemplazo valvular atico transcatter: datos del ´ registro nacional TAVI 2010-2011. <i>Revista Espanola De Cardiologia</i> , 2013 , 66, 949-958	15.8	53
131	First experience of a bioresorbable vascular scaffold implantation in left main stenosis. <i>International Journal of Cardiology</i> , 2013 , 168, 1566-8	3.2	13
130	Update on interventional cardiology. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2013 , 66, 282-9	0.7	
129	Techniques and material used in the percutaneous treatment of chronic coronary occlusions. Data from the CIBELES study. <i>Revista Portuguesa De Cardiologia</i> , 2013 , 32, 593-9	1	3
128	In-hospital and mid-term predictors of mortality after transcatheter aortic valve implantation: data from the TAVI National Registry 2010-2011. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2013 , 66, 949-58	8.7	16
127	Dual antiplatelet therapy versus oral anticoagulation plus dual antiplatelet therapy in patients with atrial fibrillation and low-to-moderate thromboembolic risk undergoing coronary stenting: design of the MUSICA-2 randomized trial. <i>American Heart Journal</i> , 2013 , 166, 669-75	4.9	18
126	Anticoagulation with otamixaban and ischemic events in non-ST-segment elevation acute coronary syndromes: the TAO randomized clinical trial. <i>JAMA - Journal of the American Medical Association</i> , 2013 , 310, 1145-55	27.4	45
125	Reproducibility of qualitative assessment of stent struts coverage by optical coherence tomography. <i>International Journal of Cardiovascular Imaging</i> , 2013 , 29, 5-11	2.5	12
124	Techniques and material used in the percutaneous treatment of chronic coronary occlusions. Data from the CIBELES study. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2013 , 32, 593-599	0	2
123	Predictores de mortalidad hospitalaria y a medio plazo tras el ´ reemplazo valvular atico transcatter: datos del ´ registro nacional TAVI 2010-2011. <i>Cirugia Cardiovascular</i> , 2013 , 20, 174-183	0.1	3

122	Everolimus-eluting stent versus bare metal stent in proximal left anterior descending ST-elevation myocardial infarction: insights from the EXAMINATION trial. <i>American Heart Journal</i> , 2013 , 166, 119-26	4.9	5
121	Actualizaci3n en cardiolog3a intervencionista. <i>Revista Espanola De Cardiologia</i> , 2013 , 66, 282-289	1.5	4
120	Predictors and clinical implications of stent thrombosis in patients with ST-segment elevation myocardial infarction: Insights from the EXAMINATION trial. <i>International Journal of Cardiology</i> , 2013 , 168, 2632-6	3.2	10
119	Clinical outcomes with drug-eluting and bare-metal stents in patients with ST-segment elevation myocardial infarction: evidence from a comprehensive network meta-analysis. <i>Journal of the American College of Cardiology</i> , 2013 , 62, 496-504	15.1	178
118	Improvement of myocardial function and perfusion after successful percutaneous revascularization in patients with chronic total coronary occlusion. <i>International Journal of Cardiology</i> , 2013 , 169, 147-52	3.2	25
117	Hypothermia in acute coronary syndrome: brain salvage versus stent thrombosis?. <i>Journal of the American College of Cardiology</i> , 2013 , 61, 686-7	15.1	54
116	2013 ESC guidelines on the management of stable coronary artery disease: the Task Force on the management of stable coronary artery disease of the European Society of Cardiology. <i>European Heart Journal</i> , 2013 , 34, 2949-3003	9.5	3076
115	Percutaneous transcatheter aortic valve implantation: present and future perspective. <i>Expert Review of Medical Devices</i> , 2013 , 10, 185-99	3.5	7
114	Randomized comparison of sirolimus-eluting and everolimus-eluting coronary stents in the treatment of total coronary occlusions: results from the chronic coronary occlusion treated by everolimus-eluting stent randomized trial. <i>Circulation: Cardiovascular Interventions</i> , 2013 , 6, 21-8	6	53
113	One-year head to head comparison of the neointimal response between sirolimus eluting stent with reservoir technology and everolimus eluting stent: an optical coherence tomography study. <i>Catheterization and Cardiovascular Interventions</i> , 2013 , 82, E428-36	2.7	5
112	Consensus document on the radial approach in percutaneous cardiovascular interventions: position paper by the European Association of Percutaneous Cardiovascular Interventions and Working Groups on Acute Cardiac Care** and Thrombosis of the European Society of Cardiology. <i>EuroIntervention</i> , 2013 , 8, 1242-51	3.1	266
111	The 2011-12 pilot European Sentinel Registry of Transcatheter Aortic Valve Implantation: in-hospital results in 4,571 patients. <i>EuroIntervention</i> , 2013 , 8, 1362-71	3.1	142
110	Sirolimus-eluting stent versus bare metal stent in diabetic patients: the final five-year follow-up of the DIABETES trial. <i>EuroIntervention</i> , 2013 , 9, 328-35	3.1	16
109	Transcatheter aortic valve implantation in patients with left main percutaneous coronary intervention. <i>Journal of Heart Valve Disease</i> , 2013 , 22, 874-7		2
108	Stent thrombosis with drug-eluting and bare-metal stents: evidence from a comprehensive network meta-analysis. <i>Lancet, The</i> , 2012 , 379, 1393-402	4.0	727
107	Everolimus-eluting stent versus bare-metal stent in ST-segment elevation myocardial infarction (EXAMINATION): 1 year results of a randomised controlled trial. <i>Lancet, The</i> , 2012 , 380, 1482-90	4.0	332
106	Comments on the ESC Guidelines for the Management of Acute Coronary Syndromes in Patients Presenting Without Persistent ST-Segment Elevation. A Report of the Task Force of the Clinical Practice Guidelines Committee of the Spanish Society of Cardiology. <i>Revista Espanola De</i>	0.7	
105	<i>Cardiologia (English Ed)</i> , 2012 , 65, 125-130 Spanish Cardiac Catheterization and Coronary Intervention Registry. 21st Official Report of the Spanish Society of Cardiology Working Group on Cardiac Catheterization and Interventional Cardiology (1990-2011). <i>Revista Espanola De Cardiologia (English Ed)</i> , 2012 , 65, 1106-1116	0.7	

104	Isolated right ventricular infarction presenting with anterior ST-segment elevation: a case for careful assessment of right ventricular branch occlusion. <i>Revista Portuguesa De Cardiologia</i> , 2012 , 31, 301-4	1	5
103	STEMI Interventions: The European Perspective and Stent for Life Initiative. <i>Interventional Cardiology Clinics</i> , 2012 , 1, 559-565	1.4	5
102	Spanish Cardiac Catheterization and Coronary Intervention Registry. 21st official report of the Spanish Society of Cardiology Working Group on Cardiac Catheterization and Interventional Cardiology (1990-2011). <i>Revista Espanola De Cardiologia</i> , 2012 , 65, 1106-16	1.5	41
101	Factors determining success in percutaneous revascularization of chronic total coronary occlusion: multidetector computed tomography analysis. <i>Revista Espanola De Cardiologia</i> , 2012 , 65, 334-40	1.5	14
100	Endothelial function in coronary chronic total occlusions: need for rigorous methodology. <i>Journal of the American College of Cardiology</i> , 2012 , 60, 871-2; author reply 872-3	15.1	2
99	Double antiplatelet therapy after drug-eluting stent implantation: risk associated with discontinuation within the first year. <i>Journal of the American College of Cardiology</i> , 2012 , 60, 1333-9	15.1	56
98	Endothelial and smooth muscle cells dysfunction distal to recanalized chronic total coronary occlusions and the relationship with the collateral connection grade. <i>JACC: Cardiovascular Interventions</i> , 2012 , 5, 170-8	5	33
97	Accurate coronary centerline extraction, caliber estimation and catheter detection in angiographies. <i>IEEE Transactions on Information Technology in Biomedicine</i> , 2012 , 16, 1332-40		40
96	Implementation of primary angioplasty in Europe: stent for life initiative progress report. <i>EuroIntervention</i> , 2012 , 8, 35-42	3.1	35
95	Primary percutaneous coronary intervention: models of intervention in Spain. <i>EuroIntervention</i> , 2012 , 8 Suppl P, P90-3	3.1	10
94	Impact of insulin receptor substrate-1 genotypes on platelet reactivity and cardiovascular outcomes in patients with type 2 diabetes mellitus and coronary artery disease. <i>Journal of the American College of Cardiology</i> , 2011 , 58, 30-9	15.1	44
93	Assessment of Dynamic Coronary Plaque Changes and the Clinical Consequences in Type-II Diabetic Patients: a Serial Intracoronary Ultrasound Study. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2011 , 64, 557-563	0.7	
92	Spanish Cardiac Catheterization and Coronary Intervention Registry. 20th Official Report of the Spanish Society of Cardiology Working Group on Cardiac Catheterization and Interventional Cardiology (1990-2010). <i>Revista Espanola De Cardiologia (English Ed)</i> , 2011 , 64, 1012-1022	0.7	
91	Objetivos de Stent for Life en España para el periodo 2010-2013. <i>Revista Espanola De Cardiologia Suplementos</i> , 2011 , 11, 6-8	0.2	
90	Long-term outcome after sirolimus-eluting stents versus bare metal stents in patients with diabetes mellitus: a patient-level meta-analysis of randomized trials. <i>Clinical Research in Cardiology</i> , 2011 , 100, 561-70	6.1	31
89	Letter by Brugaletta et al regarding article, "Vascular reactivity and flow characteristics of radial artery and long saphenous vein coronary bypass grafts: a 5-year follow-up". <i>Circulation</i> , 2011 , 123, e412; author reply e414	16.7	
88	Endothelial progenitor cell capturing stent and short dual antiplatelet therapy in patients on chronic anti-vitamin k regimen undergoing percutaneous coronary interventions: long-term outcomes of a single centre registry. <i>EuroIntervention</i> , 2011 , 6, 831-7	3.1	8
87	Rationale and design of the EXAMINATION trial: a randomised comparison between everolimus-eluting stents and cobalt-chromium bare-metal stents in ST-elevation myocardial infarction. <i>EuroIntervention</i> , 2011 , 7, 977-84	3.1	32

86	Background, incidence, and predictors of antiplatelet therapy discontinuation during the first year after drug-eluting stent implantation. <i>Circulation</i> , 2010 , 122, 1017-25	16.7	83
85	Impact of chronic kidney disease on platelet function profiles in diabetes mellitus patients with coronary artery disease taking dual antiplatelet therapy. <i>Journal of the American College of Cardiology</i> , 2010 , 55, 1139-46	15.1	169
84	Registro Español de Hemodinámica y Cardiología Intervencionista. XIX Informe Oficial de la Sección de Hemodinámica y Cardiología Intervencionista de la Sociedad Española de Cardiología (1990-2009). <i>Revista Espanola De Cardiologia</i> , 2010 , 63, 1304-1316	1.5	33
83	Guidelines on myocardial revascularization. <i>European Heart Journal</i> , 2010 , 31, 2501-55	9.5	2070
82	A randomised comparison between everolimus-eluting stent and sirolimus-eluting stent in chronic coronary total occlusions. Rationale and design of the CIBELES (non-acute Coronary occlusion treated by EveroLimus-Eluting Stent) trial. <i>EuroIntervention</i> , 2010 , 6, 112-116	3.1	10
81	Special Management of Diabetic Patients with STEMI 2010 , 183-196		
80	Scientific societies and clinical trials. <i>EuroIntervention</i> , 2010 , 6, 185-188	3.1	
79	Zotarolimus for the treatment of coronary artery disease: pathophysiology, DES design, clinical evaluation and future perspective. <i>Expert Opinion on Pharmacotherapy</i> , 2009 , 10, 1047-58	4	17
78	Vessel shrinkage as a sign of atherosclerosis progression in type 2 diabetes: a serial intravascular ultrasound analysis. <i>Diabetes</i> , 2009 , 58, 209-14	0.9	33
77	Letter by Brugaletta et al. regarding article, "Interference of drug-eluting stents and endothelium-dependent coronary vasomotion: evidence for device-specific responses". <i>Circulation: Cardiovascular Interventions</i> , 2009 , 2, e1; author reply e2	6	
76	Intensifying platelet inhibition with tirofiban in poor responders to aspirin, clopidogrel, or both agents undergoing elective coronary intervention: results from the double-blind, prospective, randomized Tailoring Treatment with Tirofiban in Patients Showing Resistance to Aspirin and/or Resistance to Clopidogrel study. <i>Circulation</i> , 2009 , 119, 3215-22	16.7	191
75	Diabetes mellitus: a prothrombotic state implications for outcomes after coronary revascularization. <i>Vascular Health and Risk Management</i> , 2009 , 5, 101-19	4.4	11
74	In-vivo measurements of heart ischemia using transoesophageal electrical impedance. <i>IFMBE Proceedings</i> , 2009 , 1163-1166	0.2	1
73	Secondary revascularisation following intracoronary brachytherapy. <i>EuroIntervention</i> , 2009 , 5 Suppl D, D121-6	3.1	1
72	Long-term clinical benefit of sirolimus-eluting stents in patients with in-stent restenosis results of the RIBS-II (Restenosis Intra-stent: Balloon angioplasty vs. elective sirolimus-eluting Stenting) study. <i>Journal of the American College of Cardiology</i> , 2008 , 52, 1621-7	15.1	39
71	Drug eluting and bare metal stents in people with and without diabetes: collaborative network meta-analysis. <i>BMJ, The</i> , 2008 , 337, a1331	5.9	209
70	Angiographic and 3D intravascular ultrasound assessment of overlapping bare metal stent and three different formulations of drug-eluting stents in patients with diabetes mellitus. <i>International Journal of Cardiovascular Imaging</i> , 2008 , 24, 125-32	2.5	5
69	Assessment of potential relationship between wall shear stress and arterial wall response after bare metal stent and sirolimus-eluting stent implantation in patients with diabetes mellitus. <i>International Journal of Cardiovascular Imaging</i> , 2008 , 24, 357-64	2.5	16

68	Tailoring treatment with tirofiban in patients showing resistance to aspirin and/or resistance to clopidogrel (3T/2R). Rationale for the study and protocol design. <i>Cardiovascular Drugs and Therapy</i> , 2008 , 22, 313-20	3.9	17
67	Sirolimus-eluting stents versus bare-metal stents in patients with in-stent restenosis: results of a pooled analysis of two randomized studies. <i>Catheterization and Cardiovascular Interventions</i> , 2008 , 72, 459-67	2.7	21
66	Stent thrombosis in the era of drug-eluting stents 2008 , 211-219		
65	Abstract from the ESTROFA registry. <i>EuroIntervention</i> , 2008 , 4 Suppl C, C54-5	3.1	
64	Impact of platelet reactivity on cardiovascular outcomes in patients with type 2 diabetes mellitus and coronary artery disease. <i>Journal of the American College of Cardiology</i> , 2007 , 50, 1541-7	15.1	286
63	Relocation of minimal luminal diameter after bare metal and drug-eluting stent implantation: incidence and impact on angiographic late loss. <i>Catheterization and Cardiovascular Interventions</i> , 2007 , 69, 181-8	2.7	17
62	Revascularizaci3n coronaria en diab3ticos: evidencias, indicaciones y complicaciones. <i>Revista Espanola De Cardiologia Suplementos</i> , 2007 , 7, 41E-48E	0.2	
61	Analysis of 14 trials comparing sirolimus-eluting stents with bare-metal stents. <i>New England Journal of Medicine</i> , 2007 , 356, 1030-9	59.2	1025
60	Long-term clinical benefit of sirolimus-eluting stent implantation in diabetic patients with de novo coronary stenoses: long-term results of the DIABETES trial. <i>European Heart Journal</i> , 2007 , 28, 1946-52	9.5	60
59	Anatomical and physiologic assessments in patients with small coronary artery disease: final results of the Physiologic and Anatomical Evaluation Prior to and After Stent Implantation in Small Coronary Vessels (PHANTOM) trial. <i>American Heart Journal</i> , 2007 , 153, 296.e1-7	4.9	45
58	Outcomes associated with drug-eluting and bare-metal stents: a collaborative network meta-analysis. <i>Lancet, The</i> , 2007 , 370, 937-48	40	1141
57	Cardiogenic shock at admission in patients with multivessel disease and acute myocardial infarction treated with percutaneous coronary intervention: related factors. <i>International Journal of Cardiology</i> , 2007 , 123, 29-33	3.2	19
56	Influence of aspirin resistance on platelet function profiles in patients on long-term aspirin and clopidogrel after percutaneous coronary intervention. <i>American Journal of Cardiology</i> , 2006 , 97, 38-43	3	100
55	Intravascular ultrasound characterization of the "black hole" phenomenon after drug-eluting stent implantation. <i>American Journal of Cardiology</i> , 2006 , 97, 203-6	3	22
54	Influence of the CD14 C260T promoter polymorphism on C-reactive protein levels in patients with coronary artery disease. <i>American Journal of Cardiology</i> , 2006 , 98, 1182-4	3	10
53	Intravascular brachytherapy versus drug-eluting stents for the treatment of patients with drug-eluting stent restenosis. <i>American Journal of Cardiology</i> , 2006 , 98, 1340-4	3	50
52	Clopidogrel withdrawal is associated with proinflammatory and prothrombotic effects in patients with diabetes and coronary artery disease. <i>Diabetes</i> , 2006 , 55, 780-4	0.9	127
51	Primary percutaneous coronary intervention of an anomalous right coronary artery originating from the left sinus of valsalva. <i>Acute Cardiac Care</i> , 2006 , 8, 229-32		3

50	Lack of association between gene sequence variations of platelet membrane receptors and aspirin responsiveness detected by the PFA-100 system in patients with coronary artery disease. <i>Platelets</i> , 2006 , 17, 586-90	3.6	25
49	Contribution of gene sequence variations of the hepatic cytochrome P450 3A4 enzyme to variability in individual responsiveness to clopidogrel. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2006 , 26, 1895-900	9.4	190
48	A randomized comparison of sirolimus-eluting stent with balloon angioplasty in patients with in-stent restenosis: results of the Restenosis Intrastent: Balloon Angioplasty Versus Elective Sirolimus-Eluting Stenting (RIBS-II) trial. <i>Journal of the American College of Cardiology</i> , 2006 , 47, 2152-60	15.1	131
47	Vascular effects of sirolimus-eluting versus bare-metal stents in diabetic patients: three-dimensional ultrasound results of the Diabetes and Sirolimus-Eluting Stent (DIABETES) Trial. <i>Journal of the American College of Cardiology</i> , 2006 , 47, 2172-9	15.1	79
46	Insulin therapy is associated with platelet dysfunction in patients with type 2 diabetes mellitus on dual oral antiplatelet treatment. <i>Journal of the American College of Cardiology</i> , 2006 , 48, 298-304	15.1	243
45	Characterization of plaque prolapse after drug-eluting stent implantation in diabetic patients: a three-dimensional volumetric intravascular ultrasound outcome study. <i>Journal of the American College of Cardiology</i> , 2006 , 48, 1139-45	15.1	46
44	Pathological effects of pulmonary vein beta-radiation in a swine model. <i>Journal of Cardiovascular Electrophysiology</i> , 2006 , 17, 662-9	2.7	9
43	Intravascular ultrasound in patients with challenging in-stent restenosis: importance of precise stent visualization. <i>Journal of Interventional Cardiology</i> , 2006 , 19, 153-9	1.8	2
42	LDL-cholesterol predicts negative coronary artery remodelling in diabetic patients: an intravascular ultrasound study. <i>European Heart Journal</i> , 2005 , 26, 2307-12	9.5	24
41	QuaDDS stents have an unacceptable safety profile. Commentary. <i>Evidence-based Cardiovascular Medicine</i> , 2005 , 9, 44-7		
40	Identification of low responders to a 300-mg clopidogrel loading dose in patients undergoing coronary stenting. <i>Thrombosis Research</i> , 2005 , 115, 101-8	8.2	138
39	Lack of association between the P2Y12 receptor gene polymorphism and platelet response to clopidogrel in patients with coronary artery disease. <i>Thrombosis Research</i> , 2005 , 116, 491-7	8.2	124
38	Repeat stenting for the prevention of the early lumen loss phenomenon in patients with in-stent restenosis. Angiographic and intravascular ultrasound findings of a randomized study. <i>American Heart Journal</i> , 2005 , 149, e1-8	4.9	18
37	Drug-eluting stent thrombosis: results from a pooled analysis including 10 randomized studies. <i>Journal of the American College of Cardiology</i> , 2005 , 45, 954-9	15.1	437
36	Variability in platelet aggregation following sustained aspirin and clopidogrel treatment in patients with coronary heart disease and influence of the 807 C/T polymorphism of the glycoprotein Ia gene. <i>American Journal of Cardiology</i> , 2005 , 96, 1095-9	3	51
35	Platelet function profiles in patients with type 2 diabetes and coronary artery disease on combined aspirin and clopidogrel treatment. <i>Diabetes</i> , 2005 , 54, 2430-5	0.9	423
34	Randomized comparison of sirolimus-eluting stent versus standard stent for percutaneous coronary revascularization in diabetic patients: the diabetes and sirolimus-eluting stent (DIABETES) trial. <i>Circulation</i> , 2005 , 112, 2175-83	16.7	295
33	Percutaneous coronary revascularization in diabetics: from balloon angioplasty to drug-eluting stents. <i>Expert Review of Cardiovascular Therapy</i> , 2005 , 3, 635-46	2.5	1

32	High clopidogrel loading dose during coronary stenting: effects on drug response and interindividual variability. <i>European Heart Journal</i> , 2004 , 25, 1903-10	9.5	230
31	Effectiveness of percutaneous coronary interventions in nonagenarians. <i>American Journal of Cardiology</i> , 2004 , 94, 1058-60	3	29
30	Late stent thrombosis (> 1 year) following clopidogrel withdrawal after brachytherapy treatment: need to assess aspirin resistance?. <i>Catheterization and Cardiovascular Interventions</i> , 2004 , 62, 39-42	2.7	5
29	Coronary stenting versus balloon angioplasty in small vessels: a meta-analysis from 11 randomized studies. <i>Journal of the American College of Cardiology</i> , 2004 , 43, 1964-72	15.1	72
28	Intracoronary brachytherapy after stenting de novo lesions in diabetic patients: results of a randomized intravascular ultrasound study. <i>Journal of the American College of Cardiology</i> , 2004 , 44, 520-7	15.1	22
27	807 C/T Polymorphism of the glycoprotein Ia gene and pharmacogenetic modulation of platelet response to dual antiplatelet treatment. <i>Blood Coagulation and Fibrinolysis</i> , 2004 , 15, 427-33	1	41
26	Therapeutic implications of in-stent restenosis located at the stent edge. Insights from the restenosis intra-stent balloon angioplasty versus elective stenting (RIBS) randomized trial. <i>European Heart Journal</i> , 2004 , 25, 1829-35	9.5	17
25	PLA polymorphism and platelet reactivity following clopidogrel loading dose in patients undergoing coronary stent implantation. <i>Blood Coagulation and Fibrinolysis</i> , 2004 , 15, 89-93	1	72
24	Platelet aggregation according to body mass index in patients undergoing coronary stenting: should clopidogrel loading-dose be weight adjusted?. <i>Journal of Invasive Cardiology</i> , 2004 , 16, 169-74	0.7	138
23	Is a 300 mg clopidogrel loading dose sufficient to inhibit platelet function early after coronary stenting? A platelet function profile study. <i>Journal of Invasive Cardiology</i> , 2004 , 16, 325-9	0.7	20
22	Intracoronary brachytherapy following drug-eluting stent failure. It's still not time to hang up the spikes!. <i>Cardiovascular Radiation Medicine</i> , 2003 , 4, 171-5		7
21	Acute stent thrombosis after early withdrawal of platelet glycoprotein IIb/IIIa antagonists: potential rebound prothrombotic effect?. <i>Catheterization and Cardiovascular Interventions</i> , 2003 , 58, 481-4	2.7	5
20	Importance of diastolic fractional flow reserve and dobutamine challenge in physiologic assessment of myocardial bridging. <i>Journal of the American College of Cardiology</i> , 2003 , 42, 226-33	15.1	110
19	Predictors and implications of residual plaque burden after coronary stenting: an intravascular ultrasound study. <i>American Heart Journal</i> , 2003 , 145, 254-61	4.9	10
18	Local intracoronary administration of antisense oligonucleotide against c-myc for the prevention of in-stent restenosis: results of the randomized investigation by the Thoraxcenter of antisense DNA using local delivery and IVUS after coronary stenting (ITALICS) trial. <i>Journal of the American College of Cardiology</i> , 2002 , 39, 281-7	15.1	70
17	Early dysfunction and long-term improvement in endothelium-dependent vasodilation in the infarct-related artery after thrombolysis. <i>Journal of the American College of Cardiology</i> , 2002 , 40, 257-65	15.1	31
16	Mejorã de la funci3n endotelial al reducir las concentraciones lip3dicas en pacientes con hipercolesterolemia y arterias coronarias normales. <i>Revista Espanola De Cardiologia</i> , 2001 , 54, 685-692	1.5	7
15	Pressure wire kinking, entanglement, and entrapment during intravascular ultrasound studies: a potentially dangerous complication. <i>Catheterization and Cardiovascular Interventions</i> , 2000 , 50, 221-5	2.7	14

14	The ESSEX (European Scimed Stent Experience) study. <i>Catheterization and Cardiovascular Interventions</i> , 2000 , 50, 419-25	2.7	5
13	Guidewire-induced coronary pseudostenosis as a source of error during physiological guidance of stent deployment. <i>Catheterization and Cardiovascular Interventions</i> , 2000 , 51, 91-4	2.7	6
12	Three-dimensional intravascular ultrasonic volumetric quantification of stent recoil and neointimal formation of two new generation tubular stents. <i>American Journal of Cardiology</i> , 2000 , 85, 135-9	3	38
11	Initial results and long-term clinical and angiographic outcome of coronary stenting in women. <i>American Journal of Cardiology</i> , 2000 , 86, 1380-3, A5	3	36
10	The role of intravascular ultrasound imaging in vascular brachytherapy. <i>International Journal of Cardiovascular Interventions</i> , 2000 , 3, 3-12		1
9	Predictive factors and long-term evolution of early endothelial dysfunction after cardiac transplantation. <i>Journal of Heart and Lung Transplantation</i> , 2000 , 19, 453-61	5.8	9
8	Methodological and clinical implications of the relocation of the minimal luminal diameter after intracoronary radiation therapy. Dose Finding Study Group. <i>Journal of the American College of Cardiology</i> , 2000 , 36, 1536-41	15.1	23
7	Fate of stent-related side branches after coronary intervention in patients with in-stent restenosis. <i>Journal of the American College of Cardiology</i> , 2000 , 36, 1549-56	15.1	49
6	Coronary bifurcation stenting using dedicated bifurcation stents 2000 , 49, 105		3
5	Intracoronary ultrasound longitudinal reconstruction of a postangioplasty coronary artery dissection. <i>Circulation</i> , 1999 , 99, E17	16.7	1
4	Remodeling of atherosclerotic coronary arteries varies in relation to location and composition of plaque. <i>American Journal of Cardiology</i> , 1999 , 84, 135-40	3	60
3	Comparison of brachytherapy strategies based on dose-volume histograms derived from quantitative intravascular ultrasound. <i>Cardiovascular Radiation Medicine</i> , 1999 , 1, 115-24		13
2	Quantitative measurements of in-stent restenosis: A comparison between quantitative coronary ultrasound and quantitative coronary angiography. <i>Catheterization and Cardiovascular Interventions</i> , 1999 , 48, 133-42	2.7	25
1	Stent implantation through a self-expanding stent. <i>International Journal of Cardiovascular Interventions</i> , 1998 , 1, 45-48		0