

# Andreas Lundin

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3505373/publications.pdf>

Version: 2024-02-01

69  
papers

1,977  
citations

257101

24  
h-index

264894

42  
g-index

69  
all docs

69  
docs citations

69  
times ranked

3156  
citing authors

#	ARTICLE	IF	CITATIONS
1	Trajectories of NEET (Not in Education, Employment, and Training) in emerging adulthood, and later drug use disorder - a national cohort study.. <i>Drug and Alcohol Dependence</i> , 2022, 233, 109350.	1.6	3
2	Poverty in adolescence and later drug use disorders: understanding the mediation and interaction effects of other psychiatric disorders. <i>BJPsych Open</i> , 2022, 8, e71.	0.3	1
3	The cannabinoid receptor-1 gene interacts with stressful life events to increase the risk for problematic alcohol use. <i>Scientific Reports</i> , 2022, 12, 4963.	1.6	9
4	Association between poverty exposure during childhood and adolescence, and drug use disorders and drug-related crimes later in life. <i>Addiction</i> , 2021, 116, 1747-1756.	1.7	20
5	Towards ICD-11 for alcohol dependence: Diagnostic agreement with ICD-10, DSM-5, DSM-IV, DSM-III-R and DSM-III diagnoses in a Swedish general population of women. <i>Drug and Alcohol Dependence</i> , 2021, 227, 108925.	1.6	2
6	Pharmacotherapy for alcohol use disorders – Unequal provision across sociodemographic factors and co-morbid conditions. A cohort study of the total population in Sweden. <i>Drug and Alcohol Dependence</i> , 2021, 227, 108964.	1.6	7
7	Physical Activity, Sedentary Behavior, and Cardiorespiratory Fitness in Hazardous and Non-Hazardous Alcohol Consumers. <i>American Journal of Health Promotion</i> , 2021, 35, 669-678.	0.9	10
8	Cross-sectional and prospective relationships of passive and mentally active sedentary behaviours and physical activity with depression. <i>British Journal of Psychiatry</i> , 2020, 217, 413-419.	1.7	71
9	Cannabis use and the risk of anxiety and depression in women: A comparison of three Swedish cohorts. <i>Drug and Alcohol Dependence</i> , 2020, 216, 108332.	1.6	4
10	Cannabis use, subsequent other illicit drug use and drug use disorders: A 16-year follow-up study among Swedish adults. <i>Addictive Behaviors</i> , 2020, 106, 106390.	1.7	6
11	The association between duration of mechanical ventilation and survival in post cardiac arrest patients. <i>Resuscitation</i> , 2020, 148, 145-151.	1.3	0
12	Interventions for common mental disorders in the occupational health service: a systematic review with a narrative synthesis. <i>International Archives of Occupational and Environmental Health</i> , 2020, 93, 823-838.	1.1	29
13	Visual Acuity in Late Adolescence and Future Psychosis Risk in a Cohort of 1 Million Men. <i>Schizophrenia Bulletin</i> , 2019, 45, 571-578.	2.3	23
14	Alcohol and type 2 diabetes: The role of socioeconomic, lifestyle and psychosocial factors. <i>Scandinavian Journal of Public Health</i> , 2019, 47, 408-416.	1.2	3
15	Adrenaline, ROSC and survival in patients resuscitated from in-hospital cardiac arrest. <i>Resuscitation</i> , 2019, 140, 64-71.	1.3	7
16	Screening in Primary Care for Alcohol Use Compared With Smoking, Diet, and Physical Activity: A Repeated Population Survey in Sweden. <i>Journal of Studies on Alcohol and Drugs</i> , 2019, 80, 109-113.	0.6	2
17	Psychiatric hospitalization following antipsychotic medication cessation in first episode psychosis. <i>Journal of Psychopharmacology</i> , 2019, 33, 532-534.	2.0	4
18	Not in education, employment, or training (NEET) and risk of alcohol use disorder: a nationwide register-linkage study with 485 839 Swedish youths. <i>BMJ Open</i> , 2019, 9, e032888.	0.8	17

#	ARTICLE	IF	CITATIONS
19	Does depressed persons with non-cardiovascular morbidity have a higher risk of CVD? A population-based cohort study in Sweden. <i>BMC Cardiovascular Disorders</i> , 2019, 19, 260.	0.7	4
20	Association of Hydroxymethyl Glutaryl Coenzyme A Reductase Inhibitors, L-Type Calcium Channel Antagonists, and Biguanides With Rates of Psychiatric Hospitalization and Self-Harm in Individuals With Serious Mental Illness. <i>JAMA Psychiatry</i> , 2019, 76, 382.	6.0	48
21	Prospective associations between physical activity and clinician diagnosed major depressive disorder in adults: A 13-year cohort study. <i>Preventive Medicine</i> , 2019, 118, 38-43.	1.6	16
22	Measuring Autism Traits in the Adult General Population with the Brief Autism-Spectrum Quotient, AQ-10: Findings from the Stockholm Public Health Cohort. <i>Journal of Autism and Developmental Disorders</i> , 2019, 49, 773-780.	1.7	41
23	Testing the Discriminant and Convergent Validity of the World Health Organization Six-Item Adult ADHD Self-Report Scale Screener Using the Stockholm Public Health Cohort. <i>Journal of Attention Disorders</i> , 2019, 23, 1170-1177.	1.5	5
24	Screening in Primary Care for Alcohol Use Compared With Smoking, Diet, and Physical Activity: A Repeated Population Survey in Sweden. <i>Journal of Studies on Alcohol and Drugs</i> , 2019, 80, 109-113.	0.6	2
25	Utilization of psychiatric care and antidepressants among people with different severity of depression: a population-based cohort study in Stockholm, Sweden. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 607-615.	1.6	12
26	Correlates of sedentary behaviour among adults with hazardous drinking habits in six low- and middle-income countries. <i>Psychiatry Research</i> , 2018, 261, 406-413.	1.7	8
27	Psychological Symptoms in Late Adolescence and Long-Term Risk of Suicide and Suicide Attempt. <i>Suicide and Life-Threatening Behavior</i> , 2018, 48, 315-327.	0.9	9
28	Effects of internet-based cognitive behavioural therapy and physical exercise on sick leave and employment in primary care patients with depression: two subgroup analyses. <i>Occupational and Environmental Medicine</i> , 2018, 75, 52-58.	1.3	22
29	Collectivity of drinking or collective thinking? Policy implications of polarised alcohol consumption trends. <i>Drug and Alcohol Review</i> , 2018, 37, S470-S471.	1.1	4
30	Brief Report: Sexual Orientation in Individuals with Autistic Traits: Population Based Study of 47,000 Adults in Stockholm County. <i>Journal of Autism and Developmental Disorders</i> , 2018, 48, 619-624.	1.7	20
31	Using mobile phone technology to treat alcohol use disorder: study protocol for a randomized controlled trial. <i>Trials</i> , 2018, 19, 709.	0.7	2
32	Proportion of adults in the general population of Stockholm County who want gender-affirming medical treatment. <i>PLoS ONE</i> , 2018, 13, e0204606.	1.1	48
33	New steps for treating alcohol use disorder: the emerging importance of physical exercise. <i>Psychopharmacology</i> , 2018, 235, 2771-2773.	1.5	7
34	Effect of Screening and Advising on Alcohol Habits in Sweden: A Repeated Population Survey Following Nationwide Implementation of Screening and Brief Intervention. <i>Alcohol and Alcoholism</i> , 2017, 52, 190-196.	0.9	4
35	Effects of psychosocial work factors and psychological distress on self-assessed work ability: A 7-year follow-up in a general working population. <i>American Journal of Industrial Medicine</i> , 2017, 60, 121-130.	1.0	17
36	Somebody to lean on: Social relationships predict post-treatment depression severity in adults. <i>Psychiatry Research</i> , 2017, 249, 261-267.	1.7	46

#	ARTICLE	IF	CITATIONS
37	Exercise as treatment for alcohol use disorders: systematic review and meta-analysis. <i>British Journal of Sports Medicine</i> , 2017, 51, 1058-1064.	3.1	120
38	Predictive validity of the Work Ability Index and its individual items in the general population. <i>Scandinavian Journal of Public Health</i> , 2017, 45, 350-356.	1.2	78
39	Association of Late Adolescent Personality With Risk for Subsequent Serious Mental Illness Among Men in a Swedish Nationwide Cohort Study. <i>JAMA Psychiatry</i> , 2017, 74, 703.	6.0	52
40	Discriminant validity of the 12-item version of the general health questionnaire in a Swedish case-control study. <i>Nordic Journal of Psychiatry</i> , 2017, 71, 171-179.	0.7	38
41	Are Changes in Alcohol Consumption Among Swedish Youth Really Occurring "in Concert"? A New Perspective Using Quantile Regression. <i>Alcohol and Alcoholism</i> , 2017, 52, 487-495.	0.9	19
42	Prevalence of mental ill health, traumas and postmigration stress among refugees from Syria resettled in Sweden after 2011: a population-based survey. <i>BMJ Open</i> , 2017, 7, e018899.	0.8	242
43	More Reasons to Move: Exercise in the Treatment of Alcohol Use Disorders. <i>Frontiers in Psychiatry</i> , 2017, 8, 160.	1.3	26
44	Trends in levels of self-reported psychological distress among individuals who seek psychiatric services over eight years: a comparison between age groups in three population surveys in Stockholm County. <i>BMC Psychiatry</i> , 2017, 17, 345.	1.1	10
45	Do overeducated individuals have increased risks of ill health?: a Swedish population-based cohort study. <i>Sociology of Health and Illness</i> , 2016, 38, 980-995.	1.1	7
46	Unemployment Is a Risk Factor for Hospitalization Due to Alcohol Problems: A Longitudinal Study Based on the Stockholm Public Health Cohort (SPHC). <i>Journal of Studies on Alcohol and Drugs</i> , 2016, 77, 936-942.	0.6	11
47	Validity of the 12-item version of the General Health Questionnaire in detecting depression in the general population. <i>Public Health</i> , 2016, 136, 66-74.	1.4	120
48	Long-term physical workload in middle age and disability pension in men and women: a follow-up study of Swedish cohorts. <i>International Archives of Occupational and Environmental Health</i> , 2016, 89, 1239-1250.	1.1	28
49	Fathers' intelligence measured at age 18-20 years is associated with offspring smoking: linking the Swedish 1969 conscription cohort to the Swedish Survey of Living Conditions. <i>Journal of Epidemiology and Community Health</i> , 2016, 70, 396-401.	2.0	1
50	The Association Between Self-Assessed Future Work Ability and Long-Term Sickness Absence, Disability Pension and Unemployment in a General Working Population: A 7-Year Follow-Up Study. <i>Journal of Occupational Rehabilitation</i> , 2016, 26, 195-203.	1.2	34
51	Cannabis use, depression and anxiety: A 3-year prospective population-based study. <i>Journal of Affective Disorders</i> , 2016, 193, 103-108.	2.0	78
52	Drug therapy in cardiac arrest: a review of the literature. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2016, 2, 54-75.	1.4	26
53	Cannabis use and psychological distress: An 8-year prospective population-based study among Swedish men and women. <i>Addictive Behaviors</i> , 2016, 59, 18-23.	1.7	25
54	The Relationship of Alcoholism and Alcohol Consumption to All-Cause Mortality in Forty-One-Year Follow-up of the Swedish REBUS Sample. <i>Journal of Studies on Alcohol and Drugs</i> , 2015, 76, 544-551.	0.6	12

#	ARTICLE	IF	CITATIONS
55	Comparison of DSM-5 Classifications of Alcohol Use Disorders With Those of DSM-IV, DSM-III-R, and ICD-10 in a General Population Sample in Sweden. <i>Journal of Studies on Alcohol and Drugs</i> , 2015, 76, 773-780.	0.6	30
56	Intelligence and Disability Pension in Swedish Men and Women Followed from Childhood to Late Middle Age. <i>PLoS ONE</i> , 2015, 10, e0128834.	1.1	4
57	Mortality from alcohol consumption and alcohol use disorder: Findings from the Vietnam Experience Study. <i>Drug and Alcohol Dependence</i> , 2015, 151, 135-143.	1.6	4
58	The validity of the symptom checklist depression and anxiety subscales: A general population study in Sweden. <i>Journal of Affective Disorders</i> , 2015, 183, 247-252.	2.0	31
59	The Use of Alcohol Use Disorders Identification Test (<scp>AUDIT</scp>) in Detecting Alcohol Use Disorder and Risk Drinking in the General Population: Validation of <scp>AUDIT</scp> Using Schedules for Clinical Assessment in Neuropsychiatry. <i>Alcoholism: Clinical and Experimental Research</i> , 2015, 39, 158-165.	1.4	104
60	Unemployment and dispensed prescribed antidepressants in Stockholm County 1998-09. <i>European Journal of Public Health</i> , 2014, 24, 666-668.	0.1	6
61	Unemployment and coronary heart disease among middle-aged men in Sweden: 39 243 men followed for 8&#x2013;. <i>Occupational and Environmental Medicine</i> , 2014, 71, 183-188.	1.3	43
62	Do working conditions explain the increased risks of disability pension among men and women with low education? A follow-up of Swedish cohorts. <i>Scandinavian Journal of Work, Environment and Health</i> , 2014, 40, 483-492.	1.7	29
63	Cognitive Ability in Late Adolescence and Disability Pension in Middle Age: Follow-Up of a National Cohort of Swedish Males. <i>PLoS ONE</i> , 2013, 8, e78268.	1.1	18
64	Binge Drinking&#x201c;A Predictor for or a Consequence of Unemployment?. <i>Alcoholism: Clinical and Experimental Research</i> , 2012, 36, 1983-1990.	1.4	16
65	Unemployment and Hospitalization Owing to an Alcohol&#x2013;Related Diagnosis Among Middle&#x2013;Aged Men in Sweden. <i>Alcoholism: Clinical and Experimental Research</i> , 2012, 36, 663-669.	1.4	17
66	Psychiatric diagnosis in late adolescence and long&#x2013;term risk of suicide and suicide attempt. <i>Acta Psychiatrica Scandinavica</i> , 2011, 124, 454-461.	2.2	18
67	How do masculinity, paternity leave, and mortality associate? &#x201c;A study of fathers in the Swedish parental &#x26amp; child cohort of 1988/89. <i>Social Science and Medicine</i> , 2010, 71, 576-583.	1.8	29
68	Unemployment and mortality&#x2013;a longitudinal prospective study on selection and causation in 49321 Swedish middle-aged men. <i>Journal of Epidemiology and Community Health</i> , 2010, 64, 22-28.	2.0	126
69	Unemployment and suicide. <i>Lancet, The</i> , 2009, 374, 270-271.	6.3	42