

Hung-Ming Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3505898/publications.pdf>

Version: 2024-02-01

132
papers

3,560
citations

159525

30
h-index

182361

51
g-index

135
all docs

135
docs citations

135
times ranked

4207
citing authors

#	ARTICLE	IF	CITATIONS
1	Analysis of Risk Factors of Predictive Local Tumor Control in Oral Cavity Cancer. <i>Annals of Surgical Oncology</i> , 2008, 15, 915-922.	0.7	239
2	Toripalimab or placebo plus chemotherapy as first-line treatment in advanced nasopharyngeal carcinoma: a multicenter randomized phase 3 trial. <i>Nature Medicine</i> , 2021, 27, 1536-1543.	15.2	197
3	Phase II study of gemcitabine in patients with advanced hepatocellular carcinoma. <i>Cancer</i> , 2000, 89, 750-756.	2.0	135
4	Analysis of risk factors for distant metastases in squamous cell carcinoma of the oral cavity. <i>Cancer</i> , 2007, 110, 1501-1508.	2.0	111
5	Neck dissection field and lymph node density predict prognosis in patients with oral cavity cancer and pathological node metastases treated with adjuvant therapy. <i>Oral Oncology</i> , 2012, 48, 329-336.	0.8	111
6	Development and Evaluation of an Open-Source Software Package "CGITA" for Quantifying Tumor Heterogeneity with Molecular Images. <i>BioMed Research International</i> , 2014, 2014, 1-9.	0.9	103
7	T4b oral cavity cancer below the mandibular notch is resectable with a favorable outcome. <i>Oral Oncology</i> , 2007, 43, 570-579.	0.8	83
8	Clinical utility of simultaneous whole-body 18F-FDG PET/MRI as a single-step imaging modality in the staging of primary nasopharyngeal carcinoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018, 45, 1297-1308.	3.3	81
9	Application of optically-induced-dielectrophoresis in microfluidic system for purification of circulating tumour cells for gene expression analysis- Cancer cell line model. <i>Scientific Reports</i> , 2016, 6, 32851.	1.6	79
10	Survival of second and multiple primary tumors in patients with oral cavity squamous cell carcinoma in the betel quid chewing area. <i>Oral Oncology</i> , 2007, 43, 811-819.	0.8	73
11	Review of emerging biomarkers in head and neck squamous cell carcinoma in the era of immunotherapy and targeted therapy. <i>Head and Neck</i> , 2019, 41, 19-45.	0.9	70
12	Treatment Results of Postoperative Radiotherapy on Squamous Cell Carcinoma of the Oral Cavity: Coexistence of Multiple Minor Risk Factors Results in Higher Recurrence Rates. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010, 77, 1024-1029.	0.4	68
13	Clinical evidence of field cancerization in patients with oral cavity cancer in a betel quid chewing area. <i>Oral Oncology</i> , 2014, 50, 721-731.	0.8	67
14	Cisplatin, tegafur, and leucovorin. <i>Cancer</i> , 2002, 94, 2989-2995.	2.0	61
15	Prognostic value of circulating tumor cells with podoplanin expression in patients with locally advanced or metastatic head and neck squamous cell carcinoma. <i>Head and Neck</i> , 2015, 37, 1448-1455.	0.9	55
16	Dynamic contrast-enhanced MRI, diffusion-weighted MRI and 18F-FDG PET/CT for the prediction of survival in oropharyngeal or hypopharyngeal squamous cell carcinoma treated with chemoradiation. <i>European Radiology</i> , 2016, 26, 4162-4172.	2.3	55
17	Identification of a High-Risk Group Among Patients With Oral Cavity Squamous Cell Carcinoma and pT1N0 Disease. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 82, 284-290.	0.4	54
18	Clinical Utility of Multimodality Imaging with Dynamic Contrast-Enhanced MRI, Diffusion-Weighted MRI, and 18F-FDG PET/CT for the Prediction of Neck Control in Oropharyngeal or Hypopharyngeal Squamous Cell Carcinoma Treated with Chemoradiation. <i>PLoS ONE</i> , 2014, 9, e115933.	1.1	53

#	ARTICLE	IF	CITATIONS
19	The Number of Pathologically Positive Lymph Nodes and Pathological Tumor Depth Predicts Prognosis in Patients With Poorly Differentiated Squamous Cell Carcinoma of the Oral Cavity. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011, 81, e223-e230.	0.4	49
20	Tongue and Buccal Mucosa Carcinoma: Is There a Difference in Outcome?. <i>Annals of Surgical Oncology</i> , 2010, 17, 2984-2991.	0.7	48
21	Outcome Analysis of Patients With Oral Cavity Cancer and Extracapsular Spread in Neck Lymph Nodes. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011, 81, 930-937.	0.4	47
22	Adding concurrent chemotherapy to postoperative radiotherapy improves locoregional control but Not overall survival in patients with salivary gland adenoid cystic carcinoma—a propensity score matched study. <i>Radiation Oncology</i> , 2016, 11, 47.	1.2	41
23	Primary Tumor Site as a Predictor of Treatment Outcome for Definitive Radiotherapy of Advanced-Stage Oral Cavity Cancers. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010, 78, 1011-1019.	0.4	40
24	Precision Adjuvant Therapy Based on Detailed Pathologic Risk Factors for Resected Oral Cavity Squamous Cell Carcinoma: Long-Term Outcome Comparison of CGMH and NCCN Guidelines. <i>International Journal of Radiation Oncology Biology Physics</i> , 2020, 106, 916-925.	0.4	39
25	Association between multidisciplinary team care approach and survival rates in patients with oral cavity squamous cell carcinoma. <i>Head and Neck</i> , 2016, 38, E1544-53.	0.9	38
26	Phase II, Randomized Study of Spartalizumab (PDR001), an Anti-“PD-1 Antibody, versus Chemotherapy in Patients with Recurrent/Metastatic Nasopharyngeal Cancer. <i>Clinical Cancer Research</i> , 2021, 27, 6413-6423.	3.2	37
27	Association between the diagnosis-to-treatment interval and overall survival in Taiwanese patients with oral cavity squamous cell carcinoma. <i>European Journal of Cancer</i> , 2017, 72, 226-234.	1.3	35
28	An Optically Induced Dielectrophoresis (ODEP)-Based Microfluidic System for the Isolation of High-Purity CD45neg/EpCAMneg Cells from the Blood Samples of Cancer Patients—Demonstration and Initial Exploration of the Clinical Significance of These Cells. <i>Micromachines</i> , 2018, 9, 563.	1.4	35
29	Circulating Tumour Cells as an Independent Prognostic Factor in Patients with Advanced Oesophageal Squamous Cell Carcinoma Undergoing Chemoradiotherapy. <i>Scientific Reports</i> , 2016, 6, 31423.	1.6	34
30	Development of a Microfluidic-Based Optical Sensing Device for Label-Free Detection of Circulating Tumor Cells (CTCs) Through Their Lactic Acid Metabolism. <i>Sensors</i> , 2015, 15, 6789-6806.	2.1	33
31	Impact of a second FDG PET scan before adjuvant therapy for the early detection of residual/relapsing tumours in high-risk patients with oral cavity cancer and pathological extracapsular spread. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2012, 39, 944-955.	3.3	32
32	Outcome Analysis of Patients with pN2 Oral Cavity Cancer. <i>Annals of Surgical Oncology</i> , 2010, 17, 1118-1126.	0.7	31
33	The application of the palliative prognostic index, charlson comorbidity index, and Glasgow prognostic score in predicting the life expectancy of patients with hematologic malignancies under palliative care. <i>BMC Palliative Care</i> , 2015, 14, 18.	0.8	31
34	The change in circulating tumor cells before and during concurrent chemoradiotherapy is associated with survival in patients with locally advanced head and neck cancer. <i>Head and Neck</i> , 2019, 41, 2676-2687.	0.9	31
35	Using SCC Antigen and CRP Levels as Prognostic Biomarkers in Recurrent Oral Cavity Squamous Cell Carcinoma. <i>PLoS ONE</i> , 2014, 9, e103265.	1.1	29
36	Cystic nodal metastasis in patients with oropharyngeal squamous cell carcinoma receiving chemoradiotherapy: Relationship with human papillomavirus status and failure patterns. <i>PLoS ONE</i> , 2017, 12, e0180779.	1.1	29

#	ARTICLE	IF	CITATIONS
37	Deep Learning for Fully Automated Prediction of Overall Survival in Patients with Oropharyngeal Cancer Using FDG-PET Imaging. <i>Clinical Cancer Research</i> , 2021, 27, 3948-3959.	3.2	29
38	Combination of Initial Palliative Prognostic Index and Score Change Provides a Better Prognostic Value for Terminally Ill Cancer Patients: A Six-Year Observational Cohort Study. <i>Journal of Pain and Symptom Management</i> , 2014, 48, 804-814.	0.6	28
39	Serum markers of CYFRA 21-1 and C-reactive proteins in oral squamous cell carcinoma. <i>World Journal of Surgical Oncology</i> , 2015, 13, 253.	0.8	28
40	Amplification of the EGFR and CCND1 Are Coordinated and Play Important Roles in the Progression of Oral Squamous Cell Carcinomas. <i>Cancers</i> , 2019, 11, 760.	1.7	28
41	The Effect of Primary Cancer Cell Culture Models on the Results of Drug Chemosensitivity Assays: The Application of Perfusion Microbioreactor System as Cell Culture Vessel. <i>BioMed Research International</i> , 2015, 2015, 1-10.	0.9	27
42	Characteristics of Patients With Hematologic Malignancies Who Received Palliative Care Consultation Services in a Medical Center. <i>American Journal of Hospice and Palliative Medicine</i> , 2013, 30, 773-780.	0.8	26
43	Pathological risk factors stratification in pN3b oral cavity squamous cell carcinoma: Focus on the number of positive nodes and extranodal extension. <i>Oral Oncology</i> , 2018, 86, 188-194.	0.8	26
44	Outcome analysis of patients with well-differentiated oral cavity squamous cell carcinoma. <i>Oral Oncology</i> , 2011, 47, 1085-1091.	0.8	25
45	Clinical Significance of Vulnerability Assessment in Patients with Primary Head and Neck Cancer Undergoing Definitive Concurrent Chemoradiation Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2020, 108, 602-611.	0.4	25
46	Human papillomavirus 16/18 E7 viral loads predict distant metastasis in oral cavity squamous cell carcinoma. <i>Journal of Clinical Virology</i> , 2014, 61, 230-236.	1.6	24
47	Induction chemotherapy with dose-modified docetaxel, cisplatin, and 5-fluorouracil in Asian patients with borderline resectable or unresectable head and neck cancer. <i>Journal of the Formosan Medical Association</i> , 2017, 116, 185-192.	0.8	24
48	Impact of early nutrition counseling in head and neck cancer patients with normal nutritional status. <i>Supportive Care in Cancer</i> , 2021, 29, 2777-2785.	1.0	24
49	Clinical Implications of FADD Gene Amplification and Protein Overexpression in Taiwanese Oral Cavity Squamous Cell Carcinomas. <i>PLoS ONE</i> , 2016, 11, e0164870.	1.1	23
50	Integrated genomic analyses in PDX model reveal a cyclin-dependent kinase inhibitor Palbociclib as a novel candidate drug for nasopharyngeal carcinoma. <i>Journal of Experimental and Clinical Cancer Research</i> , 2018, 37, 233.	3.5	23
51	A phase II randomized trial comparing neoadjuvant chemotherapy followed by concurrent chemoradiotherapy versus concurrent chemoradiotherapy alone in advanced squamous cell carcinoma of the pharynx or larynx. <i>Biomedical Journal</i> , 2018, 41, 129-136.	1.4	23
52	Validation of a Palliative Prognostic Index to Predict Life Expectancy for Terminally Ill Cancer Patients in a Hospice Consultation Setting in Taiwan. <i>Asian Pacific Journal of Cancer Prevention</i> , 2012, 13, 2861-2866.	0.5	23
53	Effects of a mouth-opening intervention with remote support on adherence, the maximum interincisal opening, and mandibular function of postoperative oral cancer patients: A randomized clinical trial. <i>European Journal of Oncology Nursing</i> , 2019, 40, 111-119.	0.9	22
54	Prognostic Value of Tumor Heterogeneity and SUVmax of Pretreatment 18F-FDG PET/CT for Salivary Gland Carcinoma With High-Risk Histology. <i>Clinical Nuclear Medicine</i> , 2019, 44, 351-358.	0.7	22

#	ARTICLE	IF	CITATIONS
55	Incorporation of Astragalus polysaccharides injection during concurrent chemoradiotherapy in advanced pharyngeal or laryngeal squamous cell carcinoma: preliminary experience of a phase II double-blind, randomized trial. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 33-41.	1.2	22
56	Postoperative radiotherapy with or without concurrent chemotherapy for oral squamous cell carcinoma in patients with three or more minor risk factors: a propensity score matching analysis. <i>Radiation Oncology</i> , 2017, 12, 184.	1.2	21
57	Heterogeneity and irregularity of pretreatment 18F-fluorodeoxyglucose positron emission tomography improved prognostic stratification of p16-negative high-risk squamous cell carcinoma of the oropharynx. <i>Oral Oncology</i> , 2018, 78, 156-162.	0.8	21
58	Prognostic Roles of SCC Antigen, CRP and CYFRA 21-1 in Oral Cavity Squamous Cell Carcinoma. <i>Anticancer Research</i> , 2019, 39, 2025-2033.	0.5	20
59	Baseline circulating stem-like cells predict survival in patients with metastatic breast Cancer. <i>BMC Cancer</i> , 2019, 19, 1167.	1.1	20
60	Gemcitabine plus cisplatin for patients with recurrent or metastatic nasopharyngeal carcinoma in Taiwan: a multicenter prospective Phase II trial. <i>Japanese Journal of Clinical Oncology</i> , 2015, 45, 819-827.	0.6	19
61	Roles of preoperative C-reactive protein are more relevant in buccal cancer than other subsites. <i>World Journal of Surgical Oncology</i> , 2017, 15, 47.	0.8	19
62	Biweekly paclitaxel, cisplatin, tegafur, and leucovorin as neoadjuvant chemotherapy for unresectable squamous cell carcinoma of the head and neck. <i>Cancer</i> , 2004, 101, 1818-1823.	2.0	18
63	Isolation of label-free and viable circulating tumour cells (CTCs) from blood samples of cancer patients through a two-step process: negative selection-type immunomagnetic beads and spheroid cell culture-based cell isolation. <i>RSC Advances</i> , 2017, 7, 29339-29349.	1.7	18
64	Missense mutations in the TP53 DNA-binding domain predict outcomes in patients with advanced oral cavity squamous cell carcinoma. <i>Oncotarget</i> , 2016, 7, 44194-44210.	0.8	18
65	Aggressive End-of-Life Care Significantly Influenced Propensity for Hospice Enrollment Within the Last Three Days of Life for Taiwanese Cancer Decedents. <i>Journal of Pain and Symptom Management</i> , 2011, 41, 68-78.	0.6	17
66	Heterogeneity of ¹⁸ F-FDG PET combined with expression of EGFR may improve the prognostic stratification of advanced oropharyngeal carcinoma. <i>International Journal of Cancer</i> , 2016, 138, 731-738.	2.3	17
67	Clinical Outcomes of Taiwanese Patients with cT4 Oral Cavity Squamous Cell Carcinoma: Toward the Identification of the Optimal Initial Treatment Approach for cT4b Patients. <i>Annals of Surgical Oncology</i> , 2017, 24, 785-793.	0.7	17
68	Comparison of 18F-FDG PET/MRI, MRI, and 18F-FDG PET/CT for the detection of synchronous cancers and distant metastases in patients with oropharyngeal and hypopharyngeal squamous cell carcinoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 94-104.	3.3	17
69	Poor tumor differentiation is an independent adverse prognostic variable in patients with locally advanced oral cavity cancer—Comparison with pathological risk factors according to the NCCN guidelines. <i>Cancer Medicine</i> , 2021, 10, 6627-6641.	1.3	16
70	Phase Ib/II study of the PI3K± inhibitor BYL719 in combination with cetuximab in recurrent/metastatic squamous cell cancer of the head and neck (SCCHN).. <i>Journal of Clinical Oncology</i> , 2014, 32, 6044-6044.	0.8	16
71	Application of a patient-derived xenograft model in cytolytic viral activation therapy for nasopharyngeal carcinoma. <i>Oncotarget</i> , 2015, 6, 31323-31334.	0.8	16
72	Impact of Availability of an Inpatient Hospice Unit on the Parent Hospital's Quality of Palliative Care for Taiwanese Cancer Decedents, 2001–2006. <i>Journal of Pain and Symptom Management</i> , 2011, 42, 400-409.	0.6	15

#	ARTICLE	IF	CITATIONS
73	Intensity Modulated Proton Beam Therapy versus Volumetric Modulated Arc Therapy for Patients with Nasopharyngeal Cancer: A Propensity Score-Matched Study. <i>Cancers</i> , 2021, 13, 3555.	1.7	15
74	Magnitude of score change for the palliative prognostic index for survival prediction in patients with poor prognostic terminal cancer. <i>Supportive Care in Cancer</i> , 2014, 22, 2725-2731.	1.0	14
75	Positive Clinical Impact of an Additional PET/CT Scan Before Adjuvant Radiotherapy or Concurrent Chemoradiotherapy in Patients with Advanced Oral Cavity Squamous Cell Carcinoma. <i>Journal of Nuclear Medicine</i> , 2015, 56, 22-30.	2.8	14
76	Membrane capacitance of thousands of single white blood cells. <i>Journal of the Royal Society Interface</i> , 2017, 14, 20170717.	1.5	14
77	The Integration of a Three-Dimensional Spheroid Cell Culture Operation in a Circulating Tumor Cell (CTC) Isolation and Purification Process: A Preliminary Study of the Clinical Significance and Prognostic Role of the CTCs Isolated from the Blood Samples of Head and Neck Cancer Patients. <i>Cancers</i> , 2019, 11, 783.	1.7	14
78	Correlation between computed tomographic density of lymph node metastases and response to cisplatin-based chemotherapy in patients with head and neck squamous cell carcinoma in an area in which betel quid chewing is prevalent. , 1996, 78, 1972-1979.		13
79	Lymph node-to-primary tumor standardized uptake value ratio on PET predicts distant metastasis in nasopharyngeal carcinoma. <i>Oral Oncology</i> , 2020, 110, 104756.	0.8	13
80	Outcomes and prognostic factors for surgery followed by modern radiation therapy in parotid gland carcinomas. <i>Japanese Journal of Clinical Oncology</i> , 2016, 46, 832-838.	0.6	12
81	Clinical Outcomes in pT4 Tongue Carcinoma are Worse than in pT3 Disease: How Extrinsic Muscle Invasion Should be Considered?. <i>Annals of Surgical Oncology</i> , 2017, 24, 2570-2579.	0.7	12
82	Comparative clinical outcomes of Taiwanese patients with resected buccal and tongue squamous cell carcinomas. <i>Oral Oncology</i> , 2017, 67, 95-102.	0.8	12
83	The Prognostic Roles of Pretreatment Circulating Tumor Cells, Circulating Cancer Stem-Like Cells, and Programmed Cell Death-1 Expression on Peripheral Lymphocytes in Patients with Initially Unresectable, Recurrent or Metastatic Head and Neck Cancer: An Exploratory Study of Three Biomarkers in One-time Blood Drawing. <i>Cancers</i> , 2019, 11, 540.	1.7	12
84	Alcohol-metabolizing Enzymes' Gene Polymorphisms and Susceptibility to Multiple Head and Neck Cancers. <i>Cancer Prevention Research</i> , 2019, 12, 247-254.	0.7	12
85	Priority of Fibular Reconstruction in Patients with Oral Cavity Cancer Undergoing Segmental Mandibulectomy. <i>PLoS ONE</i> , 2014, 9, e94315.	1.1	12
86	Impact of Oral Submucous Fibrosis on Chemotherapy-Induced Mucositis for Head and Neck Cancer in a Geographic Area in Which Betel Quid Chewing Is Prevalent. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 1999, 22, 485.	0.6	11
87	Concurrent Chemoradiotherapy Using Cisplatin, Tegafur, and Leucovorin for Advanced Squamous Cell Carcinoma of the Hypopharynx and Oropharynx. <i>Biomedical Journal</i> , 2013, 37, 133-40.	1.4	11
88	Phase II trial of cisplatin, tegafur plus uracil and leucovorin as neoadjuvant chemotherapy in patients with squamous cell carcinoma of the oropharynx and hypopharynx. <i>Anti-Cancer Drugs</i> , 2005, 16, 447-453.	0.7	10
89	Nodal failure patterns and utility of elective nodal irradiation in submandibular gland carcinoma treated with postoperative radiotherapy - a multicenter experience. <i>Radiation Oncology</i> , 2018, 13, 184.	1.2	10
90	Pretreatment 18F-FDG PET/CT texture parameters provide complementary information to Epstein-Barr virus DNA titers in patients with metastatic nasopharyngeal carcinoma. <i>Oral Oncology</i> , 2020, 104, 104628.	0.8	10

#	ARTICLE	IF	CITATIONS
91	A prospective nutritional assessment using Mini Nutritional Assessment-short form among patients with head and neck cancer receiving concurrent chemoradiotherapy. <i>Supportive Care in Cancer</i> , 2021, 29, 1509-1518.	1.0	10
92	Postoperative Concomitant Chemoradiotherapy Improved Treatment Outcomes of Patients with Oral Cavity Cancer with Multiple-Node Metastases but No Other Major Risk Factors. <i>PLoS ONE</i> , 2014, 9, e86922.	1.1	10
93	Clues toward precision medicine in oral squamous cell carcinoma: utility of next-generation sequencing for the prognostic stratification of high-risk patients harboring neck lymph node extracapsular extension. <i>Oncotarget</i> , 2016, 7, 63082-63092.	0.8	10
94	Prognostic value of prepontine cistern invasion in nasopharyngeal carcinoma treated by intensity-modulated radiotherapy. <i>Oral Oncology</i> , 2014, 50, 228-233.	0.8	9
95	Circulating epithelial cell enumeration facilitates the identification and follow-up of a patient with early stage papillary thyroid microcarcinoma: A case report. <i>Clinica Chimica Acta</i> , 2016, 454, 107-111.	0.5	9
96	Sequential Assessments of the Eastern Cooperative Oncology Group Performance Scale Enhance Prognostic Value in Patients With Terminally Ill Cancer Receiving Palliative Care. <i>American Journal of Hospice and Palliative Medicine</i> , 2016, 33, 471-476.	0.8	9
97	Clinical impact of PET/CT imaging after adjuvant therapy in patients with oral cavity squamous cell carcinoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 44, 1702-1711.	3.3	9
98	Tumor Depth of Invasion (Tumor \geq 4cm/Depth \geq 10mm and Depth \geq 20mm) and Through Cortex/Skin Invasion are Both Valid Criteria for Classifying Tumors as pT4a in AJCC 2018 Oral Cavity Cancer Staging System. <i>Annals of Surgical Oncology</i> , 2019, 26, 3663-3672.	0.7	9
99	Correlation between overall survival and differential plasma and tissue tumor marker expression in nasopharyngeal carcinoma patients with different sites of organ metastasis. <i>Oncotarget</i> , 2016, 7, 53217-53229.	0.8	9
100	Clinical characteristics and survival outcomes of terminally ill patients undergoing withdrawal of mechanical ventilation. <i>Journal of the Formosan Medical Association</i> , 2018, 117, 798-805.	0.8	8
101	Prognostic significance of combined pretreatment lymphocyte counts and body mass index in patients with head and neck cancer treated with radiation therapy. <i>Cancer Medicine</i> , 2018, 7, 2808-2815.	1.3	8
102	Development and validation of a prognostic model incorporating [18F]FDG PET/CT radiomics for patients with minor salivary gland carcinoma. <i>EJNMMI Research</i> , 2020, 10, 74.	1.1	8
103	Clinical Outcomes of Patients with Resected Oral Cavity Cancer and Simultaneous Second Primary Malignancies. <i>PLoS ONE</i> , 2015, 10, e0136918.	1.1	8
104	Surgical Margins Status and Prognosis after Resection of Oral Cavity Squamous Cell Carcinoma: Results from a Taiwanese Nationwide Registry-Based Study. <i>Cancers</i> , 2022, 14, 15.	1.7	8
105	A combined analysis of maximum standardized uptake value on FDG-PET, genetic markers, and clinicopathological risk factors in the prognostic stratification of patients with resected oral cavity squamous cell carcinoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 84-93.	3.3	7
106	Improved prognostic stratification of patients with pN3b oral cavity cancer based on maximum standardized uptake value of metastatic nodes, lymph node ratio, and level of cervical nodal metastases. <i>Oral Oncology</i> , 2021, 123, 105593.	0.8	7
107	Progesterone analogues reduce plasma Epstein-Barr virus DNA load and improve pain control in recurrent/metastatic nasopharyngeal carcinoma patients under supportive care. <i>Biomedical Journal</i> , 2017, 40, 212-218.	1.4	6
108	Epidermal growth factor receptor intron-1 CA repeat polymorphism on protein expression and clinical outcome in Taiwanese oral squamous cell carcinoma. <i>Scientific Reports</i> , 2017, 7, 4963.	1.6	5

#	ARTICLE	IF	CITATIONS
109	Towards an Improved Pathological Node Classification for Prognostic Stratification of Patients With Oral Cavity Squamous Cell Carcinoma: Results From a Nationwide Registry Study. <i>Frontiers in Oncology</i> , 0, 12, .	1.3	5
110	Efficacy and safety of bio-chemotherapy with dacarbazine plus interleukin-2 in patients with unresectable malignant melanoma. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2015, 11, 314-318.	0.7	4
111	Combination of Epithelial Growth Factor Receptor Blockers and CDK4/6 Inhibitor for Nasopharyngeal Carcinoma Treatment. <i>Cancers</i> , 2021, 13, 2954.	1.7	4
112	Clinical Outcomes of Taiwanese Patients with Resected Oral Cavity Squamous Cell Carcinoma Who Underwent Reconstruction with Free Versus Local Flaps. <i>Annals of Surgical Oncology</i> , 2022, 29, 1130-1140.	0.7	4
113	Outcomes of re-irradiation for oral cavity squamous cell carcinoma. <i>Biomedical Journal</i> , 2022, 45, 940-947.	1.4	4
114	Utilization of the lymph node-to-primary tumor ratio of PET standardized uptake value and circulating Epstein-Barr virus DNA to predict distant metastasis in nasopharyngeal carcinoma. <i>Radiotherapy and Oncology</i> , 2022, 177, 1-8.	0.3	4
115	Timing and risk of mood disorders requiring psychotropics in long-term survivors of adult cancers: A nationwide cohort study. <i>Journal of Affective Disorders</i> , 2018, 236, 80-87.	2.0	3
116	Prognostic value of radiologic extranodal extension in patients with hypopharyngeal cancer treated with primary chemoradiation. <i>Radiotherapy and Oncology</i> , 2021, 156, 217-222.	0.3	3
117	The AIM-HN Study: A pivotal study evaluating the efficacy of tipifarnib in patients with recurrent or metastatic head and neck squamous cell carcinoma with <i>HRAS</i> mutations.. <i>Journal of Clinical Oncology</i> , 2021, 39, TPS6087-TPS6087.	0.8	3
118	Whole-exome sequencing identifies biosignatures that predict adverse survival outcomes in surgically treated patients with oral cavity squamous cell carcinoma. <i>Oral Oncology</i> , 2021, 122, 105547.	0.8	3
119	Efficacy of Postoperative Unilateral Neck Irradiation in Patients with Buccal Mucosa Squamous Carcinoma with Extranodal Extension: A Propensity Score Analysis. <i>Cancers</i> , 2021, 13, 5997.	1.7	3
120	Clinical outcomes of patients with pT4a and pT4b oral cavity squamous cell carcinoma who had undergone surgery: Results from a Taiwanese registry-based, nationwide cohort study. <i>Oral Oncology</i> , 2022, 126, 105750.	0.8	3
121	Clinical outcomes of Taiwanese patients with resected squamous cell carcinoma of the upper and lower gum. <i>Oral Oncology</i> , 2021, 118, 105334.	0.8	2
122	Prognostic stratification of patients with AJCC 2018 pStage IVB oral cavity cancer: Should pT4b and pN3 disease be reclassified?. <i>Oral Oncology</i> , 2021, 119, 105371.	0.8	2
123	cN+pN0 disease does not portend a less favorable prognosis compared with cN0pN0 in patients with resected oral cavity squamous cell carcinoma. <i>Cancer Medicine</i> , 2021, 10, 6947-6958.	1.3	2
124	Predictive value of 1H MR spectroscopy and 18F-FDG PET/CT for local control of advanced oropharyngeal and hypopharyngeal squamous cell carcinoma receiving chemoradiotherapy: a prospective study. <i>Oncotarget</i> , 2017, 8, 115513-115525.	0.8	2
125	Circulating p16-Positive and p16-Negative Tumor Cells Serve as Independent Prognostic Indicators of Survival in Patients with Head and Neck Squamous Cell Carcinomas. <i>Journal of Personalized Medicine</i> , 2021, 11, 1156.	1.1	2
126	Polygenic Panels Predicting the Susceptibility of Multiple Upper Aerodigestive Tract Cancer in Oral Cancer Patients. <i>Journal of Personalized Medicine</i> , 2021, 11, 425.	1.1	1

#	ARTICLE	IF	CITATIONS
127	Evaluation of circulating miRNAs for earlier cancer detection through machine-learning expression profiling.. Journal of Clinical Oncology, 2020, 38, 1559-1559.	0.8	1
128	A phase II study of cetuximab-based neoadjuvant and adjuvant treatment strategies, with or without surgery, in patients with locally very advanced squamous cell carcinoma of the oral cavity.. Journal of Clinical Oncology, 2012, 30, e16050-e16050.	0.8	1
129	Association of early changes of circulating cancer stem-like cells with survival among patients with metastatic breast cancer. Therapeutic Advances in Medical Oncology, 2022, 14, 175883592211101.	1.4	1
130	Clinical Factors Associated With Adherence to the Premedication Protocol for Withdrawal of Mechanical Ventilation in Terminally Ill Patients: A 4-Year Experience at a Single Medical Center in Asia. American Journal of Hospice and Palliative Medicine, 2018, 35, 772-779.	0.8	0
131	In Reply to Chow etÂal. International Journal of Radiation Oncology Biology Physics, 2020, 108, 832-834.	0.4	0
132	A real-world study of prognostic factors and risk-stratification model from Taiwanese patients with recurrent or metastatic head and neck squamous cell carcinoma treated with cetuximab containing regimen.. Journal of Clinical Oncology, 2022, 40, e18013-e18013.	0.8	0