

Yasuya Inden

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/350633/publications.pdf>

Version: 2024-02-01

50
papers

757
citations

623574

14
h-index

552653

26
g-index

51
all docs

51
docs citations

51
times ranked

971
citing authors

#	ARTICLE	IF	CITATIONS
1	Long P-wave duration immediately after pulmonary vein isolation on radiofrequency catheter ablation for atrial fibrillation predicts clinical recurrence: correlation with atrial remodeling in persistent atrial fibrillation. <i>Heart and Vessels</i> , 2022, 37, 476-488.	0.5	6
2	Identification of high priority focal activations in persistent atrial fibrillation using a novel mapping strategy. <i>Heart and Vessels</i> , 2022, 37, 840-853.	0.5	2
3	Characteristics of successful reactive atrial-based antitachycardia pacing in patients with cardiac implantable electronic devices: History of catheter ablation of atrial fibrillation as a predictor of high treatment efficacy. <i>Journal of Cardiovascular Electrophysiology</i> , 2022, 33, 1515-1528.	0.8	3
4	Septal coronary artery fistula after left bundle branch area pacing assessed by multi-imaging modalities and shunt volume quantification. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2022, 45, 1299-1302.	0.5	3
5	Higher F-wave frequency associates with poor procedural success rate after Maze procedure. <i>General Thoracic and Cardiovascular Surgery</i> , 2022, 70, 997-1004.	0.4	0
6	The mechanism and prognosis of acute and late improvement in mitral regurgitation after cardiac resynchronization therapy. <i>Heart and Vessels</i> , 2021, 36, 986-998.	0.5	1
7	JCS/JHRS 2019 Guideline on Non-Pharmacotherapy of Cardiac Arrhythmias. <i>Circulation Journal</i> , 2021, 85, 1104-1244.	0.7	77
8	JCS/JHRS 2019 guideline on non-pharmacotherapy of cardiac arrhythmias. <i>Journal of Arrhythmia</i> , 2021, 37, 709-870.	0.5	91
9	Impact of Preoperative Nutritional Status on the Outcome of Catheter Ablation for Atrial Fibrillation. <i>Circulation Journal</i> , 2021, , .	0.7	6
10	Permanent His-bundle pacing using distal His-bundle electrogram-guided approach in patients with atrioventricular block. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2021, 44, 1907-1917.	0.5	1
11	Short coupling interval with high burden of atrial ectopy predicts recurrence after atrial fibrillation ablation. <i>Heart and Vessels</i> , 2021, , 1.	0.5	0
12	Earliest pulmonary vein potential-guided cryoballoon ablation for atrial fibrillation. <i>Heart and Vessels</i> , 2020, 35, 232-238.	0.5	3
13	Electrocardiogram characteristics of P wave associated with successful pulmonary vein isolation in patients with paroxysmal atrial fibrillation: Significance of changes in P-wave duration and notched P wave. <i>Annals of Noninvasive Electrocardiology</i> , 2020, 25, e12712.	0.5	5
14	Autopsy evaluation of the implantation site of a His bundle pacing lead demonstrating selective capture. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2020, 43, 1412-1416.	0.5	2
15	The impact of the dominant frequency of body surface electrocardiography in patients with persistent atrial fibrillation. <i>Heart and Vessels</i> , 2020, 35, 967-976.	0.5	7
16	Discontinuous contraction in the left ventricle assessed by speckle tracking echocardiography benefits from CRT. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019, 42, 1204-1212.	0.5	2
17	Study design and protocol for evaluating the long-term prognosis of patients receiving his bundle pacing: A multicenter observational study. <i>Journal of Arrhythmia</i> , 2019, 35, 760-765.	0.5	1
18	Prothrombotic Responses After Catheter Ablation for Atrial Fibrillation During Uninterrupted Oral Anticoagulant Agent Administration. <i>JACC: Clinical Electrophysiology</i> , 2019, 5, 1418-1427.	1.3	7

#	ARTICLE	IF	CITATIONS
19	Tâ€wave changes of cardiac memory caused by frequent premature ventricular contractions originating from the right ventricular outflow tract. <i>Journal of Cardiovascular Electrophysiology</i> , 2019, 30, 1549-1556.	0.8	9
20	Differences in prothrombotic response between the uninterrupted and interrupted apixaban therapies in patients undergoing cryoballoon ablation for paroxysmal atrial fibrillation: a randomized controlled study. <i>Heart and Vessels</i> , 2019, 34, 1533-1541.	0.5	11
21	His bundle pacing with unusual automaticity. <i>Journal of Cardiovascular Electrophysiology</i> , 2019, 30, 966-968.	0.8	1
22	Clinical significance of the timing of early recurrence of atrial arrhythmia after pulmonary vein isolation: a two-institution clinical study. <i>Heart and Vessels</i> , 2019, 34, 842-850.	0.5	2
23	Myocardial viability as shown by left ventricular lead pacing threshold and improved dyssynchrony by QRS narrowing predicts the response to cardiac resynchronization therapy. <i>Journal of Cardiovascular Electrophysiology</i> , 2019, 30, 311-319.	0.8	3
24	Headâ€toâ€head comparison of acute and chronic pulmonary vein stenosis for cryoballoon versus radiofrequency ablation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2018, 41, 376-382.	0.5	12
25	Renal function and risk of stroke and bleeding in patients undergoing catheter ablation for atrial fibrillation: Comparison between uninterrupted direct oral anticoagulants and warfarin administration. <i>Heart Rhythm</i> , 2018, 15, 348-354.	0.3	10
26	Uninterrupted Direct Oral Anticoagulant and Warfarin Administration in Elderly Patients Undergoing Catheter Ablation for Atrial Fibrillation. <i>JACC: Clinical Electrophysiology</i> , 2018, 4, 592-600.	1.3	14
27	Impaired renal function is associated with recurrence after cryoballoon catheter ablation for paroxysmal atrial fibrillation: A potential effect of non-pulmonary vein foci. <i>Journal of Cardiology</i> , 2017, 69, 3-10.	0.8	28
28	Decrease in Bâ€type Natriuretic Peptide Levels and Successful Catheter Ablation for Atrial Fibrillation in Patients with Heart Failure. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2016, 39, 225-234.	0.5	12
29	Effect and Significance of Early Reablation for the Treatment of Early Recurrence of Atrial Fibrillation After Catheter Ablation. <i>American Journal of Cardiology</i> , 2016, 118, 833-841.	0.7	17
30	Elevated Red Blood Cell Distribution Width Predicts Recurrence After Catheter Ablation for Atrial Fibrillation in Patients With Heart Failureâ€€â€“ Comparison With Non-Heart Failure Patients â€€. <i>Circulation Journal</i> , 2016, 80, 627-638.	0.7	19
31	An ECG Index of Pâ€Wave Force Predicts the Recurrence of Atrial Fibrillation after Pulmonary Vein Isolation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2016, 39, 1191-1197.	0.5	6
32	Body mass index is associated with prognosis in Japanese elderly patients with atrial fibrillation: an observational study from the outpatient clinic. <i>Heart and Vessels</i> , 2016, 31, 1553-1561.	0.5	22
33	Feasibility and Safety of Uninterrupted Dabigatran Therapy in Patients Undergoing Ablation for Atrial Fibrillation. <i>Internal Medicine</i> , 2015, 54, 1167-1173.	0.3	26
34	Efficacy and Safety of Apixaban in the Patients Undergoing the Ablation of Atrial Fibrillation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2015, 38, 155-163.	0.5	48
35	Impact of cardiac resynchronization therapy-defibrillator implantation on the association between body mass index and prognosis in patients with heart failure. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2015, 43, 269-277.	0.6	7
36	Differences in activated clotting time among uninterrupted anticoagulants during the periprocedural period of atrial fibrillation ablation. <i>Heart Rhythm</i> , 2015, 12, 1972-1978.	0.3	46

#	ARTICLE	IF	CITATIONS
37	Clinical Characteristics and Predictors of Super-Response to Cardiac Resynchronization Therapy: A Combination of Predictive Factors. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2014, 37, 1553-1564.	0.5	13
38	Comparison of the change in the dimension of the pulmonary vein ostia immediately after pulmonary vein isolation for atrial fibrillation-open irrigated-tip catheters versus non-irrigated conventional 4 mm-tip catheters. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2014, 41, 83-90.	0.6	8
39	A novel steerable Foley balloon catheter for preventing phrenic nerve injury during epicardial catheter ablation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2014, 39, 259-259.	0.6	2
40	A Randomized Controlled Trial of Dabigatran versus Warfarin for Periablation Anticoagulation in Patients Undergoing Ablation of Atrial Fibrillation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2013, 36, 172-179.	0.5	68
41	Physiological Magnetic Stimulation for Arousal of Elderly Car Driver Evaluated With Electro-Encephalogram and Spine Magnetic Field. <i>IEEE Transactions on Magnetics</i> , 2012, 48, 3505-3508.	1.2	11
42	Arousal Effect of Physiological Magnetic Stimulation on Elder Person's Spine for Prevention of Drowsiness During Car Driving. <i>IEEE Transactions on Magnetics</i> , 2011, 47, 3066-3069.	1.2	16
43	Combined assessment of left ventricular dyssynchrony and contractility by speckled tracking strain imaging: A novel index for predicting responders to cardiac resynchronization therapy. <i>Heart Rhythm</i> , 2010, 7, 655-661.	0.3	14
44	Variation in Lead Impedance according to Pacemaker Analyzing Systems. <i>Journal of Arrhythmia</i> , 2010, 26, 91-95.	0.5	0
45	Plasma brain natriuretic peptide level after radiofrequency catheter ablation of paroxysmal, persistent, and permanent atrial fibrillation. <i>Europace</i> , 2007, 9, 770-774.	0.7	31
46	Plasma Atrial Natriuretic Peptide and Brain Natriuretic Peptide Levels After Radiofrequency Catheter Ablation of Atrial Fibrillation. <i>American Journal of Cardiology</i> , 2006, 97, 1741-1744.	0.7	52
47	Changes in Repolarization Properties with Long-Term Cardiac Memory Modify Dispersion of Repolarization in Patients with Wolff-Parkinson-White Syndrome. <i>Journal of Cardiovascular Electrophysiology</i> , 2002, 13, 324-330.	0.8	6
48	Prolongation of Activation-Recovery Interval over a Preexcited Region before and after Catheter Ablation in Patients with Wolff-Parkinson-White Syndrome. <i>Journal of Cardiovascular Electrophysiology</i> , 2001, 12, 939-945.	0.8	9
49	Body surface distribution of significant changes in QRST time-integral values after radiofrequency catheter ablation in patients with Wolff-Parkinson-White syndrome. <i>American Journal of Cardiology</i> , 1996, 77, 59-63.	0.7	6
50	QRST time integral values in 12-lead electrocardiograms before and after radiofrequency catheter ablation in patients with Wolff-Parkinson-White syndrome. <i>Journal of the American College of Cardiology</i> , 1995, 25, 1584-1590.	1.2	11