
## Carol A C Coupland

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3509707/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Predicting cardiovascular risk in England and Wales: prospective derivation and validation of QRISK2. BMJ: British Medical Journal, 2008, 336, 1475-1482.	2.3	1,175
2	Development and validation of QRISK3 risk prediction algorithms to estimate future risk of cardiovascular disease: prospective cohort study. BMJ: British Medical Journal, 2017, 357, j2099.	2.3	896
3	Derivation and validation of QRISK, a new cardiovascular disease risk score for the United Kingdom: prospective open cohort study. BMJ: British Medical Journal, 2007, 335, 136.	2.3	751
4	Antidepressant use and risk of adverse outcomes in older people: population based cohort study. BMJ: British Medical Journal, 2011, 343, d4551-d4551.	2.3	614
5	Risk of myocardial infarction in patients taking cyclo-oxygenase-2 inhibitors or conventional non-steroidal anti-inflammatory drugs: population based nested case-control analysis. BMJ: British Medical Journal, 2005, 330, 1366.	2.3	487
6	Living risk prediction algorithm (QCOVID) for risk of hospital admission and mortality from coronavirus 19 in adults: national derivation and validation cohort study. BMJ, The, 2020, 371, m3731.	6.0	471
7	Unintended effects of statins in men and women in England and Wales: population based cohort study using the QResearch database. BMJ: British Medical Journal, 2010, 340, c2197-c2197.	2.3	435
8	Risks of myocarditis, pericarditis, and cardiac arrhythmias associated with COVID-19 vaccination or SARS-CoV-2 infection. Nature Medicine, 2022, 28, 410-422.	30.7	392
9	Predicting risk of osteoporotic fracture in men and women in England and Wales: prospective derivation and validation of QFractureScores. BMJ: British Medical Journal, 2009, 339, b4229-b4229.	2.3	368
10	Risk of severe COVID-19 disease with ACE inhibitors and angiotensin receptor blockers: cohort study including 8.3 million people. Heart, 2020, 106, 1503-1511.	2.9	297
11	Predicting risk of type 2 diabetes in England and Wales: prospective derivation and validation of QDScore. BMJ: British Medical Journal, 2009, 338, b880-b880.	2.3	292
12	Derivation and validation of updated QFracture algorithm to predict risk of osteoporotic fracture in primary care in the United Kingdom: prospective open cohort study. BMJ, The, 2012, 344, e3427-e3427.	6.0	283
13	Derivation, validation, and evaluation of a new QRISK model to estimate lifetime risk of cardiovascular disease: cohort study using QResearch database. BMJ: British Medical Journal, 2010, 341, c6624-c6624.	2.3	269
14	Risk of oesophageal cancer in Barrett's oesophagus and gastro-oesophageal reflux. Gut, 2004, 53, 1070-1074.	12.1	244
15	Mental health in the UK during the COVID-19 pandemic: cross-sectional analyses from a community cohort study. BMJ Open, 2020, 10, e040620.	1.9	241
16	Use of hormone replacement therapy and risk of venous thromboembolism: nested case-control studies using the QResearch and CPRD databases. BMJ: British Medical Journal, 2019, 364, k4810.	2.3	234
17	Risk of thrombocytopenia and thromboembolism after covid-19 vaccination and SARS-CoV-2 positive testing: self-controlled case series study. BMJ, The, 2021, 374, n1931.	6.0	217
18	Risk prediction of covid-19 related death and hospital admission in adults after covid-19 vaccination: national prospective cohort study. BMJ, The, 2021, 374, n2244.	6.0	208

#	Article	IF	CITATIONS
19	Risk of adverse gastrointestinal outcomes in patients taking cyclo-oxygenase-2 inhibitors or conventional non-steroidal anti-inflammatory drugs: population based nested case-control analysis. BMJ: British Medical Journal, 2005, 331, 1310-1316.	2.3	201
20	Performance of the QRISK cardiovascular risk prediction algorithm in an independent UK sample of patients from general practice: a validation study. Heart, 2008, 94, 34-39.	2.9	185
21	Association between pre-existing respiratory disease and its treatment, and severe COVID-19: a population cohort study. Lancet Respiratory Medicine,the, 2021, 9, 909-923.	10.7	177
22	Cross sectional survey of socioeconomic variations in severity and mechanism of childhood injuries in Trent 1992-7. BMJ: British Medical Journal, 2002, 324, 1132-1132.	2.3	169
23	Risk of Malignancy in Patients With Schizophrenia or Bipolar Disorder. Archives of General Psychiatry, 2007, 64, 1368.	12.3	156
24	Alendronate and Estrogen–Progestin in the Long-Term Prevention of Bone Loss: Four-Year Results from the Early Postmenopausal Intervention Cohort Study: A Randomized, Controlled Trial. Annals of Internal Medicine, 1999, 131, 935.	3.9	152
25	Predicting the risk of Chronic Kidney Disease in Men and Women in England and Wales: prospective derivation and external validation of the QKidney®Scores. BMC Family Practice, 2010, 11, 49.	2.9	151
26	Use of combined oral contraceptives and risk of venous thromboembolism: nested case-control studies using the QResearch and CPRD databases. BMJ, The, 2015, 350, h2135-h2135.	6.0	148
27	Comorbidities in Osteoarthritis: A Systematic Review and Metaâ€Analysis of Observational Studies. Arthritis Care and Research, 2020, 72, 991-1000.	3.4	145
28	COVID-19 Mortality Risk in Down Syndrome: Results From a Cohort Study of 8 Million Adults. Annals of Internal Medicine, 2021, 174, 572-576.	3.9	145
29	Antipsychotic drugs and risk of venous thromboembolism: nested case-control study. BMJ: British Medical Journal, 2010, 341, c4245-c4245.	2.3	140
30	Married couples' risk of same disease: cross sectional study. BMJ: British Medical Journal, 2002, 325, 636-636.	2.3	136
31	The NHS Health Check in England: an evaluation of the first 4â€years. BMJ Open, 2016, 6, e008840.	1.9	134
32	Influences on control in diabetes mellitus: patient, doctor, practice, or delivery of care?. BMJ: British Medical Journal, 1993, 306, 630-634.	2.3	124
33	The electronic patient record in primary careregression or progression? A cross sectional study. BMJ: British Medical Journal, 2003, 326, 1439-1443.	2.3	119
34	Effect of combinations of drugs on all cause mortality in patients with ischaemic heart disease: nested case-control analysis. BMJ: British Medical Journal, 2005, 330, 1059-1063.	2.3	118
35	Antidepressant use and risk of suicide and attempted suicide or self harm in people aged 20 to 64: cohort study using a primary care database. BMJ, The, 2015, 350, h517-h517.	6.0	118
36	Development and validation of QDiabetes-2018 risk prediction algorithm to estimate future risk of type 2 diabetes: cohort study. BMJ: British Medical Journal, 2017, 359, j5019.	2.3	116

#	Article	IF	CITATIONS
37	Derivation and validation of QStroke score for predicting risk of ischaemic stroke in primary care and comparison with other risk scores: a prospective open cohort study. BMJ, The, 2013, 346, f2573-f2573.	6.0	115
38	Home safety education and provision of safety equipment for injury prevention. The Cochrane Library, 2014, 2014, CD005014.	2.8	114
39	Development and validation of risk prediction algorithm (QThrombosis) to estimate future risk of venous thromboembolism: prospective cohort study. BMJ: British Medical Journal, 2011, 343, d4656-d4656.	2.3	113
40	Development and validation of risk prediction algorithms to estimate future risk of common cancers in men and women: prospective cohort study. BMJ Open, 2015, 5, e007825-e007825.	1.9	113
41	Fracture experience of patients with coeliac disease: a population based survey. Gut, 2003, 52, 518-522.	12.1	111
42	Exposure to statins and risk of common cancers: a series of nested case-control studies. BMC Cancer, 2011, 11, 409.	2.6	108
43	Identifying patients with suspected pancreatic cancer in primary care: derivation and validation of an algorithm. British Journal of General Practice, 2012, 62, e38-e45.	1.4	103
44	Symptoms and risk factors to identify women with suspected cancer in primary care: derivation and validation of an algorithm. British Journal of General Practice, 2013, 63, e11-e21.	1.4	101
45	Body Size Accounts for Most Differences in Bone Density Between Asian and Caucasian Women. Calcified Tissue International, 1996, 59, 339-343.	3.1	99
46	Trends in incidence and prevalence of osteoarthritis in the United Kingdom: findings from the Clinical Practice Research Datalink (CPRD). Osteoarthritis and Cartilage, 2020, 28, 792-801.	1.3	98
47	Discontinuation and restarting in patients on statin treatment: prospective open cohort study using a primary care database. BMJ, The, 2016, 353, i3305.	6.0	97
48	ldentification of new risk factors for pneumonia: population-based case-control study. British Journal of General Practice, 2009, 59, e329-e338.	1.4	95
49	Symptoms and risk factors to identify men with suspected cancer in primary care: derivation and validation of an algorithm. British Journal of General Practice, 2013, 63, e1-e10.	1.4	95
50	Antidepressants as risk factor for ischaemic heart disease: case-control study in primary care. BMJ: British Medical Journal, 2001, 323, 666-669.	2.3	93
51	Identifying patients with suspected colorectal cancer in primary care: derivation and validation of an algorithm. British Journal of General Practice, 2012, 62, e29-e37.	1.4	92
52	Predicting risk of emergency admission to hospital using primary care data: derivation and validation of QAdmissions score. BMJ Open, 2013, 3, e003482.	1.9	92
53	Association of deprivation, ethnicity, and sex with quality indicators for diabetes: population based survey of 53 000 patients in primary care. BMJ: British Medical Journal, 2004, 329, 1267-1269.	2.3	91
54	Influenza vaccination, pneumococcal vaccination and risk of acute myocardial infarction: matched case-control study. Cmaj, 2010, 182, 1617-1623.	2.0	91

#	Article	IF	CITATIONS
55	Effects of severe mental illness on survival of people with diabetes. British Journal of Psychiatry, 2010, 197, 272-277.	2.8	90
56	Home safety education and provision of safety equipment for injury prevention (Review). Evidence-Based Child Health: A Cochrane Review Journal, 2013, 8, 761-939.	2.0	89
57	Measuring the Population Burden of Injuries—Implications for Global and National Estimates: A Multi-centre Prospective UK Longitudinal Study. PLoS Medicine, 2011, 8, e1001140.	8.4	88
58	Inequalities in the primary care of patients with coronary heart disease and serious mental health problems: a cross-sectional study. Heart, 2007, 93, 1256-1262.	2.9	85
59	Risk of Colorectal Cancer in Patients Prescribed Statins, Nonsteroidal Anti-Inflammatory Drugs, and Cyclooxygenase-2 Inhibitors: Nested Case-Control Study. Gastroenterology, 2007, 133, 393-402.	1.3	85
60	Identifying patients with suspected lung cancer in primary care: derivation and validation of an algorithm. British Journal of General Practice, 2011, 61, e715-e723.	1.4	85
61	Physical inactivity is an independent risk factor for hip fracture in the elderly Journal of Epidemiology and Community Health, 1993, 47, 441-443.	3.7	84
62	Effects of Hormone Replacement Therapy on Muscle Performance and Balance in Post-Menopausal Women. Clinical Science, 1996, 91, 685-690.	4.3	84
63	Diabetes treatments and risk of amputation, blindness, severe kidney failure, hyperglycaemia, and hypoglycaemia: open cohort study in primary care. BMJ, The, 2016, 352, i1450.	6.0	84
64	Diabetes treatments and risk of heart failure, cardiovascular disease, and all cause mortality: cohort study in primary care. BMJ, The, 2016, 354, i3477.	6.0	83
65	Providing child safety equipment to prevent injuries: randomised controlled trial. BMJ: British Medical Journal, 2005, 330, 178.	2.3	82
66	Mortality and critical care unit admission associated with the SARS-CoV-2 lineage B.1.1.7 in England: an observational cohort study. Lancet Infectious Diseases, The, 2021, 21, 1518-1528.	9.1	75
67	Antidepressant use and risk of cardiovascular outcomes in people aged 20 to 64: cohort study using primary care database. BMJ, The, 2016, 352, i1350.	6.0	70
68	Home safety education and provision of safety equipment for injury prevention. , 2007, , CD005014.		69
69	Association Between Race and COVID-19 Outcomes Among 2.6 Million Children in England. JAMA Pediatrics, 2021, 175, 928.	6.2	69
70	Do rates of hospital admission for falls and hip fracture in elderly people vary by socio-economic status?. Public Health, 2004, 118, 576-581.	2.9	65
71	Predicting risk of upper gastrointestinal bleed and intracranial bleed with anticoagulants: cohort study to derive and validate the QBleed scores. BMJ, The, 2014, 349, g4606-g4606.	6.0	65
72	Exposure to bisphosphonates and risk of gastrointestinal cancers: series of nested case-control studies with QResearch and CPRD data. BMJ, The, 2013, 346, f114-f114.	6.0	63

#	Article	IF	CITATIONS
73	Antidepressant use and risk of epilepsy and seizures in people aged 20 to 64Âyears: cohort study using a primary care database. BMC Psychiatry, 2015, 15, 315.	2.6	61
74	The performance of seven QPrediction risk scores in an independent external sample of patients from general practice: a validation study. BMJ Open, 2014, 4, e005809-e005809.	1.9	57
75	Antidepressant use and risk of adverse outcomes in people aged 20–64 years: cohort study using a primary care database. BMC Medicine, 2018, 16, 36.	5.5	57
76	Cross-transmission of nosocomial pathogens in an adult intensive care unit: incidence and risk factors. Journal of Hospital Infection, 2006, 63, 39-46.	2.9	56
77	Development and validation of QMortality risk prediction algorithm to estimate short term risk of death and assess frailty: cohort study. BMJ: British Medical Journal, 2017, 358, j4208.	2.3	56
78	Validation of a home safety questionnaire used in a randomised controlled trial. Injury Prevention, 2003, 9, 180-183.	2.4	55
79	Clinical pathways for patients with newly diagnosed hepatitis C - What actually happens. Journal of Viral Hepatitis, 2006, 13, 264-271.	2.0	55
80	Maternal Risk Factors for Testicular Cancer: A Population-Based Case–Control Study (UK). Cancer Causes and Control, 2004, 15, 277-283.	1.8	54
81	Do single handed practices offer poorer care? Cross sectional survey of processes and outcomes. BMJ: British Medical Journal, 2001, 323, 320-323.	2.3	52
82	Cost-effectiveness of a day hospital falls prevention programme for screened community-dwelling older people at high risk of falls. Age and Ageing, 2010, 39, 710-716.	1.6	52
83	Individualising the risks of statins in men and women in England and Wales: population-based cohort study. Heart, 2010, 96, 939-947.	2.9	52
84	Inequalities in uptake of influenza vaccine by deprivation and risk group: Time trends analysis. Vaccine, 2007, 25, 7363-7371.	3.8	51
85	The effect of influenza vaccination on risk of acute myocardial infarction: Self-controlled case-series study. Vaccine, 2011, 29, 1145-1149.	3.8	51
86	Identifying women with suspected ovarian cancer in primary care: derivation and validation of algorithm. BMJ: British Medical Journal, 2011, 344, d8009-d8009.	2.3	50
87	Development and validation of risk prediction equations to estimate survival in patients with colorectal cancer: cohort study. BMJ: British Medical Journal, 2017, 357, j2497.	2.3	48
88	Risk of pneumonia in patients taking statins: population-based nested case-control study. British Journal of General Practice, 2011, 61, e742-e748.	1.4	45
89	Determinants of remission of paget's disease of bone. Journal of Bone and Mineral Research, 1993, 8, 1467-1473.	2.8	44
90	Getting back to work after injury: the UK Burden of Injury multicentre longitudinal study. BMC Public Health, 2012, 12, 584.	2.9	44

#	Article	IF	CITATIONS
91	Development and validation of risk prediction equations to estimate future risk of blindness and lower limb amputation in patients with diabetes: cohort study. BMJ, The, 2015, 351, h5441-h5441.	6.0	44
92	Cervical Human Papillomavirus Screening among Older Women. Emerging Infectious Diseases, 2005, 11, 1680-1685.	4.3	43
93	Effect of education and safety equipment on poisoning-prevention practices and poisoning: systematic review, meta-analysis and meta-regression. Archives of Disease in Childhood, 2008, 93, 599-608.	1.9	43
94	Identifying patients with suspected gastro-oesophageal cancer in primary care: derivation and validation of an algorithm. British Journal of General Practice, 2011, 61, e707-e714.	1.4	43
95	Impact of a multimedia intervention "Skinsafe―on patients' knowledge and protective behaviors. Preventive Medicine, 2006, 42, 449-454.	3.4	41
96	Exposure to cyclooxygenase-2 inhibitors and risk of cancer: nested case–control studies. British Journal of Cancer, 2011, 105, 452-459.	6.4	40
97	The impact of psychological factors on recovery from injury: a multicentre cohort study. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 855-866.	3.1	40
98	Temporal relationship between osteoarthritis and comorbidities: a combined case control and cohort study in the UK primary care setting. Rheumatology, 2021, 60, 4327-4339.	1.9	40
99	Influenza and pneumococcal vaccination and risk of stroke or transient ischaemic attack—Matched case control study. Vaccine, 2014, 32, 1354-1361.	3.8	39
100	An external validation of the QCovid risk prediction algorithm for risk of mortality from COVID-19 in adults: a national validation cohort study in England. The Lancet Digital Health, 2021, 3, e425-e433.	12.3	36
101	Effect of statins on the mortality of patients with ischaemic heart disease: population based cohort study with nested case-control analysis. Heart, 2005, 92, 752-758.	2.9	35
102	Incidence and prevalence of primary care antidepressant prescribing in children and young people in England, 1998–2017: A population-based cohort study. PLoS Medicine, 2020, 17, e1003215.	8.4	35
103	Exposure to bisphosphonates and risk of common non-gastrointestinal cancers: series of nested case–control studies using two primary-care databases. British Journal of Cancer, 2013, 109, 795-806.	6.4	34
104	Inequalities in hospital admission rates for unintentional poisoning in young children. Injury Prevention, 2006, 12, 166-170.	2.4	33
105	Cycling infrastructure for reducing cycling injuries in cyclists. The Cochrane Library, 2015, 2015, CD010415.	2.8	33
106	Development and validation of risk prediction equations to estimate future risk of heart failure in patients with diabetes: a prospective cohort study. BMJ Open, 2015, 5, e008503.	1.9	33
107	A multicentre randomised controlled trial of day hospital-based falls prevention programme for a screened population of community-dwelling older people at high risk of falls. Age and Ageing, 2010, 39, 704-710.	1.6	31
108	Use of menopausal hormone therapy and risk of dementia: nested case-control studies using QResearch and CPRD databases. BMJ, The, 2021, 374, n2182.	6.0	30

#	Article	IF	CITATIONS
109	The effect of education and home safety equipment on childhood thermal injury prevention: meta-analysis and meta-regression. Injury Prevention, 2009, 15, 197-204.	2.4	29
110	Community falls prevention for people who call an emergency ambulance after a fall: an economic evaluation alongside a randomised controlled trial. Age and Ageing, 2012, 41, 635-641.	1.6	28
111	Identifying patients with suspected renal tract cancer in primary care: derivation and validation of an algorithm. British Journal of General Practice, 2012, 62, e251-e260.	1.4	28
112	Psychological morbidity and health-related quality of life after injury: multicentre cohort study. Quality of Life Research, 2017, 26, 1233-1250.	3.1	28
113	Psychological morbidity and return to work after injury: multicentre cohort study. British Journal of General Practice, 2017, 67, e555-e564.	1.4	27
114	Methodology for Assessing the Usefulness of General Practice Data for Research in One Research Network. Health Informatics Journal, 2004, 10, 91-109.	2.1	26
115	Risk of extraâ€oesophageal malignancies and colorectal cancer in Barrett's oesophagus and gastroâ€oesophageal reflux. Scandinavian Journal of Gastroenterology, 2004, 39, 680-685.	1.5	26
116	The UK Burden of Injury Study – a protocol. [National Research Register number: M0044160889]. BMC Public Health, 2007, 7, 317.	2.9	26
117	Preventing Childhood Falls at Home. American Journal of Preventive Medicine, 2008, 35, 370-379.e6.	3.0	26
118	Sickle Cell Disorders and Severe COVID-19 Outcomes: A Cohort Study. Annals of Internal Medicine, 2021, 174, 1483-1487.	3.9	26
119	Association between smoking, e-cigarette use and severe COVID-19: a cohort study. International Journal of Epidemiology, 2022, 51, 1062-1072.	1.9	25
120	Recovery from injury: the UK Burden of Injury Multicentre Longitudinal Study. Injury Prevention, 2013, 19, 370-381.	2.4	24
121	Risk and Protective Factors for Falls From Furniture in Young Children. JAMA Pediatrics, 2015, 169, 145.	6.2	24
122	Influenza vaccination and risk of stroke: Self-controlled case-series study. Vaccine, 2015, 33, 5458-5463.	3.8	24
123	Cross sectional survey of effectiveness of lipid lowering drugs in reducing serum cholesterol concentration in patients in 17 general practices. BMJ: British Medical Journal, 2003, 326, 689-689.	2.3	23
124	Inequalities in glycaemic control in patients with Type 2 diabetes in primary care. Diabetic Medicine, 2005, 22, 1364-1371.	2.3	23
125	The Helicobacter Eradication Aspirin Trial (HEAT): A Large Simple Randomised Controlled Trial Using Novel Methodology in Primary Care. EBioMedicine, 2015, 2, 1200-1204.	6.1	23
126	Poison prevention practices and medically attended poisoning in young children: multicentre case–control study. Injury Prevention, 2017, 23, 93-101.	2.4	23

#	Article	IF	CITATIONS
127	Young people, mental health and COVID-19 infection: the canaries we put in the coal mine. Public Health, 2020, 189, 158-161.	2.9	23
128	Smoking cessation treatment in primary care: prospective cohort study. Tobacco Control, 2005, 14, 242-246.	3.2	22
129	The impact of injuries study. multicentre study assessing physical, psychological, social and occupational functioning post injury - a protocol. BMC Public Health, 2011, 11, 963.	2.9	20
130	Randomised controlled trial of thermostatic mixer valves in reducing bath hot tap water temperature in families with young children in social housing. Archives of Disease in Childhood, 2011, 96, 232-239.	1.9	20
131	A cluster randomised controlled trial of the effect of a treatment algorithm for hypertension in patients with type 2 diabetes. British Journal of General Practice, 2007, 57, 136-43.	1.4	20
132	The design and use of cluster randomised controlled trials in evaluating injury prevention interventions: part 2. Design effect, sample size calculations and methods for analysis. Injury Prevention, 2010, 16, 132-136.	2.4	19
133	The prevalence, incidence, prognosis and risk factors for symptoms of depression and anxiety in a UK cohort during the COVID-19 pandemic. BJPsych Open, 2022, 8, e64.	0.7	19
134	Estimating the prevalence of medically unexplained symptoms from primary care records. Public Health, 2012, 126, 846-854.	2.9	17
135	Prostate-specific antigen testing and opportunistic prostate cancer screening: a cohort study in England, 1998–2017. British Journal of General Practice, 2021, 71, e157-e165.	1.4	17
136	The impact of injuries on health service resource use and costs in primary and secondary care in the English NHS. Journal of Public Health, 2016, 38, e464-e471.	1.8	16
137	Preventing bath water scalds: a cost-effectiveness analysis of introducing bath thermostatic mixer valves in social housing. Injury Prevention, 2011, 17, 238-243.	2.4	15
138	Keeping children safe at home: protocol for three matched case–control studies of modifiable risk factors for falls. Injury Prevention, 2012, 18, e3-e3.	2.4	15
139	The Advocacy for Pedestrian Safety Study: Cluster Randomised Trial Evaluating a Political Advocacy Approach to Reduce Pedestrian Injuries in Deprived Communities. PLoS ONE, 2013, 8, e60158.	2.5	15
140	National survey of the injury prevention activities of children's centres. Health and Social Care in the Community, 2014, 22, 40-46.	1.6	14
141	Modifiable risk factors for scald injury in children under 5 years of age: A Multi-centre Case–Control Study. Burns, 2016, 42, 1831-1843.	1.9	13
142	Alcohol Misuse and Injury Outcomes in Young People Aged 10–24. Journal of Adolescent Health, 2018, 62, 450-456.	2.5	13
143	Mortality pattern among biological research laboratory workers. British Journal of Cancer, 1996, 73, 1152-1155.	6.4	12
144	The Advocacy in Action Study a cluster randomized controlled trial to reduce pedestrian injuries in deprived communities. Injury Prevention, 2008, 14, e1-e1.	2.4	12

#	Article	IF	CITATIONS
145	Symptoms and risk factors to identify people with suspected cancer in primary care. British Journal of General Practice, 2013, 63, 125.2-126.	1.4	12
146	Risk and protective factors for falls on stairs in young children: multicentre case–control study. Archives of Disease in Childhood, 2016, 101, 909-916.	1.9	12
147	NHS Health Checks: an observational study of equity and outcomes 2009–2017. British Journal of General Practice, 2021, 71, e701-e710.	1.4	12
148	Risk models for recurrence and survival after kidney cancer: a systematic review. BJU International, 2022, 130, 562-579.	2.5	12
149	Safety of antidepressants in adults aged under 65: protocol for a cohort study using a large primary care database. BMC Psychiatry, 2013, 13, 135.	2.6	11
150	Early risk factors for depression, anxiety and post-traumatic distress after hospital admission for unintentional injury: Multicentre cohort study. Journal of Psychosomatic Research, 2018, 112, 15-24.	2.6	11
151	Keeping Children Safe: a multicentre programme of research to increase the evidence base for preventing unintentional injuries in the home in the under-fives. Programme Grants for Applied Research, 2017, 5, 1-834.	1.0	11
152	Sex inequalities in access to care for patients with diabetes in primary care: questionnaire survey. British Journal of General Practice, 2006, 56, 342-8.	1.4	11
153	Accidental injury: a neglected area within Primary Care Groups and Trusts?. Health Education Research, 2003, 18, 380-388.	1.9	10
154	Severe traffic injuries to children, Trent, 1992-7: time trend analysis. BMJ: British Medical Journal, 2003, 327, 593-594.	2.3	10
155	Multifactorial day hospital intervention to reduce falls in high risk older people in primary care: a multi-centre randomised controlled trial [ISRCTN46584556]. Trials, 2006, 7, 5.	1.6	10
156	Childhood injury prevention: The views of health visitors and nursery nurses working in deprived areas. International Journal of Health Promotion and Education, 2007, 45, 4-10.	0.9	10
157	The design and use of cluster randomised controlled trials in evaluating injury prevention interventions: part 1. Rationale, design and informed consent. Injury Prevention, 2010, 16, 61-67.	2.4	10
158	Keeping children safe at home: protocol for a case–control study of modifiable risk factors for scalds: TableÂ1. Injury Prevention, 2014, 20, e11-e11.	2.4	10
159	Clustering of comorbidities and associated outcomes in people with osteoarthritis - A UK Clinical Practice Research Datalink study. Osteoarthritis and Cartilage, 2022, 30, 702-713.	1.3	10
160	Exposure to bisphosphonates and risk of cancer: a protocol for nested case–control studies using the QResearch primary care database. BMJ Open, 2012, 2, e000548.	1.9	9
161	Making a successful return to work: the UK burden of injury multicentre longitudinal study. British Journal of General Practice, 2012, 62, e82-e90.	1.4	9
162	Keeping children safe at home: protocol for a matched case-control study of modifiable risk factors for poisoning. Injury Prevention, 2014, 20, e10-e10.	2.4	9

#	Article	IF	CITATIONS
163	Use of conspicuity aids by cyclists and risk of crashes involving other road users: Population based case-control study. Journal of Transport and Health, 2017, 7, 64-74.	2.2	9
164	Predicting the risk of prostate cancer in asymptomatic men: a cohort study to develop and validate a novel algorithm. British Journal of General Practice, 2021, 71, e364-e371.	1.4	9
165	The use of conspicuity aids by cyclists and risk of crashes involving other road users: a protocol for a population based case-control study. BMC Public Health, 2010, 10, 39.	2.9	8
166	Exposure to combined oral contraceptives and risk of venous thromboembolism: a protocol for nested case–control studies using the QResearch and the CPRD databases: TableÂ1. BMJ Open, 2014, 4, e004499.	1.9	8
167	Temporality of body mass index, blood tests, comorbidities and medication use as early markers for pancreatic ductal adenocarcinoma (PDAC): a nested case–control study. Gut, 2023, 72, 512-521.	12.1	8
168	Human papillomavirus infection in women who develop high-grade cervical intraepithelial neoplasia or cervical cancer: a case–control study in the UK. British Journal of Cancer, 2005, 92, 1794-1799.	6.4	7
169	Advantages of QRISK2 (2010): the key issue is ethnicity and extent of reallocation. Heart, 2011, 97, 515-515.	2.9	7
170	Child injury prevention in the home: A national survey of safety practices and use of safety equipment in deprived families. Health Education Journal, 2014, 73, 62-71.	1.2	7
171	Real-world effect of antidepressants for depressive disorder in primary care: protocol of a population-based cohort study. Evidence-Based Mental Health, 2020, 23, 122-126.	4.5	7
172	Secondary care specialist visits made by children and young people prescribed antidepressants in primary care: a descriptive study using the QResearch database. BMC Medicine, 2020, 18, 93.	5.5	7
173	Risk of severe COVID-19 disease with ACE inhibitors and angiotensin receptor blockers: cohort study including 8.3 million people. Heart, 2021, 107, 170.2-171.	2.9	7
174	Impact of the national home safety equipment scheme â€~Safe At Home' on hospital admissions for unintentional injury in children under 5: a controlled interrupted time series analysis. Journal of Epidemiology and Community Health, 2022, 76, 53-59.	3.7	7
175	A case-control study on the effect of hormone replacement therapy on ischaemic heart disease. British Journal of General Practice, 2003, 53, 191-6.	1.4	7
176	Analysis of incidence of motor neuron disease in England 1998–2019: use of three linked datasets. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2022, 23, 363-371.	1.7	7
177	Does increased use of private health care reduce the demand for NHS care? A prospective survey of General Practice referrals. Journal of Public Health, 2005, 27, 182-188.	1.8	6
178	Contemporary hazards in the home: keeping children safe from thermal injuries. Archives of Disease in Childhood, 2013, 98, 485-489.	1.9	6
179	Validation of a home safety questionnaire used in a series of case-control studies. Injury Prevention, 2014, 20, 336-342.	2.4	6
180	PHysical activity Implementation Study In Community-dwelling AduLts (PHISICAL): study protocol. Injury Prevention, 2019, 25, 453-458.	2.4	6

#	Article	IF	CITATIONS
181	Identifying symptoms associated with diagnosis of pancreatic exocrine and neuroendocrine neoplasms: a nested case-control study of the UK primary care population. British Journal of General Practice, 2021, 71, e836-e845.	1.4	6
182	OUP accepted manuscript. Journal of Infectious Diseases, 2022, , .	4.0	6
183	Comorbidities in osteoarthritis (ComOA): a combined cross-sectional, case–control and cohort study using large electronic health records in four European countries. BMJ Open, 2022, 12, e052816.	1.9	6
184	Practice and patient characteristics related to blood pressure in patients with type 2 diabetes in primary care: a cross-sectional study. Family Practice, 2007, 24, 547-554.	1.9	5
185	Lifetime Risks of Cardiovascular Disease. New England Journal of Medicine, 2012, 366, 1641-1643.	27.0	5
186	QRISK or Framingham?. British Journal of Clinical Pharmacology, 2012, 74, 545-546.	2.4	5
187	Multicentre cluster randomised controlled trial evaluating implementation of a fire prevention Injury Prevention Briefing in children's centres: study protocol. BMC Public Health, 2014, 14, 69.	2.9	5
188	Trends in antidepressant prescriptions in children and young people in England, 1998–2017: protocol of a cohort study using linked primary care and secondary care datasets. Evidence-Based Mental Health, 2019, 22, 129-133.	4.5	5
189	Implementation fidelity of the Falls Management Exercise Programme: a mixed methods analysis using a conceptual framework for implementation fidelity. Public Health, 2021, 197, 11-18.	2.9	5
190	Patients who discontinued statin treatment: a protocol for cohort study using primary care data. BMJ Open, 2015, 5, e008701.	1.9	5
191	Evaluating implementation of a fire-prevention injury prevention briefing in children's centres: Cluster randomised controlled trial. PLoS ONE, 2017, 12, e0172584.	2.5	5
192	QRISK2 validation by ethnic group. Heart, 2014, 100, 436-436.	2.9	4
193	Risk and protective factors for falls on one level in young children: multicentre case–control study. Injury Prevention, 2015, 21, 381-388.	2.4	4
194	Randomised controlled trial of thermostatic mixer valves in reducing bath hot tap water temperature in families with young children in social housing: A protocol. Trials, 2008, 9, 14.	1.6	3
195	Predictive effect of heartburn and indigestion and risk of upper gastro-intestinal malignancy. British Journal of General Practice, 2012, 62, 124.2-126.	1.4	3
196	QRisk superior in diverse South Asian groups. International Journal of Clinical Practice, 2012, 66, 722-722.	1.7	3
197	The MRI colonic function test: Reproducibility of the Macrogol stimulus challenge. Neurogastroenterology and Motility, 2020, 32, e13942.	3.0	3
198	Evaluation of the effectiveness, implementation and cost-effectiveness of the Stay One Step Ahead home safety promotion intervention for pre-school children: a study protocol. Injury Prevention, 2020, 26, 573-580.	2.4	3

#	Article	IF	CITATIONS
199	â€~Real world' effectiveness of the Falls Management Exercise (FaME) programme: an implementation study. Age and Ageing, 2021, 50, 1290-1297.	1.6	3
200	NHS Health Checks for people with mental ill-health 2013–2017: an observational study. Epidemiology and Psychiatric Sciences, 2020, 29, e188.	3.9	3
201	General practice characteristics associated with rates of testing and detection of hepatitis C: cross-sectional study in Nottingham and Derbyshire. British Journal of General Practice, 2006, 56, 620-3.	1.4	3
202	National survey of the injury prevention activities of sure start children's centres. Injury Prevention, 2012, 18, A103.1-A103.	2.4	2
203	Independent external validation of QCancer (Ovarian). European Journal of Cancer Care, 2013, 22, 559-560.	1.5	2
204	â€ĩIt is designed for everybody to find their own level and to improve themselves'; views of older people and instructors of the Falls Management Exercise (FaME) programme. Age and Ageing, 2022, 51, .	1.6	2
205	Recruitment to a large scale randomised controlled clinical trial in primary care: the Helicobacter Eradication Aspirin Trial (HEAT). Trials, 2022, 23, 140.	1.6	2
206	Comorbidities and use of analgesics in people with knee pain: a study in the Nottingham Knee Pain and Health in the Community (KPIC) cohort. Rheumatology Advances in Practice, 2022, 6, .	0.7	2
207	Fracture experience of patients with coeliac disease. European Journal of Gastroenterology and Hepatology, 2003, 15, 579.	1.6	1
208	Atrial fibrillation and rheumatoid arthritis are cardiovascular risk factors. BMJ: British Medical Journal, 2012, 344, e2259-e2259.	2.3	1
209	Authors' reply to Abrahamsen and colleagues. BMJ, The, 2013, 346, f1518-f1518.	6.0	1
210	The risk of all-cause and cause-specific mortality in people prescribed mirtazapine: an active comparator cohort study using electronic health records. BMC Medicine, 2022, 20, 43.	5.5	1
211	A randomized controlled trial of the effect of providing information on accidental injury admissions and their costs to Primary Care Groups and Trusts. Family Practice, 2005, 22, 249-252.	1.9	0
212	Response to letter to the editor by Nicholas S. Kelley, Michael T. Osterholm, and Edward A. Belongia, M.D Vaccine, 2011, 29, 4184.	3.8	0
213	Predicting risk of bladder cancer in the UK. British Journal of General Practice, 2012, 62, 570.3-571.	1.4	0
214	Concerns on "Validation of a Data Collection Tool and Stroke Risk Predictor― International Journal of Stroke, 2015, 10, E82-E82.	5.9	0
215	Authors' reply to Zagarella. BMJ, The, 2015, 350, h3308-h3308.	6.0	0
216	Mental health and other factors associated with work productivity after injury in the UK: multicentre cohort study. Injury Prevention, 2021, , injuryprev-2021-044311.	2.4	0

#	Article	IF	CITATIONS
217	Drug combinations and all cause mortality in heart disease: Authors' reply. BMJ: British Medical Journal, 2005, 331, 160.1.	2.3	0
218	Nationwide health check program by patients with severe mental illness or long-term antidepressants. European Journal of Public Health, 2020, 30, .	0.3	0
219	Association between mirtazapine use and serious self-harm in people with depression: an active comparator cohort study using UK electronic health records. Evidence-Based Mental Health, 2022, , ebmental-2021-300355.	4.5	Ο
220	Title is missing!. , 2020, 17, e1003215.		0
221	Title is missing!. , 2020, 17, e1003215.		Ο
222	Title is missing!. , 2020, 17, e1003215.		0
223	Title is missing!. , 2020, 17, e1003215.		Ο
224	Title is missing!. , 2020, 17, e1003215.		0
225	Title is missing!. , 2020, 17, e1003215.		0