
## Carol A C Coupland

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3509707/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Temporality of body mass index, blood tests, comorbidities and medication use as early markers for pancreatic ductal adenocarcinoma (PDAC): a nested case–control study. Gut, 2023, 72, 512-521.	6.1	8
2	Impact of the national home safety equipment scheme â€~Safe At Home' on hospital admissions for unintentional injury in children under 5: a controlled interrupted time series analysis. Journal of Epidemiology and Community Health, 2022, 76, 53-59.	2.0	7
3	OUP accepted manuscript. Journal of Infectious Diseases, 2022, , .	1.9	6
4	Risk models for recurrence and survival after kidney cancer: a systematic review. BJU International, 2022, 130, 562-579.	1.3	12
5	†It is designed for everybody to find their own level and to improve themselves'; views of older people and instructors of the Falls Management Exercise (FaME) programme. Age and Ageing, 2022, 51, .	0.7	2
6	The risk of all-cause and cause-specific mortality in people prescribed mirtazapine: an active comparator cohort study using electronic health records. BMC Medicine, 2022, 20, 43.	2.3	1
7	Analysis of incidence of motor neuron disease in England 1998–2019: use of three linked datasets. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2022, 23, 363-371.	1.1	7
8	Clustering of comorbidities and associated outcomes in people with osteoarthritis - A UK Clinical Practice Research Datalink study. Osteoarthritis and Cartilage, 2022, 30, 702-713.	0.6	10
9	Association between smoking, e-cigarette use and severe COVID-19: a cohort study. International Journal of Epidemiology, 2022, 51, 1062-1072.	0.9	25
10	Risks of myocarditis, pericarditis, and cardiac arrhythmias associated with COVID-19 vaccination or SARS-CoV-2 infection. Nature Medicine, 2022, 28, 410-422.	15.2	392
11	Recruitment to a large scale randomised controlled clinical trial in primary care: the Helicobacter Eradication Aspirin Trial (HEAT). Trials, 2022, 23, 140.	0.7	2
12	The prevalence, incidence, prognosis and risk factors for symptoms of depression and anxiety in a UK cohort during the COVID-19 pandemic. BJPsych Open, 2022, 8, e64.	0.3	19
13	Association between mirtazapine use and serious self-harm in people with depression: an active comparator cohort study using UK electronic health records. Evidence-Based Mental Health, 2022, , ebmental-2021-300355.	2.2	0
14	Comorbidities in osteoarthritis (ComOA): a combined cross-sectional, case–control and cohort study using large electronic health records in four European countries. BMJ Open, 2022, 12, e052816.	0.8	6
15	Comorbidities and use of analgesics in people with knee pain: a study in the Nottingham Knee Pain and Health in the Community (KPIC) cohort. Rheumatology Advances in Practice, 2022, 6, .	0.3	2
16	Risk of severe COVID-19 disease with ACE inhibitors and angiotensin receptor blockers: cohort study including 8.3 million people. Heart, 2021, 107, 170.2-171.	1.2	7
17	COVID-19 Mortality Risk in Down Syndrome: Results From a Cohort Study of 8 Million Adults. Annals of Internal Medicine, 2021, 174, 572-576.	2.0	145
18	â€~Real world' effectiveness of the Falls Management Exercise (FaME) programme: an implementation study. Age and Ageing, 2021, 50, 1290-1297.	0.7	3

#	Article	IF	CITATIONS
19	NHS Health Checks: an observational study of equity and outcomes 2009–2017. British Journal of General Practice, 2021, 71, e701-e710.	0.7	12
20	Temporal relationship between osteoarthritis and comorbidities: a combined case control and cohort study in the UK primary care setting. Rheumatology, 2021, 60, 4327-4339.	0.9	40
21	Mortality and critical care unit admission associated with the SARS-CoV-2 lineage B.1.1.7 in England: an observational cohort study. Lancet Infectious Diseases, The, 2021, 21, 1518-1528.	4.6	75
22	ldentifying symptoms associated with diagnosis of pancreatic exocrine and neuroendocrine neoplasms: a nested case-control study of the UK primary care population. British Journal of General Practice, 2021, 71, e836-e845.	0.7	6
23	An external validation of the QCovid risk prediction algorithm for risk of mortality from COVID-19 in adults: a national validation cohort study in England. The Lancet Digital Health, 2021, 3, e425-e433.	5.9	36
24	Sickle Cell Disorders and Severe COVID-19 Outcomes: A Cohort Study. Annals of Internal Medicine, 2021, 174, 1483-1487.	2.0	26
25	Implementation fidelity of the Falls Management Exercise Programme: a mixed methods analysis using a conceptual framework for implementation fidelity. Public Health, 2021, 197, 11-18.	1.4	5
26	Risk of thrombocytopenia and thromboembolism after covid-19 vaccination and SARS-CoV-2 positive testing: self-controlled case series study. BMJ, The, 2021, 374, n1931.	3.0	217
27	Mental health and other factors associated with work productivity after injury in the UK: multicentre cohort study. Injury Prevention, 2021, , injuryprev-2021-044311.	1.2	Ο
28	Association between pre-existing respiratory disease and its treatment, and severe COVID-19: a population cohort study. Lancet Respiratory Medicine,the, 2021, 9, 909-923.	5.2	177
29	Risk prediction of covid-19 related death and hospital admission in adults after covid-19 vaccination: national prospective cohort study. BMJ, The, 2021, 374, n2244.	3.0	208
30	Use of menopausal hormone therapy and risk of dementia: nested case-control studies using QResearch and CPRD databases. BMJ, The, 2021, 374, n2182.	3.0	30
31	Association Between Race and COVID-19 Outcomes Among 2.6 Million Children in England. JAMA Pediatrics, 2021, 175, 928.	3.3	69
32	Prostate-specific antigen testing and opportunistic prostate cancer screening: a cohort study in England, 1998–2017. British Journal of General Practice, 2021, 71, e157-e165.	0.7	17
33	Predicting the risk of prostate cancer in asymptomatic men: a cohort study to develop and validate a novel algorithm. British Journal of General Practice, 2021, 71, e364-e371.	0.7	9
34	Comorbidities in Osteoarthritis: A Systematic Review and Metaâ€Analysis of Observational Studies. Arthritis Care and Research, 2020, 72, 991-1000.	1.5	145
35	Living risk prediction algorithm (QCOVID) for risk of hospital admission and mortality from coronavirus 19 in adults: national derivation and validation cohort study. BMJ, The, 2020, 371, m3731.	3.0	471
36	The MRI colonic function test: Reproducibility of the Macrogol stimulus challenge. Neurogastroenterology and Motility, 2020, 32, e13942.	1.6	3

#	Article	IF	CITATIONS
37	Incidence and prevalence of primary care antidepressant prescribing in children and young people in England, 1998–2017: A population-based cohort study. PLoS Medicine, 2020, 17, e1003215.	3.9	35
38	Risk of severe COVID-19 disease with ACE inhibitors and angiotensin receptor blockers: cohort study including 8.3 million people. Heart, 2020, 106, 1503-1511.	1.2	297
39	Evaluation of the effectiveness, implementation and cost-effectiveness of the Stay One Step Ahead home safety promotion intervention for pre-school children: a study protocol. Injury Prevention, 2020, 26, 573-580.	1.2	3
40	Mental health in the UK during the COVID-19 pandemic: cross-sectional analyses from a community cohort study. BMJ Open, 2020, 10, e040620.	0.8	241
41	Young people, mental health and COVID-19 infection: the canaries we put in the coal mine. Public Health, 2020, 189, 158-161.	1.4	23
42	Real-world effect of antidepressants for depressive disorder in primary care: protocol of a population-based cohort study. Evidence-Based Mental Health, 2020, 23, 122-126.	2.2	7
43	Trends in incidence and prevalence of osteoarthritis in the United Kingdom: findings from the Clinical Practice Research Datalink (CPRD). Osteoarthritis and Cartilage, 2020, 28, 792-801.	0.6	98
44	Secondary care specialist visits made by children and young people prescribed antidepressants in primary care: a descriptive study using the QResearch database. BMC Medicine, 2020, 18, 93.	2.3	7
45	NHS Health Checks for people with mental ill-health 2013–2017: an observational study. Epidemiology and Psychiatric Sciences, 2020, 29, e188.	1.8	3
46	Nationwide health check program by patients with severe mental illness or long-term antidepressants. European Journal of Public Health, 2020, 30, .	0.1	0
47	Title is missing!. , 2020, 17, e1003215.		0
48	Title is missing!. , 2020, 17, e1003215.		0
49	Title is missing!. , 2020, 17, e1003215.		Ο
50	Title is missing!. , 2020, 17, e1003215.		0
51	Title is missing!. , 2020, 17, e1003215.		Ο
52	Title is missing!. , 2020, 17, e1003215.		0
53	Trends in antidepressant prescriptions in children and young people in England, 1998–2017: protocol of a cohort study using linked primary care and secondary care datasets. Evidence-Based Mental Health, 2019, 22, 129-133.	2.2	5
54	Use of hormone replacement therapy and risk of venous thromboembolism: nested case-control studies using the QResearch and CPRD databases. BMJ: British Medical Journal, 2019, 364, k4810.	2.4	234

#	Article	IF	CITATIONS
55	PHysical activity Implementation Study In Community-dwelling AduLts (PHISICAL): study protocol. Injury Prevention, 2019, 25, 453-458.	1.2	6
56	Alcohol Misuse and Injury Outcomes in Young People Aged 10–24. Journal of Adolescent Health, 2018, 62, 450-456.	1.2	13
57	Antidepressant use and risk of adverse outcomes in people aged 20–64 years: cohort study using a primary care database. BMC Medicine, 2018, 16, 36.	2.3	57
58	Early risk factors for depression, anxiety and post-traumatic distress after hospital admission for unintentional injury: Multicentre cohort study. Journal of Psychosomatic Research, 2018, 112, 15-24.	1.2	11
59	Poison prevention practices and medically attended poisoning in young children: multicentre case–control study. Injury Prevention, 2017, 23, 93-101.	1.2	23
60	Psychological morbidity and return to work after injury: multicentre cohort study. British Journal of General Practice, 2017, 67, e555-e564.	0.7	27
61	Use of conspicuity aids by cyclists and risk of crashes involving other road users: Population based case-control study. Journal of Transport and Health, 2017, 7, 64-74.	1.1	9
62	The impact of psychological factors on recovery from injury: a multicentre cohort study. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 855-866.	1.6	40
63	Psychological morbidity and health-related quality of life after injury: multicentre cohort study. Quality of Life Research, 2017, 26, 1233-1250.	1.5	28
64	Development and validation of QMortality risk prediction algorithm to estimate short term risk of death and assess frailty: cohort study. BMJ: British Medical Journal, 2017, 358, j4208.	2.4	56
65	Development and validation of QRISK3 risk prediction algorithms to estimate future risk of cardiovascular disease: prospective cohort study. BMJ: British Medical Journal, 2017, 357, j2099.	2.4	896
66	Development and validation of risk prediction equations to estimate survival in patients with colorectal cancer: cohort study. BMJ: British Medical Journal, 2017, 357, j2497.	2.4	48
67	Development and validation of QDiabetes-2018 risk prediction algorithm to estimate future risk of type 2 diabetes: cohort study. BMJ: British Medical Journal, 2017, 359, j5019.	2.4	116
68	Keeping Children Safe: a multicentre programme of research to increase the evidence base for preventing unintentional injuries in the home in the under-fives. Programme Grants for Applied Research, 2017, 5, 1-834.	0.4	11
69	Evaluating implementation of a fire-prevention injury prevention briefing in children's centres: Cluster randomised controlled trial. PLoS ONE, 2017, 12, e0172584.	1.1	5
70	Diabetes treatments and risk of heart failure, cardiovascular disease, and all cause mortality: cohort study in primary care. BMJ, The, 2016, 354, i3477.	3.0	83
71	Modifiable risk factors for scald injury in children under 5 years of age: A Multi-centre Case–Control Study. Burns, 2016, 42, 1831-1843.	1.1	13
72	The NHS Health Check in England: an evaluation of the first 4 years. BMJ Open, 2016, 6, e008840.	0.8	134

#	Article	IF	CITATIONS
73	Antidepressant use and risk of cardiovascular outcomes in people aged 20 to 64: cohort study using primary care database. BMJ, The, 2016, 352, i1350.	3.0	70
74	Diabetes treatments and risk of amputation, blindness, severe kidney failure, hyperglycaemia, and hypoglycaemia: open cohort study in primary care. BMJ, The, 2016, 352, i1450.	3.0	84
75	Discontinuation and restarting in patients on statin treatment: prospective open cohort study using a primary care database. BMJ, The, 2016, 353, i3305.	3.0	97
76	The impact of injuries on health service resource use and costs in primary and secondary care in the English NHS. Journal of Public Health, 2016, 38, e464-e471.	1.0	16
77	Risk and protective factors for falls on stairs in young children: multicentre case–control study. Archives of Disease in Childhood, 2016, 101, 909-916.	1.0	12
78	Antidepressant use and risk of epilepsy and seizures in people aged 20 to 64Âyears: cohort study using a primary care database. BMC Psychiatry, 2015, 15, 315.	1.1	61
79	Concerns on "Validation of a Data Collection Tool and Stroke Risk Predictor― International Journal of Stroke, 2015, 10, E82-E82.	2.9	Ο
80	Cycling infrastructure for reducing cycling injuries in cyclists. The Cochrane Library, 2015, 2015, CD010415.	1.5	33
81	Development and validation of risk prediction equations to estimate future risk of heart failure in patients with diabetes: a prospective cohort study. BMJ Open, 2015, 5, e008503.	0.8	33
82	Authors' reply to Zagarella. BMJ, The, 2015, 350, h3308-h3308.	3.0	0
83	Use of combined oral contraceptives and risk of venous thromboembolism: nested case-control studies using the QResearch and CPRD databases. BMJ, The, 2015, 350, h2135-h2135.	3.0	148
84	Risk and Protective Factors for Falls From Furniture in Young Children. JAMA Pediatrics, 2015, 169, 145.	3.3	24
85	Development and validation of risk prediction equations to estimate future risk of blindness and lower limb amputation in patients with diabetes: cohort study. BMJ, The, 2015, 351, h5441-h5441.	3.0	44
86	Development and validation of risk prediction algorithms to estimate future risk of common cancers in men and women: prospective cohort study. BMJ Open, 2015, 5, e007825-e007825.	0.8	113
87	Antidepressant use and risk of suicide and attempted suicide or self harm in people aged 20 to 64: cohort study using a primary care database. BMJ, The, 2015, 350, h517-h517.	3.0	118
88	The Helicobacter Eradication Aspirin Trial (HEAT): A Large Simple Randomised Controlled Trial Using Novel Methodology in Primary Care. EBioMedicine, 2015, 2, 1200-1204.	2.7	23
89	Influenza vaccination and risk of stroke: Self-controlled case-series study. Vaccine, 2015, 33, 5458-5463.	1.7	24
90	Risk and protective factors for falls on one level in young children: multicentre case–control study. Injury Prevention, 2015, 21, 381-388.	1.2	4

#	Article	IF	CITATIONS
91	Patients who discontinued statin treatment: a protocol for cohort study using primary care data. BMJ Open, 2015, 5, e008701.	0.8	5
92	Home safety education and provision of safety equipment for injury prevention. The Cochrane Library, 2014, 2014, CD005014.	1.5	114
93	Predicting risk of upper gastrointestinal bleed and intracranial bleed with anticoagulants: cohort study to derive and validate the QBleed scores. BMJ, The, 2014, 349, g4606-g4606.	3.0	65
94	Exposure to combined oral contraceptives and risk of venous thromboembolism: a protocol for nested case–control studies using the QResearch and the CPRD databases: TableÂ1. BMJ Open, 2014, 4, e004499.	0.8	8
95	The performance of seven QPrediction risk scores in an independent external sample of patients from general practice: a validation study. BMJ Open, 2014, 4, e005809-e005809.	0.8	57
96	QRISK2 validation by ethnic group. Heart, 2014, 100, 436-436.	1.2	4
97	Child injury prevention in the home: A national survey of safety practices and use of safety equipment in deprived families. Health Education Journal, 2014, 73, 62-71.	0.6	7
98	Multicentre cluster randomised controlled trial evaluating implementation of a fire prevention Injury Prevention Briefing in children's centres: study protocol. BMC Public Health, 2014, 14, 69.	1.2	5
99	Keeping children safe at home: protocol for a case–control study of modifiable risk factors for scalds: TableÂ1. Injury Prevention, 2014, 20, e11-e11.	1.2	10
100	Validation of a home safety questionnaire used in a series of case-control studies. Injury Prevention, 2014, 20, 336-342.	1.2	6
101	National survey of the injury prevention activities of children's centres. Health and Social Care in the Community, 2014, 22, 40-46.	0.7	14
102	Keeping children safe at home: protocol for a matched case-control study of modifiable risk factors for poisoning. Injury Prevention, 2014, 20, e10-e10.	1.2	9
103	Influenza and pneumococcal vaccination and risk of stroke or transient ischaemic attack—Matched case control study. Vaccine, 2014, 32, 1354-1361.	1.7	39
104	Safety of antidepressants in adults aged under 65: protocol for a cohort study using a large primary care database. BMC Psychiatry, 2013, 13, 135.	1.1	11
105	Derivation and validation of QStroke score for predicting risk of ischaemic stroke in primary care and comparison with other risk scores: a prospective open cohort study. BMJ, The, 2013, 346, f2573-f2573.	3.0	115
106	Contemporary hazards in the home: keeping children safe from thermal injuries. Archives of Disease in Childhood, 2013, 98, 485-489.	1.0	6
107	Predicting risk of emergency admission to hospital using primary care data: derivation and validation of QAdmissions score. BMJ Open, 2013, 3, e003482.	0.8	92
108	Exposure to bisphosphonates and risk of gastrointestinal cancers: series of nested case-control studies with QResearch and CPRD data. BMJ, The, 2013, 346, f114-f114.	3.0	63

#	Article	IF	CITATIONS
109	Recovery from injury: the UK Burden of Injury Multicentre Longitudinal Study. Injury Prevention, 2013, 19, 370-381.	1.2	24
110	Home safety education and provision of safety equipment for injury prevention (Review). Evidence-Based Child Health: A Cochrane Review Journal, 2013, 8, 761-939.	2.0	89
111	Independent external validation of QCancer (Ovarian). European Journal of Cancer Care, 2013, 22, 559-560.	0.7	2
112	Exposure to bisphosphonates and risk of common non-gastrointestinal cancers: series of nested case–control studies using two primary-care databases. British Journal of Cancer, 2013, 109, 795-806.	2.9	34
113	Symptoms and risk factors to identify men with suspected cancer in primary care: derivation and validation of an algorithm. British Journal of General Practice, 2013, 63, e1-e10.	0.7	95
114	Symptoms and risk factors to identify women with suspected cancer in primary care: derivation and validation of an algorithm. British Journal of General Practice, 2013, 63, e11-e21.	0.7	101
115	Symptoms and risk factors to identify people with suspected cancer in primary care. British Journal of General Practice, 2013, 63, 125.2-126.	0.7	12
116	Authors' reply to Abrahamsen and colleagues. BMJ, The, 2013, 346, f1518-f1518.	3.0	1
117	The Advocacy for Pedestrian Safety Study: Cluster Randomised Trial Evaluating a Political Advocacy Approach to Reduce Pedestrian Injuries in Deprived Communities. PLoS ONE, 2013, 8, e60158.	1.1	15
118	Keeping children safe at home: protocol for three matched case–control studies of modifiable risk factors for falls. Injury Prevention, 2012, 18, e3-e3.	1.2	15
119	Lifetime Risks of Cardiovascular Disease. New England Journal of Medicine, 2012, 366, 1641-1643.	13.9	5
120	Derivation and validation of updated QFracture algorithm to predict risk of osteoporotic fracture in primary care in the United Kingdom: prospective open cohort study. BMJ, The, 2012, 344, e3427-e3427.	3.0	283
121	Community falls prevention for people who call an emergency ambulance after a fall: an economic evaluation alongside a randomised controlled trial. Age and Ageing, 2012, 41, 635-641.	0.7	28
122	Atrial fibrillation and rheumatoid arthritis are cardiovascular risk factors. BMJ: British Medical Journal, 2012, 344, e2259-e2259.	2.4	1
123	Exposure to bisphosphonates and risk of cancer: a protocol for nested case–control studies using the QResearch primary care database. BMJ Open, 2012, 2, e000548.	0.8	9
124	Making a successful return to work: the UK burden of injury multicentre longitudinal study. British Journal of General Practice, 2012, 62, e82-e90.	0.7	9
125	National survey of the injury prevention activities of sure start children's centres. Injury Prevention, 2012, 18, A103.1-A103.	1.2	2
126	Predictive effect of heartburn and indigestion and risk of upper gastro-intestinal malignancy. British Journal of General Practice, 2012, 62, 124.2-126.	0.7	3

#	Article	IF	CITATIONS
127	Identifying patients with suspected colorectal cancer in primary care: derivation and validation of an algorithm. British Journal of General Practice, 2012, 62, e29-e37.	0.7	92
128	QRISK or Framingham?. British Journal of Clinical Pharmacology, 2012, 74, 545-546.	1.1	5
129	Estimating the prevalence of medically unexplained symptoms from primary care records. Public Health, 2012, 126, 846-854.	1.4	17
130	Getting back to work after injury: the UK Burden of Injury multicentre longitudinal study. BMC Public Health, 2012, 12, 584.	1.2	44
131	Identifying patients with suspected pancreatic cancer in primary care: derivation and validation of an algorithm. British Journal of General Practice, 2012, 62, e38-e45.	0.7	103
132	Identifying patients with suspected renal tract cancer in primary care: derivation and validation of an algorithm. British Journal of General Practice, 2012, 62, e251-e260.	0.7	28
133	Predicting risk of bladder cancer in the UK. British Journal of General Practice, 2012, 62, 570.3-571.	0.7	0
134	QRisk superior in diverse South Asian groups. International Journal of Clinical Practice, 2012, 66, 722-722.	0.8	3
135	Antidepressant use and risk of adverse outcomes in older people: population based cohort study. BMJ: British Medical Journal, 2011, 343, d4551-d4551.	2.4	614
136	The effect of influenza vaccination on risk of acute myocardial infarction: Self-controlled case-series study. Vaccine, 2011, 29, 1145-1149.	1.7	51
137	Response to letter to the editor by Nicholas S. Kelley, Michael T. Osterholm, and Edward A. Belongia, M.D Vaccine, 2011, 29, 4184.	1.7	0
138	Identifying patients with suspected gastro-oesophageal cancer in primary care: derivation and validation of an algorithm. British Journal of General Practice, 2011, 61, e707-e714.	0.7	43
139	Risk of pneumonia in patients taking statins: population-based nested case-control study. British Journal of General Practice, 2011, 61, e742-e748.	0.7	45
140	Identifying patients with suspected lung cancer in primary care: derivation and validation of an algorithm. British Journal of General Practice, 2011, 61, e715-e723.	0.7	85
141	Exposure to statins and risk of common cancers: a series of nested case-control studies. BMC Cancer, 2011, 11, 409.	1.1	108
142	The impact of injuries study. multicentre study assessing physical, psychological, social and occupational functioning post injury - a protocol. BMC Public Health, 2011, 11, 963.	1.2	20
143	Development and validation of risk prediction algorithm (QThrombosis) to estimate future risk of venous thromboembolism: prospective cohort study. BMJ: British Medical Journal, 2011, 343, d4656-d4656.	2.4	113
144	Identifying women with suspected ovarian cancer in primary care: derivation and validation of algorithm. BMJ: British Medical Journal, 2011, 344, d8009-d8009.	2.4	50

#	Article	IF	CITATIONS
145	Randomised controlled trial of thermostatic mixer valves in reducing bath hot tap water temperature in families with young children in social housing. Archives of Disease in Childhood, 2011, 96, 232-239.	1.0	20
146	Preventing bath water scalds: a cost-effectiveness analysis of introducing bath thermostatic mixer valves in social housing. Injury Prevention, 2011, 17, 238-243.	1.2	15
147	Exposure to cyclooxygenase-2 inhibitors and risk of cancer: nested case–control studies. British Journal of Cancer, 2011, 105, 452-459.	2.9	40
148	Measuring the Population Burden of Injuries—Implications for Global and National Estimates: A Multi-centre Prospective UK Longitudinal Study. PLoS Medicine, 2011, 8, e1001140.	3.9	88
149	Advantages of QRISK2 (2010): the key issue is ethnicity and extent of reallocation. Heart, 2011, 97, 515-515.	1.2	7
150	Effects of severe mental illness on survival of people with diabetes. British Journal of Psychiatry, 2010, 197, 272-277.	1.7	90
151	The use of conspicuity aids by cyclists and risk of crashes involving other road users: a protocol for a population based case-control study. BMC Public Health, 2010, 10, 39.	1.2	8
152	Predicting the risk of Chronic Kidney Disease in Men and Women in England and Wales: prospective derivation and external validation of the QKidney®Scores. BMC Family Practice, 2010, 11, 49.	2.9	151
153	The design and use of cluster randomised controlled trials in evaluating injury prevention interventions: part 1. Rationale, design and informed consent. Injury Prevention, 2010, 16, 61-67.	1.2	10
154	The design and use of cluster randomised controlled trials in evaluating injury prevention interventions: part 2. Design effect, sample size calculations and methods for analysis. Injury Prevention, 2010, 16, 132-136.	1.2	19
155	Unintended effects of statins in men and women in England and Wales: population based cohort study using the QResearch database. BMJ: British Medical Journal, 2010, 340, c2197-c2197.	2.4	435
156	Influenza vaccination, pneumococcal vaccination and risk of acute myocardial infarction: matched case-control study. Cmaj, 2010, 182, 1617-1623.	0.9	91
157	Cost-effectiveness of a day hospital falls prevention programme for screened community-dwelling older people at high risk of falls. Age and Ageing, 2010, 39, 710-716.	0.7	52
158	A multicentre randomised controlled trial of day hospital-based falls prevention programme for a screened population of community-dwelling older people at high risk of falls. Age and Ageing, 2010, 39, 704-710.	0.7	31
159	Antipsychotic drugs and risk of venous thromboembolism: nested case-control study. BMJ: British Medical Journal, 2010, 341, c4245-c4245.	2.4	140
160	Derivation, validation, and evaluation of a new QRISK model to estimate lifetime risk of cardiovascular disease: cohort study using QResearch database. BMJ: British Medical Journal, 2010, 341, c6624-c6624.	2.4	269
161	Individualising the risks of statins in men and women in England and Wales: population-based cohort study. Heart, 2010, 96, 939-947.	1.2	52
162	The effect of education and home safety equipment on childhood thermal injury prevention: meta-analysis and meta-regression. Injury Prevention, 2009, 15, 197-204.	1.2	29

#	Article	IF	CITATIONS
163	Identification of new risk factors for pneumonia: population-based case-control study. British Journal of General Practice, 2009, 59, e329-e338.	0.7	95
164	Predicting risk of type 2 diabetes in England and Wales: prospective derivation and validation of QDScore. BMJ: British Medical Journal, 2009, 338, b880-b880.	2.4	292
165	Predicting risk of osteoporotic fracture in men and women in England and Wales: prospective derivation and validation of QFractureScores. BMJ: British Medical Journal, 2009, 339, b4229-b4229.	2.4	368
166	Randomised controlled trial of thermostatic mixer valves in reducing bath hot tap water temperature in families with young children in social housing: A protocol. Trials, 2008, 9, 14.	0.7	3
167	Preventing Childhood Falls at Home. American Journal of Preventive Medicine, 2008, 35, 370-379.e6.	1.6	26
168	Effect of education and safety equipment on poisoning-prevention practices and poisoning: systematic review, meta-analysis and meta-regression. Archives of Disease in Childhood, 2008, 93, 599-608.	1.0	43
169	Predicting cardiovascular risk in England and Wales: prospective derivation and validation of QRISK2. BMJ: British Medical Journal, 2008, 336, 1475-1482.	2.4	1,175
170	Performance of the QRISK cardiovascular risk prediction algorithm in an independent UK sample of patients from general practice: a validation study. Heart, 2008, 94, 34-39.	1.2	185
171	The Advocacy in Action Study a cluster randomized controlled trial to reduce pedestrian injuries in deprived communities. Injury Prevention, 2008, 14, e1-e1.	1.2	12
172	Practice and patient characteristics related to blood pressure in patients with type 2 diabetes in primary care: a cross-sectional study. Family Practice, 2007, 24, 547-554.	0.8	5
173	Inequalities in the primary care of patients with coronary heart disease and serious mental health problems: a cross-sectional study. Heart, 2007, 93, 1256-1262.	1.2	85
174	Risk of Malignancy in Patients With Schizophrenia or Bipolar Disorder. Archives of General Psychiatry, 2007, 64, 1368.	13.8	156
175	Derivation and validation of QRISK, a new cardiovascular disease risk score for the United Kingdom: prospective open cohort study. BMJ: British Medical Journal, 2007, 335, 136.	2.4	751
176	Home safety education and provision of safety equipment for injury prevention. , 2007, , CD005014.		69
177	Childhood injury prevention: The views of health visitors and nursery nurses working in deprived areas. International Journal of Health Promotion and Education, 2007, 45, 4-10.	0.4	10
178	Inequalities in uptake of influenza vaccine by deprivation and risk group: Time trends analysis. Vaccine, 2007, 25, 7363-7371.	1.7	51
179	Risk of Colorectal Cancer in Patients Prescribed Statins, Nonsteroidal Anti-Inflammatory Drugs, and Cyclooxygenase-2 Inhibitors: Nested Case-Control Study. Gastroenterology, 2007, 133, 393-402.	0.6	85
180	The UK Burden of Injury Study – a protocol. [National Research Register number: M0044160889]. BMC Public Health, 2007, 7, 317.	1.2	26

#	Article	IF	CITATIONS
181	A cluster randomised controlled trial of the effect of a treatment algorithm for hypertension in patients with type 2 diabetes. British Journal of General Practice, 2007, 57, 136-43.	0.7	20
182	Cross-transmission of nosocomial pathogens in an adult intensive care unit: incidence and risk factors. Journal of Hospital Infection, 2006, 63, 39-46.	1.4	56
183	Impact of a multimedia intervention "Skinsafe―on patients' knowledge and protective behaviors. Preventive Medicine, 2006, 42, 449-454.	1.6	41
184	Multifactorial day hospital intervention to reduce falls in high risk older people in primary care: a multi-centre randomised controlled trial [ISRCTN46584556]. Trials, 2006, 7, 5.	0.7	10
185	Clinical pathways for patients with newly diagnosed hepatitis C - What actually happens. Journal of Viral Hepatitis, 2006, 13, 264-271.	1.0	55
186	Inequalities in hospital admission rates for unintentional poisoning in young children. Injury Prevention, 2006, 12, 166-170.	1.2	33
187	Sex inequalities in access to care for patients with diabetes in primary care: questionnaire survey. British Journal of General Practice, 2006, 56, 342-8.	0.7	11
188	General practice characteristics associated with rates of testing and detection of hepatitis C: cross-sectional study in Nottingham and Derbyshire. British Journal of General Practice, 2006, 56, 620-3.	0.7	3
189	Inequalities in glycaemic control in patients with Type 2 diabetes in primary care. Diabetic Medicine, 2005, 22, 1364-1371.	1.2	23
190	Cervical Human Papillomavirus Screening among Older Women. Emerging Infectious Diseases, 2005, 11, 1680-1685.	2.0	43
191	A randomized controlled trial of the effect of providing information on accidental injury admissions and their costs to Primary Care Groups and Trusts. Family Practice, 2005, 22, 249-252.	0.8	0
192	Effect of statins on the mortality of patients with ischaemic heart disease: population based cohort study with nested case-control analysis. Heart, 2005, 92, 752-758.	1.2	35
193	Smoking cessation treatment in primary care: prospective cohort study. Tobacco Control, 2005, 14, 242-246.	1.8	22
194	Does increased use of private health care reduce the demand for NHS care? A prospective survey of General Practice referrals. Journal of Public Health, 2005, 27, 182-188.	1.0	6
195	Human papillomavirus infection in women who develop high-grade cervical intraepithelial neoplasia or cervical cancer: a case–control study in the UK. British Journal of Cancer, 2005, 92, 1794-1799.	2.9	7
196	Providing child safety equipment to prevent injuries: randomised controlled trial. BMJ: British Medical Journal, 2005, 330, 178.	2.4	82
197	Effect of combinations of drugs on all cause mortality in patients with ischaemic heart disease: nested case-control analysis. BMJ: British Medical Journal, 2005, 330, 1059-1063.	2.4	118
198	Risk of adverse gastrointestinal outcomes in patients taking cyclo-oxygenase-2 inhibitors or conventional non-steroidal anti-inflammatory drugs: population based nested case-control analysis. BMJ: British Medical Journal, 2005, 331, 1310-1316.	2.4	201

#	Article	IF	CITATIONS
199	Risk of myocardial infarction in patients taking cyclo-oxygenase-2 inhibitors or conventional non-steroidal anti-inflammatory drugs: population based nested case-control analysis. BMJ: British Medical Journal, 2005, 330, 1366.	2.4	487
200	Drug combinations and all cause mortality in heart disease: Authors' reply. BMJ: British Medical Journal, 2005, 331, 160.1.	2.4	0
201	Methodology for Assessing the Usefulness of General Practice Data for Research in One Research Network. Health Informatics Journal, 2004, 10, 91-109.	1.1	26
202	Risk of oesophageal cancer in Barrett's oesophagus and gastro-oesophageal reflux. Gut, 2004, 53, 1070-1074.	6.1	244
203	Association of deprivation, ethnicity, and sex with quality indicators for diabetes: population based survey of 53 000 patients in primary care. BMJ: British Medical Journal, 2004, 329, 1267-1269.	2.4	91
204	Maternal Risk Factors for Testicular Cancer: A Population-Based Case–Control Study (UK). Cancer Causes and Control, 2004, 15, 277-283.	0.8	54
205	Risk of extraâ€oesophageal malignancies and colorectal cancer in Barrett's oesophagus and gastroâ€oesophageal reflux. Scandinavian Journal of Gastroenterology, 2004, 39, 680-685.	0.6	26
206	Do rates of hospital admission for falls and hip fracture in elderly people vary by socio-economic status?. Public Health, 2004, 118, 576-581.	1.4	65
207	Validation of a home safety questionnaire used in a randomised controlled trial. Injury Prevention, 2003, 9, 180-183.	1.2	55
208	Fracture experience of patients with coeliac disease: a population based survey. Gut, 2003, 52, 518-522.	6.1	111
209	The electronic patient record in primary careregression or progression? A cross sectional study. BMJ: British Medical Journal, 2003, 326, 1439-1443.	2.4	119
210	Cross sectional survey of effectiveness of lipid lowering drugs in reducing serum cholesterol concentration in patients in 17 general practices. BMJ: British Medical Journal, 2003, 326, 689-689.	2.4	23
211	Accidental injury: a neglected area within Primary Care Groups and Trusts?. Health Education Research, 2003, 18, 380-388.	1.0	10
212	Severe traffic injuries to children, Trent, 1992-7: time trend analysis. BMJ: British Medical Journal, 2003, 327, 593-594.	2.4	10
213	Fracture experience of patients with coeliac disease. European Journal of Gastroenterology and Hepatology, 2003, 15, 579.	0.8	1
214	A case-control study on the effect of hormone replacement therapy on ischaemic heart disease. British Journal of General Practice, 2003, 53, 191-6.	0.7	7
215	Married couples' risk of same disease: cross sectional study. BMJ: British Medical Journal, 2002, 325, 636-636.	2.4	136
216	Cross sectional survey of socioeconomic variations in severity and mechanism of childhood injuries in Trent 1992-7. BMJ: British Medical Journal, 2002, 324, 1132-1132.	2.4	169

#	Article	IF	CITATIONS
217	Antidepressants as risk factor for ischaemic heart disease: case-control study in primary care. BMJ: British Medical Journal, 2001, 323, 666-669.	2.4	93
218	Do single handed practices offer poorer care? Cross sectional survey of processes and outcomes. BMJ: British Medical Journal, 2001, 323, 320-323.	2.4	52
219	Alendronate and Estrogen–Progestin in the Long-Term Prevention of Bone Loss: Four-Year Results from the Early Postmenopausal Intervention Cohort Study: A Randomized, Controlled Trial. Annals of Internal Medicine, 1999, 131, 935.	2.0	152
220	Body Size Accounts for Most Differences in Bone Density Between Asian and Caucasian Women. Calcified Tissue International, 1996, 59, 339-343.	1.5	99
221	Effects of Hormone Replacement Therapy on Muscle Performance and Balance in Post-Menopausal Women. Clinical Science, 1996, 91, 685-690.	1.8	84
222	Mortality pattern among biological research laboratory workers. British Journal of Cancer, 1996, 73, 1152-1155.	2.9	12
223	Physical inactivity is an independent risk factor for hip fracture in the elderly Journal of Epidemiology and Community Health, 1993, 47, 441-443.	2.0	84
224	Influences on control in diabetes mellitus: patient, doctor, practice, or delivery of care?. BMJ: British Medical Journal, 1993, 306, 630-634.	2.4	124
225	Determinants of remission of paget's disease of bone. Journal of Bone and Mineral Research, 1993, 8, 1467-1473.	3.1	44