

Yoon Ah Park

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3510088/publications.pdf>

Version: 2024-02-01

66
papers

1,002
citations

430874

18
h-index

526287

27
g-index

68
all docs

68
docs citations

68
times ranked

1733
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Is High-Grade Tumor Budding an Independent Prognostic Factor in Stage II Colon Cancer?. <i>Diseases of the Colon and Rectum</i> , 2023, 66, e801-e808. | 1.3 | 2 |
| 2 | Sphincter-saving surgery versus abdominoperineal resection in low rectal cancer following neoadjuvant treatment with propensity score analysis. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2022, 36, 2623-2630. | 2.4 | 3 |
| 3 | Single-port robot-assisted abdominoperineal resection: a case review of the first four experiences. <i>Annals of Coloproctology</i> , 2022, 38, 88-92. | 2.0 | 5 |
| 4 | Proteomic identification of arginine-methylated proteins in colon cancer cells and comparison of messenger RNA expression between colorectal cancer and adjacent normal tissues. <i>Annals of Coloproctology</i> , 2022, 38, 60-68. | 2.0 | 3 |
| 5 | Learning curve for single-port robot-assisted rectal cancer surgery. <i>Annals of Surgical Treatment and Research</i> , 2022, 102, 159. | 1.0 | 5 |
| 6 | Can CCRT/RT Achieve Favorable Oncologic Outcome in Rectal Cancer Patients With High Risk Feature After Local Excision?. <i>Frontiers in Oncology</i> , 2022, 12, 767838. | 2.8 | 0 |
| 7 | Determining Which Patients Require Preoperative Pelvic Radiotherapy Before Curative-Intent Surgery and/or Ablation for Metastatic Rectal Cancer. <i>Annals of Surgical Oncology</i> , 2022, , 1. | 1.5 | 1 |
| 8 | Oncologic outcomes of pathologic T4 and T3 colon cancer patients diagnosed with clinical T4 stage disease using preoperative computed tomography scan. <i>Surgical Oncology</i> , 2022, 41, 101749. | 1.6 | 7 |
| 9 | ASO Visual Abstract: Determining Which Patients Require Preoperative Pelvic Radiotherapy Before Curative Intent Surgery and/or Ablation for Metastatic Rectal Cancer. <i>Annals of Surgical Oncology</i> , 2022, , . | 1.5 | 0 |
| 10 | Clinical prediction model of pathological response following neoadjuvant chemoradiotherapy for rectal cancer. <i>Scientific Reports</i> , 2022, 12, 7145. | 3.3 | 12 |
| 11 | Comparison of transanal total mesorectal excision and robotic total mesorectal excision for low rectal cancer after neoadjuvant chemoradiotherapy. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2021, 35, 6998-7004. | 2.4 | 4 |
| 12 | Minimally invasive versus open intersphincteric resection of low rectal cancer regardless of neoadjuvant chemoradiotherapy: long-term oncologic outcomes. <i>Scientific Reports</i> , 2021, 11, 11001. | 3.3 | 4 |
| 13 | Effect of lymphadenectomy in colorectal cancer with isolated synchronous paraaortic lymph node metastasis. <i>Colorectal Disease</i> , 2021, 23, 2584-2592. | 1.4 | 5 |
| 14 | Tumor Budding as a Prognostic Marker in Rectal Cancer Patients on Propensity Score Analysis. <i>Annals of Surgical Oncology</i> , 2021, 28, 8813-8822. | 1.5 | 3 |
| 15 | Has the COVID-19 Pandemic Caused Upshifting in Colorectal Cancer Stage?. <i>Annals of Coloproctology</i> , 2021, 37, 253-258. | 2.0 | 18 |
| 16 | Clinical Outcomes of Neoadjuvant Chemotherapy in Colorectal Cancer Patients With Synchronous Resectable Liver Metastasis: A Propensity Score Matching Analysis. <i>Annals of Coloproctology</i> , 2021, 37, 244-252. | 2.0 | 13 |
| 17 | The stage migration should be reconsidered in stage IIIA rectal cancer: Based on propensity score analysis. <i>Clinical Colorectal Cancer</i> , 2021, , . | 2.3 | 2 |
| 18 | A Nomogram for Predicting Pathological Complete Response to Neoadjuvant Chemoradiotherapy Using Semiquantitative Parameters Derived From Sequential PET/CT in Locally Advanced Rectal Cancer. <i>Frontiers in Oncology</i> , 2021, 11, 742728. | 2.8 | 7 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | The role of PDGFRA as a therapeutic target in young colorectal cancer patients. <i>Journal of Translational Medicine</i> , 2021, 19, 446. | 4.4 | 11 |
| 20 | Prognostic Factors and Treatment of Recurrence after Local Excision of Rectal Cancer. <i>Yonsei Medical Journal</i> , 2021, 62, 1107. | 2.2 | 5 |
| 21 | Comparison of Long-Term Survival Outcomes of T4a and T4b Colorectal Cancer. <i>Frontiers in Oncology</i> , 2021, 11, 780684. | 2.8 | 2 |
| 22 | Long-term oncologic outcome and risk factors after conversion in laparoscopic surgery for colon cancer. <i>International Journal of Colorectal Disease</i> , 2020, 35, 395-402. | 2.2 | 7 |
| 23 | Comparative study of laparoscopic versus open technique for simultaneous resection of colorectal cancer and liver metastases with propensity score analysis. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2020, 34, 4772-4780. | 2.4 | 26 |
| 24 | Determining whether postoperative chemoradiotherapy is required in patients with pathologic T3N0 rectal cancer with negative resection margin. <i>International Journal of Colorectal Disease</i> , 2020, 35, 2239-2248. | 2.2 | 3 |
| 25 | Lymphovascular invasion, perineural invasion, and tumor budding are prognostic factors for stage I colon cancer recurrence. <i>International Journal of Colorectal Disease</i> , 2020, 35, 881-885. | 2.2 | 23 |
| 26 | Prognostic value of serum inflammatory markers in colorectal cancer. <i>International Journal of Colorectal Disease</i> , 2020, 35, 1211-1219. | 2.2 | 17 |
| 27 | Risk factors for lymph node metastasis in early colon cancer. <i>International Journal of Colorectal Disease</i> , 2020, 35, 1607-1613. | 2.2 | 17 |
| 28 | Long-term Oncologic Outcome of Postoperative Complications After Colorectal Cancer Surgery. <i>Annals of Coloproctology</i> , 2020, 36, 273-280. | 2.0 | 14 |
| 29 | Efficacy of Intravenous Ferric Carboxymaltose in Patients with Acute Post-Operative Anemia after Colorectal Cancer Surgery. <i>Surgical Metabolism and Nutrition</i> , 2020, 11, 61-65. | 0.3 | 1 |
| 30 | A Proposal of "Clinical Privileges on Robotic Surgery" by the Korean Association of Robotic Surgeons (KAROS). <i>Annals of Robotic Innovative Surgery</i> , 2020, 1, 2. | 0.4 | 0 |
| 31 | Implementing a multidisciplinary care bundle to reduce colon surgical site infections. <i>Annals of Surgical Treatment and Research</i> , 2020, 99, 285. | 1.0 | 5 |
| 32 | Carcinoembryonic Antigen Improves the Performance of Magnetic Resonance Imaging in the Prediction of Pathologic Response after Neoadjuvant Chemoradiation for Patients with Rectal Cancer. <i>Cancer Research and Treatment</i> , 2020, 52, 446-454. | 3.0 | 5 |
| 33 | Intratumor heterogeneity inferred from targeted deep sequencing as a prognostic indicator. <i>Scientific Reports</i> , 2019, 9, 4542. | 3.3 | 40 |
| 34 | High preoperative serum CA 19-9 levels can predict poor oncologic outcomes in colorectal cancer patients on propensity score analysis. <i>Annals of Surgical Treatment and Research</i> , 2019, 96, 107. | 1.0 | 18 |
| 35 | Oncological outcome of surgical site infection after colorectal cancer surgery. <i>International Journal of Colorectal Disease</i> , 2019, 34, 277-283. | 2.2 | 23 |
| 36 | A novel histologic grading system based on lymphovascular invasion, perineural invasion, and tumor budding in colorectal cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2019, 145, 471-477. | 2.5 | 21 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Tumor regression grade as a clinically useful outcome predictor in patients with rectal cancer after preoperative chemoradiotherapy. <i>Surgery</i> , 2019, 165, 579-585. | 1.9 | 25 |
| 38 | Anastomotic Leak Does Not Impact Oncologic Outcomes After Preoperative Chemoradiotherapy and Resection for Rectal Cancer. <i>Annals of Surgery</i> , 2019, 269, 678-685. | 4.2 | 37 |
| 39 | Risk factors for locoregional recurrence in patients with pathologic T3N0 rectal cancer with negative resection margin treated by surgery alone. <i>Radiation Oncology Journal</i> , 2019, 37, 110-116. | 1.5 | 9 |
| 40 | Oncologic outcome of colorectal cancer patients over age 80: a propensity score-matched analysis. <i>International Journal of Colorectal Disease</i> , 2018, 33, 1011-1018. | 2.2 | 16 |
| 41 | Prognostic Impact of Tumor-Budding Grade in Stages 1-3 Colon Cancer: A Retrospective Cohort Study. <i>Annals of Surgical Oncology</i> , 2018, 25, 204-211. | 1.5 | 21 |
| 42 | Laparoscopic modified mesocolic excision with central vascular ligation in right-sided colon cancer shows better short- and long-term outcomes compared with the open approach in propensity score analysis. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2018, 32, 2721-2731. | 2.4 | 38 |
| 43 | Molecular Characterization of Colorectal Signet-Ring Cell Carcinoma Using Whole-Exome and RNA Sequencing. <i>Translational Oncology</i> , 2018, 11, 836-844. | 3.7 | 14 |
| 44 | Prognostic Role of Carcinoembryonic Antigen Level after Preoperative Chemoradiotherapy in Patients with Rectal Cancer. <i>Journal of Gastrointestinal Surgery</i> , 2018, 22, 1772-1778. | 1.7 | 7 |
| 45 | Transanal Endoscopic and Transabdominal Robotic Total Mesorectal Excision for Mid-to-Low Rectal Cancer: Comparison of Short-term Postoperative and Oncologic Outcomes by Using a Case-Matched Analysis. <i>Annals of Coloproctology</i> , 2018, 34, 29-35. | 2.0 | 19 |
| 46 | Are We Predicting Disease Progress of the Rectal Cancer Patients without Surgery after Neoadjuvant Chemoradiotherapy?. <i>Cancer Research and Treatment</i> , 2018, 50, 634-645. | 3.0 | 7 |
| 47 | Repeat Single Incision Laparoscopic Surgery after Primary Single Incision Laparoscopic Surgery for Colorectal Disease. <i>Journal of Minimally Invasive Surgery</i> , 2018, 21, 38-42. | 0.7 | 0 |
| 48 | Clinical manifestations and risk factors of anastomotic leakage after low anterior resection for rectal cancer. <i>ANZ Journal of Surgery</i> , 2017, 87, 908-914. | 0.7 | 19 |
| 49 | A sustained increase of plasma fibrinogen in sudden sensorineural hearing loss predicts worse outcome independently. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2017, 38, 484-487. | 1.3 | 13 |
| 50 | Survival Outcome and Risk of Metachronous Colorectal Cancer After Surgery in Lynch Syndrome. <i>Annals of Surgical Oncology</i> , 2017, 24, 1085-1092. | 1.5 | 24 |
| 51 | Clinical Significance of Signet-Ring-Cell Colorectal Cancer as a Prognostic Factor. <i>Annals of Coloproctology</i> , 2017, 33, 232-238. | 2.0 | 30 |
| 52 | Analgesic efficacy of ropivacaine wound infusion after laparoscopic colorectal surgery. <i>Annals of Surgical Treatment and Research</i> , 2016, 91, 202. | 1.0 | 9 |
| 53 | The impact of KRAS mutations on prognosis in surgically resected colorectal cancer patients with liver and lung metastases: a retrospective analysis. <i>BMC Cancer</i> , 2016, 16, 120. | 2.6 | 35 |
| 54 | Clinically suspected T4 colorectal cancer may be resected using a laparoscopic approach. <i>BMC Cancer</i> , 2016, 16, 714. | 2.6 | 18 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Prognostic factors in sporadic colon cancer with high-level microsatellite instability. <i>Surgery</i> , 2016, 159, 1372-1381. | 1.9 | 10 |
| 56 | Metformin enhances the response to radiotherapy in diabetic patients with rectal cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2016, 142, 1377-1385. | 2.5 | 40 |
| 57 | A comparison of hand-assisted laparoscopic surgery and conventional laparoscopic surgery in rectal cancer: a propensity score analysis. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2016, 30, 2449-2456. | 2.4 | 12 |
| 58 | Prognostic significance of survivin in rectal cancer patients treated with surgery and postoperative concurrent chemo-radiation therapy. <i>Oncotarget</i> , 2016, 7, 62676-62686. | 1.8 | 6 |
| 59 | Risk Factors of Permanent Stomas in Patients with Rectal Cancer after Low Anterior Resection with Temporary Stomas. <i>Yonsei Medical Journal</i> , 2015, 56, 447. | 2.2 | 26 |
| 60 | Immunohistochemical Detection of p53 Expression in Patients with Preoperative Chemoradiation for Rectal Cancer: Association with Prognosis. <i>Yonsei Medical Journal</i> , 2015, 56, 82. | 2.2 | 5 |
| 61 | Correlation between tumor engraftment in patient-derived xenograft models and clinical outcomes in colorectal cancer patients. <i>Oncotarget</i> , 2015, 6, 16059-16068. | 1.8 | 57 |
| 62 | Detection of novel and potentially actionable anaplastic lymphoma kinase (ALK) rearrangement in colorectal adenocarcinoma by immunohistochemistry screening. <i>Oncotarget</i> , 2015, 6, 24320-24332. | 1.8 | 32 |
| 63 | Diagnostic accuracy and prognostic impact of restaging by magnetic resonance imaging after preoperative chemoradiotherapy in patients with rectal cancer. <i>Radiotherapy and Oncology</i> , 2014, 113, 24-28. | 0.6 | 15 |
| 64 | Totally robotic surgery for rectal cancer: from splenic flexure to pelvic floor in one setup. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2010, 24, 715-720. | 2.4 | 104 |
| 65 | Effect of Yogurt Enriched Water-soluble Fiber on Functional Constipation. <i>Journal of the Korean Society of Coloproctology</i> , 2007, 23, 312. | 0.2 | 9 |
| 66 | Laparoscopic Resection of Duplicated Sigmoid Colon Under the Guidance of Intraoperative Colonoscopy. <i>Surgical Laparoscopy, Endoscopy and Percutaneous Techniques</i> , 2005, 15, 299-301. | 0.8 | 13 |