

Joao Pitta

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3513086/publications.pdf>

Version: 2024-02-01

14
papers

252
citations

1040056

9
h-index

1058476

14
g-index

18
all docs

18
docs citations

18
times ranked

177
citing authors

#	ARTICLE	IF	CITATIONS
1	Peri-implantitis: Summary and consensus statements of group 3. The 6th EAO Consensus Conference 2021. <i>Clinical Oral Implants Research</i> , 2021, 32, 245-253.	4.5	52
2	Effect of airborne-particle abrasion of a titanium base abutment on the stability of the bonded interface and retention forces of crowns after artificial aging. <i>Journal of Prosthetic Dentistry</i> , 2021, 126, 214-221.	2.8	36
3	A Systematic Review and Meta-Analysis of the Influence of Abutment Material on Peri-implant Soft Tissue Color Measured Using Spectrophotometry. <i>International Journal of Prosthodontics</i> , 2020, 33, 39-47.	1.7	26
4	Mechanical Stability of Zirconia Meso-abutments Bonded to Titanium Bases Restored with Different Monolithic All-Ceramic Crowns. <i>International Journal of Oral and Maxillofacial Implants</i> , 2019, 34, 1091-1097.	1.4	25
5	Effect of saliva contamination and artificial aging on different primer/cement systems bonded to zirconia. <i>Journal of Prosthetic Dentistry</i> , 2018, 119, 833-839.	2.8	23
6	Mechanical stability and technical outcomes of monolithic CAD/CAM fabricated abutment crowns supported by titanium bases: An in vitro study. <i>Clinical Oral Implants Research</i> , 2021, 32, 222-232.	4.5	21
7	Clinical Recommendations for Implant Abutment Selection for Single-Implant Reconstructions: Customized vs Standardized Ceramic and Metallic Solutions. <i>International Journal of Periodontics and Restorative Dentistry</i> , 2020, 40, 31-37.	1.0	15
8	Influence of age and scanning system on the learning curve of experienced and novel intraoral scanner operators: A multi-centric clinical trial. <i>Journal of Dentistry</i> , 2021, 115, 103860.	4.1	12
9	Temporary Implant-Supported Single Crowns Using Titanium Base Abutments: An In Vitro Study on Bonding Stability and Pull-out Forces. <i>International Journal of Prosthodontics</i> , 2020, 33, 546-552.	1.7	11
10	Long-term outcomes of maxillary single-tooth implants in relation to timing protocols of implant placement and loading: Systematic review and meta-analysis. <i>Clinical Oral Implants Research</i> , 2021, 32, 56-66.	4.5	11
11	Retention Forces of Monolithic CAD/CAM Crowns Adhesively Cemented to Titanium Base Abutments: Effect of Saliva Contamination Followed by Cleaning of the Titanium Bond Surface. <i>Materials</i> , 2021, 14, 3375.	2.9	9
12	Does the timing of implant placement and loading influence biological outcomes of implant-supported multiple-unit fixed dental prosthesis? A systematic review with meta-analyses. <i>Clinical Oral Implants Research</i> , 2021, 32, 5-27.	4.5	6
13	Monolithic zirconia multiple-unit implant reconstructions on titanium bonding bases. <i>International Journal of Computerized Dentistry</i> , 2018, 21, 163-171.	0.2	4
14	A technique for separating a ceramic implant-supported restoration from a titanium base abutment. <i>Journal of Prosthetic Dentistry</i> , 2020, , .	2.8	0