

Gina Brown

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3514144/gina-brown-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

309
papers

16,633
citations

67
h-index

121
g-index

326
ext. papers

19,460
ext. citations

4.9
avg, IF

6.4
L-index

#	Paper	IF	Citations
309	Rectal cancer: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up. <i>Annals of Oncology</i> , 2017 , 28, iv22-iv40	10.3	627
308	Morphologic predictors of lymph node status in rectal cancer with use of high-spatial-resolution MR imaging with histopathologic comparison. <i>Radiology</i> , 2003 , 227, 371-7	20.5	613
307	Imaging biomarker roadmap for cancer studies. <i>Nature Reviews Clinical Oncology</i> , 2017 , 14, 169-186	19.4	532
306	Preoperative assessment of prognostic factors in rectal cancer using high-resolution magnetic resonance imaging. <i>British Journal of Surgery</i> , 2003 , 90, 355-64	5.3	527
305	Magnetic resonance imaging-detected tumor response for locally advanced rectal cancer predicts survival outcomes: MERCURY experience. <i>Journal of Clinical Oncology</i> , 2011 , 29, 3753-60	2.2	424
304	Preoperative high-resolution magnetic resonance imaging can identify good prognosis stage I, II, and III rectal cancer best managed by surgery alone: a prospective, multicenter, European study. <i>Annals of Surgery</i> , 2011 , 253, 711-9	7.8	417
303	Diffusion MRI for prediction of response of rectal cancer to chemoradiation. <i>Lancet, The</i> , 2002 , 360, 307-80	4.0	392
302	Rectal carcinoma: thin-section MR imaging for staging in 28 patients. <i>Radiology</i> , 1999 , 211, 215-22	20.5	369
301	Neoadjuvant capecitabine and oxaliplatin followed by synchronous chemoradiation and total mesorectal excision in magnetic resonance imaging-defined poor-risk rectal cancer. <i>Journal of Clinical Oncology</i> , 2006 , 24, 668-74	2.2	361
300	Diagnostic accuracy of MRI for assessment of T category, lymph node metastases, and circumferential resection margin involvement in patients with rectal cancer: a systematic review and meta-analysis. <i>Annals of Surgical Oncology</i> , 2012 , 19, 2212-23	3.1	341
299	Preoperative magnetic resonance imaging assessment of circumferential resection margin predicts disease-free survival and local recurrence: 5-year follow-up results of the MERCURY study. <i>Journal of Clinical Oncology</i> , 2014 , 32, 34-43	2.2	332
298	Multicenter randomized phase II clinical trial comparing neoadjuvant oxaliplatin, capecitabine, and preoperative radiotherapy with or without cetuximab followed by total mesorectal excision in patients with high-risk rectal cancer (EXPERT-C). <i>Journal of Clinical Oncology</i> , 2012 , 30, 1620-7	2.2	293
297	Prognostic significance of magnetic resonance imaging-detected extramural vascular invasion in rectal cancer. <i>British Journal of Surgery</i> , 2008 , 95, 229-36	5.3	277
296	EURECCA colorectal: multidisciplinary management: European consensus conference colon & rectum. <i>European Journal of Cancer</i> , 2014 , 50, 1.e1-1.e34	7.5	274
295	Neoadjuvant capecitabine and oxaliplatin before chemoradiotherapy and total mesorectal excision in MRI-defined poor-risk rectal cancer: a phase 2 trial. <i>Lancet Oncology, The</i> , 2010 , 11, 241-8	21.7	262
294	Vessel co-option mediates resistance to anti-angiogenic therapy in liver metastases. <i>Nature Medicine</i> , 2016 , 22, 1294-1302	50.5	235
293	MRI directed multidisciplinary team preoperative treatment strategy: the way to eliminate positive circumferential margins?. <i>British Journal of Cancer</i> , 2006 , 94, 351-7	8.7	227

292	Rectal cancer: mesorectal lymph nodes at MR imaging with USPIO versus histopathologic findings--initial observations. <i>Radiology</i> , 2004 , 231, 91-9	20.5	204
291	Extended lymphadenectomy versus conventional surgery for rectal cancer: a meta-analysis. <i>Lancet Oncology</i> , 2009 , 10, 1053-62	21.7	199
290	Non-invasive methods of assessing angiogenesis and their value in predicting response to treatment in colorectal cancer. <i>British Journal of Surgery</i> , 2001 , 88, 1628-36	5.3	197
289	A systematic approach to the interpretation of preoperative staging MRI for rectal cancer. <i>American Journal of Roentgenology</i> , 2008 , 191, 1827-35	5.4	184
288	Prospective Validation of a Low Rectal Cancer Magnetic Resonance Imaging Staging System and Development of a Local Recurrence Risk Stratification Model: The MERCURY II Study. <i>Annals of Surgery</i> , 2016 , 263, 751-60	7.8	181
287	Non-operative treatment after neoadjuvant chemoradiotherapy for rectal cancer. <i>Lancet Oncology</i> , 2007 , 8, 625-33	21.7	173
286	High-resolution MRI of the anatomy important in total mesorectal excision of the rectum. <i>American Journal of Roentgenology</i> , 2004 , 182, 431-9	5.4	170
285	A multicentre study of capecitabine, oxaliplatin plus bevacizumab as perioperative treatment of patients with poor-risk colorectal liver-only metastases not selected for upfront resection. <i>Annals of Oncology</i> , 2011 , 22, 2042-2048	10.3	167
284	Effectiveness of preoperative staging in rectal cancer: digital rectal examination, endoluminal ultrasound or magnetic resonance imaging?. <i>British Journal of Cancer</i> , 2004 , 91, 23-9	8.7	163
283	The use of MR imaging in treatment planning for patients with rectal carcinoma: have you checked the "DISTANCE"?. <i>Radiology</i> , 2013 , 268, 330-44	20.5	160
282	Comparison of magnetic resonance imaging and histopathological response to chemoradiotherapy in locally advanced rectal cancer. <i>Annals of Surgical Oncology</i> , 2012 , 19, 2842-52	3.1	147
281	The rationale behind complete mesocolic excision (CME) and a central vascular ligation for colon cancer in open and laparoscopic surgery : proceedings of a consensus conference. <i>International Journal of Colorectal Disease</i> , 2014 , 29, 419-28	3	137
280	One millimetre is the safe cut-off for magnetic resonance imaging prediction of surgical margin status in rectal cancer. <i>British Journal of Surgery</i> , 2011 , 98, 872-9	5.3	134
279	Preoperative staging of rectal cancer. <i>Acta Oncologica</i> , 2008 , 47, 20-31	3.2	134
278	The value of routine serum carcino-embryonic antigen measurement and computed tomography in the surveillance of patients after adjuvant chemotherapy for colorectal cancer. <i>Journal of Clinical Oncology</i> , 2004 , 22, 1420-9	2.2	132
277	MRI for detection of extramural vascular invasion in rectal cancer. <i>American Journal of Roentgenology</i> , 2008 , 191, 1517-22	5.4	130
276	MRI after treatment of locally advanced rectal cancer: how to report tumor response--the MERCURY experience. <i>American Journal of Roentgenology</i> , 2012 , 199, W486-95	5.4	128
275	Detection of colorectal hepatic metastases using MnDPDP MR imaging and diffusion-weighted imaging (DWI) alone and in combination. <i>European Radiology</i> , 2008 , 18, 903-10	8	128

274	Consensus statement on the multidisciplinary management of patients with recurrent and primary rectal cancer beyond total mesorectal excision planes. <i>British Journal of Surgery</i> , 2013 , 100, 1009-14	5.3	123
273	Techniques and trouble-shooting in high spatial resolution thin slice MRI for rectal cancer. <i>British Journal of Radiology</i> , 2005 , 78, 245-51	3.4	115
272	Advances in the care of patients with mucinous colorectal cancer. <i>Nature Reviews Clinical Oncology</i> , 2016 , 13, 361-9	19.4	112
271	The use of 18F-FDG PET/CT in colorectal liver metastases--comparison with CT and liver MRI. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2008 , 35, 1323-9	8.8	111
270	Diagnostic precision of CT in local staging of colon cancers: a meta-analysis. <i>Clinical Radiology</i> , 2010 , 65, 708-19	2.9	110
269	Colorectal hepatic metastases: quantitative measurements using single-shot echo-planar diffusion-weighted MR imaging. <i>European Radiology</i> , 2006 , 16, 1898-905	8	110
268	Preoperative computed tomography staging of nonmetastatic colon cancer predicts outcome: implications for clinical trials. <i>British Journal of Cancer</i> , 2007 , 96, 1030-6	8.7	105
267	Evaluating mesorectal lymph nodes in rectal cancer before and after neoadjuvant chemoradiation using thin-section T2-weighted magnetic resonance imaging. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008 , 71, 456-61	4	105
266	Extramural venous invasion is a potential imaging predictive biomarker of neoadjuvant treatment in rectal cancer. <i>British Journal of Cancer</i> , 2014 , 110, 19-25	8.7	101
265	Phase II study of irinotecan and 5-fluorouracil/leucovorin in patients with primary refractory or relapsed advanced oesophageal and gastric carcinoma. <i>Annals of Oncology</i> , 2004 , 15, 64-9	10.3	101
264	The prognostic significance of postchemoradiotherapy high-resolution MRI and histopathology detected extramural venous invasion in rectal cancer. <i>Annals of Surgery</i> , 2015 , 261, 473-9	7.8	100
263	Patients with low rectal cancer treated by abdominoperineal excision have worse tumors and higher involved margin rates compared with patients treated by anterior resection. <i>Diseases of the Colon and Rectum</i> , 2010 , 53, 53-6	3.1	95
262	Optimal total mesorectal excision for rectal cancer is by dissection in front of DenonvilliersPfascia. <i>British Journal of Surgery</i> , 2004 , 91, 121-3	5.3	94
261	Consensus statement on the multidisciplinary management of patients with recurrent and primary rectal cancer beyond total mesorectal excision planes. <i>British Journal of Surgery</i> , 2013 , 100, E1-33	5.3	91
260	Meta-analysis of survival based on resection margin status following surgery for recurrent rectal cancer. <i>Colorectal Disease</i> , 2012 , 14, 1457-66	2.1	89
259	Relevance of magnetic resonance imaging-detected pelvic sidewall lymph node involvement in rectal cancer. <i>British Journal of Surgery</i> , 2011 , 98, 1798-804	5.3	88
258	MRI staging of low rectal cancer. <i>European Radiology</i> , 2009 , 19, 643-50	8	88
257	Preoperative staging of rectal cancer: the MERCURY research project. <i>Recent Results in Cancer Research</i> , 2005 , 165, 58-74	1.5	82

256	Rapid access multidisciplinary lymph node diagnostic clinic: analysis of 550 patients. <i>British Journal of Cancer</i> , 2003 , 88, 354-61	8.7	81
255	Survival outcome of local excision versus radical resection of colon or rectal carcinoma: a Surveillance, Epidemiology, and End Results (SEER) population-based study. <i>Annals of Surgery</i> , 2013 , 258, 563-9; discussion 569-71	7.8	80
254	Indications and outcome of pelvic exenteration for locally advanced primary and recurrent rectal cancer. <i>Annals of Surgery</i> , 2014 , 259, 315-22	7.8	76
253	A meta-analysis comparing simultaneous versus delayed resections in patients with synchronous colorectal liver metastases. <i>Surgical Oncology</i> , 2013 , 22, 36-47	2.5	75
252	The role of intravenous contrast enhancement in magnetic resonance imaging of prostatic carcinoma. <i>Clinical Radiology</i> , 1995 , 50, 601-6	2.9	74
251	A meta-analysis comparing the risk of metastases in patients with rectal cancer and MRI-detected extramural vascular invasion (mrEMVI) vs mrEMVI-negative cases. <i>British Journal of Cancer</i> , 2017 , 116, 1513-1519	8.7	70
250	Accuracy of radiological staging in identifying high-risk colon cancer patients suitable for neoadjuvant chemotherapy: a multicentre experience. <i>Colorectal Disease</i> , 2012 , 14, 438-44	2.1	70
249	A systematic review of cancer related patient outcomes after anterior resection and abdominoperineal excision for rectal cancer in the total mesorectal excision era. <i>Surgical Oncology</i> , 2011 , 20, e149-55	2.5	70
248	EURECCA colorectal: multidisciplinary mission statement on better care for patients with colon and rectal cancer in Europe. <i>European Journal of Cancer</i> , 2013 , 49, 2784-90	7.5	69
247	EURECCA consensus conference highlights about colon & rectal cancer multidisciplinary management: the radiology experts review. <i>European Journal of Surgical Oncology</i> , 2014 , 40, 469-75	3.6	68
246	Magnetic resonance imaging defined mucinous rectal carcinoma is an independent imaging biomarker for poor prognosis and poor response to preoperative chemoradiotherapy. <i>European Journal of Cancer</i> , 2014 , 50, 920-7	7.5	68
245	Neoadjuvant systemic fluorouracil and mitomycin C prior to synchronous chemoradiation is an effective strategy in locally advanced rectal cancer. <i>British Journal of Cancer</i> , 2003 , 88, 1017-24	8.7	68
244	Accuracy of multidetector computed tomography in identifying poor prognostic factors in colonic cancer. <i>British Journal of Surgery</i> , 2010 , 97, 1407-15	5.3	67
243	The appearances of oesophageal carcinoma demonstrated on high-resolution, T2-weighted MRI, with histopathological correlation. <i>European Radiology</i> , 2007 , 17, 391-9	8	67
242	Complete mesocolic excision in colorectal cancer: a systematic review. <i>Colorectal Disease</i> , 2015 , 17, 7-16	2.1	66
241	Diagnostic accuracy of nodal enhancement pattern of rectal cancer at MRI enhanced with ultrasmall superparamagnetic iron oxide: findings in pathologically matched mesorectal lymph nodes. <i>American Journal of Roentgenology</i> , 2010 , 194, W505-13	5.4	65
240	EMVI-positive stage II rectal cancer has similar clinical outcomes as stage III disease following pre-operative chemoradiotherapy. <i>Annals of Oncology</i> , 2014 , 25, 858-863	10.3	64
239	Comparison between MRI and pathology in the assessment of tumour regression grade in rectal cancer. <i>British Journal of Cancer</i> , 2017 , 117, 1478-1485	8.7	64

238	Second St. Gallen European Organisation for Research and Treatment of Cancer Gastrointestinal Cancer Conference: consensus recommendations on controversial issues in the primary treatment of rectal cancer. <i>European Journal of Cancer</i> , 2016 , 63, 11-24	7.5	63
237	Diagnostic accuracy and value of magnetic resonance imaging (MRI) in planning exenterative pelvic surgery for advanced colorectal cancer. <i>European Journal of Cancer</i> , 2013 , 49, 72-81	7.5	62
236	MRI predictive factors for long-term outcomes of low rectal tumours. <i>Annals of Surgical Oncology</i> , 2011 , 18, 3278-84	3.1	62
235	Magnetic resonance imaging prediction of an involved surgical resection margin in low rectal cancer. <i>Diseases of the Colon and Rectum</i> , 2009 , 52, 632-9	3.1	62
234	Magnetic Resonance Tumor Regression Grade and Residual Mucosal Abnormality as Predictors for Pathological Complete Response in Rectal Cancer Postneoadjuvant Chemoradiotherapy. <i>Diseases of the Colon and Rectum</i> , 2016 , 59, 925-33	3.1	61
233	Systematic review of prognostic importance of extramural venous invasion in rectal cancer. <i>World Journal of Gastroenterology</i> , 2016 , 22, 1721-6	5.6	60
232	Defining the surgical planes on MRI improves surgery for cancer of the low rectum. <i>Lancet Oncology</i> , 2009 , 10, 1207-11	21.7	59
231	Rectal cancer: primary staging and assessment after chemoradiotherapy. <i>Seminars in Radiation Oncology</i> , 2011 , 21, 169-77	5.5	58
230	Accuracy of CT prediction of poor prognostic features in colonic cancer. <i>British Journal of Radiology</i> , 2008 , 81, 10-9	3.4	57
229	Magnetic resonance imaging of the low rectum: defining the radiological anatomy. <i>Colorectal Disease</i> , 2006 , 8 Suppl 3, 10-3	2.1	57
228	Distribution of mesorectal lymph nodes in rectal cancer: in vivo MR imaging compared with histopathological examination. Initial observations. <i>European Radiology</i> , 2005 , 15, 1650-7	8	57
227	Adverse features on rectal MRI identify a high-risk group that may benefit from more intensive preoperative staging and treatment. <i>Annals of Surgical Oncology</i> , 2012 , 19, 1199-205	3.1	56
226	Sites of surgical wasting in the abdominoperineal specimen. <i>British Journal of Surgery</i> , 2008 , 95, 1147-54	5.3	55
225	Timing of surgery following preoperative therapy in rectal cancer: the need for a prospective randomized trial?. <i>Diseases of the Colon and Rectum</i> , 2011 , 54, 1251-9	3.1	54
224	Critical research gaps and recommendations to inform research prioritisation for more effective prevention and improved outcomes in colorectal cancer. <i>Gut</i> , 2018 , 67, 179-193	19.2	51
223	Optimal Imaging Strategies for Rectal Cancer Staging and Ongoing Management. <i>Current Treatment Options in Oncology</i> , 2016 , 17, 32	5.4	51
222	MRI predictive factors for tumor response in rectal cancer following neoadjuvant chemoradiation therapy--implications for induction chemotherapy?. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013 , 87, 505-11	4	51
221	MR vs CT imaging: low rectal cancer tumour delineation for three-dimensional conformal radiotherapy. <i>British Journal of Radiology</i> , 2009 , 82, 509-13	3.4	51

220	Clarifying margins in the multidisciplinary management of rectal cancer: the MERCURY experience. <i>Clinical Radiology</i> , 2006 , 61, 916-23	2.9	50
219	Preoperative chemotherapy in patients with intermediate-risk rectal adenocarcinoma selected by high-resolution magnetic resonance imaging: the GEMCAD 0801 Phase II Multicenter Trial. <i>Oncologist</i> , 2014 , 19, 1042-3	5.7	49
218	A rectal cancer feasibility study with an embedded phase III trial design assessing magnetic resonance tumour regression grade (mrTRG) as a novel biomarker to stratify management by good and poor response to chemoradiotherapy (TRIGGER): study protocol for a randomised controlled trial. <i>Trials</i> , 2017 , 18, 394	2.8	48
217	Thin section MRI in multidisciplinary pre-operative decision making for patients with rectal cancer. <i>British Journal of Radiology</i> , 2005 , 78 Spec No 2, S117-27	3.4	48
216	The English national low rectal cancer development programme: key messages and future perspectives. <i>Colorectal Disease</i> , 2014 , 16, 173-8	2.1	47
215	Pelvic phased-array MR imaging of anal carcinoma before and after chemoradiation. <i>British Journal of Radiology</i> , 2008 , 81, 91-8	3.4	47
214	PAN-EX: a pooled analysis of two trials of neoadjuvant chemotherapy followed by chemoradiotherapy in MRI-defined, locally advanced rectal cancer. <i>Annals of Oncology</i> , 2016 , 27, 1557-65 ^{10.3}		47
213	Significance of extranodal tumour deposits in colorectal cancer: A systematic review and meta-analysis. <i>European Journal of Cancer</i> , 2017 , 82, 92-102	7.5	46
212	MRI identified prognostic features of tumors in distal sigmoid, rectosigmoid, and upper rectum: treatment with radiotherapy and chemotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2006 , 65, 445-51	4	46
211	Outcome of abdominosacral resection for locally advanced primary and recurrent rectal cancer. <i>British Journal of Surgery</i> , 2012 , 99, 1453-61	5.3	45
210	Proforma-based reporting in rectal cancer. <i>Cancer Imaging</i> , 2010 , 10 Spec no A, S142-50	5.6	45
209	TP53 mutational status and cetuximab benefit in rectal cancer: 5-year results of the EXPERT-C trial. <i>Journal of the National Cancer Institute</i> , 2014 , 106,	9.7	44
208	Can a novel MRI staging system for low rectal cancer aid surgical planning?. <i>Diseases of the Colon and Rectum</i> , 2011 , 54, 1260-4	3.1	44
207	KRAS and BRAF mutations in circulating tumour DNA from locally advanced rectal cancer. <i>Scientific Reports</i> , 2018 , 8, 1445	4.9	43
206	Colorectal cancer with liver metastases: neoadjuvant chemotherapy, surgical resection first or palliation alone?. <i>World Journal of Gastroenterology</i> , 2014 , 20, 12391-406	5.6	43
205	MRI assessment and outcomes in patients receiving neoadjuvant chemotherapy only for primary rectal cancer: long-term results from the GEMCAD 0801 trial. <i>Annals of Oncology</i> , 2017 , 28, 344-353	10.3	42
204	Mesorectal fascia instead of circumferential resection margin in preoperative staging of rectal cancer. <i>Journal of Clinical Oncology</i> , 2011 , 29, 2142-3	2.2	42
203	The tumour biology of synchronous and metachronous colorectal liver metastases: a systematic review. <i>Clinical and Experimental Metastasis</i> , 2013 , 30, 457-70	4.7	40

202	A Systematic Review to Assess Resection Margin Status After Abdominoperineal Excision and Pelvic Exenteration for Rectal Cancer. <i>Annals of Surgery</i> , 2017 , 265, 291-299	7.8	39
201	The role of epithelial mesenchymal transition and resistance to neoadjuvant therapy in locally advanced rectal cancer. <i>Colorectal Disease</i> , 2014 , 16, O133-43	2.1	39
200	High-resolution MRI in evaluation of the surgical anatomy of the esophagus and posterior mediastinum. <i>American Journal of Roentgenology</i> , 2007 , 188, W37-43	5.4	39
199	Endorectal ultrasound and magnetic resonance imaging in rectal cancer staging. <i>Gastroenterology Clinics of North America</i> , 2002 , 31, 827-39	4.4	39
198	Watch-and-Wait as a Therapeutic Strategy in Rectal Cancer. <i>Current Colorectal Cancer Reports</i> , 2018 , 14, 37-55	1	38
197	A pictorial description of extralevator abdominoperineal excision for low rectal cancer. <i>Colorectal Disease</i> , 2012 , 14, e655-60	2.1	38
196	Capecitabine, oxaliplatin, radiotherapy, and excision (CORE) in patients with MRI-defined locally advanced rectal adenocarcinoma: Results of an international multicenter phase II study. <i>Journal of Clinical Oncology</i> , 2006 , 24, 3528-3528	2.2	38
195	Interobserver agreement of radiologists assessing the response of rectal cancers to preoperative chemoradiation using the MRI tumour regression grading (mrTRG). <i>Clinical Radiology</i> , 2016 , 71, 854-62	2.9	37
194	Comparison of long-term survival outcome of operative vs nonoperative management of recurrent rectal cancer. <i>Colorectal Disease</i> , 2013 , 15, 156-63	2.1	37
193	Magnetic resonance imaging-detected lymph nodes close to the mesorectal fascia are rarely a cause of margin involvement after total mesorectal excision. <i>British Journal of Surgery</i> , 2010 , 97, 1431-6	5.3	37
192	CT staging of colon cancer. <i>Clinical Radiology</i> , 2008 , 63, 1372-9	2.9	37
191	Variations in pelvic dimensions do not predict the risk of circumferential resection margin (CRM) involvement in rectal cancer. <i>World Journal of Surgery</i> , 2007 , 31, 1313-20	3.3	36
190	Potential of surface-coil MRI for staging of esophageal cancer. <i>American Journal of Roentgenology</i> , 2006 , 187, 1280-7	5.4	36
189	Safety and Feasibility of Using Magnetic Resonance Imaging Criteria to Identify Patients With "Good Prognosis" Rectal Cancer Eligible for Primary Surgery: The Phase 2 Nonrandomized QuickSilver Clinical Trial. <i>JAMA Oncology</i> , 2019 , 5, 961-966	13.4	35
188	Nodal staging in rectal cancer. <i>Abdominal Imaging</i> , 2006 , 31, 652-9		34
187	MRI Tumor Regression Grade and Circulating Tumor DNA as Complementary Tools to Assess Response and Guide Therapy Adaptation in Rectal Cancer. <i>Clinical Cancer Research</i> , 2020 , 26, 183-192	12.9	33
186	Exercise prehabilitation may lead to augmented tumor regression following neoadjuvant chemoradiotherapy in locally advanced rectal cancer. <i>Acta Oncologica</i> , 2019 , 58, 588-595	3.2	32
185	Magnetic resonance imaging pelvimetry in 186 patients with rectal cancer confirms an overlap in pelvic size between males and females. <i>Colorectal Disease</i> , 2006 , 8, 772-6	2.1	32

184	Results of a prospective randomised control 6 vs 12 trial: Is greater tumour downstaging observed on post treatment MRI if surgery is delayed to 12-weeks versus 6-weeks after completion of neoadjuvant chemoradiotherapy?. <i>Annals of Oncology</i> , 2016 , 27, vi149	10.3	28
183	Mucinous carcinoma of the rectum: a distinct clinicopathological entity. <i>Techniques in Coloproctology</i> , 2014 , 18, 335-44	2.9	28
182	The role of pre-treatment diffusion-weighted MRI in predicting long-term outcome of colorectal liver metastasis. <i>British Journal of Radiology</i> , 2013 , 86, 20130281	3.4	28
181	Reproducibility of depth of extramural tumor spread and distance to circumferential resection margin at rectal MRI: enhancement of clinical guidelines for neoadjuvant therapy. <i>American Journal of Roentgenology</i> , 2011 , 197, 1360-6	5.4	28
180	Clarifying the TNM staging of rectal cancer in the context of modern imaging and neo-adjuvant treatment: R ₁ P ₁ P ₂ and R ₁ P ₁ need R ₁ nR ₁ P ₂ RtP. <i>Colorectal Disease</i> , 2008 , 10, 242-3	2.1	28
179	The Relationship Between MR Demonstration of Extramural Venous Invasion and Nodal Disease in Rectal Cancer. <i>Clinical Medicine Oncology</i> , 2008 , 2, 267-73		28
178	Clinical Trial of Oral Nelfinavir before and during Radiation Therapy for Advanced Rectal Cancer. <i>Clinical Cancer Research</i> , 2016 , 22, 1922-31	12.9	27
177	Development and implementation of a synoptic MRI report for preoperative staging of rectal cancer on a population-based level. <i>Diseases of the Colon and Rectum</i> , 2014 , 57, 700-8	3.1	27
176	RAS mutations and cetuximab in locally advanced rectal cancer: results of the EXPERT-C trial. <i>European Journal of Cancer</i> , 2014 , 50, 1430-6	7.5	26
175	A phase II trial evaluating capecitabine and irinotecan as second line treatment in patients with oesophago-gastric cancer who have progressed on, or within 3 months of platinum-based chemotherapy. <i>Cancer Chemotherapy and Pharmacology</i> , 2009 , 64, 455-62	3.5	26
174	MRI-Diagnosed Tumour Deposits and EMVI Status Have Superior Prognostic Accuracy to Current Clinical TNM Staging in Rectal Cancer. <i>Annals of Surgery</i> , 2020 ,	7.8	26
173	Concerning CT features used to select patients for treatment of peritoneal metastases, a pictorial essay. <i>International Journal of Hyperthermia</i> , 2017 , 33, 497-504	3.7	25
172	The combination of a chemotherapy doublet (gemcitabine and capecitabine) with a biological doublet (bevacizumab and erlotinib) in patients with advanced pancreatic adenocarcinoma. The results of a phase I/II study. <i>European Journal of Cancer</i> , 2014 , 50, 1422-9	7.5	25
171	Staging rectal cancer: endoscopic ultrasound and pelvic MRI. <i>Cancer Imaging</i> , 2008 , 8 Spec No A, S43-5	5.6	25
170	Defining response to radiotherapy in rectal cancer using magnetic resonance imaging and histopathological scales. <i>World Journal of Gastroenterology</i> , 2016 , 22, 8414-8434	5.6	25
169	Magnetic resonance imaging of rectal cancer. <i>Magnetic Resonance Imaging Clinics of North America</i> , 2013 , 21, 385-408	1.6	24
168	Management and imaging of low rectal carcinoma. <i>Surgical Oncology</i> , 2004 , 13, 55-61	2.5	24
167	Will MRI provide maps of lines of excision for rectal cancer?. <i>Lancet, The</i> , 2001 , 357, 495-6	40	23

166	Chemoradiotherapy response in recurrent rectal cancer. <i>Cancer Medicine</i> , 2014 , 3, 111-7	4.8	21
165	CT and 3-T MRI accurately identify T3c disease in colon cancer, which strongly predicts disease-free survival. <i>Clinical Radiology</i> , 2017 , 72, 307-315	2.9	20
164	Imaging Advances in Colorectal Cancer. <i>Current Colorectal Cancer Reports</i> , 2016 , 12, 162-169	1	20
163	Outcomes of simultaneous resections for patients with synchronous colorectal liver metastases. <i>European Journal of Surgical Oncology</i> , 2013 , 39, 1384-93	3.6	20
162	MR imaging for rectal cancer: the role in staging the primary and response to neoadjuvant therapy. <i>Expert Review of Gastroenterology and Hepatology</i> , 2014 , 8, 703-19	4.2	20
161	Perfusion CT vascular parameters do not correlate with immunohistochemically derived microvessel density count in colorectal tumors. <i>Radiology</i> , 2013 , 268, 400-10	20.5	20
160	Dose finding and early efficacy study of gemcitabine plus capecitabine in combination with bevacizumab plus erlotinib in advanced pancreatic cancer. <i>Journal of Clinical Oncology</i> , 2009 , 27, 5499-505 ²	3.2	20
159	Diagnostic accuracy of serial CT/magnetic resonance imaging review vs. positron emission tomography/CT in colorectal cancer patients with suspected and known recurrence. <i>Diseases of the Colon and Rectum</i> , 2009 , 52, 253-9	3.1	20
158	Predictive poor prognostic factors in colonic carcinoma. <i>Surgical Oncology</i> , 2006 , 15, 71-8	2.5	20
157	Measurement of tumour size in case selection for breast cancer therapy by clinical assessment and ultrasound. <i>European Journal of Surgical Oncology</i> , 2004 , 30, 5-9	3.6	20
156	Novel biomarkers for patient stratification in colorectal cancer: A review of definitions, emerging concepts, and data. <i>World Journal of Gastrointestinal Oncology</i> , 2018 , 10, 145-158	3.4	20
155	Evidence for radiological and histopathological prognostic importance of detecting extramural venous invasion in rectal cancer: recommendations for radiology and histopathology reporting. <i>Colorectal Disease</i> , 2015 , 17, 468-73	2.1	19
154	How Should Imaging Direct/Orient Management of Rectal Cancer?. <i>Clinics in Colon and Rectal Surgery</i> , 2017 , 30, 297-312	2.3	19
153	The development and optimization of high spatial resolution MRI for imaging the oesophagus using an external surface coil. <i>British Journal of Radiology</i> , 2006 , 79, 873-9	3.4	19
152	A retrospective study comparing the individual modalities of triple assessment in the pre-operative diagnosis of invasive lobular breast carcinoma. <i>European Journal of Surgical Oncology</i> , 2002 , 28, 203-8	3.6	19
151	Prognostic role of the LCS6 KRAS variant in locally advanced rectal cancer: results of the EXPERT-C trial. <i>Annals of Oncology</i> , 2015 , 26, 1936-1941	10.3	18
150	The rectosigmoid problem. <i>Surgical Oncology</i> , 2018 , 27, 521-525	2.5	18
149	Adjuvant therapy decisions based on magnetic resonance imaging of extramural venous invasion and other prognostic factors in colorectal cancer. <i>Annals of the Royal College of Surgeons of England</i> , 2014 , 96, 543-6	1.4	18

148	The impact of the two-week wait referral pathway on rectal cancer survival. <i>Colorectal Disease</i> , 2012 , 14, 848-53	2.1	18
147	Diagnostic accuracy of high-resolution MRI as a method to predict potentially safe endoscopic and surgical planes in patients with early rectal cancer. <i>BMJ Open Gastroenterology</i> , 2017 , 4, e000151	3.9	18
146	The use of ultrasound by breast surgeons in outpatients: an accurate extension of clinical diagnosis. <i>European Journal of Surgical Oncology</i> , 2001 , 27, 611-6	3.6	18
145	Laparoscopic surgery for rectal cancer. <i>Journal of the Royal Society of Medicine</i> , 2012 , 105, 429-35	2.3	17
144	Pelvic colorectal recurrence: crucial role of radiologists in oncologic and surgical treatment options. <i>Cancer Imaging</i> , 2011 , 11 Spec No A, S103-11	5.6	17
143	Extended lymphadenectomy for locally advanced and recurrent rectal cancer. <i>International Journal of Colorectal Disease</i> , 2017 , 32, 333-340	3	16
142	An MRI-based assessment of standard and extralevator abdominoperineal excision specimens: time for a patient tailored approach?. <i>Annals of Surgical Oncology</i> , 2014 , 21, 822-8	3.1	16
141	Survival after resection of colorectal cancer based on anatomical segment of involvement. <i>Annals of Surgical Oncology</i> , 2013 , 20, 4161-8	3.1	16
140	The effect of a primary tumour resection on the progression of synchronous colorectal liver metastases: an exploratory study. <i>European Journal of Surgical Oncology</i> , 2015 , 41, 484-92	3.6	16
139	A phase II trial of preoperative chemotherapy with epirubicin, cisplatin and capecitabine for patients with localised gastro-oesophageal junctional adenocarcinoma. <i>British Journal of Cancer</i> , 2009 , 100, 1725-30	8.7	16
138	The results of local excision with or without postoperative adjuvant chemoradiotherapy for early rectal cancer among patients choosing to avoid radical surgery. <i>Colorectal Disease</i> , 2017 , 19, 139-147	2.1	15
137	A systematic review and meta-analysis evaluating the role of laparoscopic surgical resection of transverse colon tumours. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2014 , 28, 3263-72	5.2	15
136	Inflammatory pseudotumours in children: CT and ultrasound appearances with histopathological correlation. <i>Clinical Radiology</i> , 1995 , 50, 782-6	2.9	15
135	Local staging and assessment of colon cancer with 1.5-T magnetic resonance imaging. <i>British Journal of Radiology</i> , 2016 , 89, 20160257	3.4	15
134	Timing of surgery following neoadjuvant chemoradiotherapy in locally advanced rectal cancer - A comparison of magnetic resonance imaging at two time points and histopathological responses. <i>European Journal of Surgical Oncology</i> , 2016 , 42, 1350-8	3.6	15
133	Analysis of KRAS, NRAS, BRAF, PIK3CA and TP53 mutations in a large prospective series of locally advanced rectal cancer patients. <i>International Journal of Cancer</i> , 2020 , 146, 94-102	7.5	15
132	A meta-analysis assessing the survival implications of subclassifying T3 rectal tumours. <i>European Journal of Cancer</i> , 2018 , 104, 47-61	7.5	15
131	Does rectal cancer height influence the oncological outcome?. <i>Colorectal Disease</i> , 2014 , 16, 801-8	2.1	14

130	Adjuvant chemotherapy may improve disease-free survival in patients with rectal cancer positive for MRI-detected extramural venous invasion following chemoradiation. <i>Colorectal Disease</i> , 2017 , 19, 537-543	2.1	14
129	Diagnosis and Diagnostic Imaging of Anal Canal Cancer. <i>Surgical Oncology Clinics of North America</i> , 2017 , 26, 45-55	2.7	14
128	Nanoparticles in rectal cancer imaging. <i>Cancer Biomarkers</i> , 2009 , 5, 89-98	3.8	14
127	Diagnostic accuracy of rim and segmental MRI enhancement of colorectal hepatic metastasis after administration of mangafodipir trisodium. <i>American Journal of Roentgenology</i> , 2007 , 188, W154-61	5.4	14
126	Neoadjuvant capecitabine, oxliplatin, and bevacizumab (CAPOX-B) in intermediate-risk rectal cancer (RC) patients defined by magnetic resonance (MR): GEMCAD 0801 trial.. <i>Journal of Clinical Oncology</i> , 2012 , 30, 3586-3586	2.2	14
125	Variation in landmarks for the rectum: an MRI study. <i>Colorectal Disease</i> , 2018 , 20, O304-O309	2.1	14
124	Short- and Long-Term Quality of Life and Bowel Function in Patients With MRI-Defined, High-Risk, Locally Advanced Rectal Cancer Treated With an Intensified Neoadjuvant Strategy in the Randomized Phase 2 EXPERT-C Trial. <i>International Journal of Radiation Oncology Biology Physics</i> , 2015 , 93, 303-12	4	13
123	Sequence variation in mature microRNA-608 and benefit from neo-adjuvant treatment in locally advanced rectal cancer patients. <i>Carcinogenesis</i> , 2016 , 37, 852-7	4.6	13
122	Establishing the optimum lymph node yield for diagnosis of stage III rectal cancer. <i>Techniques in Coloproctology</i> , 2014 , 18, 709-17	2.9	13
121	The selection process can improve the outcome in locally advanced and recurrent colorectal cancer: activity and results of a dedicated multidisciplinary colorectal cancer centre. <i>Colorectal Disease</i> , 2017 , 19, 331-338	2.1	13
120	Anal cancer: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up. <i>Annals of Oncology</i> , 2021 , 32, 1087-1100	10.3	13
119	Hand-sewn coloanal anastomosis for low rectal cancer: technique and long-term outcome. <i>Colorectal Disease</i> , 2015 , 17, 1062-70	2.1	12
118	Lymph node status does not predict local recurrence in the total mesorectal excision era. <i>Diseases of the Colon and Rectum</i> , 2014 , 57, 127-9	3.1	12
117	Deferral of rectal surgery following a continued response to preoperative chemoradiotherapy (Watch and Wait) study: A phase II multicenter study in the United Kingdom.. <i>Journal of Clinical Oncology</i> , 2011 , 29, 489-489	2.2	12
116	Phase II study of AZD4547 in FGFR amplified tumours: Gastroesophageal cancer (GC) cohort pharmacodynamic and biomarker results.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 154-154	2.2	12
115	Preoperative MRI sphincter morphology and anal manometry: can they be markers of functional outcome following anterior resection for rectal cancer?. <i>Colorectal Disease</i> , 2012 , 14, e339-45	2.1	11
114	A dose escalation study of gemcitabine plus oxaliplatin in combination with imatinib for gemcitabine-refractory advanced pancreatic adenocarcinoma. <i>Annals of Oncology</i> , 2012 , 23, 942-7	10.3	11
113	Perfusion CT to assess angiogenesis in colon cancer: technical limitations and practical challenges. <i>British Journal of Radiology</i> , 2012 , 85, e814-25	3.4	11

112	Successful downstaging of high rectal and recto-sigmoid cancer by neo-adjuvant chemo-radiotherapy. <i>Clinical Medicine Oncology</i> , 2008 , 2, 135-44		11
111	Can the completeness of radiological cancer staging reports be improved using proforma reporting? A prospective multicentre non-blinded interventional study across 21 centres in the UK. <i>BMJ Open</i> , 2018 , 8, e018499	3	11
110	Systemic Chemotherapy as Salvage Treatment for Locally Advanced Rectal Cancer Patients Who Fail to Respond to Standard Neoadjuvant Chemoradiotherapy. <i>Oncologist</i> , 2017 , 22, 728-736	5.7	10
109	Realizing the potential of magnetic resonance image guided radiotherapy in gynaecological and rectal cancer. <i>British Journal of Radiology</i> , 2019 , 92, 20180670	3.4	10
108	Adjuvant chemotherapy improves overall survival after TME surgery in mucinous carcinoma of the rectum. <i>European Journal of Surgical Oncology</i> , 2014 , 40, 240-5	3.6	10
107	MRI in predicting curative resection of rectal cancer: new dilemma in multidisciplinary team management. <i>BMJ, The</i> , 2006 , 333, 808	5.9	10
106	Guiding post-treatment decisions in rectal cancer: mrTRG is a practical place to start. <i>Oncology</i> , 2014 , 28, 677-80	1.8	10
105	Segmental liver hyperintensity in malignant biliary obstruction on diffusion weighted MRI: associated MRI findings and relationship with serum alanine aminotransferase levels. <i>British Journal of Radiology</i> , 2012 , 85, 22-8	3.4	9
104	Local radiological staging of rectal cancer. <i>Clinical Radiology</i> , 2004 , 59, 213-4	2.9	9
103	The sigmoid take-off: An anatomical imaging definition of the rectum validated on specimen analysis. <i>European Journal of Surgical Oncology</i> , 2020 , 46, 1668-1672	3.6	9
102	Pre-operative staging of rectal cancer: a review of imaging techniques. <i>Expert Review of Gastroenterology and Hepatology</i> , 2016 , 10, 1011-25	4.2	9
101	The Current Status of Nodal Staging in Rectal Cancer. <i>Current Colorectal Cancer Reports</i> , 2019 , 15, 143-148		8
100	The management of rectal cancer with synchronous liver metastases: a modern surgical dilemma. <i>Techniques in Coloproctology</i> , 2013 , 17, 1-12	2.9	8
99	Defining patient outcomes in stage IV colorectal cancer: a prospective study with baseline stratification according to disease resectability status. <i>British Journal of Cancer</i> , 2010 , 102, 255-61	8.7	8
98	Assessment of a Staging System for Sigmoid Colon Cancer Based on Tumor Deposits and Extramural Venous Invasion on Computed Tomography. <i>JAMA Network Open</i> , 2019 , 2, e1916987	10.4	8
97	The MRI assessment of SPECC (significant polyps and early colorectal cancer) lesions. <i>Colorectal Disease</i> , 2019 , 21 Suppl 1, 19-22	2.1	7
96	Learning curve for the management of recurrent and locally advanced primary rectal cancer: a single team's experience. <i>Colorectal Disease</i> , 2015 , 17, 57-65	2.1	7
95	FcRIIIa and FcRIIIa polymorphisms and cetuximab benefit in the microscopic disease. <i>Clinical Cancer Research</i> , 2014 , 20, 4511-9	12.9	7

94	Postgraduate multidisciplinary development program: impact on the interpretation of pelvic MRI in patients with rectal cancer: a clinical audit in West Denmark. <i>Diseases of the Colon and Rectum</i> , 2011 , 54, 328-34	3.1	7
93	Neoadjuvant chemotherapy alone for early-stage rectal cancer: an evolving paradigm?. <i>Seminars in Radiation Oncology</i> , 2011 , 21, 196-202	5.5	7
92	CT detection of hydronephrosis in resected colorectal cancer: a predictor of recurrent disease. <i>Clinical Radiology</i> , 2003 , 58, 137-42	2.9	7
91	Neoadjuvant rectal score: run with the hare and hunt with the hounds. <i>Annals of Oncology</i> , 2018 , 29, 2261-2262	10.3	7
90	Pathways of spread in rectal cancer: a reappraisal of the true routes to distant metastatic disease. <i>European Journal of Cancer</i> , 2020 , 128, 1-6	7.5	6
89	A practical review of the performance and interpretation of staging magnetic resonance imaging for rectal cancer. <i>Topics in Magnetic Resonance Imaging</i> , 2014 , 23, 213-23	2.3	6
88	Multimodal Imaging Techniques for the Extraction of Detailed Geometrical and Physiological Information for Use in Multi-Scale Models of Colorectal Cancer and Treatment of Individual Patients. <i>Computational and Mathematical Methods in Medicine</i> , 2006 , 7, 177-188	2.8	6
87	EXPERT-C: A randomized phase II European multicenter trial of neoadjuvant chemotherapy (capecitabine/oxaliplatin) and chemoradiation (CRT) with or without cetuximab followed by total mesorectal excision (TME) in patients with MRI-defined high-risk rectal cancer.. <i>Journal of Clinical Oncology</i> , 2011 , 29, 368-368	2.2	6
86	Lateral pelvic lymph-node dissection: still an option for cure [AuthorsPreply. <i>Lancet Oncology, The</i> , 2010 , 11, 114-115	21.7	5
85	Mediastinal widening--a valuable radiographic sign of superior vena cava thrombosis. <i>Clinical Radiology</i> , 1993 , 47, 415-20	2.9	5
84	Selection of Patients With Rectal Cancer for Preoperative Chemoradiotherapy: Are T Category and Nodal Status All That Matters?. <i>Diseases of the Colon and Rectum</i> , 2019 , 62, 447-453	3.1	5
83	An audit comparing the reporting of staging MRI scans for rectal cancer with the London Cancer Alliance (LCA) guidelines. <i>European Journal of Surgical Oncology</i> , 2017 , 43, 2093-2104	3.6	4
82	Can extranodal tumour deposits be diagnosed on MRI? Protocol for a multicentre clinical trial (the COMET trial). <i>BMJ Open</i> , 2020 , 10, e033395	3	4
81	Extramural Venous Invasion (EMVI) and Tumour Regression Grading (TRG) as Potential Prognostic Factors for Risk Stratification and Treatment Decision in Rectal Cancer. <i>Current Colorectal Cancer Reports</i> , 2016 , 12, 130-140	1	4
80	Histopathological and radiological reporting in rectal cancer: concepts and controversies, facts and fantasies. <i>Techniques in Coloproctology</i> , 2017 , 21, 15-23	2.9	3
79	Is organ preservation in rectal cancer ready for prime time?. <i>Lancet, The</i> , 2018 , 391, 2480-2482	40	3
78	Total mesorectal excision optimized by pelvic MRI. <i>Colorectal Disease</i> , 2014 , 16, 847-53	2.1	3
77	MRI-Based Assessment of Tumor Regression in Rectal Cancer. <i>Current Colorectal Cancer Reports</i> , 2013 , 9, 136-145	1	3

76	Evaluation of the role of MRI in staging rectal cancer within the multidisciplinary team setting. <i>Journal of Clinical Oncology</i> , 2004 , 22, 3611-3611	2.2	3
75	Imaging assessment of early rectal cancer. <i>Recent Results in Cancer Research</i> , 2014 , 203, 3-14	1.5	3
74	Ex vivo specimen MRI and pathology confirm a rectosigmoid mesenteric waist at the junction of the mesorectum and mesocolon. <i>Colorectal Disease</i> , 2020 , 22, 212-218	2.1	3
73	Histopathological diagnosis of tumour deposits in colorectal cancer: a Delphi consensus study. <i>Histopathology</i> , 2021 , 79, 168-175	7.3	3
72	Systematic review of classification systems for locally recurrent rectal cancer. <i>BJS Open</i> , 2021 , 5,	3.9	3
71	Protocol for a multicentre randomised feasibility trial evaluating early Surgery Alone In LOw Rectal cancer (SAILOR). <i>BMJ Open</i> , 2016 , 6, e012496	3	3
70	Meta-analysis of oncological outcomes of sigmoid cancers: A hidden epidemic of R1 "palliative" resections. <i>European Journal of Surgical Oncology</i> , 2019 , 45, 489-497	3.6	3
69	Important imaging considerations in the pre-operative assessment of rectal cancer. <i>Seminars in Colon and Rectal Surgery</i> , 2014 , 25, 6-12	0.3	2
68	mrEMVI status should be used in addition to pEMVI for treatment decision making in rectal cancer to prevent under-reporting of extramural venous invasion. <i>European Journal of Surgical Oncology</i> , 2013 , 39, S66	3.6	2
67	Pre-operative staging of rectal cancer: MRI or ultrasound?. <i>Seminars in Colon and Rectal Surgery</i> , 2013 , 24, 114-118	0.3	2
66	A multicenter phase II clinical study evaluating the deferral of rectal surgery following a continued response to preoperative chemoradiotherapy (CRT).. <i>Journal of Clinical Oncology</i> , 2010 , 28, TPS191-TPS191	2.2	2
65	Percutaneous radiofrequency versus microwave ablation for the treatment of colorectal liver metastases.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 401-401	2.2	2
64	Session 1: Colon cancer - 10 years behind the rectum. <i>Colorectal Disease</i> , 2018 , 20 Suppl 1, 28-33	2.1	2
63	Local recurrence in sigmoid cancer is a hidden problem, could CT prognostic factors be of value in their prevention? A multi-centre study of 414 patients. <i>European Journal of Surgical Oncology</i> , 2021 , 47, 2093-2099	3.6	2
62	The importance of MRI for rectal cancer evaluation.. <i>Surgical Oncology</i> , 2022 , 101739	2.5	2
61	Reply to: Does MRI Restaging of Rectal Cancer After Chemoradiotherapy Actually Permit a Change in Surgical Management?. <i>Annals of Surgery</i> , 2017 , 266, e116-e118	7.8	1
60	Session 3: Beyond TME and radiotherapy MRI evaluation of rectal cancer treatment response. <i>Colorectal Disease</i> , 2018 , 20 Suppl 1, 76-81	2.1	1
59	Session 2: Extramural vascular invasion and extranodal deposits: should they be treated the same?. <i>Colorectal Disease</i> , 2018 , 20 Suppl 1, 43-48	2.1	1

58	Session 2: Are we ready for primary chemotherapy in rectal cancer: who, when, why?. <i>Colorectal Disease</i> , 2018 , 20 Suppl 1, 56-60	2.1	1
57	The evolution in the detection of extramural venous invasion in rectal cancer: Implications for modern-day practice. <i>Colorectal Cancer</i> , 2014 , 3, 481-490	0.8	1
56	Primary staging and response assessment postchemoradiotherapy in rectal cancer. <i>Colorectal Cancer</i> , 2012 , 1, 57-70	0.8	1
55	Commentary: MRI should not predict histopathological involved margins. <i>Colorectal Disease</i> , 2011 , 13, 982-3	2.1	1
54	The Potential of Tracer Kinetic Studies in Drug Development Programs: A New Investigational Area for Cancer Research. <i>Drug Information Journal</i> , 1997 , 31, 1045-1049		1
53	Circumferential resection margin assessment on MRI of rectal cancer. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society</i> , 2006 , 2006, 4881-4		1
52	Radiotherapy in colorectal cancer110-135		1
51	Chemoradiotherapy alone for rectal cancer: a word of caution AuthorsPreply. <i>Lancet Oncology, The</i> , 2007 , 8, 862-863	21.7	1
50	Imaging of the liver in metastatic disease. <i>European Journal of Cancer, Supplement</i> , 2003 , 1, 159-171	1.6	1
49	A prospective study of oxaliplatin and capecitabine (CapOx) in metastatic colorectal cancer (MCRC) with baseline stratification according to resectability status. <i>Journal of Clinical Oncology</i> , 2007 , 25, 4024-4024	2.2	1
48	EORTC1527/JCOG1609INT: Diffusion-weighted MRI (DW-MRI) assessment of liver metastasis to improve surgical planning (DREAM).. <i>Journal of Clinical Oncology</i> , 2017 , 35, TPS3633-TPS3633	2.2	1
47	Current and possible future role of 3D modelling within oesophagogastric surgery: a scoping review protocol. <i>BMJ Open</i> , 2021 , 11, e045546	3	1
46	Evaluation of the role of MRI in staging rectal cancer within the multidisciplinary team setting. <i>Journal of Clinical Oncology</i> , 2004 , 22, 3611-3611	2.2	1
45	Complications and seeding risk after percutaneous liver biopsy in an oncological setting.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 246-246	2.2	1
44	Rectal Carcinoma: Imaging for Staging 2019 , 359-389		1
43	A narrative celebrating the recent contributions of women to colorectal surgery. <i>Surgery</i> , 2020 , 168, 355-362	3.6	1
42	Colon and rectum308-326		1
41	Assessment of the 2020 NICE criteria for preoperative radiotherapy in patients with rectal cancer treated by surgery alone in comparison with proven MRI prognostic factors: a retrospective cohort study.. <i>Lancet Oncology, The</i> , 2022 ,	21.7	1

40	The clinical presentation of colorectal cancer1-14		o
39	Use of MRI-defined tumor distance from the anal verge to predict tumor response to neoadjuvant chemoradiotherapy in locally advanced rectal cancer.. <i>Journal of Clinical Oncology</i> , 2012 , 30, 573-573	2.2	o
38	Author response to comment on Bignificance of extranodal tumour deposits in colorectal cancer: A systematic review and meta-analysis? <i>European Journal of Cancer</i> , 2018 , 105, 129-130	7.5	o
37	Interobserver variation in the classification of tumor deposits in rectal cancer-is the use of histopathological characteristics the way to go?. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2021 , 1	5.1	o
36	Prognostic Importance of MRI-Detected Extramural Venous Invasion in Rectal Cancer: A Literature Review and Systematic Meta-Analysis. <i>International Journal of Radiation Oncology Biology Physics</i> , 2021 , 111, 385-394	4	o
35	MRI and CT for the Preoperative T and N Staging of Rectal Cancer 2015 , 177-193		
34	How Can We Identify Tumour Penetration? 2018 , 71-77		
33	Session 4: Shaping radiotherapy for rectal cancer: should this be personalized?. <i>Colorectal Disease</i> , 2018 , 20 Suppl 1, 92-96	2.1	
32	Session 1: The evolution and development of the multidisciplinary team approach: USA, European and UK experiences - what can we do better?. <i>Colorectal Disease</i> , 2018 , 20 Suppl 1, 17-27	2.1	
31	Timing of surgery following chemoradiotherapy in rectal Cancer. <i>Indian Journal of Medical and Paediatric Oncology</i> , 2014 , 35, 235-6	0.2	
30	How Can We Identify Tumour Penetration? 2012 , 59-65		
29	Clinical Staging: CT and MRI 2010 , 21-35		
28	Interview: The future of imaging colorectal cancer. <i>Colorectal Cancer</i> , 2012 , 1, 209-213	0.8	
27	Pathology for the radiologist: pathological insights into colorectal cancer15-33		
26	CT staging157-173		
25	The surgical approach to colorectal cancer60-74		
24	Laparoscopic surgery75-96		
23	The changing role of endoluminal ultrasound in rectal cancer136-156		

22 Patterns of recurrence following therapy for rectal cancer 233-247

21 MRI staging 174-211

20 Imaging of metastatic disease 212-232

19 Imaging of liver metastases (CT scan, MRI, PET scan). *European Journal of Cancer, Supplement*, **2007**, 5, 297-300 1.6

18 MRI in Colorectal Surgery: Surface Magnetic Resonance Imaging in Anorectal Practice **2005**, 275-297

17 Preoperative radiotherapy for rectal cancer. *Journal of the Royal Society of Medicine*, **2004**, 97, 361-362 2.3

16 Comment on "Cancer Surgery During COVID-19: How We Move Forward". *Annals of Surgery*, **2021**, 274, e827-e828 7.8

15 The Role of MRI in Assessment of Rectal Cancers **2019**, 39-55

14 The Role of Imaging in the Diagnosis and Staging of Primary and Recurrent Rectal Cancer **2015**, 81-95

13 Staging and Evaluation of Rectal Cancer and Pelvic Malignancy **2015**, 491-502

12 Anus 327-332

11 Radiological Imaging of Colorectal Cancer **2017**, 21-26

10 Colon and Rectum 308-326

9 Anus 327-332

8 What Are the Relevant Imaging Factors to Optimize Treatment Decisions? **2012**, 27-39

7 Comparison of long-term survival outcomes of operative versus nonoperative management of recurrent rectal cancer.. *Journal of Clinical Oncology*, **2012**, 30, e14132-e14132 2.2

6 Comparison of magnetic resonance imaging and histopathological response to neoadjuvant chemotherapy in locally advanced rectal cancer: The GEMCAD 0801 trial.. *Journal of Clinical Oncology*, **2012**, 30, e14097-e14097 2.2

5 The impact of TP53 mutation on high-risk rectal cancer patients treated within the EXPERT-C trial, a randomized phase II study of neoadjuvant oxaliplatin/capecitabine (CAPOX) and chemoradiation (CRT) with or without cetuximab.. *Journal of Clinical Oncology*, **2012**, 30, e14088-e14088 2.2

- 4 Letter to the Editor RE: "COVID-19 Impact on Colorectal Daily Practice-How Long Will It Take to Catch Up?". *Journal of Gastrointestinal Surgery*, **2020**, 24, 2696-2697 3.3
- 3 Magnetic Resonance Imaging of the Rectum **2018**, 37-50
- 2 Reprint of: Important imaging considerations in the pre-operative assessment of rectal cancer. *Seminars in Colon and Rectal Surgery*, **2018**, 29, 199-205 0.3
- 1 The Estimate of the Impact of Coccyx Resection in Surgical Field Exposure During Abdominal Perineal Resection Using Preoperative High-Resolution Magnetic Resonance. *World Journal of Surgery*, **2018**, 42, 3765-3770 3.3