

Gina Brown

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3514144/gina-brown-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

309
papers

16,633
citations

67
h-index

121
g-index

326
ext. papers

19,460
ext. citations

4.9
avg, IF

6.4
L-index

#	Paper	IF	Citations
309	The importance of MRI for rectal cancer evaluation.. <i>Surgical Oncology</i> , 2022 , 101739	2.5	2
308	Assessment of the 2020 NICE criteria for preoperative radiotherapy in patients with rectal cancer treated by surgery alone in comparison with proven MRI prognostic factors: a retrospective cohort study.. <i>Lancet Oncology, The</i> , 2022 ,	21.7	1
307	Comment on "Cancer Surgery During COVID-19: How We Move Forward". <i>Annals of Surgery</i> , 2021 , 274, e827-e828	7.8	
306	Current and possible future role of 3D modelling within oesophagogastric surgery: a scoping review protocol. <i>BMJ Open</i> , 2021 , 11, e045546	3	1
305	Histopathological diagnosis of tumour deposits in colorectal cancer: a Delphi consensus study. <i>Histopathology</i> , 2021 , 79, 168-175	7.3	3
304	Systematic review of classification systems for locally recurrent rectal cancer. <i>BJS Open</i> , 2021 , 5,	3.9	3
303	Local recurrence in sigmoid cancer is a hidden problem, could CT prognostic factors be of value in their prevention? A multi-centre study of 414 patients. <i>European Journal of Surgical Oncology</i> , 2021 , 47, 2093-2099	3.6	2
302	Anal cancer: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up. <i>Annals of Oncology</i> , 2021 , 32, 1087-1100	10.3	13
301	Interobserver variation in the classification of tumor deposits in rectal cancer-is the use of histopathological characteristics the way to go?. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2021 , 1	5.1	0
300	Prognostic Importance of MRI-Detected Extramural Venous Invasion in Rectal Cancer: A Literature Review and Systematic Meta-Analysis. <i>International Journal of Radiation Oncology Biology Physics</i> , 2021 , 111, 385-394	4	0
299	Pathways of spread in rectal cancer: a reappraisal of the true routes to distant metastatic disease. <i>European Journal of Cancer</i> , 2020 , 128, 1-6	7.5	6
298	MRI-Diagnosed Tumour Deposits and EMVI Status Have Superior Prognostic Accuracy to Current Clinical TNM Staging in Rectal Cancer. <i>Annals of Surgery</i> , 2020 ,	7.8	26
297	Ex vivo specimen MRI and pathology confirm a rectosigmoid mesenteric waist at the junction of the mesorectum and mesocolon. <i>Colorectal Disease</i> , 2020 , 22, 212-218	2.1	3
296	The sigmoid take-off: An anatomical imaging definition of the rectum validated on specimen analysis. <i>European Journal of Surgical Oncology</i> , 2020 , 46, 1668-1672	3.6	9
295	MRI Tumor Regression Grade and Circulating Tumor DNA as Complementary Tools to Assess Response and Guide Therapy Adaptation in Rectal Cancer. <i>Clinical Cancer Research</i> , 2020 , 26, 183-192	12.9	33
294	A narrative celebrating the recent contributions of women to colorectal surgery. <i>Surgery</i> , 2020 , 168, 355-362	3.6	1
293	Can extranodal tumour deposits be diagnosed on MRI? Protocol for a multicentre clinical trial (the COMET trial). <i>BMJ Open</i> , 2020 , 10, e033395	3	4

292	Letter to the Editor RE: "COVID-19 Impact on Colorectal Daily Practice-How Long Will It Take to Catch Up?". <i>Journal of Gastrointestinal Surgery</i> , 2020 , 24, 2696-2697	3.3	
291	Analysis of KRAS, NRAS, BRAF, PIK3CA and TP53 mutations in a large prospective series of locally advanced rectal cancer patients. <i>International Journal of Cancer</i> , 2020 , 146, 94-102	7.5	15
290	The MRI assessment of SPECC (significant polyps and early colorectal cancer) lesions. <i>Colorectal Disease</i> , 2019 , 21 Suppl 1, 19-22	2.1	7
289	Safety and Feasibility of Using Magnetic Resonance Imaging Criteria to Identify Patients With "Good Prognosis" Rectal Cancer Eligible for Primary Surgery: The Phase 2 Nonrandomized QuickSilver Clinical Trial. <i>JAMA Oncology</i> , 2019 , 5, 961-966	13.4	35
288	Realizing the potential of magnetic resonance image guided radiotherapy in gynaecological and rectal cancer. <i>British Journal of Radiology</i> , 2019 , 92, 20180670	3.4	10
287	Exercise prehabilitation may lead to augmented tumor regression following neoadjuvant chemoradiotherapy in locally advanced rectal cancer. <i>Acta Oncologica</i> , 2019 , 58, 588-595	3.2	32
286	The Current Status of Nodal Staging in Rectal Cancer. <i>Current Colorectal Cancer Reports</i> , 2019 , 15, 143-148		8
285	Rectal Carcinoma: Imaging for Staging 2019 , 359-389		1
284	The Role of MRI in Assessment of Rectal Cancers 2019 , 39-55		
283	Selection of Patients With Rectal Cancer for Preoperative Chemoradiotherapy: Are T Category and Nodal Status All That Matters?. <i>Diseases of the Colon and Rectum</i> , 2019 , 62, 447-453	3.1	5
282	Assessment of a Staging System for Sigmoid Colon Cancer Based on Tumor Deposits and Extramural Venous Invasion on Computed Tomography. <i>JAMA Network Open</i> , 2019 , 2, e1916987	10.4	8
281	Meta-analysis of oncological outcomes of sigmoid cancers: A hidden epidemic of R1 "palliative" resections. <i>European Journal of Surgical Oncology</i> , 2019 , 45, 489-497	3.6	3
280	How Can We Identify Tumour Penetration? 2018 , 71-77		
279	KRAS and BRAF mutations in circulating tumour DNA from locally advanced rectal cancer. <i>Scientific Reports</i> , 2018 , 8, 1445	4.9	43
278	Critical research gaps and recommendations to inform research prioritisation for more effective prevention and improved outcomes in colorectal cancer. <i>Gut</i> , 2018 , 67, 179-193	19.2	51
277	Watch-and-Wait as a Therapeutic Strategy in Rectal Cancer. <i>Current Colorectal Cancer Reports</i> , 2018 , 14, 37-55	1	38
276	Is organ preservation in rectal cancer ready for prime time?. <i>Lancet, The</i> , 2018 , 391, 2480-2482	4.0	3
275	Session 4: Shaping radiotherapy for rectal cancer: should this be personalized?. <i>Colorectal Disease</i> , 2018 , 20 Suppl 1, 92-96	2.1	

274	Session 3: Beyond TME and radiotherapy MRI evaluation of rectal cancer treatment response. <i>Colorectal Disease</i> , 2018 , 20 Suppl 1, 76-81	2.1	1
273	Session 2: Extramural vascular invasion and extranodal deposits: should they be treated the same?. <i>Colorectal Disease</i> , 2018 , 20 Suppl 1, 43-48	2.1	1
272	Session 1: The evolution and development of the multidisciplinary team approach: USA, European and UK experiences - what can we do better?. <i>Colorectal Disease</i> , 2018 , 20 Suppl 1, 17-27	2.1	
271	Session 2: Are we ready for primary chemotherapy in rectal cancer: who, when, why?. <i>Colorectal Disease</i> , 2018 , 20 Suppl 1, 56-60	2.1	1
270	The rectosigmoid problem. <i>Surgical Oncology</i> , 2018 , 27, 521-525	2.5	18
269	Percutaneous radiofrequency versus microwave ablation for the treatment of colorectal liver metastases.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 401-401	2.2	2
268	Complications and seeding risk after percutaneous liver biopsy in an oncological setting.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 246-246	2.2	1
267	Magnetic Resonance Imaging of the Rectum 2018 , 37-50		
266	Reprint of: Important imaging considerations in the pre-operative assessment of rectal cancer. <i>Seminars in Colon and Rectal Surgery</i> , 2018 , 29, 199-205	0.3	
265	Novel biomarkers for patient stratification in colorectal cancer: A review of definitions, emerging concepts, and data. <i>World Journal of Gastrointestinal Oncology</i> , 2018 , 10, 145-158	3.4	20
264	Author response to comment on Bignificance of extranodal tumour deposits in colorectal cancer: A systematic review and meta-analysis? <i>European Journal of Cancer</i> , 2018 , 105, 129-130	7.5	0
263	Can the completeness of radiological cancer staging reports be improved using proforma reporting? A prospective multicentre non-blinded interventional study across 21 centres in the UK. <i>BMJ Open</i> , 2018 , 8, e018499	3	11
262	A meta-analysis assessing the survival implications of subclassifying T3 rectal tumours. <i>European Journal of Cancer</i> , 2018 , 104, 47-61	7.5	15
261	Neoadjuvant rectal score: run with the hare and hunt with the hounds. <i>Annals of Oncology</i> , 2018 , 29, 2261-2262	10.3	7
260	Variation in landmarks for the rectum: an MRI study. <i>Colorectal Disease</i> , 2018 , 20, O304-O309	2.1	14
259	The Estimate of the Impact of Coccyx Resection in Surgical Field Exposure During Abdominal Perineal Resection Using Preoperative High-Resolution Magnetic Resonance. <i>World Journal of Surgery</i> , 2018 , 42, 3765-3770	3.3	
258	Session 1: Colon cancer - 10 years behind the rectum. <i>Colorectal Disease</i> , 2018 , 20 Suppl 1, 28-33	2.1	2
257	Reply to: Does MRI Restaging of Rectal Cancer After Chemoradiotherapy Actually Permit a Change in Surgical Management?. <i>Annals of Surgery</i> , 2017 , 266, e116-e118	7.8	1

256	The results of local excision with or without postoperative adjuvant chemoradiotherapy for early rectal cancer among patients choosing to avoid radical surgery. <i>Colorectal Disease</i> , 2017 , 19, 139-147	2.1	15
255	Extended lymphadenectomy for locally advanced and recurrent rectal cancer. <i>International Journal of Colorectal Disease</i> , 2017 , 32, 333-340	3	16
254	CT and 3-T MRI accurately identify T3c disease in colon cancer, which strongly predicts disease-free survival. <i>Clinical Radiology</i> , 2017 , 72, 307-315	2.9	20
253	A meta-analysis comparing the risk of metastases in patients with rectal cancer and MRI-detected extramural vascular invasion (mrEMVI) vs mrEMVI-negative cases. <i>British Journal of Cancer</i> , 2017 , 116, 1513-1519	8.7	70
252	MRI assessment and outcomes in patients receiving neoadjuvant chemotherapy only for primary rectal cancer: long-term results from the GEMCAD 0801 trial. <i>Annals of Oncology</i> , 2017 , 28, 344-353	10.3	42
251	Systemic Chemotherapy as Salvage Treatment for Locally Advanced Rectal Cancer Patients Who Fail to Respond to Standard Neoadjuvant Chemoradiotherapy. <i>Oncologist</i> , 2017 , 22, 728-736	5.7	10
250	Concerning CT features used to select patients for treatment of peritoneal metastases, a pictorial essay. <i>International Journal of Hyperthermia</i> , 2017 , 33, 497-504	3.7	25
249	A Systematic Review to Assess Resection Margin Status After Abdominoperineal Excision and Pelvic Exenteration for Rectal Cancer. <i>Annals of Surgery</i> , 2017 , 265, 291-299	7.8	39
248	Histopathological and radiological reporting in rectal cancer: concepts and controversies, facts and fantasies. <i>Techniques in Coloproctology</i> , 2017 , 21, 15-23	2.9	3
247	An audit comparing the reporting of staging MRI scans for rectal cancer with the London Cancer Alliance (LCA) guidelines. <i>European Journal of Surgical Oncology</i> , 2017 , 43, 2093-2104	3.6	4
246	A rectal cancer feasibility study with an embedded phase III trial design assessing magnetic resonance tumour regression grade (mrTRG) as a novel biomarker to stratify management by good and poor response to chemoradiotherapy (TRIGGER): study protocol for a randomised controlled trial. <i>Trials</i> , 2017 , 18, 394	2.8	48
245	Comparison between MRI and pathology in the assessment of tumour regression grade in rectal cancer. <i>British Journal of Cancer</i> , 2017 , 117, 1478-1485	8.7	64
244	Diagnostic accuracy of high-resolution MRI as a method to predict potentially safe endoscopic and surgical planes in patients with early rectal cancer. <i>BMJ Open Gastroenterology</i> , 2017 , 4, e000151	3.9	18
243	How Should Imaging Direct/Orient Management of Rectal Cancer?. <i>Clinics in Colon and Rectal Surgery</i> , 2017 , 30, 297-312	2.3	19
242	Significance of extranodal tumour deposits in colorectal cancer: A systematic review and meta-analysis. <i>European Journal of Cancer</i> , 2017 , 82, 92-102	7.5	46
241	Adjuvant chemotherapy may improve disease-free survival in patients with rectal cancer positive for MRI-detected extramural venous invasion following chemoradiation. <i>Colorectal Disease</i> , 2017 , 19, 537-543	2.1	14
240	The selection process can improve the outcome in locally advanced and recurrent colorectal cancer: activity and results of a dedicated multidisciplinary colorectal cancer centre. <i>Colorectal Disease</i> , 2017 , 19, 331-338	2.1	13
239	Imaging biomarker roadmap for cancer studies. <i>Nature Reviews Clinical Oncology</i> , 2017 , 14, 169-186	19.4	532

238	Diagnosis and Diagnostic Imaging of Anal Canal Cancer. <i>Surgical Oncology Clinics of North America</i> , 2017 , 26, 45-55	2.7	14
237	Rectal cancer: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up. <i>Annals of Oncology</i> , 2017 , 28, iv22-iv40	10.3	627
236	EORTC1527/JCOG1609INT: Diffusion-weighted MRI (DW-MRI) assessment of liver metastasis to improve surgical planning (DREAM).. <i>Journal of Clinical Oncology</i> , 2017 , 35, TPS3633-TPS3633	2.2	1
235	Radiological Imaging of Colorectal Cancer 2017 , 21-26		
234	Advances in the care of patients with mucinous colorectal cancer. <i>Nature Reviews Clinical Oncology</i> , 2016 , 13, 361-9	19.4	112
233	Sequence variation in mature microRNA-608 and benefit from neo-adjuvant treatment in locally advanced rectal cancer patients. <i>Carcinogenesis</i> , 2016 , 37, 852-7	4.6	13
232	Interobserver agreement of radiologists assessing the response of rectal cancers to preoperative chemoradiation using the MRI tumour regression grading (mrTRG). <i>Clinical Radiology</i> , 2016 , 71, 854-62	2.9	37
231	Vessel co-option mediates resistance to anti-angiogenic therapy in liver metastases. <i>Nature Medicine</i> , 2016 , 22, 1294-1302	50.5	235
230	Results of a prospective randomised control 6 vs 12 trial: Is greater tumour downstaging observed on post treatment MRI if surgery is delayed to 12-weeks versus 6-weeks after completion of neoadjuvant chemoradiotherapy?. <i>Annals of Oncology</i> , 2016 , 27, vi149	10.3	28
229	Optimal Imaging Strategies for Rectal Cancer Staging and Ongoing Management. <i>Current Treatment Options in Oncology</i> , 2016 , 17, 32	5.4	51
228	Prospective Validation of a Low Rectal Cancer Magnetic Resonance Imaging Staging System and Development of a Local Recurrence Risk Stratification Model: The MERCURY II Study. <i>Annals of Surgery</i> , 2016 , 263, 751-60	7.8	181
227	Second St. Gallen European Organisation for Research and Treatment of Cancer Gastrointestinal Cancer Conference: consensus recommendations on controversial issues in the primary treatment of rectal cancer. <i>European Journal of Cancer</i> , 2016 , 63, 11-24	7.5	63
226	Imaging Advances in Colorectal Cancer. <i>Current Colorectal Cancer Reports</i> , 2016 , 12, 162-169	1	20
225	Clinical Trial of Oral Nelfinavir before and during Radiation Therapy for Advanced Rectal Cancer. <i>Clinical Cancer Research</i> , 2016 , 22, 1922-31	12.9	27
224	Phase II study of AZD4547 in FGFR amplified tumours: Gastroesophageal cancer (GC) cohort pharmacodynamic and biomarker results.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 154-154	2.2	12
223	Defining response to radiotherapy in rectal cancer using magnetic resonance imaging and histopathological scales. <i>World Journal of Gastroenterology</i> , 2016 , 22, 8414-8434	5.6	25
222	Systematic review of prognostic importance of extramural venous invasion in rectal cancer. <i>World Journal of Gastroenterology</i> , 2016 , 22, 1721-6	5.6	60
221	Magnetic Resonance Tumor Regression Grade and Residual Mucosal Abnormality as Predictors for Pathological Complete Response in Rectal Cancer Postneoadjuvant Chemoradiotherapy. <i>Diseases of the Colon and Rectum</i> , 2016 , 59, 925-33	3.1	61

220	Protocol for a multicentre randomised feasibility trial evaluating early Surgery Alone In LOw Rectal cancer (SAILOR). <i>BMJ Open</i> , 2016 , 6, e012496	3	3
219	Local staging and assessment of colon cancer with 1.5-T magnetic resonance imaging. <i>British Journal of Radiology</i> , 2016 , 89, 20160257	3.4	15
218	PAN-EX: a pooled analysis of two trials of neoadjuvant chemotherapy followed by chemoradiotherapy in MRI-defined, locally advanced rectal cancer. <i>Annals of Oncology</i> , 2016 , 27, 1557-65 ^{10.3}		47
217	Timing of surgery following neoadjuvant chemoradiotherapy in locally advanced rectal cancer - A comparison of magnetic resonance imaging at two time points and histopathological responses. <i>European Journal of Surgical Oncology</i> , 2016 , 42, 1350-8	3.6	15
216	Pre-operative staging of rectal cancer: a review of imaging techniques. <i>Expert Review of Gastroenterology and Hepatology</i> , 2016 , 10, 1011-25	4.2	9
215	Extramural Venous Invasion (EMVI) and Tumour Regression Grading (TRG) as Potential Prognostic Factors for Risk Stratification and Treatment Decision in Rectal Cancer. <i>Current Colorectal Cancer Reports</i> , 2016 , 12, 130-140	1	4
214	Evidence for radiological and histopathological prognostic importance of detecting extramural venous invasion in rectal cancer: recommendations for radiology and histopathology reporting. <i>Colorectal Disease</i> , 2015 , 17, 468-73	2.1	19
213	Short- and Long-Term Quality of Life and Bowel Function in Patients With MRI-Defined, High-Risk, Locally Advanced Rectal Cancer Treated With an Intensified Neoadjuvant Strategy in the Randomized Phase 2 EXPERT-C Trial. <i>International Journal of Radiation Oncology Biology Physics</i> , 2015 , 93, 303-12	4	13
212	Prognostic role of the LCS6 KRAS variant in locally advanced rectal cancer: results of the EXPERT-C trial. <i>Annals of Oncology</i> , 2015 , 26, 1936-1941	10.3	18
211	Learning curve for the management of recurrent and locally advanced primary rectal cancer: a single team's experience. <i>Colorectal Disease</i> , 2015 , 17, 57-65	2.1	7
210	The prognostic significance of postchemoradiotherapy high-resolution MRI and histopathology detected extramural venous invasion in rectal cancer. <i>Annals of Surgery</i> , 2015 , 261, 473-9	7.8	100
209	MRI and CT for the Preoperative T and N Staging of Rectal Cancer 2015 , 177-193		
208	Complete mesocolic excision in colorectal cancer: a systematic review. <i>Colorectal Disease</i> , 2015 , 17, 7-16	2.1	66
207	Hand-sewn coloanal anastomosis for low rectal cancer: technique and long-term outcome. <i>Colorectal Disease</i> , 2015 , 17, 1062-70	2.1	12
206	The effect of a primary tumour resection on the progression of synchronous colorectal liver metastases: an exploratory study. <i>European Journal of Surgical Oncology</i> , 2015 , 41, 484-92	3.6	16
205	The Role of Imaging in the Diagnosis and Staging of Primary and Recurrent Rectal Cancer 2015 , 81-95		
204	Staging and Evaluation of Rectal Cancer and Pelvic Malignancy 2015 , 491-502		
203	EURECCA consensus conference highlights about colon & rectal cancer multidisciplinary management: the radiology experts review. <i>European Journal of Surgical Oncology</i> , 2014 , 40, 469-75	3.6	68

202	EMVI-positive stage II rectal cancer has similar clinical outcomes as stage III disease following pre-operative chemoradiotherapy. <i>Annals of Oncology</i> , 2014 , 25, 858-863	10.3	64
201	RAS mutations and cetuximab in locally advanced rectal cancer: results of the EXPERT-C trial. <i>European Journal of Cancer</i> , 2014 , 50, 1430-6	7.5	26
200	Important imaging considerations in the pre-operative assessment of rectal cancer. <i>Seminars in Colon and Rectal Surgery</i> , 2014 , 25, 6-12	0.3	2
199	Mucinous carcinoma of the rectum: a distinct clinicopathological entity. <i>Techniques in Coloproctology</i> , 2014 , 18, 335-44	2.9	28
198	The rationale behind complete mesocolic excision (CME) and a central vascular ligation for colon cancer in open and laparoscopic surgery : proceedings of a consensus conference. <i>International Journal of Colorectal Disease</i> , 2014 , 29, 419-28	3	137
197	EURECCA colorectal: multidisciplinary management: European consensus conference colon & rectum. <i>European Journal of Cancer</i> , 2014 , 50, 1.e1-1.e34	7.5	274
196	Preoperative magnetic resonance imaging assessment of circumferential resection margin predicts disease-free survival and local recurrence: 5-year follow-up results of the MERCURY study. <i>Journal of Clinical Oncology</i> , 2014 , 32, 34-43	2.2	332
195	An MRI-based assessment of standard and extralevator abdominoperineal excision specimens: time for a patient tailored approach?. <i>Annals of Surgical Oncology</i> , 2014 , 21, 822-8	3.1	16
194	A systematic review and meta-analysis evaluating the role of laparoscopic surgical resection of transverse colon tumours. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2014 , 28, 3263-72	5.2	15
193	Does rectal cancer height influence the oncological outcome?. <i>Colorectal Disease</i> , 2014 , 16, 801-8	2.1	14
192	Establishing the optimum lymph node yield for diagnosis of stage III rectal cancer. <i>Techniques in Coloproctology</i> , 2014 , 18, 709-17	2.9	13
191	Magnetic resonance imaging defined mucinous rectal carcinoma is an independent imaging biomarker for poor prognosis and poor response to preoperative chemoradiotherapy. <i>European Journal of Cancer</i> , 2014 , 50, 920-7	7.5	68
190	TP53 mutational status and cetuximab benefit in rectal cancer: 5-year results of the EXPERT-C trial. <i>Journal of the National Cancer Institute</i> , 2014 , 106,	9.7	44
189	Extramural venous invasion is a potential imaging predictive biomarker of neoadjuvant treatment in rectal cancer. <i>British Journal of Cancer</i> , 2014 , 110, 19-25	8.7	101
188	Total mesorectal excision optimized by pelvic MRI. <i>Colorectal Disease</i> , 2014 , 16, 847-53	2.1	3
187	Adjuvant chemotherapy improves overall survival after TME surgery in mucinous carcinoma of the rectum. <i>European Journal of Surgical Oncology</i> , 2014 , 40, 240-5	3.6	10
186	Adjuvant therapy decisions based on magnetic resonance imaging of extramural venous invasion and other prognostic factors in colorectal cancer. <i>Annals of the Royal College of Surgeons of England</i> , 2014 , 96, 543-6	1.4	18
185	Preoperative chemotherapy in patients with intermediate-risk rectal adenocarcinoma selected by high-resolution magnetic resonance imaging: the GEMCAD 0801 Phase II Multicenter Trial. <i>Oncologist</i> , 2014 , 19, 1042-3	5.7	49

184	The evolution in the detection of extramural venous invasion in rectal cancer: implications for modern-day practice. <i>Colorectal Cancer</i> , 2014 , 3, 481-490	0.8	1
183	Timing of surgery following chemoradiotherapy in rectal Cancer. <i>Indian Journal of Medical and Paediatric Oncology</i> , 2014 , 35, 235-6	0.2	
182	Chemoradiotherapy response in recurrent rectal cancer. <i>Cancer Medicine</i> , 2014 , 3, 111-7	4.8	21
181	MR imaging for rectal cancer: the role in staging the primary and response to neoadjuvant therapy. <i>Expert Review of Gastroenterology and Hepatology</i> , 2014 , 8, 703-19	4.2	20
180	A practical review of the performance and interpretation of staging magnetic resonance imaging for rectal cancer. <i>Topics in Magnetic Resonance Imaging</i> , 2014 , 23, 213-23	2.3	6
179	Indications and outcome of pelvic exenteration for locally advanced primary and recurrent rectal cancer. <i>Annals of Surgery</i> , 2014 , 259, 315-22	7.8	76
178	Development and implementation of a synoptic MRI report for preoperative staging of rectal cancer on a population-based level. <i>Diseases of the Colon and Rectum</i> , 2014 , 57, 700-8	3.1	27
177	Lymph node status does not predict local recurrence in the total mesorectal excision era. <i>Diseases of the Colon and Rectum</i> , 2014 , 57, 127-9	3.1	12
176	The English national low rectal cancer development programme: key messages and future perspectives. <i>Colorectal Disease</i> , 2014 , 16, 173-8	2.1	47
175	FcRIIIa and FcRIIIa polymorphisms and cetuximab benefit in the microscopic disease. <i>Clinical Cancer Research</i> , 2014 , 20, 4511-9	12.9	7
174	The role of epithelial mesenchymal transition and resistance to neoadjuvant therapy in locally advanced rectal cancer. <i>Colorectal Disease</i> , 2014 , 16, O133-43	2.1	39
173	The combination of a chemotherapy doublet (gemcitabine and capecitabine) with a biological doublet (bevacizumab and erlotinib) in patients with advanced pancreatic adenocarcinoma. The results of a phase I/II study. <i>European Journal of Cancer</i> , 2014 , 50, 1422-9	7.5	25
172	Colorectal cancer with liver metastases: neoadjuvant chemotherapy, surgical resection first or palliation alone?. <i>World Journal of Gastroenterology</i> , 2014 , 20, 12391-406	5.6	43
171	Imaging assessment of early rectal cancer. <i>Recent Results in Cancer Research</i> , 2014 , 203, 3-14	1.5	3
170	Guiding post-treatment decisions in rectal cancer: mrTRG is a practical place to start. <i>Oncology</i> , 2014 , 28, 677-80	1.8	10
169	Consensus statement on the multidisciplinary management of patients with recurrent and primary rectal cancer beyond total mesorectal excision planes. <i>British Journal of Surgery</i> , 2013 , 100, 1009-14	5.3	123
168	MRI-Based Assessment of Tumor Regression in Rectal Cancer. <i>Current Colorectal Cancer Reports</i> , 2013 , 9, 136-145	1	3
167	The tumour biology of synchronous and metachronous colorectal liver metastases: a systematic review. <i>Clinical and Experimental Metastasis</i> , 2013 , 30, 457-70	4.7	40

166	EURECCA colorectal: multidisciplinary mission statement on better care for patients with colon and rectal cancer in Europe. <i>European Journal of Cancer</i> , 2013 , 49, 2784-90	7.5	69
165	Survival after resection of colorectal cancer based on anatomical segment of involvement. <i>Annals of Surgical Oncology</i> , 2013 , 20, 4161-8	3.1	16
164	Outcomes of simultaneous resections for patients with synchronous colorectal liver metastases. <i>European Journal of Surgical Oncology</i> , 2013 , 39, 1384-93	3.6	20
163	mrEMVI status should be used in addition to pEMVI for treatment decision making in rectal cancer to prevent under-reporting of extramural venous invasion. <i>European Journal of Surgical Oncology</i> , 2013 , 39, S66	3.6	2
162	MRI predictive factors for tumor response in rectal cancer following neoadjuvant chemoradiation therapy--implications for induction chemotherapy?. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013 , 87, 505-11	4	51
161	Pre-operative staging of rectal cancer: MRI or ultrasound?. <i>Seminars in Colon and Rectal Surgery</i> , 2013 , 24, 114-118	0.3	2
160	Magnetic resonance imaging of rectal cancer. <i>Magnetic Resonance Imaging Clinics of North America</i> , 2013 , 21, 385-408	1.6	24
159	Comparison of long-term survival outcome of operative vs nonoperative management of recurrent rectal cancer. <i>Colorectal Disease</i> , 2013 , 15, 156-63	2.1	37
158	A meta-analysis comparing simultaneous versus delayed resections in patients with synchronous colorectal liver metastases. <i>Surgical Oncology</i> , 2013 , 22, 36-47	2.5	75
157	The management of rectal cancer with synchronous liver metastases: a modern surgical dilemma. <i>Techniques in Coloproctology</i> , 2013 , 17, 1-12	2.9	8
156	Diagnostic accuracy and value of magnetic resonance imaging (MRI) in planning exenterative pelvic surgery for advanced colorectal cancer. <i>European Journal of Cancer</i> , 2013 , 49, 72-81	7.5	62
155	Perfusion CT vascular parameters do not correlate with immunohistochemically derived microvessel density count in colorectal tumors. <i>Radiology</i> , 2013 , 268, 400-10	20.5	20
154	The role of pre-treatment diffusion-weighted MRI in predicting long-term outcome of colorectal liver metastasis. <i>British Journal of Radiology</i> , 2013 , 86, 20130281	3.4	28
153	Survival outcome of local excision versus radical resection of colon or rectal carcinoma: a Surveillance, Epidemiology, and End Results (SEER) population-based study. <i>Annals of Surgery</i> , 2013 , 258, 563-9; discussion 569-71	7.8	80
152	Consensus statement on the multidisciplinary management of patients with recurrent and primary rectal cancer beyond total mesorectal excision planes. <i>British Journal of Surgery</i> , 2013 , 100, E1-33	5.3	91
151	The use of MR imaging in treatment planning for patients with rectal carcinoma: have you checked the "DISTANCE"?. <i>Radiology</i> , 2013 , 268, 330-44	20.5	160
150	Accuracy of radiological staging in identifying high-risk colon cancer patients suitable for neoadjuvant chemotherapy: a multicentre experience. <i>Colorectal Disease</i> , 2012 , 14, 438-44	2.1	70
149	The impact of the two-week wait referral pathway on rectal cancer survival. <i>Colorectal Disease</i> , 2012 , 14, 848-53	2.1	18

148	Preoperative MRI sphincter morphology and anal manometry: can they be markers of functional outcome following anterior resection for rectal cancer?. <i>Colorectal Disease</i> , 2012 , 14, e339-45	2.1	11
147	Adverse features on rectal MRI identify a high-risk group that may benefit from more intensive preoperative staging and treatment. <i>Annals of Surgical Oncology</i> , 2012 , 19, 1199-205	3.1	56
146	Diagnostic accuracy of MRI for assessment of T category, lymph node metastases, and circumferential resection margin involvement in patients with rectal cancer: a systematic review and meta-analysis. <i>Annals of Surgical Oncology</i> , 2012 , 19, 2212-23	3.1	341
145	Laparoscopic surgery for rectal cancer. <i>Journal of the Royal Society of Medicine</i> , 2012 , 105, 429-35	2.3	17
144	How Can We Identify Tumour Penetration? 2012 , 59-65		
143	A pictorial description of extralevator abdominoperineal excision for low rectal cancer. <i>Colorectal Disease</i> , 2012 , 14, e655-60	2.1	38
142	MRI after treatment of locally advanced rectal cancer: how to report tumor response--the MERCURY experience. <i>American Journal of Roentgenology</i> , 2012 , 199, W486-95	5.4	128
141	Primary staging and response assessment postchemoradiotherapy in rectal cancer. <i>Colorectal Cancer</i> , 2012 , 1, 57-70	0.8	1
140	Outcome of abdominosacral resection for locally advanced primary and recurrent rectal cancer. <i>British Journal of Surgery</i> , 2012 , 99, 1453-61	5.3	45
139	Meta-analysis of survival based on resection margin status following surgery for recurrent rectal cancer. <i>Colorectal Disease</i> , 2012 , 14, 1457-66	2.1	89
138	Multicenter randomized phase II clinical trial comparing neoadjuvant oxaliplatin, capecitabine, and preoperative radiotherapy with or without cetuximab followed by total mesorectal excision in patients with high-risk rectal cancer (EXPERT-C). <i>Journal of Clinical Oncology</i> , 2012 , 30, 1620-7	2.2	293
137	Comparison of magnetic resonance imaging and histopathological response to chemoradiotherapy in locally advanced rectal cancer. <i>Annals of Surgical Oncology</i> , 2012 , 19, 2842-52	3.1	147
136	Segmental liver hyperintensity in malignant biliary obstruction on diffusion weighted MRI: associated MRI findings and relationship with serum alanine aminotransferase levels. <i>British Journal of Radiology</i> , 2012 , 85, 22-8	3.4	9
135	A dose escalation study of gemcitabine plus oxaliplatin in combination with imatinib for gemcitabine-refractory advanced pancreatic adenocarcinoma. <i>Annals of Oncology</i> , 2012 , 23, 942-7	10.3	11
134	Perfusion CT to assess angiogenesis in colon cancer: technical limitations and practical challenges. <i>British Journal of Radiology</i> , 2012 , 85, e814-25	3.4	11
133	Interview: The future of imaging colorectal cancer. <i>Colorectal Cancer</i> , 2012 , 1, 209-213	0.8	
132	Neoadjuvant capecitabine, oxliplatin, and bevacizumab (CAPOX-B) in intermediate-risk rectal cancer (RC) patients defined by magnetic resonance (MR): GEMCAD 0801 trial.. <i>Journal of Clinical Oncology</i> , 2012 , 30, 3586-3586	2.2	14
131	What Are the Relevant Imaging Factors to Optimize Treatment Decisions? 2012 , 27-39		

130	Use of MRI-defined tumor distance from the anal verge to predict tumor response to neoadjuvant chemoradiotherapy in locally advanced rectal cancer.. <i>Journal of Clinical Oncology</i> , 2012 , 30, 573-573	2.2	0
129	Comparison of long-term survival outcomes of operative versus nonoperative management of recurrent rectal cancer.. <i>Journal of Clinical Oncology</i> , 2012 , 30, e14132-e14132	2.2	
128	Comparison of magnetic resonance imaging and histopathological response to neoadjuvant chemotherapy in locally advanced rectal cancer: The GEMCAD 0801 trial.. <i>Journal of Clinical Oncology</i> , 2012 , 30, e14097-e14097	2.2	
127	The impact of TP53 mutation on high-risk rectal cancer patients treated within the EXPERT-C trial, a randomized phase II study of neoadjuvant oxaliplatin/capecitabine (CAPOX) and chemoradiation (CRT) with or without cetuximab.. <i>Journal of Clinical Oncology</i> , 2012 , 30, e14088-e14088	2.2	
126	MRI predictive factors for long-term outcomes of low rectal tumours. <i>Annals of Surgical Oncology</i> , 2011 , 18, 3278-84	3.1	62
125	Pelvic colorectal recurrence: crucial role of radiologists in oncologic and surgical treatment options. <i>Cancer Imaging</i> , 2011 , 11 Spec No A, S103-11	5.6	17
124	Preoperative high-resolution magnetic resonance imaging can identify good prognosis stage I, II, and III rectal cancer best managed by surgery alone: a prospective, multicenter, European study. <i>Annals of Surgery</i> , 2011 , 253, 711-9	7.8	417
123	Timing of surgery following preoperative therapy in rectal cancer: the need for a prospective randomized trial?. <i>Diseases of the Colon and Rectum</i> , 2011 , 54, 1251-9	3.1	54
122	Can a novel MRI staging system for low rectal cancer aid surgical planning?. <i>Diseases of the Colon and Rectum</i> , 2011 , 54, 1260-4	3.1	44
121	Postgraduate multidisciplinary development program: impact on the interpretation of pelvic MRI in patients with rectal cancer: a clinical audit in West Denmark. <i>Diseases of the Colon and Rectum</i> , 2011 , 54, 328-34	3.1	7
120	Commentary: MRI should not predict histopathological involved margins. <i>Colorectal Disease</i> , 2011 , 13, 982-3	2.1	1
119	A systematic review of cancer related patient outcomes after anterior resection and abdominoperineal excision for rectal cancer in the total mesorectal excision era. <i>Surgical Oncology</i> , 2011 , 20, e149-55	2.5	70
118	Rectal cancer: primary staging and assessment after chemoradiotherapy. <i>Seminars in Radiation Oncology</i> , 2011 , 21, 169-77	5.5	58
117	Neoadjuvant chemotherapy alone for early-stage rectal cancer: an evolving paradigm?. <i>Seminars in Radiation Oncology</i> , 2011 , 21, 196-202	5.5	7
116	One millimetre is the safe cut-off for magnetic resonance imaging prediction of surgical margin status in rectal cancer. <i>British Journal of Surgery</i> , 2011 , 98, 872-9	5.3	134
115	Relevance of magnetic resonance imaging-detected pelvic sidewall lymph node involvement in rectal cancer. <i>British Journal of Surgery</i> , 2011 , 98, 1798-804	5.3	88
114	Mesorectal fascia instead of circumferential resection margin in preoperative staging of rectal cancer. <i>Journal of Clinical Oncology</i> , 2011 , 29, 2142-3	2.2	42
113	Magnetic resonance imaging-detected tumor response for locally advanced rectal cancer predicts survival outcomes: MERCURY experience. <i>Journal of Clinical Oncology</i> , 2011 , 29, 3753-60	2.2	424

112	Reproducibility of depth of extramural tumor spread and distance to circumferential resection margin at rectal MRI: enhancement of clinical guidelines for neoadjuvant therapy. <i>American Journal of Roentgenology</i> , 2011 , 197, 1360-6	5.4	28
111	A multicentre study of capecitabine, oxaliplatin plus bevacizumab as perioperative treatment of patients with poor-risk colorectal liver-only metastases not selected for upfront resection. <i>Annals of Oncology</i> , 2011 , 22, 2042-2048	10.3	167
110	EXPERT-C: A randomized phase II European multicenter trial of neoadjuvant chemotherapy (capecitabine/oxaliplatin) and chemoradiation (CRT) with or without cetuximab followed by total mesorectal excision (TME) in patients with MRI-defined high-risk rectal cancer.. <i>Journal of Clinical Oncology</i> , 2011 , 29, 360-360	2.2	6
109	Deferral of rectal surgery following a continued response to preoperative chemoradiotherapy (Watch and Wait) study: A phase II multicenter study in the United Kingdom.. <i>Journal of Clinical Oncology</i> , 2011 , 29, 489-489	2.2	12
108	Defining patient outcomes in stage IV colorectal cancer: a prospective study with baseline stratification according to disease resectability status. <i>British Journal of Cancer</i> , 2010 , 102, 255-61	8.7	8
107	Proforma-based reporting in rectal cancer. <i>Cancer Imaging</i> , 2010 , 10 Spec no A, S142-50	5.6	45
106	Diagnostic accuracy of nodal enhancement pattern of rectal cancer at MRI enhanced with ultrasmall superparamagnetic iron oxide: findings in pathologically matched mesorectal lymph nodes. <i>American Journal of Roentgenology</i> , 2010 , 194, W505-13	5.4	65
105	Diagnostic precision of CT in local staging of colon cancers: a meta-analysis. <i>Clinical Radiology</i> , 2010 , 65, 708-19	2.9	110
104	Clinical Staging: CT and MRI 2010 , 21-35		
103	Neoadjuvant capecitabine and oxaliplatin before chemoradiotherapy and total mesorectal excision in MRI-defined poor-risk rectal cancer: a phase 2 trial. <i>Lancet Oncology</i> , 2010 , 11, 241-8	21.7	262
102	Lateral pelvic lymph-node dissection: still an option for cure [AuthorsPreply. <i>Lancet Oncology</i> , 2010 , 11, 114-115	21.7	5
101	Patients with low rectal cancer treated by abdominoperineal excision have worse tumors and higher involved margin rates compared with patients treated by anterior resection. <i>Diseases of the Colon and Rectum</i> , 2010 , 53, 53-6	3.1	95
100	Accuracy of multidetector computed tomography in identifying poor prognostic factors in colonic cancer. <i>British Journal of Surgery</i> , 2010 , 97, 1407-15	5.3	67
99	Magnetic resonance imaging-detected lymph nodes close to the mesorectal fascia are rarely a cause of margin involvement after total mesorectal excision. <i>British Journal of Surgery</i> , 2010 , 97, 1431-6	5.3	37
98	A multicenter phase II clinical study evaluating the deferral of rectal surgery following a continued response to preoperative chemoradiotherapy (CRT).. <i>Journal of Clinical Oncology</i> , 2010 , 28, TPS191-TPS191	2.2	2
97	Nanoparticles in rectal cancer imaging. <i>Cancer Biomarkers</i> , 2009 , 5, 89-98	3.8	14
96	MR vs CT imaging: low rectal cancer tumour delineation for three-dimensional conformal radiotherapy. <i>British Journal of Radiology</i> , 2009 , 82, 509-13	3.4	51
95	Dose finding and early efficacy study of gemcitabine plus capecitabine in combination with bevacizumab plus erlotinib in advanced pancreatic cancer. <i>Journal of Clinical Oncology</i> , 2009 , 27, 5499-505	2.2	20

94	A phase II trial evaluating capecitabine and irinotecan as second line treatment in patients with oesophago-gastric cancer who have progressed on, or within 3 months of platinum-based chemotherapy. <i>Cancer Chemotherapy and Pharmacology</i> , 2009 , 64, 455-62	3.5	26
93	A phase II trial of preoperative chemotherapy with epirubicin, cisplatin and capecitabine for patients with localised gastro-oesophageal junctional adenocarcinoma. <i>British Journal of Cancer</i> , 2009 , 100, 1725-30	8.7	16
92	MRI staging of low rectal cancer. <i>European Radiology</i> , 2009 , 19, 643-50	8	88
91	Defining the surgical planes on MRI improves surgery for cancer of the low rectum. <i>Lancet Oncology</i> , 2009 , 10, 1207-11	21.7	59
90	Extended lymphadenectomy versus conventional surgery for rectal cancer: a meta-analysis. <i>Lancet Oncology</i> , 2009 , 10, 1053-62	21.7	199
89	Diagnostic accuracy of serial CT/magnetic resonance imaging review vs. positron emission tomography/CT in colorectal cancer patients with suspected and known recurrence. <i>Diseases of the Colon and Rectum</i> , 2009 , 52, 253-9	3.1	20
88	Magnetic resonance imaging prediction of an involved surgical resection margin in low rectal cancer. <i>Diseases of the Colon and Rectum</i> , 2009 , 52, 632-9	3.1	62
87	Clarifying the TNM staging of rectal cancer in the context of modern imaging and neo-adjuvant treatment: $\text{pT}1\text{pN}0$ $\text{pT}2\text{pN}0$ $\text{pT}3\text{pN}0$ $\text{pT}4\text{pN}0$ $\text{pT}1\text{pN}1$ $\text{pT}2\text{pN}1$ $\text{pT}3\text{pN}1$ $\text{pT}4\text{pN}1$ $\text{pT}1\text{pN}2$ $\text{pT}2\text{pN}2$ $\text{pT}3\text{pN}2$ $\text{pT}4\text{pN}2$ $\text{pT}1\text{pN}3$ $\text{pT}2\text{pN}3$ $\text{pT}3\text{pN}3$ $\text{pT}4\text{pN}3$. <i>Colorectal Disease</i> , 2008 , 10, 242-3	2.1	28
86	CT staging of colon cancer. <i>Clinical Radiology</i> , 2008 , 63, 1372-9	2.9	37
85	A systematic approach to the interpretation of preoperative staging MRI for rectal cancer. <i>American Journal of Roentgenology</i> , 2008 , 191, 1827-35	5.4	184
84	Accuracy of CT prediction of poor prognostic features in colonic cancer. <i>British Journal of Radiology</i> , 2008 , 81, 10-9	3.4	57
83	Pelvic phased-array MR imaging of anal carcinoma before and after chemoradiation. <i>British Journal of Radiology</i> , 2008 , 81, 91-8	3.4	47
82	MRI for detection of extramural vascular invasion in rectal cancer. <i>American Journal of Roentgenology</i> , 2008 , 191, 1517-22	5.4	130
81	The Relationship Between MR Demonstration of Extramural Venous Invasion and Nodal Disease in Rectal Cancer. <i>Clinical Medicine Oncology</i> , 2008 , 2, 267-73		28
80	Staging rectal cancer: endoscopic ultrasound and pelvic MRI. <i>Cancer Imaging</i> , 2008 , 8 Spec No A, S43-5	5.6	25
79	Successful downstaging of high rectal and recto-sigmoid cancer by neo-adjuvant chemo-radiotherapy. <i>Clinical Medicine Oncology</i> , 2008 , 2, 135-44		11
78	The use of ^{18}F -FDG PET/CT in colorectal liver metastases--comparison with CT and liver MRI. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2008 , 35, 1323-9	8.8	111
77	Prognostic significance of magnetic resonance imaging-detected extramural vascular invasion in rectal cancer. <i>British Journal of Surgery</i> , 2008 , 95, 229-36	5.3	277

76	Sites of surgical wasting in the abdominoperineal specimen. <i>British Journal of Surgery</i> , 2008 , 95, 1147-54	5.3	55
75	Evaluating mesorectal lymph nodes in rectal cancer before and after neoadjuvant chemoradiation using thin-section T2-weighted magnetic resonance imaging. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008 , 71, 456-61	4	105
74	Preoperative staging of rectal cancer. <i>Acta Oncologica</i> , 2008 , 47, 20-31	3.2	134
73	Detection of colorectal hepatic metastases using MnDPDP MR imaging and diffusion-weighted imaging (DWI) alone and in combination. <i>European Radiology</i> , 2008 , 18, 903-10	8	128
72	High-resolution MRI in evaluation of the surgical anatomy of the esophagus and posterior mediastinum. <i>American Journal of Roentgenology</i> , 2007 , 188, W37-43	5.4	39
71	Preoperative computed tomography staging of nonmetastatic colon cancer predicts outcome: implications for clinical trials. <i>British Journal of Cancer</i> , 2007 , 96, 1030-6	8.7	105
70	The appearances of oesophageal carcinoma demonstrated on high-resolution, T2-weighted MRI, with histopathological correlation. <i>European Radiology</i> , 2007 , 17, 391-9	8	67
69	Variations in pelvic dimensions do not predict the risk of circumferential resection margin (CRM) involvement in rectal cancer. <i>World Journal of Surgery</i> , 2007 , 31, 1313-20	3.3	36
68	Diagnostic accuracy of rim and segmental MRI enhancement of colorectal hepatic metastasis after administration of mangafodipir trisodium. <i>American Journal of Roentgenology</i> , 2007 , 188, W154-61	5.4	14
67	Non-operative treatment after neoadjuvant chemoradiotherapy for rectal cancer. <i>Lancet Oncology</i> , 2007 , 8, 625-33	21.7	173
66	Chemoradiotherapy alone for rectal cancer: a word of caution. <i>Lancet Oncology</i> , 2007 , 8, 862-863	21.7	1
65	Imaging of liver metastases (CT scan, MRI, PET scan). <i>European Journal of Cancer, Supplement</i> , 2007 , 5, 297-300	1.6	
64	A prospective study of oxaliplatin and capecitabine (CapOx) in metastatic colorectal cancer (MCRC) with baseline stratification according to resectability status. <i>Journal of Clinical Oncology</i> , 2007 , 25, 4024-4024	2.3	1
63	Nodal staging in rectal cancer. <i>Abdominal Imaging</i> , 2006 , 31, 652-9		34
62	Predictive poor prognostic factors in colonic carcinoma. <i>Surgical Oncology</i> , 2006 , 15, 71-8	2.5	20
61	Magnetic resonance imaging of the low rectum: defining the radiological anatomy. <i>Colorectal Disease</i> , 2006 , 8 Suppl 3, 10-3	2.1	57
60	Circumferential resection margin assessment on MRI of rectal cancer. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society</i> , 2006 , 2006, 4881-4		1
59	The development and optimization of high spatial resolution MRI for imaging the oesophagus using an external surface coil. <i>British Journal of Radiology</i> , 2006 , 79, 873-9	3.4	19

58	Potential of surface-coil MRI for staging of esophageal cancer. <i>American Journal of Roentgenology</i> , 2006 , 187, 1280-7	5.4	36
57	Multimodal Imaging Techniques for the Extraction of Detailed Geometrical and Physiological Information for Use in Multi-Scale Models of Colorectal Cancer and Treatment of Individual Patients. <i>Computational and Mathematical Methods in Medicine</i> , 2006 , 7, 177-188	2.8	6
56	Neoadjuvant capecitabine and oxaliplatin followed by synchronous chemoradiation and total mesorectal excision in magnetic resonance imaging-defined poor-risk rectal cancer. <i>Journal of Clinical Oncology</i> , 2006 , 24, 668-74	2.2	361
55	Clarifying margins in the multidisciplinary management of rectal cancer: the MERCURY experience. <i>Clinical Radiology</i> , 2006 , 61, 916-23	2.9	50
54	Magnetic resonance imaging pelvimetry in 186 patients with rectal cancer confirms an overlap in pelvic size between males and females. <i>Colorectal Disease</i> , 2006 , 8, 772-6	2.1	32
53	MRI directed multidisciplinary team preoperative treatment strategy: the way to eliminate positive circumferential margins?. <i>British Journal of Cancer</i> , 2006 , 94, 351-7	8.7	227
52	MRI identified prognostic features of tumors in distal sigmoid, rectosigmoid, and upper rectum: treatment with radiotherapy and chemotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2006 , 65, 445-51	4	46
51	Colorectal hepatic metastases: quantitative measurements using single-shot echo-planar diffusion-weighted MR imaging. <i>European Radiology</i> , 2006 , 16, 1898-905	8	110
50	MRI in predicting curative resection of rectal cancer: new dilemma in multidisciplinary team management. <i>BMJ, The</i> , 2006 , 333, 808	5.9	10
49	Capecitabine, oxaliplatin, radiotherapy, and excision (CORE) in patients with MRI-defined locally advanced rectal adenocarcinoma: Results of an international multicenter phase II study. <i>Journal of Clinical Oncology</i> , 2006 , 24, 3528-3528	2.2	38
48	Techniques and trouble-shooting in high spatial resolution thin slice MRI for rectal cancer. <i>British Journal of Radiology</i> , 2005 , 78, 245-51	3.4	115
47	MRI in Colorectal Surgery: Surface Magnetic Resonance Imaging in Anorectal Practice 2005 , 275-297		
46	Preoperative staging of rectal cancer: the MERCURY research project. <i>Recent Results in Cancer Research</i> , 2005 , 165, 58-74	1.5	82
45	Distribution of mesorectal lymph nodes in rectal cancer: in vivo MR imaging compared with histopathological examination. Initial observations. <i>European Radiology</i> , 2005 , 15, 1650-7	8	57
44	Thin section MRI in multidisciplinary pre-operative decision making for patients with rectal cancer. <i>British Journal of Radiology</i> , 2005 , 78 Spec No 2, S117-27	3.4	48
43	Preoperative radiotherapy for rectal cancer. <i>Journal of the Royal Society of Medicine</i> , 2004 , 97, 361-362	2.3	
42	Rectal cancer: mesorectal lymph nodes at MR imaging with USPIO versus histopathologic findings--initial observations. <i>Radiology</i> , 2004 , 231, 91-9	20.5	204
41	High-resolution MRI of the anatomy important in total mesorectal excision of the rectum. <i>American Journal of Roentgenology</i> , 2004 , 182, 431-9	5.4	170

40	Phase II study of irinotecan and 5-fluorouracil/leucovorin in patients with primary refractory or relapsed advanced oesophageal and gastric carcinoma. <i>Annals of Oncology</i> , 2004 , 15, 64-9	10.3	101
39	The value of routine serum carcino-embryonic antigen measurement and computed tomography in the surveillance of patients after adjuvant chemotherapy for colorectal cancer. <i>Journal of Clinical Oncology</i> , 2004 , 22, 1420-9	2.2	132
38	Effectiveness of preoperative staging in rectal cancer: digital rectal examination, endoluminal ultrasound or magnetic resonance imaging?. <i>British Journal of Cancer</i> , 2004 , 91, 23-9	8.7	163
37	Management and imaging of low rectal carcinoma. <i>Surgical Oncology</i> , 2004 , 13, 55-61	2.5	24
36	Optimal total mesorectal excision for rectal cancer is by dissection in front of DenonvilliersPfascia. <i>British Journal of Surgery</i> , 2004 , 91, 121-3	5.3	94
35	Local radiological staging of rectal cancer. <i>Clinical Radiology</i> , 2004 , 59, 213-4	2.9	9
34	Measurement of tumour size in case selection for breast cancer therapy by clinical assessment and ultrasound. <i>European Journal of Surgical Oncology</i> , 2004 , 30, 5-9	3.6	20
33	Evaluation of the role of MRI in staging rectal cancer within the multidisciplinary team setting. <i>Journal of Clinical Oncology</i> , 2004 , 22, 3611-3611	2.2	3
32	Evaluation of the role of MRI in staging rectal cancer within the multidisciplinary team setting. <i>Journal of Clinical Oncology</i> , 2004 , 22, 3611-3611	2.2	1
31	Neoadjuvant systemic fluorouracil and mitomycin C prior to synchronous chemoradiation is an effective strategy in locally advanced rectal cancer. <i>British Journal of Cancer</i> , 2003 , 88, 1017-24	8.7	68
30	Rapid access multidisciplinary lymph node diagnostic clinic: analysis of 550 patients. <i>British Journal of Cancer</i> , 2003 , 88, 354-61	8.7	81
29	Preoperative assessment of prognostic factors in rectal cancer using high-resolution magnetic resonance imaging. <i>British Journal of Surgery</i> , 2003 , 90, 355-64	5.3	527
28	Morphologic predictors of lymph node status in rectal cancer with use of high-spatial-resolution MR imaging with histopathologic comparison. <i>Radiology</i> , 2003 , 227, 371-7	20.5	613
27	Imaging of the liver in metastatic disease. <i>European Journal of Cancer, Supplement</i> , 2003 , 1, 159-171	1.6	1
26	CT detection of hydronephrosis in resected colorectal cancer: a predictor of recurrent disease. <i>Clinical Radiology</i> , 2003 , 58, 137-42	2.9	7
25	Diffusion MRI for prediction of response of rectal cancer to chemoradiation. <i>Lancet, The</i> , 2002 , 360, 307-8	4.0	392
24	A retrospective study comparing the individual modalities of triple assessment in the pre-operative diagnosis of invasive lobular breast carcinoma. <i>European Journal of Surgical Oncology</i> , 2002 , 28, 203-8	3.6	19
23	Endorectal ultrasound and magnetic resonance imaging in rectal cancer staging. <i>Gastroenterology Clinics of North America</i> , 2002 , 31, 827-39	4.4	39

22	Non-invasive methods of assessing angiogenesis and their value in predicting response to treatment in colorectal cancer. <i>British Journal of Surgery</i> , 2001 , 88, 1628-36	5.3	197
21	The use of ultrasound by breast surgeons in outpatients: an accurate extension of clinical diagnosis. <i>European Journal of Surgical Oncology</i> , 2001 , 27, 611-6	3.6	18
20	Will MRI provide maps of lines of excision for rectal cancer?. <i>Lancet, The</i> , 2001 , 357, 495-6	4.0	23
19	Rectal carcinoma: thin-section MR imaging for staging in 28 patients. <i>Radiology</i> , 1999 , 211, 215-22	20.5	369
18	The Potential of Tracer Kinetic Studies in Drug Development Programs: A New Investigational Area for Cancer Research. <i>Drug Information Journal</i> , 1997 , 31, 1045-1049		1
17	Inflammatory pseudotumours in children: CT and ultrasound appearances with histopathological correlation. <i>Clinical Radiology</i> , 1995 , 50, 782-6	2.9	15
16	The role of intravenous contrast enhancement in magnetic resonance imaging of prostatic carcinoma. <i>Clinical Radiology</i> , 1995 , 50, 601-6	2.9	74
15	Mediastinal widening--a valuable radiographic sign of superior vena cava thrombosis. <i>Clinical Radiology</i> , 1993 , 47, 415-20	2.9	5
14	The clinical presentation of colorectal cancer1-14		0
13	Pathology for the radiologist: pathological insights into colorectal cancer15-33		
12	CT staging157-173		
11	The surgical approach to colorectal cancer60-74		
10	Laparoscopic surgery75-96		
9	The changing role of endoluminal ultrasound in rectal cancer136-156		
8	Radiotherapy in colorectal cancer110-135		1
7	Patterns of recurrence following therapy for rectal cancer233-247		
6	MRI staging174-211		
5	Imaging of metastatic disease212-232		

4 Anus327-332

3 Colon and Rectum308-326

2 Anus327-332

1 Colon and rectum308-326

1