
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/351446/publications.pdf Version: 2024-02-01



LUCA GIORCI

#	Article	lF	CITATIONS
1	New fluorescent chemosensors for metal ions in solution. Coordination Chemistry Reviews, 2012, 256, 170-192.	9.5	619
2	New trends in platinum and palladium complexes as antineoplastic agents. Coordination Chemistry Reviews, 2016, 310, 41-79.	9.5	197
3	Purification and characterization of phycocyanin from the blue-green alga Aphanizomenon flos-aquaeâ~†. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2006, 833, 12-18.	1.2	87
4	Phosphates Sensing: Two Polyamino-Phenolic Zinc Receptors Able to Discriminate and Signal Phosphates in Water. Inorganic Chemistry, 2009, 48, 5901-5912.	1.9	87
5	Polynuclear metal complexes of ligands containing phenolic units. Coordination Chemistry Reviews, 2008, 252, 1121-1152.	9.5	85
6	2-n-Butyl-9-methyl-8-[1,2,3]triazol-2-yl-9H-purin-6-ylamine and Analogues as A2AAdenosine Receptor Antagonists. Design, Synthesis, and Pharmacological Characterization. Journal of Medicinal Chemistry, 2005, 48, 6887-6896.	2.9	81
7	Addition of Small Molecules by Zn(II) and Cu(II) Dinuclear Complexes Obtained by an Amino-Phenolic Ligand. Crystal Structures of the Dinuclear Zinc Complex Assembling Butanolate and Azide Anions. Inorganic Chemistry, 2001, 40, 6186-6192.	1.9	64
8	Ni(II), Cu(II), and Zn(II) Dinuclear Metal Complexes with an Azaâ^'Phenolic Ligand:Â Crystal Structures, Magnetic Properties, and Solution Studies. Inorganic Chemistry, 2003, 42, 348-357.	1.9	63
9	A New Macrocyclic Cryptand with Squaramide Moieties: An Overstructured Cull Complex That Selectively Binds Halides: Synthesis, Acid/Base- and Ligational Behavior, and Crystal Structures. Chemistry - A European Journal, 2007, 13, 702-712.	1.7	61
10	DNA binding and antiproliferative activity toward human carcinoma cells of copper(ii) and zinc(ii) complexes of a 2,5-diphenyl[1,3,4]oxadiazole derivative. Dalton Transactions, 2012, 41, 4389.	1.6	51
11	A Macrocyclic Ligand as Receptor and Zn ^{II} omplex Receptor for Anions in Water: Binding Properties and Crystal Structures. Chemistry - A European Journal, 2011, 17, 1670-1682.	1.7	50
12	Efficient Fluorescent Sensors Based on 2,5-Diphenyl[1,3,4]oxadiazole: A Case of Specific Response to Zn(II) at Physiological pH. Inorganic Chemistry, 2010, 49, 9940-9948.	1.9	46
13	A new versatile solvatochromic amino-macrocycle. From metal ions to cell sensing in solution and in the solid state. Chemical Communications, 2009, , 7039.	2.2	41
14	Oxidized Ultrashort Nanotubes as Carbon Scaffolds for the Construction of Cell-Penetrating NF-κB Decoy Molecules. ACS Nano, 2010, 4, 2791-2803.	7.3	38
15	Modulating the Sensor Response to Halide Using NBD-Based Azamacrocycles. Inorganic Chemistry, 2014, 53, 4560-4569.	1.9	36
16	Multiâ€Use NBDâ€Based Tetraâ€amino Macrocycle: Fluorescent Probe for Metals and Anions and Live Cell Marker. Chemistry - A European Journal, 2012, 18, 4274-4284.	1.7	33
17	Chemical sensors for rare earth metal ions. Coordination Chemistry Reviews, 2021, 429, 213639.	9.5	33
18	Anaerobic and aerobic complexation of Co(II) by a polyamine ditopic ligand containing the phenolic moiety. Inorganica Chimica Acta, 2001, 321, 153-161.	1.2	31

#	Article	IF	CITATIONS
19	Synthesis of a Large Amino-Phenolic Cage. Synthesis, Crystal Structures, and Acidâ^Base and Coordination Behavior toward Cations and Anions. Inorganic Chemistry, 2006, 45, 304-314.	1.9	31
20	A fluorescent ratiometric nanosized system for the determination of PdII in water. Chemical Communications, 2014, 50, 15259-15262.	2.2	27
21	PluS Nanoparticles as a tool to control the metal complex stoichiometry of a new thio-aza macrocyclic chemosensor for Ag(I) and Hg(II) in water. Sensors and Actuators B: Chemical, 2015, 207, 1035-1044.	4.0	27
22	New coumarin-urea based receptor for anions: a selective off–on fluorescence response to fluoride. Tetrahedron, 2012, 68, 3768-3775.	1.0	26
23	Molecular Switch Triggered by Solvent Polarity: Synthesis, Acid–Base Behavior, Alkali Metal Ion Complexation, and Crystal Structure. Chemistry - A European Journal, 2003, 9, 800-810.	1.7	25
24	Modulating the Mâ``M Distance in Dinuclear Complexes. New Ligand with a 2,2'-Biphenol Fragment as Key Unit:Â Synthesis, Coordination Behavior, and Crystal Structures of Cu(II) and Zn(II) Dinuclear Complexes. Inorganic Chemistry, 2007, 46, 309-320.	1.9	25
25	Synthesis of benzo[1,2-d;3,4-dâ€2]diimidazole and 1H-pyrazolo[4,3-b]pyridine as putative A2A receptor antagonists. Organic and Biomolecular Chemistry, 2007, 5, 2567.	1.5	24
26	Synthesis, Basicity, Structural Characterization, and Biochemical Properties of Two [(3-Hydroxy-4-pyron-2-yl)methyl]amine Derivatives Showing Antineoplastic Features Journal of Organic Chemistry, 2012, 77, 2207-2218.	1.7	24
27	A Fluorescent Sensor Array Based on Heteroatomic Macrocyclic Fluorophores for the Detection of Polluting Species in Natural Water Samples. Frontiers in Chemistry, 2018, 6, 258.	1.8	23
28	Coordination Behavior toward Copper(II) and Zinc(II) Ions of Three Ligands Joining 3-Hydroxy-2-pyridinone and Polyaza Fragments. Inorganic Chemistry, 2005, 44, 3249-3260.	1.9	21
29	Polynuclear Complexes: Two Aminoâ^'Phenol Macrocycles Spaced by Several Linear Polyamines; Synthesis, Binding Properties, and Crystal Structure. Inorganic Chemistry, 2009, 48, 10424-10434.	1.9	21
30	Direct Preparation of Unsymmetrical Difunctionalized Cyclen Derivatives by an Ugi Multicomponent Reaction. Organic Letters, 2009, 11, 417-420.	2.4	21
31	Two polyaminophenolic fluorescent chemosensors for H ⁺ and Zn(<scp>ii</scp>). Spectroscopic behaviour of free ligands and of their dinuclear Zn(<scp>ii</scp>) complexes. New Journal of Chemistry, 2009, 33, 171-180.	1.4	19
32	New family of polyamine macrocycles containing 2,5-diphenyl[1,3,4]oxadiazole as a signaling unit. Synthesis, acid–base and spectrophotometric properties. Organic and Biomolecular Chemistry, 2010, 8, 1471.	1.5	19
33	Dendrimers and Polyamino-Phenolic Ligands: Activity of New Molecules Against Legionella pneumophila Biofilms. Frontiers in Microbiology, 2016, 7, 289.	1.5	19
34	A Biphenol-Based Chemosensor for Zn ^{II} and Cd ^{II} Metal lons: Synthesis, Potentiometric Studies, and Crystal Structures. Inorganic Chemistry, 2016, 55, 7676-7687.	1.9	19
35	New ligand bearing preorganized binding side-arms interacting with ammonium cations: Synthesis, conformational studies and crystal structureElectronic supplementary information (ESI) available: molecular modeling studies. See http://www.rsc.org/suppdata/nj/b3/b306778e/. New Journal of Chemistry. 2003. 27. 1575.	1.4	17
36	Synthesis and coordination properties of new macrocyclic ligands: equilibrium studies and crystal structures. Dalton Transactions, 2004, , 3468.	1.6	17

#	Article	IF	CITATIONS
37	Di-maltol-polyamine ligands to form heterotrinuclear metal complexes: solid state, aqueous solution and magnetic characterization. Dalton Transactions, 2013, 42, 5848.	1.6	17
38	A Template Synthesis of Polyamine Macrocycles Containing the 1,1′-Bis(2-phenol) Function. European Journal of Organic Chemistry, 2002, 2002, 402-404.	1.2	16
39	A Preorganized Metalloreceptor for Alkaline Earth Ions Showing Calcium Versus Magnesium Selectivity in Water: Biological Activity of Selected Metal Complexes. Chemistry - A European Journal, 2014, 20, 11048-11057.	1.7	16
40	CdII/ZnIIdiscrimination using 2,5-diphenyl[1,3,4]oxadiazole based fluorescent chemosensors. New Journal of Chemistry, 2018, 42, 7869-7883.	1.4	16
41	Synthesis and study of three hydroxypyrazole-based ligands: A ratiometric fluorescent sensor for Zn(II). Journal of Luminescence, 2018, 195, 193-200.	1.5	16
42	Dinuclear Copper(II) Complex as Nitric Oxide Scavenger in a Stimulated Murine Macrophage Model. Bioconjugate Chemistry, 2003, 14, 1165-1170.	1.8	15
43	Pd II and Pt II complexes with a thio-aza macrocycle ligand containing an intercalating fragment: Structural and antitumor activity studies. Journal of Inorganic Biochemistry, 2016, 162, 154-161.	1.5	14
44	Two triaza-polyamine units linked together by different aromatic spacers, coordination properties towards metal cations of a new compartmental ligand. Polyhedron, 2002, 21, 1351-1356.	1.0	13
45	Macrocyclic ligands bearing two 3-(Hydroxy)-2-pyridinone moieties as side-arms. Conformational studies, synthesis, crystal structure, and alkali and alkaline earth complex formation. New Journal of Chemistry, 2004, 28, 1359.	1.4	13
46	An aza-macrocycle containing maltolic side-arms (maltonis) as potential drug against human pediatric sarcomas. BMC Cancer, 2014, 14, 137.	1.1	13
47	A New Benzoxazole-Based Fluorescent Macrocyclic Chemosensor for Optical Detection of Zn2+ and Cd2+. Chemosensors, 2022, 10, 188.	1.8	13
48	Heavy metal ion complexes with a simple phenolic ligand. Solid state and solution studies. Inorganica Chimica Acta, 2003, 356, 203-209.	1.2	12
49	A New Branched Phenanthroline Derivative Ligand:Â Synthesis, Solution Chemistry, and Crystal Structures of Copper(II) and Zinc(II) Complexes. Inorganic Chemistry, 2007, 46, 4737-4748.	1.9	12
50	Synthesis of new compartmental amino-phenolic ligands. Basicity, coordination properties towards Cu(II) and Zn(II) ions. A fluorescent chemosensor for H+ and Zn(II). Inorganica Chimica Acta, 2009, 362, 2667-2677.	1.2	12
51	Preorganizing binding side-arms on a cyclen scaffold: the choice of a suitable metal ion. Dalton Transactions, 2013, 42, 2902-2912.	1.6	12
52	Ligational Properties of Two New Phenolic Aza Cages towards Proton and Alkali Metal Ions â^' a Theoretical and an Experimental Approach. European Journal of Inorganic Chemistry, 2001, 2001, 1763-1774.	1.0	11
53	Synthesis, acid–base and coordination properties towards Cu(II), Zn(II), and Cd(II) ions of two new polyamino-phenolic ligands, including the crystal structure of a fully protonated ligand. Polyhedron, 2003, 22, 1135-1146.	1.0	11
54	N ₂ S ₂ pyridinophane-based fluorescent chemosensors for selective optical detection of Cd ²⁺ in soils. New Journal of Chemistry, 2020, 44, 20834-20852.	1.4	10

#	Article	IF	CITATIONS
55	Nitroxide Radicals Interacting with Polyamine-Phenolic Ligands and Their Metal Complexes. European Journal of Inorganic Chemistry, 2004, 2004, 2853-2860.	1.0	9
56	A family of polyamino phenolic macrocyclic ligands. Acid–base and coordination properties towards Co(II), Ni(II), Cu(II), Zn(II), Cd(II) and Pb(II) ions. Inorganica Chimica Acta, 2009, 362, 3709-3714.	1.2	9
57	Zn(<scp>ii</scp>) detection and biological activity of a macrocycle containing a bis(oxadiazole)pyridine derivative as fluorophore. Dalton Transactions, 2020, 49, 7496-7506.	1.6	9
58	A macrocyclic ligand able to bind gallium(iii) by preorganized pendant arms; coordination and kinetic studies. Dalton Transactions, 2005, , 485.	1.6	8
59	Characterization of a fluorescent 1,8-naphthalimide-functionalized PAMAM dendrimer and its Cu(ii) complexes as cytotoxic drugs: EPR and biological studies in myeloid tumor cells. Biological Chemistry, 2022, 403, 345-360.	1.2	8
60	Crystal Structure and Chemical Properties of Ni(II)–Zn(II) Hetero-Dinuclear Complex. Journal of Supramolecular Chemistry, 2002, 2, 301-303.	0.4	7
61	Short and straightforward synthesis of 1,7-dimethyl-1,4,7,10-tetraazacyclododecane. Tetrahedron Letters, 2010, 51, 3436-3438.	0.7	7
62	Photographic Detection of Cadmium(II) and Zinc(II) Ions. Procedia Engineering, 2016, 168, 346-350.	1.2	7
63	Playing with Structural Parameters: Synthesis and Characterization of Two New Maltol-Based Ligands with Binding and Antineoplastic Properties. Molecules, 2020, 25, 943.	1.7	7
64	Glyphosate and AMPA binding by two polyamino-phenolic ligands and their dinuclear Zn(II) complexes. Inorganica Chimica Acta, 2021, 519, 120261.	1.2	7
65	An enzyme-linked immunosorbent assay for the measurement of plasma flavonoids in mice fed apigenin-C -glycoside. Journal of the Science of Food and Agriculture, 2013, 93, 3087-3093.	1.7	6
66	Cobalt complexes able to bind dioxygen: Thermodynamic studies and DFT calculations. Inorganica Chimica Acta, 2014, 417, 230-238.	1.2	6
67	Fluorescent macrocyclic chemosensor for Zn(II) detection at alkaline pH values. Supramolecular Chemistry, 2020, 32, 139-149.	1.5	6
68	Synthesis, binding and fluorescence studies of a new neutral H-bonding receptor for anions based on 3,5-bis(trifluoromethyl)phenylurea. Supramolecular Chemistry, 2010, 22, 365-379.	1.5	5
69	Isolation and molecular identification of a strain belonging to the new species Zalaria obscura from a deteriorated wooden artwork. Brazilian Journal of Microbiology, 2020, 51, 1241-1246.	0.8	5
70	Neutral urea-based receptors for phosphates: synthesis and spectrophotometric studies. Tetrahedron, 2016, 72, 7039-7049.	1.0	4
71	Bis-maltol-polyamine family: structural modifications at strategic positions. Synthesis, coordination and antineoplastic activity of two new ligands. New Journal of Chemistry, 2021, 45, 2659-2669.	1.4	3
72	Structural insights into a versatile macrocyclic family based on 2,5-diphenyl[1,3,4]oxadiazole: a combined X-ray diffraction and computational study. Supramolecular Chemistry, 2017, 29, 896-911.	1.5	3

#	Article	IF	CITATIONS
73	A selective fluorescent probe for gadolinium ^{III} in water based on a Pd ^{II} -preorganized chromone-receptor. Dalton Transactions, 2021, 50, 15433-15440.	1.6	3
74	Selective Detection of Mg ²⁺ for Sensing Applications in Drinking Water. Chemistry - A European Journal, 2022, 28, .	1.7	3
75	Synthesis and characterization of a macrocycle containing different functional groups and its non-cyclic counterpart. Inorganica Chimica Acta, 2001, 318, 152-158.	1.2	2
76	N,N′-bis[(3-hydroxy-4(4H)-oxypyran-2-yl)methyl]-N,N′-dimethylethylene-1,2-diammonium tetrachloridoplatinate(II) dihydrate. Acta Crystallographica Section E: Structure Reports Online, 2012, 68, m1323-m1324.	0.2	2
77	Heteroâ€Tetranuclear Cu 2+ /Ca 2+ /Ca 2+ /Cu 2+ Architectures Based On Malten Ligand: Scaffold for Anion Binding. ChemPlusChem, 2020, 85, 1179-1189.	1.3	2
78	Synthesis and biological characterization of a new fluorescent probe for vesicular trafficking based on polyazamacrocycle derivative. Biological Chemistry, 2021, 402, 1225-1237.	1.2	2
79	Crystal structure of the Ba ^{II} -based Co ^{II} -containing one-dimensional coordination polymer poly[[aqua{μ ₄ -2,2′-[(4,10-dimethyl-1,4,7,10-tetraazacyclododecane-1,7-diyl)bis(methylidene)] perchlorate]. Acta Crystallographica Section E: Crystallographic Communications. 2017. 73. 1806-1811.	bis <mark>(4</mark> -oxo-	4< <mark>7</mark> >H-pyr
	Crystal structure of bis{μ2-2_2â€2-[(4,10-dimethyl-1,4,7,10-tetraazacyclododecane-1,7-diyl)bis(methylene)]bis(4-oxo-4H-pyran-3-ol	ato)}dicoł	baltcalcium

bis{î¼2-2,2â€2-[(4,10-dimethyl-1,4,7,10-tetraazacyclododecane-1,7-diyl)bis(methylene)]bis(4-oxo-4H-pyran-3-olato)}dicobaltcalcium
bis(perchlorate) 1.36-hydrate. Acta Crystallographica Section E: Crystallographic Communications, 2017, 73, 1959-1965.