

Luca Giorgi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/351446/publications.pdf>

Version: 2024-02-01

80
papers

2,483
citations

257101

24
h-index

205818

48
g-index

80
all docs

80
docs citations

80
times ranked

3381
citing authors

#	ARTICLE	IF	CITATIONS
1	Characterization of a fluorescent 1,8-naphthalimide-functionalized PAMAM dendrimer and its Cu(ii) complexes as cytotoxic drugs: EPR and biological studies in myeloid tumor cells. <i>Biological Chemistry</i> , 2022, 403, 345-360.	1.2	8
2	A New Benzoxazole-Based Fluorescent Macrocyclic Chemosensor for Optical Detection of Zn ²⁺ and Cd ²⁺ . <i>Chemosensors</i> , 2022, 10, 188.	1.8	13
3	Selective Detection of Mg ²⁺ for Sensing Applications in Drinking Water. <i>Chemistry - A European Journal</i> , 2022, 28, .	1.7	3
4	Chemical sensors for rare earth metal ions. <i>Coordination Chemistry Reviews</i> , 2021, 429, 213639.	9.5	33
5	Glyphosate and AMPA binding by two polyamino-phenolic ligands and their dinuclear Zn(II) complexes. <i>Inorganica Chimica Acta</i> , 2021, 519, 120261.	1.2	7
6	Synthesis and biological characterization of a new fluorescent probe for vesicular trafficking based on polyazamacrocycle derivative. <i>Biological Chemistry</i> , 2021, 402, 1225-1237.	1.2	2
7	Bis-maltol-polyamine family: structural modifications at strategic positions. Synthesis, coordination and antineoplastic activity of two new ligands. <i>New Journal of Chemistry</i> , 2021, 45, 2659-2669.	1.4	3
8	A selective fluorescent probe for gadolinium ^{III} in water based on a Pd ^{II} -preorganized chromone-receptor. <i>Dalton Transactions</i> , 2021, 50, 15433-15440.	1.6	3
9	N ₂ S ₂ pyridinophane-based fluorescent chemosensors for selective optical detection of Cd ²⁺ in soils. <i>New Journal of Chemistry</i> , 2020, 44, 20834-20852.	1.4	10
10	Zn(II) detection and biological activity of a macrocycle containing a bis(oxadiazole)pyridine derivative as fluorophore. <i>Dalton Transactions</i> , 2020, 49, 7496-7506.	1.6	9
11	Hetero-tetranuclear Cu ²⁺ /Ca ²⁺ /Cu ²⁺ Architectures Based On Malten Ligand: Scaffold for Anion Binding. <i>ChemPlusChem</i> , 2020, 85, 1179-1189.	1.3	2
12	Isolation and molecular identification of a strain belonging to the new species <i>Zalaria obscura</i> from a deteriorated wooden artwork. <i>Brazilian Journal of Microbiology</i> , 2020, 51, 1241-1246.	0.8	5
13	Playing with Structural Parameters: Synthesis and Characterization of Two New Maltol-Based Ligands with Binding and Antineoplastic Properties. <i>Molecules</i> , 2020, 25, 943.	1.7	7
14	Fluorescent macrocyclic chemosensor for Zn(II) detection at alkaline pH values. <i>Supramolecular Chemistry</i> , 2020, 32, 139-149.	1.5	6
15	Cd(II)/Zn(II) discrimination using 2,5-diphenyl[1,3,4]oxadiazole based fluorescent chemosensors. <i>New Journal of Chemistry</i> , 2018, 42, 7869-7883.	1.4	16
16	Synthesis and study of three hydroxypyrazole-based ligands: A ratiometric fluorescent sensor for Zn(II). <i>Journal of Luminescence</i> , 2018, 195, 193-200.	1.5	16
17	A Fluorescent Sensor Array Based on Heteroatomic Macrocyclic Fluorophores for the Detection of Polluting Species in Natural Water Samples. <i>Frontiers in Chemistry</i> , 2018, 6, 258.	1.8	23
18	Structural insights into a versatile macrocyclic family based on 2,5-diphenyl[1,3,4]oxadiazole: a combined X-ray diffraction and computational study. <i>Supramolecular Chemistry</i> , 2017, 29, 896-911.	1.5	3

#	ARTICLE	IF	CITATIONS
19	Crystal structure of the Ba ^{II} -based Co ^{II} -containing one-dimensional coordination polymer poly[[aqua ₄ -2,2'-[(4,10-dimethyl-1,4,7,10-tetraazacyclododecane-1,7-diyl)bis(methylidene)]bis(4-oxo-4H-pyridin-3-olato)] ₂ perchlorate]. Acta Crystallographica Section E: Crystallographic Communications, 2017, 73, 1806-1811.	0.2	2
20	Crystal structure of bis{[1/2-2,2'-[(4,10-dimethyl-1,4,7,10-tetraazacyclododecane-1,7-diyl)bis(methylene)]bis(4-oxo-4H-pyran-3-olato)] ₂ dicobaltcalcium bis(perchlorate) 1.36-hydrate. Acta Crystallographica Section E: Crystallographic Communications, 2017, 73, 1959-1965.	0.2	1
21	Dendrimers and Polyamino-Phenolic Ligands: Activity of New Molecules Against Legionella pneumophila Biofilms. Frontiers in Microbiology, 2016, 7, 289.	1.5	19
22	Pd II and Pt II complexes with a thio-aza macrocycle ligand containing an intercalating fragment: Structural and antitumor activity studies. Journal of Inorganic Biochemistry, 2016, 162, 154-161.	1.5	14
23	Photographic Detection of Cadmium(II) and Zinc(II) Ions. Procedia Engineering, 2016, 168, 346-350.	1.2	7
24	Neutral urea-based receptors for phosphates: synthesis and spectrophotometric studies. Tetrahedron, 2016, 72, 7039-7049.	1.0	4
25	A Biphenol-Based Chemosensor for Zn ^{II} and Cd ^{II} Metal Ions: Synthesis, Potentiometric Studies, and Crystal Structures. Inorganic Chemistry, 2016, 55, 7676-7687.	1.9	19
26	New trends in platinum and palladium complexes as antineoplastic agents. Coordination Chemistry Reviews, 2016, 310, 41-79.	9.5	197
27	PluS Nanoparticles as a tool to control the metal complex stoichiometry of a new thio-aza macrocyclic chemosensor for Ag(I) and Hg(II) in water. Sensors and Actuators B: Chemical, 2015, 207, 1035-1044.	4.0	27
28	A fluorescent ratiometric nanosized system for the determination of PdII in water. Chemical Communications, 2014, 50, 15259-15262.	2.2	27
29	Cobalt complexes able to bind dioxygen: Thermodynamic studies and DFT calculations. Inorganica Chimica Acta, 2014, 417, 230-238.	1.2	6
30	A Preorganized Metalloreceptor for Alkaline Earth Ions Showing Calcium Versus Magnesium Selectivity in Water: Biological Activity of Selected Metal Complexes. Chemistry - A European Journal, 2014, 20, 11048-11057.	1.7	16
31	An aza-macrocycle containing maltolic side-arms (maltonis) as potential drug against human pediatric sarcomas. BMC Cancer, 2014, 14, 137.	1.1	13
32	Modulating the Sensor Response to Halide Using NBD-Based Azamacrocycles. Inorganic Chemistry, 2014, 53, 4560-4569.	1.9	36
33	Preorganizing binding side-arms on a cyclen scaffold: the choice of a suitable metal ion. Dalton Transactions, 2013, 42, 2902-2912.	1.6	12
34	Di-maltol-polyamine ligands to form heterotrinnuclear metal complexes: solid state, aqueous solution and magnetic characterization. Dalton Transactions, 2013, 42, 5848.	1.6	17
35	An enzyme-linked immunosorbent assay for the measurement of plasma flavonoids in mice fed apigenin-C-glycoside. Journal of the Science of Food and Agriculture, 2013, 93, 3087-3093.	1.7	6
36	N,N'-bis[(3-hydroxy-4(4H)-oxypyran-2-yl)methyl]-N,N'-dimethylethylene-1,2-diammonium tetrachloridoplatinate(II) dihydrate. Acta Crystallographica Section E: Structure Reports Online, 2012, 68, m1323-m1324.	0.2	2

#	ARTICLE	IF	CITATIONS
37	Synthesis, Basicity, Structural Characterization, and Biochemical Properties of Two [(3-Hydroxy-4-pyron-2-yl)methyl]amine Derivatives Showing Antineoplastic Features.. Journal of Organic Chemistry, 2012, 77, 2207-2218.	1.7	24
38	DNA binding and antiproliferative activity toward human carcinoma cells of copper(ii) and zinc(ii) complexes of a 2,5-diphenyl[1,3,4]oxadiazole derivative. Dalton Transactions, 2012, 41, 4389.	1.6	51
39	Multi-Use NBD-Based Tetra-Amino Macrocycle: Fluorescent Probe for Metals and Anions and Live Cell Marker. Chemistry - A European Journal, 2012, 18, 4274-4284.	1.7	33
40	New fluorescent chemosensors for metal ions in solution. Coordination Chemistry Reviews, 2012, 256, 170-192.	9.5	619
41	New coumarin-urea based receptor for anions: a selective off-on fluorescence response to fluoride. Tetrahedron, 2012, 68, 3768-3775.	1.0	26
42	A Macrocyclic Ligand as Receptor and Zn ^{II} -Complex Receptor for Anions in Water: Binding Properties and Crystal Structures. Chemistry - A European Journal, 2011, 17, 1670-1682.	1.7	50
43	Short and straightforward synthesis of 1,7-dimethyl-1,4,7,10-tetraazacyclododecane. Tetrahedron Letters, 2010, 51, 3436-3438.	0.7	7
44	Synthesis, binding and fluorescence studies of a new neutral H-bonding receptor for anions based on 3,5-bis(trifluoromethyl)phenylurea. Supramolecular Chemistry, 2010, 22, 365-379.	1.5	5
45	Efficient Fluorescent Sensors Based on 2,5-Diphenyl[1,3,4]oxadiazole: A Case of Specific Response to Zn(II) at Physiological pH. Inorganic Chemistry, 2010, 49, 9940-9948.	1.9	46
46	Oxidized Ultrashort Nanotubes as Carbon Scaffolds for the Construction of Cell-Penetrating NF- κ B Decoy Molecules. ACS Nano, 2010, 4, 2791-2803.	7.3	38
47	New family of polyamine macrocycles containing 2,5-diphenyl[1,3,4]oxadiazole as a signaling unit. Synthesis, acid-base and spectrophotometric properties. Organic and Biomolecular Chemistry, 2010, 8, 1471.	1.5	19
48	A family of polyamino phenolic macrocyclic ligands. Acid-base and coordination properties towards Co(II), Ni(II), Cu(II), Zn(II), Cd(II) and Pb(II) ions. Inorganica Chimica Acta, 2009, 362, 3709-3714.	1.2	9
49	Phosphates Sensing: Two Polyamino-Phenolic Zinc Receptors Able to Discriminate and Signal Phosphates in Water. Inorganic Chemistry, 2009, 48, 5901-5912.	1.9	87
50	Polynuclear Complexes: Two Amino-Phenol Macrocycles Spaced by Several Linear Polyamines; Synthesis, Binding Properties, and Crystal Structure. Inorganic Chemistry, 2009, 48, 10424-10434.	1.9	21
51	Direct Preparation of Unsymmetrical Difunctionalized Cyclen Derivatives by an Ugi Multicomponent Reaction. Organic Letters, 2009, 11, 417-420.	2.4	21
52	Two polyaminophenolic fluorescent chemosensors for H ⁺ and Zn(II). Spectroscopic behaviour of free ligands and of their dinuclear Zn(II) complexes. New Journal of Chemistry, 2009, 33, 171-180.	1.4	19
53	A new versatile solvatochromic amino-macrocycle. From metal ions to cell sensing in solution and in the solid state. Chemical Communications, 2009, , 7039.	2.2	41
54	Synthesis of new compartmental amino-phenolic ligands. Basicity, coordination properties towards Cu(II) and Zn(II) ions. A fluorescent chemosensor for H ⁺ and Zn(II). Inorganica Chimica Acta, 2009, 362, 2667-2677.	1.2	12

#	ARTICLE	IF	CITATIONS
55	Polynuclear metal complexes of ligands containing phenolic units. <i>Coordination Chemistry Reviews</i> , 2008, 252, 1121-1152.	9.5	85
56	Modulating the M-M Distance in Dinuclear Complexes. New Ligand with a 2,2'-Biphenol Fragment as Key Unit: Synthesis, Coordination Behavior, and Crystal Structures of Cu(II) and Zn(II) Dinuclear Complexes. <i>Inorganic Chemistry</i> , 2007, 46, 309-320.	1.9	25
57	A New Branched Phenanthroline Derivative Ligand: Synthesis, Solution Chemistry, and Crystal Structures of Copper(II) and Zinc(II) Complexes. <i>Inorganic Chemistry</i> , 2007, 46, 4737-4748.	1.9	12
58	A New Macrocyclic Cryptand with Squaramide Moieties: An Overstructured CuI Complex That Selectively Binds Halides: Synthesis, Acid/Base- and Ligational Behavior, and Crystal Structures. <i>Chemistry - A European Journal</i> , 2007, 13, 702-712.	1.7	61
59	Synthesis of benzo[1,2-d;3,4-d']diimidazole and 1H-pyrazolo[4,3-b]pyridine as putative A2A receptor antagonists. <i>Organic and Biomolecular Chemistry</i> , 2007, 5, 2567.	1.5	24
60	Synthesis of a Large Amino-Phenolic Cage. Synthesis, Crystal Structures, and Acid-Base and Coordination Behavior toward Cations and Anions. <i>Inorganic Chemistry</i> , 2006, 45, 304-314.	1.9	31
61	Purification and characterization of phycocyanin from the blue-green alga <i>Aphanizomenon flos-aquae</i> . <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2006, 833, 12-18.	1.2	87
62	2-n-Butyl-9-methyl-8-[1,2,3]triazol-2-yl-9H-purin-6-ylamine and Analogues as A2A Adenosine Receptor Antagonists. Design, Synthesis, and Pharmacological Characterization. <i>Journal of Medicinal Chemistry</i> , 2005, 48, 6887-6896.	2.9	81
63	Coordination Behavior toward Copper(II) and Zinc(II) Ions of Three Ligands Joining 3-Hydroxy-2-pyridinone and Polyaza Fragments. <i>Inorganic Chemistry</i> , 2005, 44, 3249-3260.	1.9	21
64	A macrocyclic ligand able to bind gallium(III) by preorganized pendant arms; coordination and kinetic studies. <i>Dalton Transactions</i> , 2005, , 485.	1.6	8
65	Nitroxide Radicals Interacting with Polyamine-Phenolic Ligands and Their Metal Complexes. <i>European Journal of Inorganic Chemistry</i> , 2004, 2004, 2853-2860.	1.0	9
66	Synthesis and coordination properties of new macrocyclic ligands: equilibrium studies and crystal structures. <i>Dalton Transactions</i> , 2004, , 3468.	1.6	17
67	Macrocyclic ligands bearing two 3-(Hydroxy)-2-pyridinone moieties as side-arms. Conformational studies, synthesis, crystal structure, and alkali and alkaline earth complex formation. <i>New Journal of Chemistry</i> , 2004, 28, 1359.	1.4	13
68	Molecular Switch Triggered by Solvent Polarity: Synthesis, Acid-Base Behavior, Alkali Metal Ion Complexation, and Crystal Structure. <i>Chemistry - A European Journal</i> , 2003, 9, 800-810.	1.7	25
69	Heavy metal ion complexes with a simple phenolic ligand. Solid state and solution studies. <i>Inorganica Chimica Acta</i> , 2003, 356, 203-209.	1.2	12
70	Synthesis, acid-base and coordination properties towards Cu(II), Zn(II), and Cd(II) ions of two new polyamino-phenolic ligands, including the crystal structure of a fully protonated ligand. <i>Polyhedron</i> , 2003, 22, 1135-1146.	1.0	11
71	Dinuclear Copper(II) Complex as Nitric Oxide Scavenger in a Stimulated Murine Macrophage Model. <i>Bioconjugate Chemistry</i> , 2003, 14, 1165-1170.	1.8	15
72	New ligand bearing preorganized binding side-arms interacting with ammonium cations: Synthesis, conformational studies and crystal structure. Electronic supplementary information (ESI) available: molecular modeling studies. See http://www.rsc.org/suppdata/nj/b3/b306778e/ . <i>New Journal of Chemistry</i> , 2003, 27, 1575.	1.4	17

#	ARTICLE	IF	CITATIONS
73	Ni(II), Cu(II), and Zn(II) Dinuclear Metal Complexes with an Aza-Phenolic Ligand: Crystal Structures, Magnetic Properties, and Solution Studies. <i>Inorganic Chemistry</i> , 2003, 42, 348-357.	1.9	63
74	A Template Synthesis of Polyamine Macrocycles Containing the 1,1-Bis(2-phenol) Function. <i>European Journal of Organic Chemistry</i> , 2002, 2002, 402-404.	1.2	16
75	Crystal Structure and Chemical Properties of Ni(II)-Zn(II) Hetero-Dinuclear Complex. <i>Journal of Supramolecular Chemistry</i> , 2002, 2, 301-303.	0.4	7
76	Two triaza-polyamine units linked together by different aromatic spacers, coordination properties towards metal cations of a new compartmental ligand. <i>Polyhedron</i> , 2002, 21, 1351-1356.	1.0	13
77	Addition of Small Molecules by Zn(II) and Cu(II) Dinuclear Complexes Obtained by an Amino-Phenolic Ligand. Crystal Structures of the Dinuclear Zinc Complex Assembling Butanolate and Azide Anions. <i>Inorganic Chemistry</i> , 2001, 40, 6186-6192.	1.9	64
78	Ligational Properties of Two New Phenolic Aza Cages towards Proton and Alkali Metal Ions: a Theoretical and an Experimental Approach. <i>European Journal of Inorganic Chemistry</i> , 2001, 2001, 1763-1774.	1.0	11
79	Anaerobic and aerobic complexation of Co(II) by a polyamine ditopic ligand containing the phenolic moiety. <i>Inorganica Chimica Acta</i> , 2001, 321, 153-161.	1.2	31
80	Synthesis and characterization of a macrocycle containing different functional groups and its non-cyclic counterpart. <i>Inorganica Chimica Acta</i> , 2001, 318, 152-158.	1.2	2