

Nadine Bouby

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3515304/nadine-bouby-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

96
papers

3,380
citations

36
h-index

55
g-index

104
ext. papers

3,788
ext. citations

6
avg, IF

4.91
L-index

#	Paper	IF	Citations
96	Kinins and Kinin Receptors in Cardiovascular and Renal Diseases. <i>Pharmaceuticals</i> , 2021 , 14,	5.2	3
95	Characterization of a functional V vasopressin receptor in the male rat kidney: evidence for cross talk between V and V receptor signaling pathways. <i>American Journal of Physiology - Renal Physiology</i> , 2021 , 321, F305-F321	4.3	2
94	Medullary and cortical thick ascending limb: similarities and differences. <i>American Journal of Physiology - Renal Physiology</i> , 2020 , 318, F422-F442	4.3	11
93	Distinct Postprandial Bile Acids Responses to a High-Calorie Diet in Men Volunteers Underscore Metabolically Healthy and Unhealthy Phenotypes. <i>Nutrients</i> , 2020 , 12,	6.7	1
92	Kallikrein/K1, Kinins, and ACE/Kininase II in Homeostasis and in Disease Insight From Human and Experimental Genetic Studies, Therapeutic Implication. <i>Frontiers in Medicine</i> , 2019 , 6, 136	4.9	13
91	Effects of hydration on plasma copeptin, glycemia and gluco-regulatory hormones: a water intervention in humans. <i>European Journal of Nutrition</i> , 2019 , 58, 315-324	5.2	28
90	Renal potassium handling in carriers of the Gly40Ser mutation of the glucagon receptor suggests a role for glucagon in potassium homeostasis. <i>Physiological Reports</i> , 2018 , 6, e13661	2.6	1
89	Improved protocols for the study of urinary electrolyte excretion and blood pressure in rodents: use of gel food and stepwise changes in diet composition. <i>American Journal of Physiology - Renal Physiology</i> , 2018 , 314, F1129-F1137	4.3	3
88	Plasma copeptin and chronic kidney disease risk in 3 European cohorts from the general population. <i>JCI Insight</i> , 2018 , 3,	9.9	20
87	Glucagon revisited: Coordinated actions on the liver and kidney. <i>Diabetes Research and Clinical Practice</i> , 2018 , 146, 119-129	7.4	6
86	Genetically increased angiotensin I-converting enzyme alters peripheral and renal vascular reactivity to angiotensin II and bradykinin in mice. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2018 , 314, H350-H358	5.2	5
85	Acute and chronic hyperglycemic effects of vasopressin in normal rats: involvement of V receptors. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2017 , 312, E127-E135	6	25
84	Antagonism of vasopressin V2 receptor improves albuminuria at the early stage of diabetic nephropathy in a mouse model of type 2 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2017 , 31, 929-932	3.2	13
83	Neuroprotective effect of kinin B1 receptor activation in acute cerebral ischemia in diabetic mice. <i>Scientific Reports</i> , 2017 , 7, 9410	4.9	8
82	Vasopressin and metabolic disorders: translation from experimental models to clinical use. <i>Journal of Internal Medicine</i> , 2017 , 282, 298-309	10.8	29
81	Relationship between Sodium Intake and Water Intake: The False and the True. <i>Annals of Nutrition and Metabolism</i> , 2017 , 70 Suppl 1, 51-61	4.5	15
80	Improvement of skin wound healing in diabetic mice by kinin B2 receptor blockade. <i>Clinical Science</i> , 2016 , 130, 45-56	6.5	16

79	Hydration and Chronic Kidney Disease Progression: A Critical Review of the Evidence. <i>American Journal of Nephrology</i> , 2016 , 43, 281-92	4.6	76
78	Kallikrein(K1)-kinin-kininase (ACE) and end-organ damage in ischemia and diabetes: therapeutic implications. <i>Biological Chemistry</i> , 2016 , 397, 1217-1222	4.5	2
77	Glucagon actions on the kidney revisited: possible role in potassium homeostasis. <i>American Journal of Physiology - Renal Physiology</i> , 2016 , 311, F469-86	4.3	15
76	Plasma Copeptin, AVP Gene Variants, and Incidence of Type 2 Diabetes in a Cohort From the Community. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 2432-9	5.6	52
75	Plasma Copeptin, Kidney Outcomes, Ischemic Heart Disease, and All-Cause Mortality in People With Long-standing Type 1 Diabetes. <i>Diabetes Care</i> , 2016 , 39, 2288-2295	14.6	41
74	Urine Osmolarity and Risk of Dialysis Initiation in a CKD Cohort. <i>Annals of Nutrition and Metabolism</i> , 2015 , 66 Suppl 3, 14-7	4.5	1
73	Vasopressin and hydration play a major role in the development of glucose intolerance and hepatic steatosis in obese rats. <i>Diabetologia</i> , 2015 , 58, 1081-90	10.3	58
72	Plasma Adrenomedullin and Allelic Variation in the ADM Gene and Kidney Disease in People With Type 2 Diabetes. <i>Diabetes</i> , 2015 , 64, 3262-72	0.9	7
71	Protein- and diabetes-induced glomerular hyperfiltration: role of glucagon, vasopressin, and urea. <i>American Journal of Physiology - Renal Physiology</i> , 2015 , 309, F2-23	4.3	65
70	Kinin receptor agonism restores hindlimb postischemic neovascularization capacity in diabetic mice. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2015 , 352, 218-26	4.7	17
69	Plasma Copeptin and Decline in Renal Function in a Cohort from the Community: The Prospective D.E.S.I.R. Study. <i>American Journal of Nephrology</i> , 2015 , 42, 107-14	4.6	28
68	Tissue kallikrein deficiency, insulin resistance, and diabetes in mouse and man. <i>Journal of Endocrinology</i> , 2014 , 221, 297-308	4.7	4
67	Hydration and kidney health. <i>Obesity Facts</i> , 2014 , 7 Suppl 2, 19-32	5.1	3
66	Apelin counteracts vasopressin-induced water reabsorption via cross talk between apelin and vasopressin receptor signaling pathways in the rat collecting duct. <i>Endocrinology</i> , 2014 , 155, 4483-93	4.8	42
65	Comparison between copeptin and vasopressin in a population from the community and in people with chronic kidney disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, 4656-63	5.6	87
64	Cardioprotective effect of VEGF and venom VEGF-like protein in acute myocardial ischemia in mice: effect on mitochondrial function. <i>Journal of Cardiovascular Pharmacology</i> , 2014 , 63, 274-81	3.1	13
63	Genetic manipulation and genetic variation of the kallikrein-kinin system: impact on cardiovascular and renal diseases. <i>Progress in Drug Research Fortschritte Der Arzneimittelforschung Progres Des Recherches Pharmaceutiques</i> , 2014 , 69, 145-96		7
62	Protection of Wistar-Furth rats against postischaemic acute renal injury: role for nitric oxide and thromboxane?. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2014 , 41, 911-20	3	4

61	Selective kinin receptor agonists as cardioprotective agents in myocardial ischemia and diabetes. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2013 , 346, 23-30	4.7	45
60	Vasopressin: a novel target for the prevention and retardation of kidney disease?. <i>Nature Reviews Nephrology</i> , 2013 , 9, 223-39	14.9	139
59	Tissue kallikrein, blood pressure regulation, and hypertension: insight from genetic kallikrein deficiency. <i>Biological Chemistry</i> , 2013 , 394, 329-33	4.5	11
58	Copeptin, a marker of vasopressin, in abdominal obesity, diabetes and microalbuminuria: the prospective MalmDiet and Cancer Study cardiovascular cohort. <i>International Journal of Obesity</i> , 2013 , 37, 598-603	5.5	128
57	Plasma copeptin and renal outcomes in patients with type 2 diabetes and albuminuria. <i>Diabetes Care</i> , 2013 , 36, 3639-45	14.6	59
56	Pathophysiology of genetic deficiency in tissue kallikrein activity in mouse and man. <i>Thrombosis and Haemostasis</i> , 2013 , 110, 476-83	7	21
55	Synthesis and fragmentation of hyaluronan in renal ischaemia. <i>Nephrology Dialysis Transplantation</i> , 2012 , 27, 3771-81	4.3	24
54	Antihypertensive role of tissue kallikrein in hyperaldosteronism in the mouse. <i>Endocrinology</i> , 2012 , 153, 3886-96	4.8	16
53	Low water intake and risk for new-onset hyperglycemia. <i>Diabetes Care</i> , 2011 , 34, 2551-4	14.6	103
52	Kinins as therapeutic agents in cardiovascular and renal diseases. <i>Current Pharmaceutical Design</i> , 2011 , 17, 2654-62	3.3	20
51	Reduced insulin secretion and nocturnal dipping of blood pressure are associated with a disturbed circadian pattern of urine excretion in metabolic syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, E929-33	5.6	9
50	Genetically determined angiotensin converting enzyme level and myocardial tolerance to ischemia. <i>FASEB Journal</i> , 2010 , 24, 4691-700	0.9	19
49	Multiple cross talk between angiotensin II, bradykinin, and insulin signaling in the cortical thick ascending limb of rat kidney. <i>Endocrinology</i> , 2010 , 151, 3181-94	4.8	8
48	Vasopressin V2 receptors, ENaC, and sodium reabsorption: a risk factor for hypertension?. <i>American Journal of Physiology - Renal Physiology</i> , 2010 , 299, F917-28	4.3	82
47	Genetically determined angiotensin converting enzyme level and myocardial tolerance to ischemia. <i>FASEB Journal</i> , 2010 , 24, 4691-4700	0.9	3
46	Kallikrein protects against microalbuminuria in experimental type I diabetes. <i>Kidney International</i> , 2009 , 76, 395-403	9.9	45
45	Genetic deficiency in tissue kallikrein activity in mouse and man: effect on arteries, heart and kidney. <i>Biological Chemistry</i> , 2008 , 389, 701-6	4.5	12
44	Sodium excretion in response to vasopressin and selective vasopressin receptor antagonists. <i>Journal of the American Society of Nephrology: JASN</i> , 2008 , 19, 1721-31	12.7	75

43	Effect of apelin on glomerular hemodynamic function in the rat kidney. <i>Kidney International</i> , 2008 , 74, 486-94	9.9	93
42	Sex difference in urine concentration across differing ages, sodium intake, and level of kidney disease. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2007 , 292, R700-5	3.2	125
41	Murine models of myocardial and limb ischemia: diagnostic end-points and relevance to clinical problems. <i>Vascular Pharmacology</i> , 2006 , 45, 281-301	5.9	41
40	Renal cortical regulation of COX-1 and functionally related products in early renovascular hypertension (rat). <i>American Journal of Physiology - Renal Physiology</i> , 2006 , 291, F987-94	4.3	11
39	Long-term effects of vasopressin on the subcellular localization of ENaC in the renal collecting system. <i>Kidney International</i> , 2006 , 69, 1024-32	9.9	38
38	Differential regulation of angiotensin II receptors during renal injury and compensatory hypertrophy in the rat. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2005 , 32, 241-8	3	9
37	Vasopressin-V2 receptor stimulation reduces sodium excretion in healthy humans. <i>Journal of the American Society of Nephrology: JASN</i> , 2005 , 16, 1920-8	12.7	97
36	ARE RACIAL DIFFERENCES IN SODIUM AND WATER HANDLING AT NIGHT RELATED TO DIFFERENCES IN THE SUSCEPTIBILITY TO HYPERTENSION?. <i>Journal of Hypertension</i> , 2004 , 22, S216-S217 ¹⁻⁹		
35	Diabetes-induced albuminuria: role of antidiuretic hormone as revealed by chronic V2 receptor antagonism in rats. <i>Nephrology Dialysis Transplantation</i> , 2003 , 18, 1755-63	4.3	59
34	Vasopressin increases urinary albumin excretion in rats and humans: involvement of V2 receptors and the renin-angiotensin system. <i>Nephrology Dialysis Transplantation</i> , 2003 , 18, 497-506	4.3	101
33	Mild dehydration, vasopressin and the kidney: animal and human studies. <i>European Journal of Clinical Nutrition</i> , 2003 , 57 Suppl 2, S39-46	5.2	39
32	Effect of salt and water intake on epithelial sodium channel mRNA abundance in the kidney of salt-sensitive Sabra rats. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2003 , 30, 963-5	3	11
31	Chronic V2 vasopressin receptor stimulation increases basal blood pressure and exacerbates deoxycorticosterone acetate-salt hypertension. <i>Endocrinology</i> , 2002 , 143, 2759-66	4.8	33
30	Selective blockade of vasopressin V2 receptors reveals significant V2-mediated water reabsorption in Brattleboro rats with diabetes insipidus. <i>Nephrology Dialysis Transplantation</i> , 2001 , 16, 725-34	4.3	22
29	Chronic exposure to vasopressin upregulates ENaC and sodium transport in the rat renal collecting duct and lung. <i>Hypertension</i> , 2001 , 38, 1143-9	8.5	100
28	Genetically increased angiotensin I-converting enzyme level and renal complications in the diabetic mouse. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001 , 98, 13330-4 ¹⁻⁵	11.5	119
27	Desensitization of type 1 angiotensin II receptor subtypes in the rat kidney. <i>Endocrinology</i> , 2001 , 142, 4683-92	4.8	8
26	Regulation by sodium intake of type 1 angiotensin II receptor mRNAs in the kidney of Sabra rats. <i>Journal of Hypertension</i> , 2000 , 18, 1097-105	1.9	1

25	Vasopressin contributes to hyperfiltration, albuminuria, and renal hypertrophy in diabetes mellitus: study in vasopressin-deficient Brattleboro rats. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999 , 96, 10397-402	11.5	111
24	Contribution of vasopressin to progression of chronic renal failure: study in Brattleboro rats. <i>Life Sciences</i> , 1999 , 65, 991-1004	6.8	56
23	Expression of type 1 angiotensin II receptor subtypes and angiotensin II-induced calcium mobilization along the rat nephron. <i>Journal of the American Society of Nephrology: JASN</i> , 1997 , 8, 1658-67	12.7	89
22	Direct and indirect cost of urea excretion. <i>Kidney International</i> , 1996 , 49, 1598-607	9.9	44
21	Type 1 angiotensin II receptor subtypes in kidney of normal and salt-sensitive hypertensive rats. <i>Hypertension</i> , 1996 , 27, 392-8	8.5	6
20	Cyclic AMP is a hepatorenal link influencing natriuresis and contributing to glucagon-induced hyperfiltration in rats. <i>Journal of Clinical Investigation</i> , 1996 , 98, 2251-8	15.9	35
19	Vasopressin increases glomerular filtration rate in conscious rats through its antidiuretic action. <i>Journal of the American Society of Nephrology: JASN</i> , 1996 , 7, 842-51	12.7	77
18	Role of Urine Concentration in the Progression of Renal Failure ¹ 1993 , 216-225		
17	Renal synthesis of arginine in chronic renal failure: in vivo and in vitro studies in rats with 5/6 nephrectomy. <i>Kidney International</i> , 1993 , 44, 676-83	9.9	40
16	Effects of glucagon on glomerular filtration rate and urea and water excretion. <i>American Journal of Physiology - Renal Physiology</i> , 1992 , 263, F24-36	4.3	15
15	Vasopressin-dependent kidney hypertrophy: role of urinary concentration in protein-induced hypertrophy and in the progression of chronic renal failure. <i>American Journal of Kidney Diseases</i> , 1991 , 17, 661-5	7.4	33
14	Vasopressin is involved in renal effects of high-protein diet: study in homozygous Brattleboro rats. <i>American Journal of Physiology - Renal Physiology</i> , 1991 , 260, F96-100	4.3	9
13	Tamm-Horsfall protein excretion during chronic alterations in urinary concentration and protein intake in the rat. <i>Kidney and Blood Pressure Research</i> , 1991 , 14, 236-45	3.1	18
12	Effect of water intake on the progression of chronic renal failure in the 5/6 nephrectomized rat. <i>American Journal of Physiology - Renal Physiology</i> , 1990 , 258, F973-9	4.3	73
11	The role of the kidney in the maintenance of water balance. <i>Baillieres Clinical Endocrinology and Metabolism</i> , 1989 , 3, 249-311		27
10	Role of the urinary concentrating process in the renal effects of high protein intake. <i>Kidney International</i> , 1988 , 34, 4-12	9.9	40
9	Effect of high protein intake on sodium, potassium-dependent adenosine triphosphatase activity in the thick ascending limb of Henle's loop in the rat. <i>Clinical Science</i> , 1988 , 74, 319-29	6.5	31
8	Functional adaptation of thick ascending limb and internephron heterogeneity to urine concentration. <i>Kidney International</i> , 1987 , 31, 549-55	9.9	29

7	Thick ascending limb--anatomy and function: role in urine concentrating mechanisms. <i>Advances in Nephrology From the Necker Hospital</i> , 1987 , 16, 69-102		7
6	Quick isolation of rat medullary thick ascending limbs. Enzymatic and metabolic characterization. <i>Pflugers Archiv European Journal of Physiology</i> , 1986 , 407, 228-34	4.6	40
5	Selective ADH-induced hypertrophy of the medullary thick ascending limb in Brattleboro rats. <i>Kidney International</i> , 1985 , 28, 456-66	9.9	59
4	Effect of long- and short-term antidiuretic hormone availability on internephron heterogeneity in the adult rat. <i>American Journal of Physiology - Renal Physiology</i> , 1984 , 246, F879-88	4.3	9
3	Effects of osmolality and antidiuretic hormone on prostaglandin synthesis by renal papilla. Study in Brattleboro rats with diabetes insipidus. <i>Pflugers Archiv European Journal of Physiology</i> , 1984 , 400, 96-9	4.6	8
2	Stimulation of tubular reabsorption of magnesium and calcium by antidiuretic hormone in conscious rats. Study in Brattleboro rats with hereditary hypothalamic diabetes insipidus. <i>Pflugers Archiv European Journal of Physiology</i> , 1984 , 402, 458-64	4.6	18
1	Chronic V2 Vasopressin Receptor Stimulation Increases Basal Blood Pressure and Exacerbates Deoxycorticosterone Acetate-Salt Hypertension		10