

# Alessandro Caccianiga

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3515739/publications.pdf>

Version: 2024-02-01

96  
papers

2,952  
citations

159358

30  
h-index

174990

52  
g-index

97  
all docs

97  
docs citations

97  
times ranked

2822  
citing authors

#	ARTICLE	IF	CITATIONS
1	Direct observation of an extended X-ray jet at $z = 6.1$ . <i>Astronomy and Astrophysics</i> , 2022, 659, A93.	2.1	12
2	The evolution of the heaviest supermassive black holes in jetted AGNs. <i>Monthly Notices of the Royal Astronomical Society</i> , 2022, 511, 5436-5447.	1.6	10
3	Constraining the radio properties of the $z = 6.44$ QSO VIK J2318+3113. <i>Astronomy and Astrophysics</i> , 2022, 663, A73.	2.1	6
4	Extragalactic observatory science with the ASTRI mini-array at the Observatorio del Teide. <i>Journal of High Energy Astrophysics</i> , 2022, 35, 91-111.	2.4	4
5	Radio detection of VIK J2318+3113, the most distant radio-loud quasar ( $z = 6.44$ ). <i>Astronomy and Astrophysics</i> , 2021, 647, L11.	2.1	24
6	Observations of the $\gamma$ -ray-emitting narrow-line Seyfert 1, SBS 0846+513, and its host galaxy. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 504, 5188-5198.	1.6	7
7	The impact of the CMB on the evolution of high- $z$ blazars. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 505, 4120-4128.	1.6	5
8	Minute-timescale Variability in the X-ray Emission of the Highest Redshift Blazar*. <i>Astrophysical Journal</i> , 2021, 920, 15.	1.6	5
9	The first blazar observed at $z > 6$ . <i>Astronomy and Astrophysics</i> , 2020, 635, L7.	2.1	56
10	Te-REX: a sample of extragalactic TeV-emitting candidates. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 492, 3728-3741.	1.6	5
11	Parsec-scale properties of the radio brightest jetted AGN at $z > 6$ . <i>Astronomy and Astrophysics</i> , 2020, 643, L12.	2.1	33
12	X-ray properties of $z > 4$ blazars. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019, 489, 2732-2745.	1.6	22
13	The Interacting Late-type Host Galaxy of the Radio-loud Narrow-line Seyfert 1 IRAS 20181-2244. <i>Astronomical Journal</i> , 2019, 157, 48.	1.9	24
14	Evidence for a clumpy disc-wind in the star-forming Seyfert 2 galaxy MCG +3-58-007. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019, 483, 2836-2850.	1.6	12
15	Water masers in Compton-thick AGN. <i>Astronomy and Astrophysics</i> , 2019, 629, A25.	2.1	10
16	The space density of $z > 4$ blazars. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019, 484, 204-217.	1.6	23
17	An extremely X-ray weak blazar at $z = 5$ . <i>Astronomy and Astrophysics</i> , 2019, 629, A68.	2.1	9
18	Swift data hint at a binary supermassive black hole candidate at sub-parsec separation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 479, 3804-3813.	1.6	14

#	ARTICLE	IF	CITATIONS
19	Radio-emitting narrow-line Seyfert 1 galaxies in the JVA perspective. <i>Astronomy and Astrophysics</i> , 2018, 614, A87.	2.1	57
20	Science with e-ASTROGAM. <i>Journal of High Energy Astrophysics</i> , 2018, 19, 1-106.	2.4	177
21	A new powerful and highly variable disc wind in an AGN—star-forming galaxy, the case of MCG-03-58-007. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 479, 3592-3603.	1.6	25
22	Survival of the Obscuring Torus in the Most Powerful Active Galactic Nuclei. <i>Astrophysical Journal Letters</i> , 2017, 841, L18.	3.0	39
23	SDSSJ143244.91+301435.3 at VLBI: a compact radio galaxy in a narrow-line Seyfert 1. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 464, 1474-1480.	1.6	13
24	Kiloparsec-scale emission in the narrow-line Seyfert 1 galaxy Mrk 783. <i>Astronomy and Astrophysics</i> , 2017, 603, A32.	2.1	29
25	An Orientation-Based Unification of Young Jetted AGN: The Case of 3C 286. <i>Frontiers in Astronomy and Space Sciences</i> , 2017, 4, .	1.1	35
26	Properties of flat-spectrum radio-loud narrow-line Seyfert 1 galaxies (Corrigendum). <i>Astronomy and Astrophysics</i> , 2017, 603, C1.	2.1	4
27	A new jet/outflow maser in the nucleus of the Compton-thick AGN IRAS 15480-0344. <i>Proceedings of the International Astronomical Union</i> , 2017, 13, 129-132.	0.0	0
28	Compact steep-spectrum sources as the parent population of flat-spectrum radio-loud narrow-line Seyfert 1 galaxies. <i>Astronomy and Astrophysics</i> , 2016, 591, A98.	2.1	51
29	Water masers in Compton-thick AGN. <i>Astronomy and Astrophysics</i> , 2016, 586, A89.	2.1	4
30	X-RAY ABSORPTION, NUCLEAR INFRARED EMISSION, AND DUST COVERING FACTORS OF AGNs: TESTING UNIFICATION SCHEMES. <i>Astrophysical Journal</i> , 2016, 819, 166.	1.6	43
31	Properties of flat-spectrum radio-loud narrow-line Seyfert 1 galaxies. <i>Astronomy and Astrophysics</i> , 2015, 575, A13.	2.1	140
32	The structure of the X-ray absorber in Mrk 915 revealed by <i>Swift</i> .. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 453, 3612-3619.	1.6	3
33	Revisiting the relationship between $6\text{Å}^4\text{m}$ and $2\text{Å}^{10}\text{keV}$ continuum luminosities of AGN. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 449, 1422-1440.	1.6	79
34	WISE colours and star formation in the host galaxies of radio-loud narrow-line Seyfert 1. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 451, 1795-1805.	1.6	57
35	Exploring the active galactic nuclei population with extreme X-ray-to-optical flux ratios ( $f_x/f_o \gtrsim 50$ ). <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 447, 3227-3242.	1.6	5
36	X-ray observation of ULAS J1120+0641, the most distant quasar at $z = 7.08$ . <i>Astronomy and Astrophysics</i> , 2014, 563, A46.	2.1	21

#	ARTICLE	IF	CITATIONS
37	The variable ionized absorber in the Seyfert 2 Mrk 348. Monthly Notices of the Royal Astronomical Society, 2014, 437, 2806-2815.	1.6	5
38	The XMM-Newton Bright Survey sample of absorbed quasars: X-ray and accretion properties. Monthly Notices of the Royal Astronomical Society, 2014, 444, 2580-2598.	1.6	7
39	SDSS J143244.91+301435.3: a link between radio-loud narrow-line Seyfert 1 galaxies and compact steep-spectrum radio sources?. Monthly Notices of the Royal Astronomical Society, 2014, 441, 172-186.	1.6	35
40	Studying the relationship between X-ray emission and accretion in AGN using the XMM-Newton Bright Serendipitous Survey. Monthly Notices of the Royal Astronomical Society, 2013, 433, 648-658.	1.6	45
41	The merger fraction of active and inactive galaxies in the local Universe through an improved non-parametric classification. Monthly Notices of the Royal Astronomical Society, 2013, 431, 2661-2672.	1.6	47
42	Uncovering obscured luminous AGN with WISE. Monthly Notices of the Royal Astronomical Society, 2013, 434, 941-955.	1.6	80
43	The CLASS BL Lac sample: the radio luminosity function. Monthly Notices of the Royal Astronomical Society, 2013, 430, 2464-2475.	1.6	18
44	The XMM-Newton Wide Angle Survey (XWAS). Astronomy and Astrophysics, 2013, 557, A123.	2.1	9
45	Black-hole masses of type 1 AGN in the XMM-Newton bright serendipitous survey. Astronomy and Astrophysics, 2013, 549, A119.	2.1	4
46	A new technique to efficiently select Compton-thick AGN. Astronomy and Astrophysics, 2012, 542, A46.	2.1	36
47	NGC 454: unveiling a new "changing look" active galactic nucleus. Monthly Notices of the Royal Astronomical Society, 2012, 421, 1803-1812.	1.6	40
48	The optical-UV spectral energy distribution of the unabsorbed AGN population in the XMM-Newton Bright Serendipitous Survey. Astronomy and Astrophysics, 2012, 539, A48.	2.1	40
49	The X-ray spectral properties of the AGN population in the XMM-Newton bright serendipitous survey. Astronomy and Astrophysics, 2011, 530, A42.	2.1	70
50	The relationship between $[O\text{III}]\lambda 5007$ equivalent width and obscuration in active galactic nuclei. Monthly Notices of the Royal Astronomical Society, 2011, 415, 1928-1934.	1.6	11
51	Suzaku and SWIFT-BAT observations of a newly discovered Compton-thick AGN. Astronomy and Astrophysics, 2011, 525, A38.	2.1	18
52	X-ray selected Narrow-Line Seyfert 1 Galaxies. , 2011, , .		1
53	Heavily obscured AGN in the local Universe. , 2010, , .		0
54	The XBS AGN sample: a tool to study the spectral properties of the different kinds of AGN. , 2010, , .		0

#	ARTICLE	IF	CITATIONS
55	GALEX measurements of the Big Blue Bump as a tool to study bolometric corrections in AGNs. , 2010, , .		0
56	The XMM-Newton serendipitous survey. Astronomy and Astrophysics, 2009, 493, 339-373.	2.1	414
57	Heavily Obscured AGN with SIMBOL-X. , 2009, , .		0
58	High precision X-ray log $N_{\text{H}}$ log $S_{\text{X}}$ distributions: implications for the obscured AGN population. Astronomy and Astrophysics, 2008, 492, 51-69.	2.1	72
59	The XMM-Newton bright serendipitous survey. Astronomy and Astrophysics, 2008, 477, 735-746.	2.1	40
60	The cosmological properties of AGN in the XMM-Newton Hard Bright Survey. Astronomy and Astrophysics, 2008, 487, 119-130.	2.1	84
61	Elusive AGN in the XMM-Newton bright serendipitous survey. Astronomy and Astrophysics, 2007, 470, 557-570.	2.1	58
62	The XMM-Newton serendipitous survey. Astronomy and Astrophysics, 2007, 476, 1191-1203.	2.1	40
63	The stellar content of the XMM-Newton bright serendipitous survey. Astronomy and Astrophysics, 2007, 463, 165-174.	2.1	28
64	Searching for absorbed AGN in the XMM-Newton pre-release EPIC Serendipitous Source Catalogue. Astronomy and Astrophysics, 2007, 465, 759-764.	2.1	1
65	An X-ray bright ERO hosting a type 2 QSO. Astronomy and Astrophysics, 2006, 451, 859-864.	2.1	15
66	The First Optical Validation of an X-Ray Line-emitting Object: A Detection in the XMM-Newton Observation of the Chandra Deep Field-South. Astrophysical Journal, 2005, 621, L97-L100.	1.6	8
67	X-ray spectra of XMM-Newton serendipitous medium flux sources. Astronomy and Astrophysics, 2005, 433, 855-873.	2.1	54
68	XMM-Newton spectroscopy of an X-ray selected sample of AGNs. Astronomy and Astrophysics, 2005, 430, 927-940.	2.1	27
69	The XMM-Newton HBS28 sample: Studying the obscuration in hard X-ray selected AGNs. Astronomy and Astrophysics, 2004, 416, 901-915.	2.1	72
70	The CLASS blazar survey: testing the blazar sequence. Monthly Notices of the Royal Astronomical Society, 2004, 348, 937-954.	1.6	46
71	The XMM-Newton Bright Serendipitous Survey: First Extragalactic Results. Astrophysics and Space Science, 2004, 294, 89-94.	0.5	0
72	X-Ray Line-emitting Objects in XMM-Newton Observations: The Tip of the Iceberg. Astrophysical Journal, 2004, 617, L33-L36.	1.6	11

#	ARTICLE	IF	CITATIONS
73	Exploring the X-ray sky with the XMM-Newton bright serendipitous survey. <i>Astronomy and Astrophysics</i> , 2004, 428, 383-399.	2.1	99
74	XMM-Newton observations reveal AGN in apparently normal galaxies. <i>Astronomy and Astrophysics</i> , 2003, 406, 483-492.	2.1	89
75	A hard medium survey with ASCA. <i>Astronomy and Astrophysics</i> , 2003, 406, 555-563.	2.1	15
76	On the Cosmological Evolution of BL Lacertae Objects. <i>Astrophysical Journal</i> , 2002, 566, 181-186.	1.6	28
77	Blazars from the CLASS Survey. <i>International Astronomical Union Colloquium</i> , 2002, 184, 189-194.	0.1	0
78	New Results from the REX Survey. <i>International Astronomical Union Colloquium</i> , 2002, 184, 257-258.	0.1	1
79	The CLASS blazar survey – II. Optical properties. <i>Monthly Notices of the Royal Astronomical Society</i> , 2002, 329, 877-889.	1.6	30
80	The REX survey: The catalog. <i>AIP Conference Proceedings</i> , 2001, , .	0.3	0
81	The optically bright REX sample. <i>AIP Conference Proceedings</i> , 2001, , .	0.3	0
82	A new BL Lac sample from the REX survey. <i>AIP Conference Proceedings</i> , 2001, , .	0.3	0
83	Hard synchrotron BL lacs: The case of 1ES 1101-232. <i>AIP Conference Proceedings</i> , 2001, , .	0.3	0
84	EVN observations of low-luminosity flat-spectrum active galactic nuclei. <i>Monthly Notices of the Royal Astronomical Society</i> , 2001, 328, 867-872.	1.6	12
85	The CLASS blazar survey - I. Selection criteria and radio properties. <i>Monthly Notices of the Royal Astronomical Society</i> , 2001, 326, 1455-1466.	1.6	31
86	Emission line AGNs from the REX survey. <i>Astronomy and Astrophysics</i> , 2000, 144, 247-269.	2.1	19
87	The REX Survey: A Search for Radio-emitting X-ray Sources. <i>Astrophysical Journal</i> , 1999, 513, 51-68.	1.6	50
88	The REX survey: a search for BL Lac objects. <i>Astronomische Nachrichten</i> , 1998, 319, 15-20.	0.6	6
89	Identification of newly discovered radio-emitting X-ray sources: results from spectroscopy. <i>Monthly Notices of the Royal Astronomical Society</i> , 1998, 299, 1047-1058.	1.6	6
90	Optical Spectroscopy of the Unusual Galaxy J2310-43. <i>Astronomical Journal</i> , 1997, 114, 2350.	1.9	4

#	ARTICLE	IF	CITATIONS
91	The Search for a New BL Lac Sample. Symposium - International Astronomical Union, 1996, 175, 269-270.	0.1	0
92	The Search for a New BL Lac Sample. , 1996, , 269-270.		0
93	Luminosity functions of BL Lacertae objects. Astrophysical Journal, 1994, 433, 29.	1.6	29
94	Unified Model for X-Ray-- and Radio-selected BL Lacertae Objects. Astrophysical Journal, 1993, 416, 118.	1.6	26
95	AGN with discordant optical and X-ray classification are not a physical family: Diverse origin in two AGN. Monthly Notices of the Royal Astronomical Society, 0, , .	1.6	2
96	Central engine of the highest redshift blazar. Astronomy and Astrophysics, 0, , .	2.1	6