

Philippe Diaz

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3515763/philippe-diaz-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

38
papers

1,208
citations

19
h-index

34
g-index

48
ext. papers

1,370
ext. citations

4.4
avg, IF

3.91
L-index

#	Paper	IF	Citations
38	A brain-penetrant microtubule-targeting agent that disrupts hallmarks of glioma tumorigenesis. <i>Neuro-Oncology Advances</i> , 2021 , 3, vdaa165	0.9	2
37	Preclinical assessment of dual CYP26[A1/B1] inhibitor, DX308, as an improved treatment for keratinization disorders. <i>Skin Health and Disease</i> , 2021 , 1, e22		0
36	Characterization of CYP26B1-Selective Inhibitor, DX314, as a Potential Therapeutic for Keratinization Disorders. <i>Journal of Investigative Dermatology</i> , 2021 , 141, 72-83.e6	4.3	2
35	Cav3.2 T-type calcium channels control acute itch in mice. <i>Molecular Brain</i> , 2020 , 13, 119	4.5	5
34	DDIS-29. BRAIN-PENETRANT MICROTUBULE-TARGETING AGENT, ST-401, KILLS GLIOBLASTOMA THROUGH A NOVEL MECHANISM. <i>Neuro-Oncology</i> , 2019 , 21, vi69-vi69	1	78
33	Definition of functionally and structurally distinct repressive states in the nuclear receptor PPAR α . <i>Nature Communications</i> , 2019 , 10, 5825	17.4	12
32	Modified carbazoles destabilize microtubules and kill glioblastoma multiform cells. <i>European Journal of Medicinal Chemistry</i> , 2018 , 159, 74-89	6.8	12
31	Comparison of the ligand binding site of CYP2C8 with CYP26A1 and CYP26B1: a structural basis for the identification of new inhibitors of the retinoic acid hydroxylases. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2016 , 31, 148-161	5.6	7
30	Identification of Tazarotenic Acid as the First Xenobiotic Substrate of Human Retinoic Acid Hydroxylase CYP26A1 and CYP26B1. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2016 , 357, 281-92	4.7	8
29	Development and Characterization of Novel and Selective Inhibitors of Cytochrome P450 CYP26A1, the Human Liver Retinoic Acid Hydroxylase. <i>Journal of Medicinal Chemistry</i> , 2016 , 59, 2579-95	8.3	10
28	Characterization of novel cannabinoid based T-type calcium channel blockers with analgesic effects. <i>ACS Chemical Neuroscience</i> , 2015 , 6, 277-87	5.7	32
27	Spinal gene expression profiling and pathways analysis of a CB2 agonist (MDA7)-targeted prevention of paclitaxel-induced neuropathy. <i>Neuroscience</i> , 2014 , 260, 185-94	3.9	20
26	NMP-7 inhibits chronic inflammatory and neuropathic pain via block of Cav3.2 α -T-type calcium channels and activation of CB2 receptors. <i>Molecular Pain</i> , 2014 , 10, 77	3.4	24
25	Analgesic effect of a mixed T-type channel inhibitor/CB2 receptor agonist. <i>Molecular Pain</i> , 2013 , 9, 32	3.4	26
24	Mastering tricyclic ring systems for desirable functional cannabinoid activity. <i>European Journal of Medicinal Chemistry</i> , 2013 , 69, 881-907	6.8	35
23	In vivo efficacy of enabling formulations based on hydroxypropyl- β -cyclodextrins, micellar preparation, and liposomes for the lipophilic cannabinoid CB2 agonist, MDA7. <i>Journal of Pharmaceutical Sciences</i> , 2013 , 102, 352-64	3.9	9
22	Synthesis of new quinolinequinone derivatives and preliminary exploration of their cytotoxic properties. <i>Journal of Medicinal Chemistry</i> , 2013 , 56, 3806-19	8.3	18

21	Up-regulation of mRNA ventricular PRNP prion protein gene expression in air pollution highly exposed young urbanites: endoplasmic reticulum stress, glucose regulated protein 78, and nanosized particles. <i>International Journal of Molecular Sciences</i> , 2013 , 14, 23471-91	6.3	11
20	Prevention of paclitaxel-induced neuropathy through activation of the central cannabinoid type 2 receptor system. <i>Anesthesia and Analgesia</i> , 2012 , 114, 1104-20	3.9	52
19	Neuroinflammation, hyperphosphorylated tau, diffuse amyloid plaques, and down-regulation of the cellular prion protein in air pollution exposed children and young adults. <i>Journal of Alzheimer's Disease</i> , 2012 , 28, 93-107	4.3	193
18	Suzuki-Miyaura Cross-Coupling of Benzylic Bromides Under Microwave Conditions. <i>Tetrahedron Letters</i> , 2011 , 52, 5656-5658	2	13
17	Design and evaluation of a novel fluorescent CB2 ligand as probe for receptor visualization in immune cells. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011 , 21, 5859-62	2.9	19
16	Functional characterization and analgesic effects of mixed cannabinoid receptor/T-type channel ligands. <i>Molecular Pain</i> , 2011 , 7, 89	3.4	22
15	Pharmacological characterization of a novel cannabinoid ligand, MDA19, for treatment of neuropathic pain. <i>Anesthesia and Analgesia</i> , 2010 , 111, 99-109	3.9	30
14	2,3-Dihydro-1-benzofuran derivatives as a series of potent selective cannabinoid receptor 2 agonists: design, synthesis, and binding mode prediction through ligand-steered modeling. <i>ChemMedChem</i> , 2009 , 4, 1615-29	3.7	57
13	6-Methoxy-N-alkyl isatin acylhydrazone derivatives as a novel series of potent selective cannabinoid receptor 2 inverse agonists: design, synthesis, and binding mode prediction. <i>Journal of Medicinal Chemistry</i> , 2009 , 52, 433-44	8.3	64
12	MDA7: a novel selective agonist for CB2 receptors that prevents allodynia in rat neuropathic pain models. <i>British Journal of Pharmacology</i> , 2008 , 155, 1104-16	8.6	57
11	Design and synthesis of a novel series of N-alkyl isatin acylhydrazone derivatives that act as selective cannabinoid receptor 2 agonists for the treatment of neuropathic pain. <i>Journal of Medicinal Chemistry</i> , 2008 , 51, 4932-47	8.3	48
10	Efficient synthetic approach to heterocycles possessing the 3,3-disubstituted-2,3-dihydrobenzofuran skeleton via diverse palladium-catalyzed tandem reactions. <i>Tetrahedron</i> , 2007 , 63, 3340-3349	2.4	46
9	Solid-phase synthesis of diaryl sulfides: direct coupling of solid-supported aryl halides with thiols using an insoluble polymer-supported reagent. <i>Organic Letters</i> , 2005 , 7, 2719-22	6.2	41
8	Palladium-catalyzed cascade allylation/carbopalladation/cross coupling: a novel three-component reaction for the synthesis of 3,3-disubstituted-2,3-dihydrobenzofurans. <i>Tetrahedron Letters</i> , 2003 , 44, 8657-8659	2	36
7	Coupling reaction of chalcogenyl halides with alkynes on a solid support. Synthesis of new selenium-containing retinoids. <i>Tetrahedron Letters</i> , 2000 , 41, 5193-5197	2	3
6	Solution-phase synthesis of diaryl selenides using polymer-supported borohydride. <i>Organic Letters</i> , 2000 , 2, 1705-8	6.2	138
5	New synthetic retinoids obtained by palladium-catalyzed tandem cyclisation-hydride capture process. <i>Tetrahedron</i> , 1998 , 54, 4579-4590	2.4	57
4	New selenium-containing acetylenic retinoids by direct coupling of alkynylsilanes with selenylhalides. <i>Tetrahedron Letters</i> , 1998 , 39, 9003-9006	2	11

3	Synthesis and biological activities of new heterocyclic aromatic retinoids. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1997 , 7, 2289-2294	2.9	7
2	Chemoenzymatic synthesis of enantiomers of a new retinoid to investigate the role of chirality in the biological response. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1995 , 5, 2801-2804	2.9	0
1	Synthesis of Bridged Bicyclic α -Trifluoroacetoxy α -Trifluoromethyl β -Amino Acid Derivatives by an Original Dakin-West/Diels-Alder Tandem Sequence. <i>Synlett</i> , 1995 , 1995, 101-102	2.2	3