

# Mohammad Haseli

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3515838/publications.pdf>

Version: 2024-02-01

27

papers

188

citations

1307594

7

h-index

1125743

13

g-index

27

all docs

27

docs citations

27

times ranked

149

citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Parasites as heavy metal bioindicators in the shark <i>Carcharhinus dussumieri</i> from the Persian Gulf. <i>Parasitology</i> , 2007, 134, 1053-1056.   | 1.5 | 43        |
| 2  | Trypanorhynch cestodes of elasmobranchs from the Persian Gulf. <i>Zootaxa</i> , 2010, 2492, .   | 0.5 | 32        |
| 3  | Trypanorhynch cestodes of teleost fish from the Persian Gulf, Iran. <i>Journal of Helminthology</i> , 2011, 85, 215-224.  | 1.0 | 22        |
| 4  | Two new species of <i>Paraorygmatobothrium</i> Ruhnke, 1994 (Cestoda: Tetraphyllidea) from the carcharhinid shark <i>Carcharhinus cf. dussumieri</i> (Müller & Henle) in the Persian Gulf. <i>Systematic Parasitology</i> , 2010, 76, 59-68.  | 1.1 | 16        |
| 5  | Trypanorhynch cestodes from elasmobranchs from the Gulf of Oman, with the description of <i>Prochristianella garshaspi</i> n. sp. (Eutetrarhynchidae). <i>Systematic Parasitology</i> , 2013, 85, 271-279.  | 1.1 | 12        |
| 6  | Two new species of <i>Echinobothrium</i> van Beneden, 1849 (Cestoda: Diphylidae) from the Persian Gulf. <i>Systematic Parasitology</i> , 2012, 82, 201-209.   | 1.1 | 9         |
| 7  | Morphological and genetic characteristics of the anisakid nematode <i>Raphidascaris acus</i> from the southwest Caspian Sea: evidence for the existence of sibling species within a species complex. <i>Parasitology Research</i> , 2014, 113, 3419-3425.   | 1.6 | 9         |
| 8  | <i>Dollfusiella qeshmiensis</i> n. sp. (Cestoda: Trypanorhyncha) from the cowtail stingray <i>Pastinachus sephen</i> (Forsskål) in the Persian Gulf, with a key to the species of <i>Dollfusiella</i> Campbell & Beveridge, 1994. <i>Systematic Parasitology</i> , 2015, 92, 161-169.   | 1.1 | 6         |
| 9  | Genetic identity of eutetrarhynchids from the Persian Gulf, with intraindividual and intraspecific variability of <i>Prochristianella butlerae</i> Beveridge, 1990. <i>Parasitology International</i> , 2017, 66, 761-772.  | 1.3 | 6         |
| 10 | <i>Prochristianella clarkeae</i> Beveridge, 1990 (Eutetrarhynchidae): a species complex or a species with intraspecific variation in the distribution of its tegumental microtriches?. <i>Acta Parasitologica</i> , 2017, 62, 69-75.  | 1.1 | 4         |
| 11 | Two new species of <i>Phoreiobothrium</i> Linton, 1889 (Cestoda: Onchoproteocephalidea) off southern Iran, completing the puzzle of <i>Phoreiobothrium</i> faunas in <i>Rhizoprionodon acutus</i> species complex. <i>Parasitology Research</i> , 2019, 118, 2557-2566.   | 1.6 | 4         |
| 12 | A New Onchoproteocephalidean Cestode Species from the Spot-Tail Shark, <i>Carcharhinus sorrah</i> (Müller et Henle), in the Persian Gulf. <i>Acta Parasitologica</i> , 2020, 65, 518-524.   | 1.1 | 3         |
| 13 | <i>Halysioncum kishiene</i> sp. n. and <i>Echinobothrium parsadrayaiense</i> sp. n. (Cestoda: Diphylidae) from the banded eagle ray, <i>Aetomylaeus cf. nichofii</i> off the Iranian coast of the Persian Gulf. <i>Folia Parasitologica</i> , 2014, 61, 133-140.  | 1.3 | 3         |
| 14 | <i>Halysioncum kishiene</i> sp. n. and <i>Echinobothrium parsadrayaiense</i> sp. n. (Cestoda: Diphylidae) from the banded eagle ray, <i>Aetomylaeus cf. nichofii</i> off the Iranian coast of the Persian Gulf. <i>Folia Parasitologica</i> , 2014, 61, 133-40.   | 1.3 | 3         |
| 15 | Microthrix pattern of <i>&lt;scp&gt;&lt;i&gt;P&lt;/i&gt;&lt;/scp&gt;&lt;i&gt;seudogilquinia&lt;/i&gt;&lt;scp&gt;&lt;i&gt;t&lt;/i&gt;&lt;/scp&gt;&lt;i&gt;homasi&lt;/i&gt;&lt;scp&gt;&lt;i&gt;alm</i>  | 1.2 | 2         |
| 16 | Microthrix pattern of <i>&lt;scp&gt;&lt;i&gt;P&lt;/i&gt;&lt;/scp&gt;&lt;i&gt;seudogilquinia&lt;/i&gt;&lt;scp&gt;&lt;i&gt;t&lt;/i&gt;&lt;/scp&gt;&lt;i&gt;homasi&lt;/i&gt;&lt;scp&gt;&lt;i&gt;alm</i> (2000) (Cestoda: Trypanorhyncha) and a review of surface ultrastructure within the family <i>&lt;scp&gt;L&lt;/scp&gt;acistorhynchidae</i> <i>&lt;scp&gt;G&lt;/scp&gt;uart</i> , 1927. <i>Journal of Morphology</i> , 2016, 277, 394-404. | 1.2 | 2         |
| 17 | Surface ultrastructure and the mitochondrial gene <i>rrnl</i> of <i>Parachristianella indonesiensis</i> Palm, 2004 (Trypanorhyncha: Eutetrarhynchidae) with the amended generic diagnosis. <i>Parasitology Research</i> , 2016, 115, 1105-1112.   | 1.6 | 2         |
| 18 | A new genus and species of the trypanorhynch family Otobothriidae Dollfus, 1942 from the slender weasel shark <i>Paragaleus randalli</i> Compagno, Krupp & Carpenter (Hemigaleidae) in the Persian Gulf. <i>Systematic Parasitology</i> , 2017, 94, 765-775.  | 1.1 | 2         |
| 18 | Tentaculariid trypanorhynchs (Platyhelminthes: Cestoda) from <i>Mobula japanica</i> (Müller & Henle) from Indonesia, with the description of two new species. <i>Parasitology Research</i> , 2019, 118, 3307-3313.  | 1.6 | 2         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Three new species of Anthobothrium van Beneden, 1850 (Cestoda: <i>Tetraphyllidea</i> ) from the grey sharpnose shark <i>Rhizoprionodon oligolinx</i> Springer, 1964 (Carcharhinidae) in the Persian Gulf. Parasitology Research, 2022, 121, 143-154.   | 1.6 | 2         |
| 20 | Diphylloidean cestodes from the bigeye houndshark <i>Iago omanensis</i> (Norman) (Carcharhiniformes: Tetrapterygidae). Acta Parasitologica, 2015, 60, 308-14.  | 1.1 | 1         |
| 21 | Taxonomic study of the genus <i>Evergestis</i> Hübner, 1825 (Lepidoptera: Crambidae: Glaphyriinae) in Iran with description of a new species. Zootaxa, 2018, 4420, 1.  | 0.5 | 1         |
| 22 | A new species of <i>Dolfusiella</i> Campbell & Beveridge, 1994 (Cestoda: Eutetrarhynchidae), with remarks on <i>Halyssiorhynchus macrocephalus</i> (Shipley & Hornell, 1906) (Cestoda: Mixodigmatidae) from the bowmouth guitarfish <i>Rhina aenocystoma</i> Bloch & Schneider (Rhinidae) in the Persian Gulf. Systematic Parasitology, 2019, 96, 369-379. | 1.1 | 1         |
| 23 | <i>Orygmatobothrium persicense</i> n. sp. (Cestoda: Phyllobothriidae) from the Arabian Smooth-Hound Shark <i>Mustelus mosis</i> (Triakidae) in the Persian Gulf. Acta Parasitologica, 2019, 64, 288-294.   | 1.1 | 1         |
| 24 | A new genus and two new species of trypanorhynch cestodes (Tentaculariidae) from the sharks <i>Carcharhinus sorrah</i> (Müller & Henle) and <i>Sphyraena lewini</i> (Griffith & Smith) from off the coasts of Malaysia and Mexico. Systematic Parasitology, 2020, 97, 133-142.   | 1.1 | 1         |
| 25 | Two New Cestode Species of <i>Phoreibothrium</i> (Onchoproteocephalidae) from Two Carcharhinid Sharks of the Persian Gulf, with the First Report of Variation in Distribution of Vitelline Follicles of the Genus. Acta Parasitologica, 2022, , 1.   | 1.1 | 1         |
| 26 | <i>Otobothrium muscatense</i> n. sp. (Trypanorhyncha: Otobothriidae) from <i>Rhabdosargus sarba</i> (Forsskål) (Sparidae), with new locality records of larval trypanorhynchs off the Sultanate of Oman. Systematic Parasitology, 2021, 98, 99-109.  | 1.1 | 0         |
| 27 | <i>Polyocephalus barsami</i> sp. nov., a New Species of Polyocephalidae Meggitt, 1924 (Lecanicephalidae) from the Persian Gulf. Acta Parasitologica, 2021, 66, 178-184.  | 1.1 | 0         |