

# Mohammad Haseli

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3515838/publications.pdf>

Version: 2024-02-01

27  
papers

188  
citations

1307594

7  
h-index

1125743

13  
g-index

27  
all docs

27  
docs citations

27  
times ranked

149  
citing authors

#	ARTICLE	IF	CITATIONS
1	Two New Cestode Species of Phoreiobothrium (Onchoproteocephalidea) from Two Carcharhinid Sharks of the Persian Gulf, with the First Report of Variation in Distribution of Vitelline Follicles of the Genus. <i>Acta Parasitologica</i> , 2022, , 1.	1.1	1
2	Three new species of Anthobothrium van Beneden, 1850 (Cestoda: "Tetrphyllidea") from the grey sharpnose shark <i>Rhizoprionodon oligolinx</i> Springer, 1964 (Carcharhinidae) in the Persian Gulf. <i>Parasitology Research</i> , 2022, 121, 143-154.	1.6	2
3	<i>Otobothrium muscatense</i> n. sp. (Trypanorhyncha: Otobothriidae) from <i>Rhabdosargus sarba</i> (Forssk"l) (Sparidae), with new locality records of larval trypanorhynchs off the Sultanate of Oman. <i>Systematic Parasitology</i> , 2021, 98, 99-109.	1.1	0
4	<i>Polypocephalus barsami</i> sp. nov., a New Species of Polypocephalidae Meggitt, 1924 (Lecanicephalidea) from the Persian Gulf. <i>Acta Parasitologica</i> , 2021, 66, 178-184.	1.1	0
5	A New Onchoproteocephalidean Cestode Species from the Spot-Tail Shark, <i>Carcharhinus sorrah</i> (M"ller et Henle), in the Persian Gulf. <i>Acta Parasitologica</i> , 2020, 65, 518-524.	1.1	3
6	A new genus and two new species of trypanorhynch cestodes (Tentaculariidae) from the sharks <i>Carcharhinus sorrah</i> (M"ller & Henle) and <i>Sphyrna lewini</i> (Griffith & Smith) from off the coasts of Malaysia and Mexico. <i>Systematic Parasitology</i> , 2020, 97, 133-142.	1.1	1
7	Two new species of Phoreiobothrium Linton, 1889 (Cestoda: Onchoproteocephalidea) off southern Iran, completing the puzzle of Phoreiobothrium faunas in <i>Rhizoprionodon acutus</i> species complex. <i>Parasitology Research</i> , 2019, 118, 2557-2566.	1.6	4
8	Tentaculariid trypanorhynchs (Platyhelminthes: Cestoda) from <i>Mobula japonica</i> (M"ller & Henle) from Indonesia, with the description of two new species. <i>Parasitology Research</i> , 2019, 118, 3307-3313.	1.6	2
9	A new species of <i>Dollfusiella</i> Campbell & Beveridge, 1994 (Cestoda: Eutetrarhynchidae), with remarks on <i>Halysiorhynchus macrocephalus</i> (Shiely & Hornell, 1906) (Cestoda: Mixodigmatidae) from the bowmouth guitarfish <i>Rhina ancylostoma</i> Bloch & Schneider (Rhinidae) in the Persian Gulf. <i>Systematic Parasitology</i> , 2019, 96, 369-379.	1.1	1
10	<i>Orygmatobothrium persiense</i> n. sp. (Cestoda: Phyllobothriidea) from the Arabian Smooth-Hound Shark <i>Mustelus mosis</i> (Triakidae) in the Persian Gulf. <i>Acta Parasitologica</i> , 2019, 64, 288-294.	1.1	1
11	Taxonomic study of the genus <i>Evergestis</i> H"bner, 1825 (Lepidoptera: Crambidae: Glaphyriinae) in Iran with description of a new species. <i>Zootaxa</i> , 2018, 4420, 1.	0.5	1
12	<i>Prochristianella clarkeae</i> Beveridge, 1990 (Eutetrarhynchidae): a species complex or a species with intraspecific variation in the distribution of its tegumental microtriches?. <i>Acta Parasitologica</i> , 2017, 62, 69-75.	1.1	4
13	Genetic identity of eutetrarhynchids from the Persian Gulf, with intraindividual and intraspecific variability of <i>Prochristianella butlerae</i> Beveridge, 1990. <i>Parasitology International</i> , 2017, 66, 761-772.	1.3	6
14	A new genus and species of the trypanorhynch family Otobothriidae Dollfus, 1942 from the slender weasel shark <i>Paragaleus randalli</i> Compagno, Krupp & Carpenter (Hemigaleidae) in the Persian Gulf. <i>Systematic Parasitology</i> , 2017, 94, 765-775.	1.1	2
15	Microtrix pattern of <i>Pseudogilquinia homasi</i> (Pseudogilquinia) (Cestoda: Trypanorhyncha) and a review of surface ultrastructure within the family Lacistorhynchidae Guaiart, 1927. <i>Journal of Morphology</i> , 2016, 277, 394-404.	1.2	2
16	Surface ultrastructure and the mitochondrial gene <i>rrnl</i> of <i>Parachristianella indonesiensis</i> Palm, 2004 (Trypanorhyncha: Eutetrarhynchidae) with the amended generic diagnosis. <i>Parasitology Research</i> , 2016, 115, 1105-1112.	1.6	2
17	<i>Dollfusiella qeshmiensis</i> n. sp. (Cestoda: Trypanorhyncha) from the cowtail stingray <i>Pastinachus sephen</i> (Forssk"l) in the Persian Gulf, with a key to the species of <i>Dollfusiella</i> Campbell & Beveridge, 1994. <i>Systematic Parasitology</i> , 2015, 92, 161-169.	1.1	6
18	Diphylleidean cestodes from the bigeye houndshark <i>Iago omanensis</i> (Norman) (Carcharhiniformes: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 (Echinobothriidae). <i>Acta Parasitologica</i> , 2015, 60, 308-14.	1.1	1

#	ARTICLE	IF	CITATIONS
19	Morphological and genetic characteristics of the anisakid nematode <i>Raphidascaris acus</i> from the southwest Caspian Sea: evidence for the existence of sibling species within a species complex. <i>Parasitology Research</i> , 2014, 113, 3419-3425.	1.6	9
20	<i>Halysioncum kishiense</i> sp. n. and <i>Echinobothrium parsadrayaiense</i> sp. n. (Cestoda: Diphyllidea) from the banded eagle ray, <i>Aetomylaeus cf. nichofii</i> off the Iranian coast of the Persian Gulf. <i>Folia Parasitologica</i> , 2014, 61, 133-140.	1.3	3
21	<i>Halysioncum kishiense</i> sp. n. and <i>Echinobothrium parsadrayaiense</i> sp. n. (Cestoda: Diphyllidea) from the banded eagle ray, <i>Aetomylaeus cf. nichofii</i> off the Iranian coast of the Persian Gulf. <i>Folia Parasitologica</i> , 2014, 61, 133-40.	1.3	3
22	Trypanorhynch cestodes from elasmobranchs from the Gulf of Oman, with the description of <i>Prochristianella garshaspi</i> n. sp. (Eutetrarhynchidae). <i>Systematic Parasitology</i> , 2013, 85, 271-279.	1.1	12
23	Two new species of <i>Echinobothrium</i> van Beneden, 1849 (Cestoda: Diphyllidea) from the Persian Gulf. <i>Systematic Parasitology</i> , 2012, 82, 201-209.	1.1	9
24	Trypanorhynch cestodes of teleost fish from the Persian Gulf, Iran. <i>Journal of Helminthology</i> , 2011, 85, 215-224.	1.0	22
25	Two new species of <i>Paraorygmatobothrium</i> Ruhnke, 1994 (Cestoda: Tetrephyllidea) from the carcharhinid shark <i>Carcharhinus cf. dussumieri</i> (Müller & Henle) in the Persian Gulf. <i>Systematic Parasitology</i> , 2010, 76, 59-68.	1.1	16
26	Trypanorhynch cestodes of elasmobranchs from the Persian Gulf. <i>Zootaxa</i> , 2010, 2492, .	0.5	32
27	Parasites as heavy metal bioindicators in the shark <i>Carcharhinus dussumieri</i> from the Persian Gulf. <i>Parasitology</i> , 2007, 134, 1053-1056.	1.5	43