Torben Plesner

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3516111/torben-plesner-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

62
papers

4,137
citations

4,137
h-index

64
g-index

5,111
ext. papers

6.8
avg, IF

L-index

#	Paper	IF	Citations
62	Subcutaneous Daratumumab with Rapid Corticosteroid Tapering in Relapsed or Refractory Multiple Myeloma Patients: Part 3 Update of the Open-Label, Multicenter, Phase 1b Pavo Study. <i>Blood</i> , 2021 , 138, 1667-1667	2.2	O
61	Meaningful Changes in Patient-Reported Outcomes in Relation to Best Clinical Response and Disease Progression: Post Hoc Analyses from MAIA. <i>Blood</i> , 2021 , 138, 4095-4095	2.2	
60	Efficacy of Daratumumab, Lenalidomide, and Dexamethasone in Transplant-Ineligible Patients with Newly Diagnosed Multiple Myeloma and Impaired Renal Function from the Phase 3 Maia Study Based on Lenalidomide Starting Dose. <i>Blood</i> , 2021 , 138, 1646-1646	2.2	O
59	Daratumumab, lenalidomide, and dexamethasone versus lenalidomide and dexamethasone alone in newly diagnosed multiple myeloma (MAIA): overall survival results from a randomised, open-label, phase 3 trial. <i>Lancet Oncology, The</i> , 2021 , 22, 1582-1596	21.7	19
58	Health-related quality of life in patients with relapsed or refractory multiple myeloma: treatment with daratumumab, lenalidomide, and dexamethasone in the phase 3 POLLUX trial. <i>British Journal of Haematology</i> , 2021 , 194, 132-139	4.5	2
57	Evaluation of Sustained Minimal Residual Disease Negativity With Daratumumab-Combination Regimens in Relapsed and/or Refractory Multiple Myeloma: Analysis of POLLUX and CASTOR. <i>Journal of Clinical Oncology</i> , 2021 , 39, 1139-1149	2.2	23
56	Subcutaneous daratumumab in patients with relapsed or refractory multiple myeloma: Part 2 of the open-label, multicenter, dose-escalation phase 1b study (PAVO). <i>Haematologica</i> , 2021 , 106, 1725-1	732	16
55	Deep immune profiling of patients treated with lenalidomide and dexamethasone with or without daratumumab. <i>Leukemia</i> , 2021 , 35, 573-584	10.7	33
54	Health-Related Quality of Life in Transplant-Ineligible Patients With Newly Diagnosed Multiple Myeloma: Findings From the Phase III MAIA Trial. <i>Journal of Clinical Oncology</i> , 2021 , 39, 227-237	2.2	4
53	Melflufen plus dexamethasone in relapsed/refractory multiple myeloma: long-term survival follow-up from the Phase II study O-12-M1. <i>British Journal of Haematology</i> , 2021 , 193, 1105-1109	4.5	6
52	Prognostic value of minimal residual disease negativity in myeloma: combined analysis of POLLUX, CASTOR, ALCYONE, MAIA. <i>Blood</i> , 2021 ,	2.2	5
51	Phase I Study of Venetoclax Plus Daratumumab and Dexamethasone, With or Without Bortezomib, in Patients With Relapsed or Refractory Multiple Myeloma With and Without t(11;14). <i>Journal of Clinical Oncology</i> , 2021 , 39, 3602-3612	2.2	14
50	Melflufen plus dexamethasone in relapsed and refractory multiple myeloma (O-12-M1): a multicentre, international, open-label, phase 1-2 study. <i>Lancet Haematology,the</i> , 2020 , 7, e395-e407	14.6	44
49	Controversy in the Use of CD38 Antibody for Treatment of Myeloma: Is High CD38 Expression Good or Bad?. <i>Cells</i> , 2020 , 9,	7.9	8
48	Updated Analysis of Daratumumab Plus Lenalidomide and Dexamethasone (D-Rd) Versus Lenalidomide and Dexamethasone (Rd) in Patients with Transplant-Ineligible Newly Diagnosed Multiple Myeloma (NDMM): The Phase 3 Maia Study. <i>Blood</i> , 2020 , 136, 24-26	2.2	17
47	Corticosteriod tapering in patients (Pts) with relapsed or refractory multiple myeloma (RRMM) receiving subcutaneous daratumumab (DARA SC): Part 3 of the open-label, multicenter, phase Ib PAVO Study <i>Journal of Clinical Oncology</i> , 2020 , 38, 8537-8537	2.2	1
46	Safety and Efficacy of Doxorubicin, Cyclophosphamide, Bortezomib, Dexamethasone and Lenalidomide Followed by Bortezomib Consolidation as First-Line Therapy in Patients with Newly Diagnosed Multiple Myeloma. <i>Clinical Hematology International</i> , 2020 , 2, 35-39	1.8	

Daratumumab monotherapy in patients with heavily pretreated relapsed or refractory multiple myeloma: final results from the phase 2 GEN501 and SIRIUS trials. Lancet Haematology, the, **2020**, 7, e447-e455 32 45 Clinically-suspected cast nephropathy: A retrospective, national, real-world study. American Journal 7.1 44 of Hematology, **2020**, 95, 1352-1360 Daratumumab plus Lenalidomide and Dexamethasone for Untreated Myeloma. New England 43 59.2 435 Journal of Medicine, **2019**, 380, 2104-2115 Daratumumab for treatment of blastic plasmacytoid dendritic cell neoplasm. A single-case report. 6.6 42 Haematologica, 2019, 104, e432-e433 Enduring efficacy and tolerability of daratumumab in combination with lenalidomide and dexamethasone in patients with relapsed or relapsed/refractory multiple myeloma (GEN503): final 41 4.5 10 results of an open-label, phase 1/2 study. British Journal of Haematology, 2019, 186, e35-e39 Subcutaneous delivery of daratumumab in relapsed or refractory multiple myeloma. Blood, 2019, 40 2.2 59 134, 668-677 Daratumumab Plus Lenalidomide and Dexamethasone (D-Rd) Versus Lenalidomide and Dexamethasone (Rd) in Patients with Newly Diagnosed Multiple Myeloma (NDMM) Ineligible for 18 39 2.2 Transplant: Updated Analysis of Maia. Blood, 2019, 134, 1875-1875 Validation of a New Clinical Prediction Model for Outcome in Newly Diagnosed Multiple Myeloma Patients Not Eligible for Autologous Stem-Cell Transplantation; A Population-Based Study from the 38 2.2 Danish National Multiple Myeloma Registry. Blood, 2019, 134, 1849-1849 Faster and sustained improvement in health-related quality of life (HRQoL) for newly diagnosed multiple myeloma (NDMM) patients ineligible for transplant treated with daratumumab, 5 2.2 37 lenalidomide, and dexamethasone (D-Rd) versus Rd alone: MAIA.. Journal of Clinical Oncology, 2019, Impact of age on efficacy and safety of daratumumab in combination with lenalidomide and dexamethasone (D-Rd) in patients (pts) with transplant-ineligible newly diagnosed multiple 36 2.2 myeloma (NDMM): MAIA.. Journal of Clinical Oncology, 2019, 37, 8035-8035 Clinically Suspected Cast Nephropathy: A Retrospective, Multi-Center, Real-World Study. Blood, 35 2.2 **2019**, 134, 5553-5553 Insights on Multiple Myeloma Treatment Strategies. HemaSphere, 2019, 3, e163 34 High-Parameter Mass Cytometry Evaluation of Relapsed/Refractory Multiple Myeloma Patients Treated with Daratumumab Demonstrates Immune Modulation as a Novel Mechanism of Action. 4.6 33 77 Cytometry Part A: the Journal of the International Society for Analytical Cytology, 2019, 95, 279-289 Influence of Disease and Patient Characteristics on Daratumumab Exposure and Clinical Outcomes 6.2 18 32 in Relapsed or Refractory Multiple Myeloma. Clinical Pharmacokinetics, 2018, 57, 529-538 Daratumumab for the Treatment of Multiple Myeloma. Frontiers in Immunology, 2018, 9, 1228 8.4 46 31 Phase 3 Randomized Study of Daratumumab Plus Lenalidomide and Dexamethasone (D-Rd) Versus Lenalidomide and Dexamethasone (Rd) in Patients with Newly Diagnosed Multiple Myeloma 30 2.2 25 (NDMM) Ineligible for Transplant (MAIA). Blood, 2018, 132, LBA-2-LBA-2 Pharmacokinetics (PK) of Subcutaneous Daratumumab in Patients with Relapsed or Refractory (RR) Multiple Myeloma (MM): Primary Clinical Pharmacology Analysis of the Open-Label, Multicenter, 29 2.2 7 Phase 1b Study (PAVO). Blood, 2018, 132, 2006-2006 Evaluation of Sustained Minimal Residual Disease (MRD) Negativity in Relapsed/Refractory Multiple Myeloma (RRMM) Patients (Pts) Treated with Daratumumab in Combination with 28 14 Lenalidomide Plus Dexamethasone (D-Rd) or Bortezomib Plus Dexamethasone (D-Vd): Analysis of

27	Subcutaneous daratumumab (DARA) in patients (Pts) with relapsed or refractory multiple myeloma (RRMM): Part 2 update of the open-label, multicenter, dose escalation phase 1b study (PAVO) <i>Journal of Clinical Oncology</i> , 2018 , 36, 8013-8013	2.2	6
26	Subcutaneous Daratumumab in Patients with Relapsed or Refractory Multiple Myeloma: Part 2 Safety and Efficacy Update of the Open-Label, Multicenter, Phase 1b Study (PAVO). <i>Blood</i> , 2018 , 132, 1995-1995	2.2	
25	Long-Lasting Remissions for Myeloma Patients on Daratumumab Therapy from the GEN501 and GEN503 Trials. <i>Blood</i> , 2018 , 132, 3308-3308	2.2	
24	Monocytes and Granulocytes Reduce CD38 Expression Levels on Myeloma Cells in Patients Treated with Daratumumab. <i>Clinical Cancer Research</i> , 2017 , 23, 7498-7511	12.9	98
23	Effects of daratumumab on natural killer cells and impact on clinical outcomes in relapsed or refractory multiple myeloma. <i>Blood Advances</i> , 2017 , 1, 2105-2114	7.8	103
22	Subcutaneous Delivery of Daratumumab in Patients (pts) with Relapsed or Refractory Multiple Myeloma (RRMM): Pavo, an Open-Label, Multicenter, Dose Escalation Phase 1b Study. <i>Blood</i> , 2017 , 130, 838-838	2.2	18
21	Daratumumab, lenalidomide, and dexamethasone (DRd) vs lenalidomide and dexamethasone (Rd) in relapsed or refractory multiple myeloma (RRMM): Efficacy and safety update (POLLUX) <i>Journal of Clinical Oncology</i> , 2017 , 35, 8025-8025	2.2	4
20	Prophylactic immunoglobulin therapy in secondary immune deficiency - an expert opinion. <i>Expert Review of Clinical Immunology</i> , 2016 , 12, 921-6	5.1	20
19	Baseline bone involvement in multiple myeloma - a prospective comparison of conventional X-ray, low-dose computed tomography, and 18flourodeoxyglucose positron emission tomography in previously untreated patients. <i>Haematologica</i> , 2016 , 101, e415-e418	6.6	18
18	Bone healing in multiple myeloma: a prospective evaluation of the impact of first-line anti-myeloma treatment. <i>Haematologica</i> , 2016 , 101, e419-e422	6.6	12
17	Evaluation of Minimal Residual Disease (MRD) in Relapsed/Refractory Multiple Myeloma (RRMM) Patients Treated with Daratumumab in Combination with Lenalidomide Plus Dexamethasone or Bortezomib Plus Dexamethasone. <i>Blood</i> , 2016 , 128, 246-246	2.2	26
16	High-Parameter Mass Cytometry (CyTOF) Evaluation of Relapsed/Refractory Multiple Myeloma (MM) Pts (Pts) Treated with Daratumumab Supports Immune Modulation As a Novel Mechanism of Action. <i>Blood</i> , 2016 , 128, 4521-4521	2.2	8
15	Daratumumab in Combination with Lenalidomide Plus Dexamethasone Induces Clonality Increase and T-Cell Expansion: Results from a Phase 3 Randomized Study (POLLUX). <i>Blood</i> , 2016 , 128, 4531-4531	2.2	33
14	Phase 1/2 study of daratumumab, lenalidomide, and dexamethasone for relapsed multiple myeloma. <i>Blood</i> , 2016 , 128, 1821-1828	2.2	82
13	Practical Considerations for the Use of Daratumumab, a Novel CD38 Monoclonal Antibody, in Myeloma. <i>Drugs</i> , 2016 , 76, 853-67	12.1	26
12	Facilitated subcutaneous immunoglobulin administration (fSCIg): a new treatment option for patients with secondary immune deficiencies. <i>Expert Review of Clinical Immunology</i> , 2016 , 12, 705-11	5.1	2
11	Clinical efficacy and management of monoclonal antibodies targeting CD38 and SLAMF7 in multiple myeloma. <i>Blood</i> , 2016 , 127, 681-95	2.2	154
10	Daratumumab depletes CD38+ immune regulatory cells, promotes T-cell expansion, and skews T-cell repertoire in multiple myeloma. <i>Blood</i> , 2016 , 128, 384-94	2.2	499

LIST OF PUBLICATIONS

9	Clinical efficacy of daratumumab monotherapy in patients with heavily pretreated relapsed or refractory multiple myeloma. <i>Blood</i> , 2016 , 128, 37-44	2.2	272
8	Daratumumab, Lenalidomide, and Dexamethasone for Multiple Myeloma. <i>New England Journal of Medicine</i> , 2016 , 375, 1319-1331	59.2	930
7	Targeting CD38 with Daratumumab Monotherapy in Multiple Myeloma. <i>New England Journal of Medicine</i> , 2015 , 373, 1207-19	59.2	761
6	High-dose therapy improves the bone remodelling compartment canopy coverage and bone formation in multiple myeloma. <i>British Journal of Haematology</i> , 2015 , 171, 355-65	4.5	3
5	Immunomodulatory Effects and Adaptive Immune Response to Daratumumab in Multiple Myeloma. <i>Blood</i> , 2015 , 126, 3037-3037	2.2	7
4	Assessing clinical response in multiple myeloma (MM) patients treated with monoclonal antibodies (mAbs): Validation of a daratumumab IFE reflex assay (DIRA) to distinguish malignant M-protein from therapeutic antibody <i>Journal of Clinical Oncology</i> , 2015 , 33, 8590-8590	2.2	14
3	Monoclonal antibodies in myeloma. Clinical Advances in Hematology and Oncology, 2015, 13, 599-609	0.6	24
2	Subcellular distribution of urokinase and urokinase receptor in human neutrophils determined by immunoelectron microscopy. <i>Ultrastructural Pathology</i> , 2000 , 24, 175-82	1.3	16
1	Immunochemical studies of human beta 2-microglobulin. A review of recent methodological progress and clinical applications. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1980 35, 627-37	9.3	20