

# Kaifeng Hu

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/3517355/kaifeng-hu-publications-by-year.pdf>

**Version:** 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

39  
papers

699  
citations

14  
h-index

26  
g-index

44  
ext. papers

827  
ext. citations

5.7  
avg, IF

3.71  
L-index

#	Paper	IF	Citations
39	Comprehensive multi-component analysis for authentication and differentiation of 6 <i>Dendrobium</i> species by 2D NMR-based metabolomic profiling. <i>Microchemical Journal</i> , <b>2022</b> , 176, 107225	4.8	0
38	A T-shape-orientated algorithm employing an adapted Marr wavelet and shape matching index improves the performance of continuous wavelet transform for chromatographic peak detection and quantification.. <i>Journal of Chromatography A</i> , <b>2022</b> , 1673, 463086	4.5	
37	Simultaneous identification and quantification of amino acids in biofluids by reactive F-tags. <i>Chemical Communications</i> , <b>2021</b> , 57, 13154-13157	5.8	1
36	Identification of a Novel TAR RNA-Binding Protein 2 Modulator with Potential Therapeutic Activity against Hepatocellular Carcinoma. <i>Journal of Medicinal Chemistry</i> , <b>2021</b> , 64, 7404-7421	8.3	0
35	Myeloperoxidase and CYBA genetic variants in polycystic ovary syndrome. <i>European Journal of Clinical Investigation</i> , <b>2021</b> , 51, e13438	4.6	2
34	Unveiling the Disaccharide-Branched Glycosaminoglycan and Anticoagulant Potential of Its Derivatives. <i>Biomacromolecules</i> , <b>2021</b> , 22, 1244-1255	6.9	4
33	Oxidative stress promotes hyperandrogenism by reducing sex hormone-binding globulin in polycystic ovary syndrome. <i>Fertility and Sterility</i> , <b>2021</b> , 116, 1641-1650	4.8	2
32	Backbone and side-chain chemical shift assignments of a cellular FLICE-inhibitory protein (c-FLIP). <i>Biomolecular NMR Assignments</i> , <b>2020</b> , 14, 239-243	0.7	0
31	NPid: an Automatic Approach to Rapid Identification of Known Natural Products in the Crude Extract of Crabapple Based on 2D H-C Heteronuclear Correlation Spectra of the Extract Mixture. <i>Analytical Chemistry</i> , <b>2020</b> , 92, 10996-11006	7.8	2
30	Solution structure, dynamics and function investigation of Kringle domain of human receptor tyrosine kinase-like orphan receptor 1. <i>Journal of Biomolecular Structure and Dynamics</i> , <b>2020</b> , 38, 2229-2239	3.6	1
29	Statistically correlating NMR spectra and LC-MS data to facilitate the identification of individual metabolites in metabolomics mixtures. <i>Analytical and Bioanalytical Chemistry</i> , <b>2019</b> , 411, 1301-1309	4.4	14
28	Site-specific peak intensity ratio (SPIR) from 1D H/H NMR spectra for rapid distinction between natural and synthetic nicotine and detection of possible adulteration. <i>Analytical and Bioanalytical Chemistry</i> , <b>2019</b> , 411, 6427-6434	4.4	3
27	Structural basis of the mechanism of methyl epimerization by enzyme MarH. <i>Organic and Biomolecular Chemistry</i> , <b>2019</b> , 17, 9605-9614	3.9	4
26	Backbone and side-chain chemical shift assignments of the kringle domain of human receptor tyrosine kinase-like orphan receptor 1 (ROR1). <i>Biomolecular NMR Assignments</i> , <b>2018</b> , 12, 145-148	0.7	3
25	Simultaneous quantification of endogenous and exogenous plasma glucose by isotope dilution LC-MS/MS with indirect MRM of the derivative tag. <i>Analytical and Bioanalytical Chemistry</i> , <b>2018</b> , 410, 2011-2018	4.4	6
24	An adapted isotope dilution H-C heteronuclear single-quantum correlation (ID-HSQC) for rapid and accurate quantification of endogenous and exogenous plasma glucose. <i>Analytical and Bioanalytical Chemistry</i> , <b>2018</b> , 410, 6705-6711	4.4	1
23	Backbone and side-chain chemical shift assignments of MarH, a critical intermediary epimerase for biosynthesis of Maremycins in <i>Streptomyces</i> . <i>Biomolecular NMR Assignments</i> , <b>2018</b> , 12, 335-338	0.7	1

22	Targeted isolation and identification of bioactive compounds lowering cholesterol in the crude extracts of crabapples using UPLC-DAD-MS-SPE/NMR based on pharmacology-guided PLS-DA. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2018</b> , 150, 144-151	3.5	18
21	Structure and Function of the PriC DNA Replication Restart Protein. <i>Journal of Biological Chemistry</i> , <b>2016</b> , 291, 18384-96	5.4	11
20	A sodium channel inhibitor ISTX-I with a novel structure provides a new hint at the evolutionary link between two toxin folds. <i>Scientific Reports</i> , <b>2016</b> , 6, 29691	4.9	6
19	Bavachinin, as a novel natural pan-PPAR agonist, exhibits unique synergistic effects with synthetic PPAR- $\delta$ and PPAR- $\alpha$ agonists on carbohydrate and lipid metabolism in db/db and diet-induced obese mice. <i>Diabetologia</i> , <b>2016</b> , 59, 1276-86	10.3	39
18	Investigation of enzymatic C-P bond formation using multiple quantum HCP nuclear magnetic resonance spectroscopy. <i>Magnetic Resonance in Chemistry</i> , <b>2015</b> , 53, 267-72	2.1	7
17	Molecular insights into the recognition of N-terminal histone modifications by the BRPF1 bromodomain. <i>Journal of Molecular Biology</i> , <b>2014</b> , 426, 1661-76	6.5	47
16	Quantification of multiple compounds containing heterogeneous elements in the mixture by one-dimensional nuclear magnetic resonance spectroscopy of different nuclei using a single universal concentration reference. <i>Magnetic Resonance in Chemistry</i> , <b>2014</b> , 52, 779-82	2.1	2
15	Fast automated protein NMR data collection and assignment by ADAPT-NMR on Bruker spectrometers. <i>Journal of Magnetic Resonance</i> , <b>2013</b> , 236, 83-8	3	12
14	Deconvolution of two-dimensional NMR spectra by fast maximum likelihood reconstruction: application to quantitative metabolomics. <i>Analytical Chemistry</i> , <b>2011</b> , 83, 4871-80	7.8	71
13	Selective quantification by 2D HSQC0 spectroscopy of thiocoraline in an extract from a sponge-derived <i>Verrucosipora</i> sp. <i>Journal of Natural Products</i> , <b>2011</b> , 74, 2295-8	4.9	19
12	Simultaneous quantification and identification of individual chemicals in metabolite mixtures by two-dimensional extrapolated time-zero (1)H-(13)C HSQC (HSQC(0)). <i>Journal of the American Chemical Society</i> , <b>2011</b> , 133, 1662-5	16.4	115
11	Structural basis for recognition of centromere histone variant CenH3 by the chaperone Scm3. <i>Nature</i> , <b>2011</b> , 472, 234-7	50.4	98
10	Two-dimensional concurrent HMQC-COSY as an approach for small molecule chemical shift assignment and compound identification. <i>Journal of Biomolecular NMR</i> , <b>2011</b> , 49, 291-6	3	11
9	Measurement of absolute concentrations of individual compounds in metabolite mixtures by gradient-selective time-zero 1H-13C HSQC with two concentration references and fast maximum likelihood reconstruction analysis. <i>Analytical Chemistry</i> , <b>2011</b> , 83, 9352-60	7.8	33
8	In vitro phosphinate methylation by PhpK from <i>Kitasatospora phosalacinea</i> . <i>Biochemistry</i> , <b>2011</b> , 50, 8986-8	3.2	51
7	Using multiple quantum coherence to increase the 15N resolution in a three-dimensional TROSY HNC0 experiment for accurate PRE and RDC measurements. <i>Journal of Magnetic Resonance</i> , <b>2009</b> , 200, 173-7	3	8
6	Solution NMR structures of productive and non-productive complexes between the A and B domains of the cytoplasmic subunit of the mannose transporter of the <i>Escherichia coli</i> phosphotransferase system. <i>Journal of Biological Chemistry</i> , <b>2008</b> , 283, 11024-37	5.4	22
5	A minimal transmembrane beta-barrel platform protein studied by nuclear magnetic resonance. <i>Biochemistry</i> , <b>2007</b> , 46, 1128-40	3.2	29

4	Spin-state selective carbon-detected HNCO with TROSY optimization in all dimensions and double echo-antiecho sensitivity enhancement in both indirect dimensions. <i>Journal of the American Chemical Society</i> , <b>2007</b> , 129, 5484-91	16.4	18
3	Structural plasticity of peptidyl-prolyl isomerase sFkpA is a key to its chaperone function as revealed by solution NMR. <i>Biochemistry</i> , <b>2006</b> , 45, 11983-91	3.2	29
2	Interference between transverse cross-correlated relaxation and longitudinal relaxation affects apparent J-coupling and transverse cross-correlated relaxation. <i>Chemical Physics Letters</i> , <b>2006</b> , 423, 123-125	3.5	4
1	<sup>13</sup> C-detected HN(CA)C and HMCPC experiments using a single methyl-reprotonated sample for unambiguous methyl resonance assignment. <i>Journal of Biomolecular NMR</i> , <b>2006</b> , 36, 259-66	3	4