

Adeline Huneau-Salaün

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3517499/publications.pdf>

Version: 2024-02-01

31
papers

612
citations

567281

15
h-index

610901

24
g-index

31
all docs

31
docs citations

31
times ranked

676
citing authors

#	ARTICLE	IF	CITATIONS
19	Risk factors for the introduction of avian influenza virus in breeder duck flocks during the first 24 weeks of laying. <i>Avian Pathology</i> , 2013, 42, 447-456.	2.0	15
20	Cage hygiene, laying location, and egg quality: The effects of linings and litter provision in furnished cages for laying hens. <i>Poultry Science</i> , 2012, 91, 808-816.	3.4	21
21	Endotoxin concentration in poultry houses for laying hens kept in cages or in alternative housing systems. <i>British Poultry Science</i> , 2011, 52, 523-530.	1.7	17
22	Furnished cages for laying hens: study of the effects of group size and litter provision on laying location, zootechnical performance and egg quality. <i>Animal</i> , 2011, 5, 911-917.	3.3	16
23	Risk factors for <i>Listeria monocytogenes</i> contamination in French laying hens and broiler flocks. <i>Preventive Veterinary Medicine</i> , 2011, 98, 271-278.	1.9	24
24	Health risks for workers in egg production systems and methods of control. , 2011, , 415-442.		1
25	Factors influencing bacterial eggshell contamination in conventional cages, furnished cages and free-range systems for laying hens under commercial conditions. <i>British Poultry Science</i> , 2010, 51, 163-169.	1.7	23
26	Evaluation of common cleaning and disinfection programmes in battery cage and on-floor layer houses in France. <i>British Poultry Science</i> , 2010, 51, 204-212.	1.7	11
27	Isolation of <i>Salmonella enterica</i> in Laying-Hen Flocks and Assessment of Eggshell Contamination in France. <i>Journal of Food Protection</i> , 2009, 72, 2071-2077.	1.7	31
28	Risk factors for <i>Salmonella enterica</i> subsp. <i>enterica</i> contamination in 519 French laying hen flocks at the end of the laying period. <i>Preventive Veterinary Medicine</i> , 2009, 89, 51-58.	1.9	75
29	Bayesian estimation of flock-level sensitivity of detection of <i>Salmonella</i> spp., <i>Enteritidis</i> and <i>Typhimurium</i> according to the sampling procedure in French laying-hen houses. <i>Preventive Veterinary Medicine</i> , 2008, 84, 11-26.	1.9	23
30	Diversity of Pulsed-Field Gel Electrophoresis Profiles of <i>Campylobacter jejuni</i> and <i>Campylobacter coli</i> from Broiler Chickens in France. <i>Poultry Science</i> , 2008, 87, 1662-1671.	3.4	23
31	Risk factors for <i>Campylobacter</i> spp. colonization in French free-range broiler-chicken flocks at the end of the indoor rearing period. <i>Preventive Veterinary Medicine</i> , 2007, 80, 34-48.	1.9	52