

Hanna M Pituch

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3519855/publications.pdf>

Version: 2024-02-01

53
papers

3,247
citations

257101

24
h-index

161609

54
g-index

58
all docs

58
docs citations

58
times ranked

2817
citing authors

#	ARTICLE	IF	CITATIONS
1	Motility and the genotype diversity of the flagellin genes <i>flhC</i> and <i>flhD</i> among <i>Clostridioides difficile</i> ribotypes. <i>Anaerobe</i> , 2022, 73, 102476.	1.0	5
2	Effect of prebiotics on <i>Bacteroides</i> sp. adhesion and biofilm formation and synbiotic effect on <i>Clostridioides difficile</i> . <i>Future Microbiology</i> , 2022, 17, 363-375.	1.0	8
3	The prebiotic effect of human milk oligosaccharides 3- and 6-sialyllactose on adhesion and biofilm formation by <i>Clostridioides difficile</i> – pilot study. <i>Microbes and Infection</i> , 2022, 24, 104929.	1.0	7
4	Mortality Following <i>Clostridioides difficile</i> Infection in Europe: A Retrospective Multicenter Case-Control Study. <i>Antibiotics</i> , 2021, 10, 299.	1.5	23
5	Inhibition of Quinolone- and Multi-Drug-Resistant <i>Clostridioides Difficile</i> Strains by Multi Strain Synbiotics – An Option for Diarrhea Management in Nursing Facilities. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 5871.	1.2	1
6	Risk Factors for Primary <i>Clostridium difficile</i> Infection; Results From the Observational Study of Risk Factors for <i>Clostridium difficile</i> Infection in Hospitalized Patients With Infective Diarrhea (ORCHID). <i>Frontiers in Public Health</i> , 2020, 8, 293.	1.3	32
7	The effect of berberine chloride and/or its combination with vancomycin on the growth, biofilm formation, and motility of <i>Clostridioides difficile</i> . <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2020, 39, 1391-1399.	1.3	18
8	Fructooligosaccharides and mannose affect <i>Clostridium difficile</i> adhesion and biofilm formation in a concentration-dependent manner. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2019, 38, 1975-1984.	1.3	24
9	<i>Clostridium difficile</i> infection: review. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2019, 38, 1211-1221.	1.3	391
10	The level of fecal calprotectin significantly correlates with <i>Clostridium difficile</i> infection severity. <i>Folia Medica Cracoviensia</i> , 2019, 59, 53-65.	0.3	1
11	Prevalence of <i>Clostridium difficile</i> infection in hospitalized patients with diarrhoea: Results of a Polish multicenter, prospective, biannual point-prevalence study. <i>Advances in Medical Sciences</i> , 2018, 63, 290-295.	0.9	18
12	Two Distinct Patterns of <i>Clostridium difficile</i> Diversity Across Europe Indicating Contrasting Routes of Spread. <i>Clinical Infectious Diseases</i> , 2018, 67, 1035-1044.	2.9	60
13	How to: Surveillance of <i>Clostridium difficile</i> infections. <i>Clinical Microbiology and Infection</i> , 2018, 24, 469-475.	2.8	68
14	Antimicrobial effects of Manuka honey on in vitro biofilm formation by <i>Clostridium difficile</i> . <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2017, 36, 1661-1664.	1.3	38
15	Comparative Genome Analysis and Global Phylogeny of the Toxin Variant <i>Clostridium difficile</i> PCR Ribotype 017 Reveals the Evolution of Two Independent Sublineages. <i>Journal of Clinical Microbiology</i> , 2017, 55, 865-876.	1.8	50
16	Metronidazole or Rifaximin for Treatment of <i>Clostridium difficile</i> in Pediatric Patients with Inflammatory Bowel Disease. <i>Inflammatory Bowel Diseases</i> , 2017, 23, 2209-2214.	0.9	15
17	Standardised surveillance of <i>Clostridium difficile</i> infection in European acute care hospitals: a pilot study, 2013. <i>Eurosurveillance</i> , 2016, 21, .	3.9	64
18	Antimicrobial susceptibility patterns of <i>Clostridium difficile</i> strains belonging to different polymerase chain reaction ribotypes isolated in Poland in 2012. <i>Anaerobe</i> , 2015, 31, 37-41.	1.0	34

#	ARTICLE	IF	CITATIONS
19	First Polish outbreak of Clostridium difficile ribotype 027 infections among dialysis patients. European Journal of Clinical Microbiology and Infectious Diseases, 2015, 34, 63-67.	1.3	10
20	Pan-European longitudinal surveillance of antibiotic resistance among prevalent Clostridium difficile ribotypes. Clinical Microbiology and Infection, 2015, 21, 248.e9-248.e16.	2.8	218
21	Hospital-based Clostridium difficile infection surveillance reveals high proportions of PCR ribotypes 027 and 176 in different areas of Poland, 2011 to 2013. Eurosurveillance, 2015, 20, .	3.9	47
22	Occurrence of Clostridium difficile PCR-ribotype 027 and it's closely related PCR-ribotype 176 in hospitals in Poland in 2008â€“2010. Anaerobe, 2014, 28, 13-17.	1.0	29
23	Underdiagnosis of Clostridium difficile across Europe: the European, multicentre, prospective, biannual, point-prevalence study of Clostridium difficile infection in hospitalised patients with diarrhoea (EUCLID). Lancet Infectious Diseases, The, 2014, 14, 1208-1219.	4.6	308
24	Enterotoxigenic Clostridium perfringens infection and pediatric patients with inflammatory bowel disease. Journal of Crohn's and Colitis, 2014, 8, 276-281.	0.6	28
25	Clostridium difficile Infection in Children with Inflammatory Bowel Disease: Current Evidence. Current Pharmaceutical Design, 2014, 20, 4549-4555.	0.9	6
26	Emergence of Clostridium difficile infection in tuberculosis patients due to a highly rifampicin-resistant PCR ribotype 046 clone in Poland. European Journal of Clinical Microbiology and Infectious Diseases, 2013, 32, 1027-1030.	1.3	34
27	Antimicrobial activity of LFF571 and three treatment agents against Clostridium difficile isolates collected for a pan-European survey in 2008: clinical and therapeutic implications. Journal of Antimicrobial Chemotherapy, 2013, 68, 1305-1311.	1.3	35
28	Clostridium difficile infection in newly diagnosed pediatric patients with inflammatory bowel disease: Prevalence and risk factors. Inflammatory Bowel Diseases, 2012, 18, 844-848.	0.9	28
29	Characterization and antimicrobial susceptibility of Clostridium difficile strains isolated from adult patients with diarrhoea hospitalized in two university hospitals in Poland, 2004â€“2006. Journal of Medical Microbiology, 2011, 60, 1200-1205.	0.7	22
30	Clostridium difficile infection in Europe: a hospital-based survey. Lancet, The, 2011, 377, 63-73.	6.3	924
31	Clostridium difficile PCR ribotype 176 in the Czech Republic and Poland. Lancet, The, 2011, 377, 1407.	6.3	41
32	Multidrug resistance in European Clostridium difficile clinical isolates. Journal of Antimicrobial Chemotherapy, 2011, 66, 2227-2234.	1.3	177
33	Clostridium difficile infection in Polish pediatric outpatients with inflammatory bowel disease. European Journal of Clinical Microbiology and Infectious Diseases, 2010, 29, 1265-1270.	1.3	39
34	Prevalence of Clostridium difficile infection in Polish pediatric patients with inflammatory bowel disease. Inflammatory Bowel Diseases, 2010, 16, 554.	0.9	2
35	Clostridium difficile is no longer just a nosocomial infection or an infection of adults. International Journal of Antimicrobial Agents, 2009, 33, S42-S45.	1.1	67
36	Fluoroquinolone resistance in Clostridium difficile isolates from a prospective study of C. difficile infections in Europe. Journal of Medical Microbiology, 2008, 57, 784-789.	0.7	112

#	ARTICLE	IF	CITATIONS
37	First isolation of <i>Clostridium difficile</i> PCR-ribotype 027/toxinotype III in Poland. <i>Polish Journal of Microbiology</i> , 2008, 57, 267-8.	0.6	12
38	Toxin Profiles and Resistances to Macrolides and Newer Fluoroquinolones as Epidemicity Determinants of Clinical Isolates of <i>Clostridium difficile</i> from Warsaw, Poland. <i>Journal of Clinical Microbiology</i> , 2007, 45, 1607-1610.	1.8	15
39	Laboratory diagnosis of antibiotic-associated diarrhea: a Polish pilot study into the clinical relevance of <i>Clostridium difficile</i> and <i>Clostridium perfringens</i> toxins. <i>Diagnostic Microbiology and Infectious Disease</i> , 2007, 58, 71-75.	0.8	14
40	P1056 Emergence of a new epidemic <i>Clostridium difficile</i> strain (ribotype 017) resistant to newer fluoroquinolones in Poland. <i>International Journal of Antimicrobial Agents</i> , 2007, 29, S283.	1.1	0
41	Prevalence and association of PCR ribotypes of <i>Clostridium difficile</i> isolated from symptomatic patients from Warsaw with macrolide-lincosamide-streptogramin B (MLSB) type resistance. <i>Journal of Medical Microbiology</i> , 2006, 55, 207-213.	0.7	49
42	A survey of metronidazole and vancomycin resistance in strains of <i>Clostridium difficile</i> isolated in Warsaw, Poland. <i>Anaerobe</i> , 2005, 11, 197-199.	1.0	9
43	Detection of binary-toxin genes (<i>cdtA</i> and <i>cdtB</i>) among <i>Clostridium difficile</i> strains isolated from patients with <i>C. difficile</i> -associated diarrhoea (CDAD) in Poland. <i>Journal of Medical Microbiology</i> , 2005, 54, 143-147.	0.7	27
44	Clonal Spread of a <i>Clostridium difficile</i> Strain with a Complete Set of Toxin A, Toxin B, and Binary Toxin Genes among Polish Patients with <i>Clostridium difficile</i> -Associated Diarrhea. <i>Journal of Clinical Microbiology</i> , 2005, 43, 472-475.	1.8	18
45	<i>Clostridium difficile</i> and enterotoxigenic <i>Bacteroides fragilis</i> strains isolated from patients with antibiotic associated diarrhoea. <i>Anaerobe</i> , 2003, 9, 161-163.	1.0	9
46	Clindamycin-resistant, toxin A-negative, toxin B-positive <i>Clostridium difficile</i> strains cause antibiotic-associated diarrhea among children hospitalized in a hematology unit. <i>Clinical Microbiology and Infection</i> , 2003, 9, 903-904.	2.8	8
47	Recent Emergence of an Epidemic Clindamycin-Resistant Clone of <i>Clostridium difficile</i> among Polish Patients with <i>C. difficile</i> -Associated Diarrhea. <i>Journal of Clinical Microbiology</i> , 2003, 41, 4184-4187.	1.8	17
48	Variable flagella expression among clonal toxin A ⁺ /B ⁺ <i>Clostridium difficile</i> strains with highly homogeneous flagellin genes. <i>Clinical Microbiology and Infection</i> , 2002, 8, 187-188.	2.8	11
49	Characterization of <i>Clostridium perfringens</i> strains isolated from Polish patients with suspected antibiotic-associated diarrhea. <i>Medical Science Monitor</i> , 2002, 8, BR85-8.	0.5	4
50	Clonal dissemination of a toxin-A-negative/toxin-B-positive <i>Clostridium difficile</i> strain from patients with antibiotic-associated diarrhea in Poland. <i>Clinical Microbiology and Infection</i> , 2001, 7, 442-446.	2.8	56
51	Are Rapid Immunoassays for in vivo Detection of Toxin A Sufficient for Diagnostic Purposes of <i>Clostridium difficile</i> -Associated Diseases?. <i>Anaerobe</i> , 2000, 6, 15-19.	1.0	6
52	Enterotoxin-producing <i>Bacteroides fragilis</i> (ETBF) Strains in Stool Samples Submitted for Testing of <i>Clostridium difficile</i> and its Toxins. <i>Anaerobe</i> , 1999, 5, 217-219.	1.0	3
53	Evaluation of the biomed bacteroides IF kit for identification of <i>Bacteroides fragilis</i> group strains. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 1986, 5, 464-465.	1.3	1