

Felipe Weidenbach Degrazia

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3520853/publications.pdf>

Version: 2024-02-01

13
papers

297
citations

840119

11
h-index

1199166

12
g-index

13
all docs

13
docs citations

13
times ranked

374
citing authors

#	ARTICLE	IF	CITATIONS
1	Aparelhos ortodonticos invisíveis: uma revisão. Research, Society and Development, 2021, 10, e5510111259.	0.0	0
2	Boron Nitride Nanotubes as Filler for Resin-Based Dental Sealants. Scientific Reports, 2019, 9, 7710.	1.6	15
3	Antibacterial and Remineralizing Fillers in Experimental Orthodontic Adhesives. Materials, 2019, 12, 652.	1.3	22
4	Evaluation of an antibacterial orthodontic adhesive incorporated with niobium-based bioglass: an in situ study. Brazilian Oral Research, 2019, 33, e010.	0.6	19
5	Long-term stability of dental adhesive incorporated by boron nitride nanotubes. Dental Materials, 2018, 34, 427-433.	1.6	20
6	Polymerisation, antibacterial and bioactivity properties of experimental orthodontic adhesives containing triclosan-loaded halloysite nanotubes. Journal of Dentistry, 2018, 69, 77-82.	1.7	35
7	Physicochemical and Microbiological Assessment of an Experimental Composite Doped with Triclosan-Loaded Halloysite Nanotubes. Materials, 2018, 11, 1080.	1.3	21
8	Enamel Roughness Changes after Removal of Orthodontic Adhesive. Dentistry Journal, 2018, 6, 39.	0.9	17
9	Boron nitride nanotubes as novel fillers for improving the properties of dental adhesives. Journal of Dentistry, 2017, 62, 85-90.	1.7	36
10	Effect of silver nanoparticles on the physicochemical and antimicrobial properties of an orthodontic adhesive. Journal of Applied Oral Science, 2016, 24, 404-410.	0.7	66
11	Physicochemical and bioactive properties of innovative resin-based materials containing functional halloysite-nanotubes fillers. Dental Materials, 2016, 32, 1133-1143.	1.6	27
12	Orthodontic bracket bonding without previous adhesive priming: A meta-regression analysis. Angle Orthodontist, 2016, 86, 391-398.	1.1	18
13	Effect of surface treatment of brackets and mechanical cycling on adhesion to enamel. General Dentistry, 2014, 62, e7-e11.	0.4	1