

AgustÃ- Fortuny

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3521012/publications.pdf>

Version: 2024-02-01

105
papers

4,048
citations

87888

38
h-index

128289

60
g-index

105
all docs

105
docs citations

105
times ranked

3789
citing authors

#	ARTICLE	IF	CITATIONS
1	Ceramic-supported graphene oxide membrane bioreactor for the anaerobic decolorization of azo dyes. <i>Journal of Water Process Engineering</i> , 2022, 45, 102499.	5.6	11
2	Compact Carbon-Based Membrane Reactors for the Intensified Anaerobic Decolorization of Dye Effluents. <i>Membranes</i> , 2022, 12, 174.	3.0	3
3	Flexible semi-amorphous carbon nitride films with outstanding electrochemical stability derived from soluble polymeric precursors. <i>Journal of Materials Science</i> , 2022, 57, 4970-4989.	3.7	4
4	Rare earth elements recovery from secondary wastes by solid-state chlorination and selective organic leaching. <i>Waste Management</i> , 2021, 122, 55-63.	7.4	19
5	Comparative Anaerobic Decolorization of Azo Dyes by Carbon-Based Membrane Bioreactor. <i>Water (Switzerland)</i> , 2021, 13, 1060.	2.7	5
6	Recycling of rare earths from fluorescent lamp waste by the integration of solid-state chlorination, leaching and solvent extraction processes. <i>Separation and Purification Technology</i> , 2021, 272, 118879.	7.9	9
7	Counter-current separation of cobalt(II) and nickel(II) from aqueous sulphate media with a mixture of Primene JMT-Versatic 10 diluted in kerosene. <i>Separation Science and Technology</i> , 2020, 55, 513-522.	2.5	8
8	Removal of Zinc from Aqueous Solutions Using Lamellar Double Hydroxide Materials Impregnated with Cyanex 272: Characterization and Sorption Studies. <i>Molecules</i> , 2020, 25, 1263.	3.8	6
9	Permeability dependencies on the carrier concentration and membrane viscosity for Y(III) and Eu(III) transport by using liquid membranes. <i>Separation and Purification Technology</i> , 2020, 239, 116573.	7.9	19
10	Separation of cellulose from industrial paper mill wastewater dried sludge using a commercial and cheap ionic liquid. <i>Water Science and Technology</i> , 2019, 79, 1897-1904.	2.5	7
11	Enhanced Degradation of Phenol by a Fenton-Like System (Fe/EDTA/H ₂ O ₂) at Circumneutral pH. <i>Catalysts</i> , 2019, 9, 474.	3.5	34
12	Improved rare earth elements recovery from fluorescent lamp wastes applying supported liquid membranes to the leaching solutions. <i>Separation and Purification Technology</i> , 2019, 224, 332-339.	7.9	42
13	Selective separation of Germanium(IV) from simulated industrial leachates containing heavy metals by non-dispersive ionic extraction. <i>Minerals Engineering</i> , 2019, 137, 344-353.	4.3	12
14	Solvent extraction modeling of Ce/Eu/Y from chloride media using D2EHPA. <i>AIChE Journal</i> , 2019, 65, e16627.	3.6	13
15	Non-dispersive selective extraction of germanium from fly ash leachates using membrane-based processes. <i>Separation Science and Technology</i> , 2019, 54, 2879-2894.	2.5	7
16	Comparison of Cyanex 272 and Cyanex 572 for the separation of Neodymium from a Nd/Tb/Dy mixture by pertraction. <i>Journal of Chemical Technology and Biotechnology</i> , 2018, 93, 2152-2159.	3.2	16
17	Mathematical modeling for facilitated transport of Ge(IV) through supported liquid membrane containing Alamine 336. <i>Chemical Papers</i> , 2018, 72, 955-970.	2.2	12
18	Recovery of germanium from leach solutions of fly ash using solvent extraction with various extractants. <i>Hydrometallurgy</i> , 2018, 175, 164-169.	4.3	50

#	ARTICLE	IF	CITATIONS
19	Fast Aqueous Biodegradation of Highly-Volatile Organic Compounds in a Novel Anaerobic Reaction Setup. <i>Environments - MDPI</i> , 2018, 5, 115.	3.3	4
20	Mathematical modeling on non-dispersive extraction of germanium from aqueous solutions using Aliquat 336. <i>Water Science and Technology</i> , 2018, 78, 2489-2499.	2.5	4
21	Rare earths separation from fluorescent lamp wastes using ionic liquids as extractant agents. <i>Waste Management</i> , 2018, 82, 241-248.	7.4	40
22	Neodymium Recovery by Chitosan/Iron(III) Hydroxide [ChiFer(III)] Sorbent Material: Batch and Column Systems. <i>Polymers</i> , 2018, 10, 204.	4.5	32
23	Neodymium recovery from NdFeB magnet wastes using Primene 81R-Cyanex 572 IL by solvent extraction. <i>Journal of Environmental Management</i> , 2018, 222, 359-367.	7.8	46
24	Experimental and modelling studies of neodymium solvent extraction from chloride media with methyl-tri(octyl/decyl)ammonium oleate ionic liquid diluted in kerosene. <i>Hydrometallurgy</i> , 2017, 174, 216-226.	4.3	5
25	Nitrate removal in an innovative up-flow stirred packed-bed bioreactor. <i>Chemical Engineering and Processing: Process Intensification</i> , 2017, 121, 57-64.	3.6	10
26	Mathematical modelling of neodymium, terbium and dysprosium solvent extraction from chloride media using methyl-tri(octyl/decyl)ammonium oleate ionic liquid as extractant. <i>Hydrometallurgy</i> , 2017, 173, 84-90.	4.3	9
27	Synthesis of N-doped and non-doped partially oxidised graphene membranes supported over ceramic materials. <i>Journal of Materials Science</i> , 2016, 51, 8346-8360.	3.7	13
28	Transport of Zn(II), Fe(II), Fe(III) across polymer inclusion membranes (PIM) and flat sheet supported liquid membranes (SLM) containing phosphonium ionic liquids as metal ion carriers. <i>Separation Science and Technology</i> , 2016, 51, 2639-2648.	2.5	39
29	Catalytic wet peroxide oxidation of phenol using nanoscale zero-valent iron supported on activated carbon. <i>Desalination and Water Treatment</i> , 2016, 57, 5155-5164.	1.0	14
30	Evaluation of different strategies to produce biofuels from <i>Nannochloropsis oculata</i> and <i>Chlorella vulgaris</i> . <i>Fuel Processing Technology</i> , 2016, 144, 132-138.	7.2	10
31	Biodiesel production from sewage sludge lipids catalysed by Brønsted acidic ionic liquids. <i>Applied Catalysis B: Environmental</i> , 2016, 181, 738-746.	20.2	93
32	New sludge-based carbonaceous materials impregnated with different metals for anaerobic azo-dye reduction. <i>Journal of Environmental Chemical Engineering</i> , 2015, 3, 104-112.	6.7	5
33	TiO ₂ -sludge carbon enhanced catalytic oxidative reaction in environmental wastewaters applications. <i>Journal of Hazardous Materials</i> , 2015, 300, 406-414.	12.4	15
34	Biodegradation of acid orange 7 in an anaerobic-aerobic sequential treatment system. <i>Chemical Engineering and Processing: Process Intensification</i> , 2015, 94, 99-104.	3.6	24
35	A potential application of sludge-based catalysts for the anaerobic bio-decolorization of tartrazine dye. <i>Environmental Technology (United Kingdom)</i> , 2015, 36, 2568-2576.	2.2	4
36	Efficient extraction of lipids from primary sewage sludge using ionic liquids for biodiesel production. <i>Separation and Purification Technology</i> , 2015, 153, 118-125.	7.9	38

#	ARTICLE	IF	CITATIONS
37	Effect of activated carbon surface chemistry on the activity of ZVI/AC catalysts for Fenton-like oxidation of phenol. <i>Catalysis Today</i> , 2015, 240, 73-79.	4.4	40
38	Effects of pre-treatments on the lipid extraction and biodiesel production from municipal WWTP sludge. <i>Fuel</i> , 2015, 141, 250-257.	6.4	52
39	Efficient elimination of tyrosol in a zero valent iron-EDTA system at mild conditions. <i>Chemical Engineering Journal</i> , 2015, 260, 199-208.	12.7	8
40	Effect of phase modifiers on boron removal by solvent extraction using 1,3 diolic compounds. <i>Journal of Chemical Technology and Biotechnology</i> , 2014, 89, 858-865.	3.2	7
41	Characterization and performance of carbonaceous materials obtained from exhausted sludges for the anaerobic biodecolorization of the azo dye Acid Orange II. <i>Journal of Hazardous Materials</i> , 2014, 267, 21-30.	12.4	37
42	Cu(II) extraction using quaternary ammonium and quaternary phosphonium based ionic liquid. <i>Hydrometallurgy</i> , 2014, 141, 89-96.	4.3	66
43	Fenton coupled with nanofiltration for elimination of Bisphenol A. <i>Desalination</i> , 2014, 345, 77-84.	8.2	35
44	Zero-valent iron supported on nitrogen-containing activated carbon for catalytic wet peroxide oxidation of phenol. <i>Applied Catalysis B: Environmental</i> , 2014, 154-155, 329-338.	20.2	74
45	Direct liquid-liquid extraction of lipid from municipal sewage sludge for biodiesel production. <i>Fuel Processing Technology</i> , 2014, 128, 331-338.	7.2	85
46	Ionic liquids as a carrier for chloride reduction from brackish water using hollow fiber renewal liquid membrane. <i>Desalination</i> , 2014, 343, 54-59.	8.2	16
47	Boron reduction by supported liquid membranes using ALiCY and ALiDEC ionic liquids as carriers. <i>Chemical Engineering Research and Design</i> , 2014, 92, 758-763.	5.6	13
48	Heterogenization of copper catalyst for the oxidation of phenol, a common contaminant in industrial wastewater. <i>Environmental Progress and Sustainable Energy</i> , 2013, 32, 269-278.	2.3	7
49	Evaluation of Different Sludges from WWTP as a Potential Source for Biodiesel Production. <i>Procedia Engineering</i> , 2012, 42, 634-643.	1.2	62
50	Phenol Degradation by Heterogeneous Fenton-Like Reaction Using Fe Supported Over Activated Carbon. <i>Procedia Engineering</i> , 2012, 42, 1373-1377.	1.2	21
51	Studies on the extraction of Co(II) and Ni(II) from aqueous chloride solutions using Primene JMT-Cyanex272 ionic liquid extractant. <i>Hydrometallurgy</i> , 2012, 125-126, 24-28.	4.3	66
52	Use of methyltrioctyl/decylammonium bis 2,4,4-(trimethylpentyl)phosphinate ionic liquid (ALiCY IL) on the boron extraction in chloride media. <i>Separation and Purification Technology</i> , 2012, 97, 137-141.	7.9	63
53	Extraction and purification of hydrolytic enzymes from activated sludge. <i>Resources, Conservation and Recycling</i> , 2012, 59, 9-13.	10.8	30
54	Towards advanced aqueous dye removal processes: A short review on the versatile role of activated carbon. <i>Journal of Environmental Management</i> , 2012, 102, 148-164.	7.8	387

#	ARTICLE	IF	CITATIONS
55	Degradation of model olive mill contaminants of OMW catalysed by zero-valent iron enhanced with a chelant. <i>Journal of Hazardous Materials</i> , 2012, 199-200, 328-335.	12.4	17
56	Sewage sludge based carbons for catalytic wet air oxidation of phenolic compounds in batch and trickle bed reactors. <i>Applied Catalysis B: Environmental</i> , 2011, 110, 81-89.	20.2	48
57	Heat transfer in trickle bed column with constant and modulated feed temperature: Experiments and modeling. <i>Chemical Engineering Science</i> , 2011, 66, 3358-3368.	3.8	13
58	Sewage sludge based catalysts for catalytic wet air oxidation of phenol: Preparation, characterisation and catalytic performance. <i>Applied Catalysis B: Environmental</i> , 2011, 101, 306-316.	20.2	88
59	Mathematical modeling of cadmium(II) solvent extraction from neutral and acidic chloride media using Cyanex 923 extractant as a metal carrier. <i>Journal of Hazardous Materials</i> , 2010, 182, 903-911.	12.4	13
60	Tailored activated carbons as catalysts in biodecolourisation of textile azo dyes. <i>Applied Catalysis B: Environmental</i> , 2010, 94, 179-185.	20.2	46
61	Immobilisation of horseradish peroxidase on Eupergit®C for the enzymatic elimination of phenol. <i>Journal of Hazardous Materials</i> , 2010, 177, 990-1000.	12.4	49
62	Hydrolytic enzymes in activated sludge: Extraction of protease and lipase by stirring and ultrasonication. <i>Ultrasonics Sonochemistry</i> , 2010, 17, 923-931.	8.2	47
63	Synthesis of polymer-supported copper complexes and their evaluation in catalytic phenol oxidation. <i>Catalysis Today</i> , 2010, 157, 66-70.	4.4	28
64	Performance of Trickle Bed Reactor and Active Carbon in the Liquid Phase Oxidation of Phenol. <i>International Journal of Chemical Reactor Engineering</i> , 2010, 8, .	1.1	0
65	Performance of Sludge Based Activated Carbons in Catalytic Wet Air Oxidation of Phenol. <i>International Journal of Chemical Reactor Engineering</i> , 2010, 8, .	1.1	2
66	Optimisation of a torus reactor geometry using CFD. <i>Computer Aided Chemical Engineering</i> , 2009, 26, 701-705.	0.5	0
67	Non-enhanced ultrafiltration of iron(III) with commercial ceramic membranes. <i>Journal of Membrane Science</i> , 2009, 334, 129-137.	8.2	23
68	Extraction and permeation studies of Cd(II) in acidic and neutral chloride media using Cyanex 923 on supported liquid membrane. <i>Hydrometallurgy</i> , 2009, 96, 81-87.	4.3	45
69	Supported Cu(II) polymer catalysts for aqueous phenol oxidation. <i>Journal of Hazardous Materials</i> , 2009, 163, 809-815.	12.4	39
70	Advanced Bioreduction of Commercially Important Azo Dyes: Modeling and Correlation with Electrochemical Characteristics. <i>Industrial & Engineering Chemistry Research</i> , 2009, 48, 7054-7059.	3.7	17
71	Mixing and hydrodynamics investigation using CFD in a square-sectioned torus reactor in batch and continuous regimes. <i>Chemical Engineering Journal</i> , 2008, 137, 386-395.	12.7	15
72	Recovery of iron (III) from aqueous streams by ultrafiltration. <i>Desalination</i> , 2008, 221, 413-418.	8.2	20

#	ARTICLE	IF	CITATIONS
73	Novel bioreactor design for decolourisation of azo dye effluents. <i>Chemical Engineering Journal</i> , 2008, 143, 293-298.	12.7	36
74	Extraction of enzymes from activated sludge. <i>WIT Transactions on Ecology and the Environment</i> , 2008, , .	0.0	2
75	Studies on the Selective Separation of Ir(IV), Ru(III) and Rh(III) from Chloride Solutions using Alamine 336 in Kerosene. <i>Solvent Extraction and Ion Exchange</i> , 2007, 25, 65-77.	2.0	48
76	Phenol wastewater remediation: advanced oxidation processes coupled to a biological treatment. <i>Water Science and Technology</i> , 2007, 55, 221-227.	2.5	29
77	Integrated catalytic wet air oxidation and aerobic biological treatment in a municipal WWTP of a high-strength o-cresol wastewater. <i>Chemosphere</i> , 2007, 66, 2096-2105.	8.2	45
78	Elimination of phenol and aromatic compounds by zero valent iron and EDTA at low temperature and atmospheric pressure. <i>Chemosphere</i> , 2007, 68, 338-344.	8.2	59
79	Effective Anaerobic Decolorization of Azo Dye Acid Orange 7 in Continuous Upflow Packed-Bed Reactor Using Biological Activated Carbon System. <i>Industrial & Engineering Chemistry Research</i> , 2007, 46, 6788-6792.	3.7	87
80	Biodegradability enhancement of phenolic compounds by Hydrogen Peroxide Promoted Catalytic Wet Air Oxidation. <i>Catalysis Today</i> , 2007, 124, 191-197.	4.4	27
81	Catalytic wet air oxidation of substituted phenols: Temperature and pressure effect on the pollutant removal, the catalyst preservation and the biodegradability enhancement. <i>Chemical Engineering Journal</i> , 2007, 132, 105-115.	12.7	54
82	Gas feed composition modulation in phenol CWAO over active carbon. <i>Chemical Engineering Science</i> , 2007, 62, 5564-5566.	3.8	7
83	Effect of gas feed flow and gas composition modulation on activated carbon performance in phenol wet air oxidation. <i>Chemical Engineering Science</i> , 2007, 62, 7351-7358.	3.8	12
84	Recovery and partitioning of Ir(IV) and Ru(III) from chloride solutions by solvent extraction using Cyanex 923/kerosene. <i>Hydrometallurgy</i> , 2006, 82, 40-47.	4.3	25
85	Catalytic wet air oxidation of phenol over active carbon catalyst. <i>Applied Catalysis B: Environmental</i> , 2006, 67, 12-23.	20.2	37
86	Modified activated carbons for catalytic wet air oxidation of phenol. <i>Carbon</i> , 2005, 43, 2134-2145.	10.3	128
87	Chemical Wet Oxidation for the Abatement of Refractory Non-Biodegradable Organic Wastewater Pollutants. <i>Chemical Engineering Research and Design</i> , 2005, 83, 371-380.	5.6	33
88	Catalytic wet air oxidation of substituted phenols using activated carbon as catalyst. <i>Applied Catalysis B: Environmental</i> , 2005, 58, 105-114.	20.2	108
89	Kinetics of phenol oxidation in a trickle bed reactor over active carbon catalyst. <i>Journal of Chemical Technology and Biotechnology</i> , 2005, 80, 677-687.	3.2	18
90	Carbon materials and catalytic wet air oxidation of organic pollutants in wastewater. <i>Topics in Catalysis</i> , 2005, 33, 3-50.	2.8	160

#	ARTICLE	IF	CITATIONS
91	Third Phase Formation in the Solvent Extraction System Ir(IV)–Cyanex 923. Solvent Extraction and Ion Exchange, 2005, 23, 545-559.	2.0	29
92	Liquid–Liquid Extraction of Ir, Ru, and Rh from Chloride Solutions and Their Separation Using Different Commercially Available Solvent Extraction Reagents. Separation Science and Technology, 2005, 40, 1927-1946.	2.5	52
93	Nonlinear kinetic parameter estimation using simulated annealing. Computers and Chemical Engineering, 2002, 26, 1725-1733.	3.8	44
94	Catalytic wet air oxidation of phenol using active carbon: performance of discontinuous and continuous reactors. Journal of Chemical Technology and Biotechnology, 2001, 76, 743-751.	3.2	49
95	Kinetic modelling of catalytic wet air oxidation of phenol by simulated annealing. Applied Catalysis B: Environmental, 2001, 33, 175-190.	20.2	74
96	Three-phase reactors for environmental remediation: catalytic wet oxidation of phenol using active carbon. Catalysis Today, 1999, 48, 323-328.	4.4	48
97	Water pollution abatement by catalytic wet air oxidation in a trickle bed reactor. Catalysis Today, 1999, 53, 107-114.	4.4	119
98	Bimetallic catalysts for continuous catalytic wet air oxidation of phenol. Journal of Hazardous Materials, 1999, 64, 181-193.	12.4	84
99	Aqueous phase catalytic oxidation of phenol in a trickle bed reactor: effect of the pH. Water Research, 1999, 33, 1005-1013.	11.3	50
100	Characterisation of copper catalysts and activity for the oxidation of phenol aqueous solutions. Applied Catalysis B: Environmental, 1998, 16, 53-67.	20.2	77
101	Wet air oxidation of phenol using active carbon as catalyst. Applied Catalysis B: Environmental, 1998, 19, 165-173.	20.2	159
102	Influence des catalyseurs hétérogènes sur le coprocessing d'un lignite du Berguedà avec un résidu de distillation sous vide. Oil & Gas Science & Technology, 1997, 52, 61-71.	0.2	1
103	Performance of Different Catalysts on the Coprocessing of a Demineralized Catalan Lignite. Energy & Fuels, 1996, 10, 679-683.	5.1	4
104	Influence of type of vacuum residue on the catalytic coprocessing of a demineralized Catalan lignite. Fuel, 1996, 75, 1327-1330.	6.4	1
105	Catalytic removal of phenol from aqueous phase using oxygen or air as oxidant. Catalysis Today, 1995, 24, 79-83.	4.4	81