Bjrn Klve

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3522115/bjorn-klove-publications-by-year.pdf

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

4,562 173 32 59 h-index g-index citations papers 5,617 6.04 191 5.2 avg, IF L-index ext. citations ext. papers

#	Paper Paper	IF	Citations
173	Nitrogen removal of mine-influenced water in a hybrid bioreactor with floating hook-moss (Warnstorfia fluitans) in cold climate conditions. <i>Ecological Engineering</i> , 2022 , 177, 106562	3.9	O
172	Optimization of Water-Energy-Food Nexus considering CO2 emissions from cropland: A case study in northwest Iran. <i>Applied Energy</i> , 2022 , 307, 118236	10.7	3
171	Experimental-numerical simulation of soluble formations in reservoirs. <i>Advances in Water Resources</i> , 2022 , 160, 104109	4.7	1
170	Thickness of peat influences the leaching of substances and greenhouse gas emissions from a cultivated organic soil. <i>Science of the Total Environment</i> , 2022 , 806, 150499	10.2	O
169	A Method for Assessment of Sub-Daily Flow Alterations Using Wavelet Analysis for Regulated Rivers. <i>Water Resources Research</i> , 2022 , 58,	5.4	1
168	Peak Spring Flood Discharge Magnitude and Timing in Natural Rivers across Northern Finland: Long-Term Variability, Trends, and Links to Climate Teleconnections. <i>Water (Switzerland)</i> , 2022 , 14, 131	2 ³	0
167	Polar Ice as an Unconventional Water Resource: Opportunities and Challenges. <i>Water (Switzerland)</i> , 2021 , 13, 3220	3	2
166	What conditions favor the influence of seasonally frozen ground on hydrological partitioning? A systematic review. <i>Environmental Research Letters</i> , 2021 , 16, 043008	6.2	8
165	Development of Aerial Photos and LIDAR Data Approaches to Map Spatial and Temporal Evolution of Ditch Networks in Peat-Dominated Catchments. <i>Journal of Irrigation and Drainage Engineering - ASCE</i> , 2021 , 147, 04021006	1.1	2
164	Modelling CO and CH emissions from drained peatlands with grass cultivation by the BASGRA-BGC model. <i>Science of the Total Environment</i> , 2021 , 765, 144385	10.2	1
163	Start-up of a Zero-dischargelifecirculating aquaculture system using woodchip denitrification, constructed wetland, and sand infiltration. <i>Aquacultural Engineering</i> , 2021 , 93, 102161	3	7
162	Complex dynamics of water quality mixing in a warm mono-mictic reservoir. <i>Science of the Total Environment</i> , 2021 , 777, 146097	10.2	14
161	Using Geomembrane Liners to Reduce Seepage through the Base of Tailings Ponds Review and a Framework for Design Guidelines. <i>Geosciences (Switzerland)</i> , 2021 , 11, 93	2.7	5
160	Hydraulic and Physical Properties of Managed and Intact Peatlands: Application of the Van Genuchten-Mualem Models to Peat Soils. <i>Water Resources Research</i> , 2021 , 57, e2020WR028624	5.4	3
159	Combined use of satellite image analysis, land-use statistics, and land-use-specific export coefficients to predict nutrients in drained peatland catchment. <i>Science of the Total Environment</i> , 2021 , 779, 146419	10.2	1
158	Peatland subsidence enhances cultivated lowland flood risk. Soil and Tillage Research, 2021, 212, 10507	8 6.5	5
157	Subarctic catchment water storage and carbon cycling Leading the way for future studies using integrated datasets at Pallas, Finland. <i>Hydrological Processes</i> , 2021 , 35, e14350	3.3	O

(2020-2021)

156	An index-based approach for assessment of upstream-downstream flow regime alteration. <i>Journal of Hydrology</i> , 2021 , 600, 126697	6	0
155	Reliability of functional forms for calculation of longitudinal dispersion coefficient in rivers. <i>Science of the Total Environment</i> , 2021 , 791, 148394	10.2	6
154	A comprehensive uncertainty analysis of model-estimated longitudinal and lateral dispersion coefficients in open channels. <i>Journal of Hydrology</i> , 2021 , 603, 126850	6	8
153	Long-term data reveals the importance of hydraulic load and inflow water quality for Sb removal in boreal treatment peatlands. <i>Ecological Engineering</i> , 2020 , 148, 105785	3.9	5
152	Impacts of gold mine effluent on water quality in a pristine sub-Arctic river. <i>Journal of Hydrology</i> , 2020 , 589, 125170	6	6
151	Evaluating Impacts of Irrigation and Drought on River, Groundwater and a Terminal Wetland in the Zayanderud Basin, Iran. <i>Water (Switzerland)</i> , 2020 , 12, 1302	3	5
150	Conceptual Mini-Catchment Typologies for Testing Dominant Controls of Nutrient Dynamics in Three Nordic Countries. <i>Water (Switzerland)</i> , 2020 , 12, 1776	3	5
149	Unsustainability Syndrome B rom Meteorological to Agricultural Drought in Arid and Semi-Arid Regions. <i>Water (Switzerland)</i> , 2020 , 12, 838	3	23
148	RiMARS: An automated river morphodynamics analysis method based on remote sensing multispectral datasets. <i>Science of the Total Environment</i> , 2020 , 719, 137336	10.2	8
147	Enhanced nitrogen removal of low carbon wastewater in denitrification bioreactors by utilizing industrial waste toward circular economy. <i>Journal of Cleaner Production</i> , 2020 , 254, 119973	10.3	18
146	Status of risk-based approach and national framework for safe drinking water in small water supplies of the Nordic water sector. <i>International Journal of Hygiene and Environmental Health</i> , 2020 , 230, 113627	6.9	4
145	Vulnerability of the Caspian Sea shoreline to changes in hydrology and climate. <i>Environmental Research Letters</i> , 2020 , 15, 115002	6.2	10
144	Caspian Sea is eutrophying: the alarming message of satellite data. <i>Environmental Research Letters</i> , 2020 , 15, 124047	6.2	14
143	Design, construction and monitoring of pilot systems to evaluate the effect of freeze-thaw cycles on pollutant retention in wetlands. <i>Science of the Total Environment</i> , 2020 , 703, 134713	10.2	3
142	Regionalization of potential evapotranspiration using a modified region of influence. <i>Theoretical and Applied Climatology</i> , 2020 , 140, 115-127	3	5
141	The mirage water concept and an index-based approach to quantify causes of hydrological changes in semi-arid regions. <i>Hydrological Sciences Journal</i> , 2020 , 65, 311-324	3.5	11
140	Fog-water harvesting Capability Index (FCI) mapping for a semi-humid catchment based on socio-environmental variables and using artificial intelligence algorithms. <i>Science of the Total Environment</i> , 2020 , 708, 135115	10.2	4
139	Changes in seasonality of groundwater level fluctuations in a temperate-cold climate transition zone. <i>Journal of Hydrology X</i> , 2020 , 8, 100062	4.6	18

138	Land-use dominates climate controls on nitrogen and phosphorus export from managed and natural Nordic headwater catchments. <i>Hydrological Processes</i> , 2020 , 34, 4831-4850	3.3	7
137	Implications of Peat Soil Conceptualization for Groundwater Exfiltration in Numerical Modeling: A Study on a Hypothetical Peatland Hillslope. <i>Water Resources Research</i> , 2020 , 56, e2019WR026203	5.4	1
136	Iran's Agriculture in the Anthropocene. Earthly Future, 2020, 8, e2020EF001547	7.9	33
135	Solids management in freshwater-recirculating aquaculture systems: Effectivity of inorganic and organic coagulants and the impact of operating parameters. <i>Science of the Total Environment</i> , 2020 , 742, 140398	10.2	15
134	Potential impacts of a future Nordic bioeconomy on surface water quality. <i>Ambio</i> , 2020 , 49, 1722-1735	6.5	15
133	A Scenario-Based Approach for Assessing the Hydrological Impacts of Land Use and Climate Change in the Marboreh Watershed, Iran. <i>Environmental Modeling and Assessment</i> , 2020 , 25, 41-57	2	29
132	A power market-based operation support model for sub-daily hydropower regulation practices. <i>Applied Energy</i> , 2019 , 255, 113905	10.7	5
131	Design parameters for nitrogen removal by constructed wetlands treating mine waters and municipal wastewater under Nordic conditions. <i>Science of the Total Environment</i> , 2019 , 662, 559-570	10.2	13
130	Snow to Precipitation Ratio Controls Catchment Storage and Summer Flows in Boreal Headwater Catchments. <i>Water Resources Research</i> , 2019 , 55, 4096-4109	5.4	10
129	Parameterisation of an integrated groundwater-surface water model for hydrological analysis of boreal aapa mire wetlands. <i>Journal of Hydrology</i> , 2019 , 575, 175-191	6	4
128	Combining unmanned aerial vehicle-based remote sensing and stable water isotope analysis to monitor treatment peatlands of mining areas. <i>Ecological Engineering</i> , 2019 , 133, 137-147	3.9	6
127	A tracer-based method for classifying groundwater dependence in boreal headwater streams. Journal of Hydrology, 2019 , 577, 123762	6	4
126	Thermal conductivity of unfrozen and partially frozen managed peat soils. <i>Soil and Tillage Research</i> , 2019 , 191, 245-255	6.5	12
125	Impact of managed aquifer recharge structure on river flow regimes in arid and semi-arid climates. <i>Science of the Total Environment</i> , 2019 , 675, 429-438	10.2	13
124	Recent and future trends in sea surface temperature across the Persian Gulf and Gulf of Oman. <i>PLoS ONE</i> , 2019 , 14, e0212790	3.7	35
123	Understanding variability in root zone storage capacity in boreal regions. <i>Hydrology and Earth System Sciences</i> , 2019 , 23, 125-138	5.5	2
122	Assimilation of Satellite-Based Data for Hydrological Mapping of Precipitation and Direct Runoff Coefficient for the Lake Urmia Basin in Iran. <i>Water (Switzerland)</i> , 2019 , 11, 1624	3	13
121	Monitoring Groundwater Storage Depletion Using Gravity Recovery and Climate Experiment (GRACE) Data in Bakhtegan Catchment, Iran. <i>Water (Switzerland)</i> , 2019 , 11, 1456	3	23

(2018-2019)

120	Determination of compound channel apparent shear stress: application of novel data mining models. <i>Journal of Hydroinformatics</i> , 2019 , 21, 798-811	2.6	49
119	Irrigation Requirement for Eucalyptus pellita during Initial Growth. Water (Switzerland), 2019, 11, 1972	3	2
118	Arsenic, antimony, and nickel leaching from northern peatlands treating mining influenced water in cold climate. <i>Science of the Total Environment</i> , 2019 , 657, 1161-1172	10.2	22
117	Urban flood risk mapping using the GARP and QUEST models: A comparative study of machine learning techniques. <i>Journal of Hydrology</i> , 2019 , 569, 142-154	6	174
116	Model-based evaluation of sediment control in a drained peatland forest after ditch network maintenance. <i>Canadian Journal of Forest Research</i> , 2018 , 48, 130-140	1.9	8
115	Long-term purification efficiency and factors affecting performance in peatland-based treatment wetlands: An analysis of 28 peat extraction sites in Finland. <i>Ecological Engineering</i> , 2018 , 117, 153-164	3.9	19
114	Snow profile temperature measurements in spatiotemporal analysis of snowmelt in a subarctic forest-mire hillslope. <i>Cold Regions Science and Technology</i> , 2018 , 151, 119-132	3.8	3
113	Regionalization of precipitation characteristics in Iran Lake Urmia basin. <i>Theoretical and Applied Climatology</i> , 2018 , 132, 363-373	3	34
112	River suspended sediment modelling using the CART model: A comparative study of machine learning techniques. <i>Science of the Total Environment</i> , 2018 , 615, 272-281	10.2	142
111	Microbial diversity along a gradient in peatlands treating mining-affected waters. <i>FEMS Microbiology Ecology</i> , 2018 , 94,	4.3	8
110	Elevated nutrient concentrations in headwaters affected by drained peatland. <i>Science of the Total Environment</i> , 2018 , 643, 1304-1313	10.2	14
109	Effects of Drainage and Subsequent Restoration on Peatland Hydrological Processes at Catchment Scale. <i>Water Resources Research</i> , 2018 , 54, 4479-4497	5.4	4
108	Ditch network maintenance in peat-dominated boreal forests: Review and analysis of water quality management options. <i>Ambio</i> , 2018 , 47, 535-545	6.5	14
107	Use of remote sensing to analyse peatland changes after drainage for peat extraction. <i>Land Degradation and Development</i> , 2018 , 29, 3479-3488	4.4	21
106	A simple model structure enhances parameter identification and improves runoff prediction in ungauged high-latitude catchments. <i>Journal of Hydrology</i> , 2018 , 563, 395-410	6	0
105	Changes in short term river flow regulation and hydropeaking in Nordic rivers. <i>Scientific Reports</i> , 2018 , 8, 17232	4.9	32
104	Restoration increases transient storages in boreal headwater streams. <i>River Research and Applications</i> , 2018 , 34, 1278-1285	2.3	2
103	Increasing and Decreasing Nitrogen and Phosphorus Trends in Runoff from Drained Peatland Forests& There a Legacy Effect of Drainage or Not?. <i>Water, Air, and Soil Pollution</i> , 2018 , 229, 1	2.6	15

102	An Index-Based Approach to Assess the Water Availability for Irrigated Agriculture in Sub-Saharan Africa. <i>Water (Switzerland)</i> , 2018 , 10, 896	3	10
101	Spatiotemporal Variability and Trends in Extreme Temperature Events in Finland over the Recent Decades: Influence of Northern Hemisphere Teleconnection Patterns. <i>Advances in Meteorology</i> , 2018 , 2018, 1-17	1.7	4
100	Analysis of Effective Environmental Flow Release Strategies for Lake Urmia Restoration. <i>Water Resources Management</i> , 2018 , 32, 3595-3609	3.7	24
99	Effects of recent temperature variability and warming on the Oulu-Hailuoto ice road season in the northern Baltic Sea. <i>Cold Regions Science and Technology</i> , 2018 , 151, 1-8	3.8	7
98	Greenhouse Gas Dynamics of a Northern Boreal Peatland Used for Treating Metal Mine Wastewater. <i>Wetlands</i> , 2018 , 38, 905-917	1.7	1
97	Future options for cultivated Nordic peat soils: Can land management and rewetting control greenhouse gas emissions?. <i>Environmental Science and Policy</i> , 2017 , 69, 85-93	6.2	30
96	Restoration of nutrient-rich forestry-drained peatlands poses a risk for high exports of dissolved organic carbon, nitrogen, and phosphorus. <i>Science of the Total Environment</i> , 2017 , 586, 858-869	10.2	26
95	Differential responses by stream and riparian biodiversity to in-stream restoration of forestry-impacted streams. <i>Journal of Applied Ecology</i> , 2017 , 54, 1505-1514	5.8	17
94	Quantifying spatial groundwater dependence in peatlands through a distributed isotope mass balance approach. <i>Water Resources Research</i> , 2017 , 53, 2524-2541	5.4	17
93	Analysing the variability and trends of precipitation extremes in Finland and their connection to atmospheric circulation patterns. <i>International Journal of Climatology</i> , 2017 , 37, 1053-1066	3.5	19
92	Atmospheric circulation patterns explaining climatological drought dynamics in the boreal environment of Finland, 1962\(\textbf{Q}\) 011. <i>International Journal of Climatology</i> , 2017 , 37, 801-817	3.5	12
91	Overview of groundwater sources and water-supply systems, and associated microbial pollution, in Finland, Norway and Iceland. <i>Hydrogeology Journal</i> , 2017 , 25, 1033-1044	3.1	31
90	A current precipitation index-based model for continuous daily runoff simulation in seasonally snow covered sub-arctic catchments. <i>Journal of Hydrology</i> , 2017 , 545, 182-196	6	5
89	Analysis of land use and climate change impacts by comparing river flow records for headwaters and lowland reaches. <i>Global and Planetary Change</i> , 2017 , 158, 47-56	4.2	41
88	Long-term variability and trends in annual snowfall/total precipitation ratio in Finland and the role of atmospheric circulation patterns. <i>Cold Regions Science and Technology</i> , 2017 , 143, 23-31	3.8	17
87	Predicting organic matter, nitrogen, and phosphorus concentrations in runoff from peat extraction sites using partial least squares regression. <i>Water Resources Research</i> , 2017 , 53, 5860-5876	5.4	12
86	Changes in Pore Water Quality After Peatland Restoration: Assessment of a Large-Scale, Replicated Before-After-Control-Impact Study in Finland. <i>Water Resources Research</i> , 2017 , 53, 8327-8343	5.4	21
85	Physical properties of peat soils under different land use options. <i>Soil Use and Management</i> , 2016 , 32, 400-410	3.1	18

(2015-2016)

84	The role of atmospheric circulation patterns in agroclimate variability in finland, 1961 2 011. <i>Geografiska Annaler, Series A: Physical Geography</i> , 2016 , 98, 287-301	1.1	6
83	Can lake sensitivity to desiccation be predicted from lake geometry?. <i>Journal of Hydrology</i> , 2016 , 539, 599-610	6	15
82	Assessment of uncertainty in constructed wetland treatment performance and load estimation methods. <i>Environmental Monitoring and Assessment</i> , 2016 , 188, 365	3.1	3
81	Century-long variability and trends in daily precipitation characteristics at three Finnish stations. <i>Advances in Climate Change Research</i> , 2016 , 7, 54-69	4.1	19
80	Erosion mechanisms and sediment sources in a peatland forest after ditch cleaning. <i>Earth Surface Processes and Landforms</i> , 2016 , 41, 1841-1853	3.7	10
79	The role of aluminium and iron in phosphorus removal by treatment peatlands. <i>Ecological Engineering</i> , 2016 , 86, 190-201	3.9	11
78	Evaluating the suitability of synthetic organic polymers to replace iron salts in the purification of humic and sediment-rich runoff. <i>Desalination and Water Treatment</i> , 2016 , 57, 10948-10957		5
77	Optimization of Gravity-Driven Hydraulic Flocculators to Treat Peat Extraction Runoff Water. Journal of Irrigation and Drainage Engineering - ASCE, 2016 , 142, 04015045	1.1	2
76	Evaluation of erosion and surface roughness in peatland forest ditches using pin meter measurements and terrestrial laser scanning. <i>Earth Surface Processes and Landforms</i> , 2016 , 41, 1299-13	1 ³ ·7	12
75	Snow and frost: implications for spatiotemporal infiltration patterns he review. <i>Hydrological Processes</i> , 2016 , 30, 1230-1250	3.3	46
74	Water-table-dependent hydrological changes following peatland forestry drainage and restoration: Analysis of restoration success. <i>Water Resources Research</i> , 2016 , 52, 3742-3760	5.4	40
73	Wintertime climate factors controlling snow resource decline in Finland. <i>International Journal of Climatology</i> , 2016 , 36, 110-131	3.5	18
72	Assessing impacts of climate change and river regulation on flow regimes in cold climate: A study of a pristine and a regulated river in the sub-arctic setting of Northern Europe. <i>Journal of Hydrology</i> , 2016 , 542, 410-422	6	26
71	Long-term accumulation and retention of Al, Fe and P in peat soils of northern treatment wetlands. <i>Ecological Engineering</i> , 2016 , 93, 91-103	3.9	10
70	Defining the natural flow regimes of boreal rivers: relationship with benthic macroinvertebrate communities. <i>Freshwater Science</i> , 2016 , 35, 559-572	2	15
69	Testing peatland water-table depth transfer functions using high-resolution hydrological monitoring data. <i>Quaternary Science Reviews</i> , 2015 , 120, 107-117	3.9	38
68	Effects of climate variability and change on snowpack hydrological processes in Finland. <i>Cold Regions Science and Technology</i> , 2015 , 118, 14-29	3.8	18
67	Runoff Curve Numbers for Peat-Dominated Watersheds. <i>Journal of Hydrologic Engineering - ASCE</i> , 2015 , 20, 04014058	1.8	9

66	Variability in dryness and wetness in central Finland and the role of teleconnection patterns. <i>Theoretical and Applied Climatology</i> , 2015 , 122, 471-486	3	30
65	A sensitivity analysis of lake water level response to changes in climate and river regimes. <i>Limnologica</i> , 2015 , 51, 118-130	2	30
64	A continental-scale hydrology and water quality model for Europe: Calibration and uncertainty of a high-resolution large-scale SWAT model. <i>Journal of Hydrology</i> , 2015 , 524, 733-752	6	724
63	Purification efficiency of a peatland-based treatment wetland during snowmelt and runoff events. <i>Ecological Engineering</i> , 2015 , 84, 169-179	3.9	4
62	Wintertime purification efficiency of constructed wetlands treating runoff from peat extraction in a cold climate. <i>Ecological Engineering</i> , 2015 , 85, 13-25	3.9	16
61	Environmental conditions of boreal springs explained by capture zone characteristics. <i>Journal of Hydrology</i> , 2015 , 531, 992-1002	6	14
60	Efficient removal of arsenic, antimony and nickel from mine wastewaters in Northern treatment peatlands and potential risks in their long-term use. <i>Ecological Engineering</i> , 2015 , 75, 350-364	3.9	46
59	Hydrology and hydraulics of treatment wetlands constructed on drained peatlands. <i>Ecological Engineering</i> , 2015 , 75, 232-241	3.9	13
58	Spatial and temporal variation in particle size and particulate organic matter content in suspended particulate matter from peatland-dominated catchments in Finland. <i>Hydrological Processes</i> , 2015 , 29, 1069-1079	3.3	12
57	Interannual variations and trends in surface air temperature in Finland in relation to atmospheric circulation patterns, 1961\(\textbf{Q}\) 011. <i>International Journal of Climatology</i> , 2015 , 35, 3078-3092	3.5	30
56	Atmospheric circulation patterns influencing variations in organic carbon fluxes in the River Oulujoki, Finland. <i>Water and Environment Journal</i> , 2015 , 29, 474-481	1.7	1
55	Climate-induced warming imposes a threat to north European spring ecosystems. <i>Global Change Biology</i> , 2015 , 21, 4561-9	11.4	39
54	Do atmospheric teleconnection patterns explain variations and trends in thermal growing season parameters in Finland?. <i>International Journal of Climatology</i> , 2015 , 35, 4619-4630	3.5	28
53	Estimation of temporal and spatial variations in groundwater recharge in unconfined sand aquifers using Scots pine inventories. <i>Hydrology and Earth System Sciences</i> , 2015 , 19, 1961-1976	5.5	17
52	Quantifying groundwater dependence of a sub-polar lake cluster in Finland using an isotope mass balance approach. <i>Hydrology and Earth System Sciences</i> , 2015 , 19, 1247-1262	5.5	27
51	Ditch erosion processes and sediment transport in a drained peatland forest. <i>Ecological Engineering</i> , 2015 , 75, 421-433	3.9	20
50	Fully integrated surfaceBubsurface flow modelling of groundwaterBake interaction in an esker aquifer: Model verification with stable isotopes and airborne thermal imaging. <i>Journal of Hydrology</i> , 2015 , 522, 391-406	6	57
49	pH-levels in intensively drained and peatland-dominated river basin: Paleolimnological approach to detect impacts of past land use. <i>Ecological Engineering</i> , 2014 , 64, 367-376	3.9	3

(2012-2014)

48	Development of a new index to assess river regime impacts after dam construction. <i>Global and Planetary Change</i> , 2014 , 122, 186-196	4.2	40
47	Impact of peatland drainage and restoration on esker groundwater resources: modeling future scenarios for management. <i>Hydrogeology Journal</i> , 2014 , 22, 1131-1145	3.1	24
46	Climate change impacts on groundwater and dependent ecosystems. <i>Journal of Hydrology</i> , 2014 , 518, 250-266	6	318
45	Storage, properties and seasonal variations in fine-grained bed sediment within the main channel and headwaters of the River Sanginjoki, Finland. <i>Hydrological Processes</i> , 2014 , 28, 4756-4765	3.3	12
44	Effect of soil properties on peat erosion and suspended sediment delivery in drained peatlands. <i>Water Resources Research</i> , 2014 , 50, 3523-3535	5.4	17
43	Does groundwater protection in Europe require new EU-wide environmental quality standards?. <i>Frontiers in Chemistry</i> , 2014 , 2, 32	5	14
42	Protection of groundwater dependent ecosystems: current policies and future management options. <i>Water Policy</i> , 2014 , 16, 1070-1086	1.6	7
41	Long-term variations and trends in precipitation in Finland. <i>International Journal of Climatology</i> , 2014 , 34, 3139-3153	3.5	49
40	Can treatment wetlands be constructed on drained peatlands for efficient purification of peat extraction runoff?. <i>Geoderma</i> , 2014 , 228-229, 33-43	6.7	12
39	Interaction of esker groundwater with headwater lakes and streams. <i>Journal of Hydrology</i> , 2013 , 500, 144-156	6	29
38	Transport of particle-associated elements in two agriculture-dominated boreal river systems. <i>Science of the Total Environment</i> , 2013 , 461-462, 693-705	10.2	10
37	Impact of peatland forestry on runoff water quality in areas with sulphide-bearing sediments; how to prevent acid surges. <i>Forest Ecology and Management</i> , 2013 , 293, 17-28	3.9	17
36	Development of a general river regime index (RRI) for intra-annual flow variation based on the unit river concept and flow variation end-points. <i>Journal of Hydrology</i> , 2013 , 503, 169-177	6	22
35	Optimisation of chemical purification conditions for direct application of solid metal salt coagulants: treatment of peatland-derived diffuse runoff. <i>Journal of Environmental Sciences</i> , 2013 , 25, 659-69	6.4	9
34	Adsorption kinetics of nitrate ions on ion exchange resin. <i>Desalination</i> , 2013 , 326, 125-134	10.3	30
33	Groundwater Pollution and Quality Monitoring Approaches at the European Level. <i>Critical Reviews in Environmental Science and Technology</i> , 2013 , 43, 323-408	11.1	44
32	A decision analysis framework for stakeholder involvement and learning in groundwater management. <i>Hydrology and Earth System Sciences</i> , 2013 , 17, 5141-5153	5.5	18
31	Modeling of nitrate removal for ion exchange resin in batch and fixed bed experiments. <i>Desalination</i> , 2012 , 284, 22-31	10.3	60

30	GroundwaterBurface water interaction between an esker aquifer and a drained fen. <i>Journal of Hydrology</i> , 2012 , 432-433, 52-60	6	38
29	Assessment of temporal and spatial variation in chemical composition of groundwater in an unconfined esker aquifer in the cold temperate climate of Northern Finland. <i>Cold Regions Science and Technology</i> , 2012 , 71, 118-128	3.8	13
28	Spatial and temporal variability of diatom and macroinvertebrate communities: How representative are ecological classifications within a river system?. <i>Ecological Indicators</i> , 2012 , 18, 208-217	5.8	25
27	Use of Turbidity Measurements to Estimate Suspended Solids and Nutrient Loads from Peatland Forestry Drainage. <i>Journal of Irrigation and Drainage Engineering - ASCE</i> , 2012 , 138, 1088-1096	1.1	13
26	A sequential modelling approach to assess groundwater urface water resources in a snow dominated region of Finland. <i>Journal of Hydrology</i> , 2011 , 411, 91-107	6	48
25	Groundwater dependent ecosystems. Part I: Hydroecological status and trends. <i>Environmental Science and Policy</i> , 2011 , 14, 770-781	6.2	163
24	Groundwater dependent ecosystems. Part II. Ecosystem services and management in Europe under risk of climate change and land use intensification. <i>Environmental Science and Policy</i> , 2011 , 14, 782-793	6.2	67
23	Framework for designing and applying peak runoff control structures for peatland forestry conditions. <i>Forest Ecology and Management</i> , 2010 , 260, 1262-1273	3.9	8
22	Leaching of nutrients and emission of greenhouse gases from peatland cultivation at Bodin, Northern Norway. <i>Geoderma</i> , 2010 , 154, 219-232	6.7	38
21	Effect and design of an underminer structure. <i>Journal of Hydraulic Research/De Recherches Hydrauliques</i> , 2010 , 48, 188-196	1.9	4
20	A conceptual and statistical approach for the analysis of climate impact on ground water table fluctuation patterns in cold conditions. <i>Journal of Hydrology</i> , 2010 , 388, 1-12	6	59
19	Dynamics of erosion and suspended sediment transport from drained peatland forestry. <i>Journal of Hydrology</i> , 2010 , 388, 414-425	6	71
18	Long-term trends and variation of acidity, COD(Mn) and colour in coastal rivers of Western Finland in relation to climate and hydrology. <i>Science of the Total Environment</i> , 2010 , 408, 5019-27	10.2	34
17	Managing runoff, water quality and erosion in peatland forestry by peak runoff control. <i>Ecological Engineering</i> , 2010 , 36, 900-911	3.9	25
16	Calibration of turbidity meter and acoustic doppler velocimetry (Triton-ADV) for sediment types present in drained peatland headwaters: Focus on particulate organic peat. <i>River Research and Applications</i> , 2010 , 26, 1019-1035	2.3	9
15	Retention of Sediment and Nutrient Loads with Peak Runoff Control. <i>Journal of Irrigation and Drainage Engineering - ASCE</i> , 2009 , 135, 210-216	1.1	13
14	Long-term phosphorus and nitrogen removal processes and preferential flow paths in Northern constructed peatlands. <i>Ecological Engineering</i> , 2009 , 35, 843-855	3.9	24
13	Generation and regulation of summer runoff in a boreal flat fen. <i>Journal of Hydrology</i> , 2008 , 360, 15-30	6	28

LIST OF PUBLICATIONS

12	Erosion and delivery of deposited peat sediment. Water Resources Research, 2008, 44,	5.4	28
11	Hydraulics and flow modelling of water treatment wetlands constructed on peatlands in Northern Finland. <i>Water Research</i> , 2008 , 42, 3826-36	12.5	25
10	Use of stabile isotopes and tracers to detect preferential flow patterns in a peatland treating municipal wastewater. <i>Journal of Hydrology</i> , 2007 , 347, 418-429	6	42
9	Emission of N2O and CH4 from a constructed wetland in southeastern Norway. <i>Science of the Total Environment</i> , 2007 , 380, 28-37	10.2	85
8	Degradation of cultivated peat soils in northern norway based on field scale CO2, N2O and CH4 emission measurements. <i>Archives of Agronomy and Soil Science</i> , 2006 , 52, 149-159	2	25
7	Tracing sources of summer streamflow in boreal headwaters using isotopic signatures and water geochemical components. <i>Journal of Hydrology</i> , 2006 , 331, 186-204	6	30
6	Emission of the greenhouse gases nitrous oxide and methane from constructed wetlands in europe. <i>Journal of Environmental Quality</i> , 2006 , 35, 2360-73	3.4	115
5	Analysis of nitrogen removal processes in a subsurface flow carbonate sand filter treating municipal wastewater. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2005 , 40, 1381-401	2.3	10
4	A study of K variability and its effect on solute transport in subsurface-flow sand filters by measurement and modelling. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2005 , 40, 1123-32	2.3	1
3	Characteristics of nitrogen and phosphorus loads in peat mining wastewater. <i>Water Research</i> , 2001 , 35, 2353-62	12.5	38
2	Runoff generation in a plough-drained cutover fen in Central Finland. <i>Journal of Hydrology</i> , 1999 , 218, 157-168	6	13
1	Smart drainage management to limit summer drought damage in Nordic agriculture under the circular economy concept. <i>Hydrological Processes</i> ,	3.3	_