
## Paola Casanello

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3523073/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Role of nitric oxide in placental vascular development and function. Placenta, 2011, 32, 797-805.	0.7	172
2	Insulin Restores Gestational Diabetes Mellitus–Reduced Adenosine Transport Involving Differential Expression of Insulin Receptor Isoforms in Human Umbilical Vein Endothelium. Diabetes, 2011, 60, 1677-1687.	0.3	101
3	Review: Differential placental macrovascular and microvascular endothelial dysfunction in gestational diabetes. Placenta, 2011, 32, S159-S164.	0.7	100
4	Role of adenosine transport in gestational diabetes-inducedl-arginine transport and nitric oxide synthesis in human umbilical vein endothelium. Journal of Physiology, 2004, 560, 111-122.	1.3	87
5	Intrauterine Growth Retardation Is Associated With Reduced Activity and Expression of the Cationic Amino Acid Transport Systems y + /hCAT-1 and y + /hCAT-2B and Lower Activity of Nitric Oxide Synthase in Human Umbilical Vein Endothelial Cells. Circulation Research, 2002, 91, 127-134.	2.0	85
6	Equilibrative Nucleoside Transporter 1 Expression Is Downregulated by Hypoxia in Human Umbilical Vein Endothelium. Circulation Research, 2005, 97, 16-24.	2.0	77
7	5′â€ectonucleotidase mediates multipleâ€drug resistance in glioblastoma multiforme cells. Journal of Cellular Physiology, 2013, 228, 602-608.	2.0	72
8	The placental pursuit for an adequate oxidant balance between the mother and the fetus. Frontiers in Pharmacology, 2014, 5, 149.	1.6	72
9	Endothelial eNOS/arginase imbalance contributes to vascular dysfunction in IUGR umbilical and placental vessels. Placenta, 2013, 34, 20-28.	0.7	70
10	Role of DNA methyltransferase 1 on the altered eNOS expression in human umbilical endothelium from intrauterine growth restricted fetuses. Epigenetics, 2013, 8, 944-952.	1.3	64
11	Gestational Diabetes Reduces Adenosine Transport in Human Placental Microvascular Endothelium, an Effect Reversed by Insulin. PLoS ONE, 2012, 7, e40578.	1.1	62
12	Insulinâ€stimulated <scp>L</scp> â€arginine transport requires <i>SLC7A1</i> gene expression and is associated with human umbilical vein relaxation. Journal of Cellular Physiology, 2011, 226, 2916-2924.	2.0	61
13	Human Equilibrative Nucleoside Transporters 1 and 2 may be Differentially Modulated by A2B Adenosine Receptors in Placenta Microvascular Endothelial Cells from Pre-eclampsia. Placenta, 2008, 29, 816-825.	0.7	60
14	Inhibition of Nitrobenzylthioinosine-Sensitive Adenosine Transport by Elevated d -Glucose Involves Activation of P 2Y2 Purinoceptors in Human Umbilical Vein Endothelial Cells. Circulation Research, 2002, 90, 570-577.	2.0	59
15	Longâ€Term Impact of Early Life Events on Physiology and Behaviour. Journal of Neuroendocrinology, 2014, 26, 587-602.	1.2	57
16	Hypoxia-reduced nitric oxide synthase activity is partially explained by higher arginase-2 activity and cellular redistribution in human umbilical vein endothelium. Placenta, 2011, 32, 932-940.	0.7	55
17	Rapid Stimulation of I -Arginine Transport by d -Glucose Involves p42/44 mapk and Nitric Oxide in Human Umbilical Vein Endothelium. Circulation Research, 2003, 92, 64-72.	2.0	52
18	Equilibrative Nucleoside (ENTs) and Cationic Amino Acid (CATs) Transporters: Implications in Foetal Endothelial Dysfunction in Human Pregnancy Diseases. Current Vascular Pharmacology, 2007, 5, 69-84.	0.8	51

#	Article	IF	CITATIONS
19	Fetoplacental Vascular Endothelial Dysfunction as an Early Phenomenon in the Programming of Human Adult Diseases in Subjects Born from Gestational Diabetes Mellitus or Obesity in Pregnancy. Experimental Diabetes Research, 2011, 2011, 1-18.	3.8	51
20	Nitric oxide reduces SLC29A1 promoter activity and adenosine transport involving transcription factor complex hCHOP–C/EBPα in human umbilical vein endothelial cells from gestational diabetes. Cardiovascular Research, 2010, 86, 45-54.	1.8	49
21	Nitric oxide reduces adenosine transporter ENT1 gene (SLC29A1) promoter activity in human fetal endothelium from gestational diabetes. Journal of Cellular Physiology, 2006, 208, 451-460.	2.0	48
22	Cell signalling-mediating insulin increase of mRNA expression for cationic amino acid transporters-1 and -2 and membrane hyperpolarization in human umbilical vein endothelial cells. Pflugers Archiv European Journal of Physiology, 2004, 448, 383-94.	1.3	45
23	Nitric Oxide Synthesis Requires Activity of the Cationic and Neutral Amino Acid Transport System y+ L in Human Umbilical vein Endothelium. Experimental Physiology, 2003, 88, 699-710.	0.9	44
24	Insulin restores glucose inhibition of adenosine transport by increasing the expression and activity of the equilibrative nucleoside transporter 2 in human umbilical vein endothelium. Journal of Cellular Physiology, 2006, 209, 826-835.	2.0	44
25	Oxidative stress as common trait of endothelial dysfunction in chorionic arteries from fetuses with IUGR and LGA. Placenta, 2015, 36, 552-558.	0.7	41
26	Reduced l-Arginine Transport and Nitric Oxide Synthesis in Human Umbilical Vein Endothelial Cells from Intrauterine Growth Restriction Pregnancies is Not Further Altered by Hypoxia. Placenta, 2009, 30, 625-633.	0.7	39
27	<i>N</i> â€Acetylcysteine, a glutathione precursor, reverts vascular dysfunction and endothelial epigenetic programming in intrauterine growth restricted guinea pigs. Journal of Physiology, 2017, 595, 1077-1092.	1.3	39
28	Carbon monoxide: a novel pulmonary artery vasodilator in neonatal llamas of the Andean altiplano. Cardiovascular Research, 2007, 77, 197-201.	1.8	38
29	Epigenetics: New Concepts of Old Phenomena in Vascular Physiology. Current Vascular Pharmacology, 2009, 7, 513-520.	0.8	38
30	Role of arginase-2 and eNOS in the differential vascular reactivity and hypoxia-induced endothelial response in umbilical arteries and veins. Placenta, 2012, 33, 360-366.	0.7	38
31	Equilibrative Nucleoside Transporters in Fetal Endothelial Dysfunction in Diabetes Mellitus and Hyperglycaemia. Current Vascular Pharmacology, 2009, 7, 435-449.	0.8	31
32	Hyperglycaemia Inhibits Thymidine Incorporation and Cell Growth via Protein Kinase C, Mitogen-Activated Protein Kinases and Nitric Oxide in Human Umbilical Vein Endothelium. Experimental Physiology, 2003, 88, 209-219.	0.9	30
33	Assessment of <i>in vivo</i> fetal growth and placental vascular function in a novel intrauterine growth restriction model of progressive uterine artery occlusion in guinea pigs. Journal of Physiology, 2016, 594, 1553-1561.	1.3	30
34	Micro-RNAs Let7e and 126 in Plasma as Markers of Metabolic Dysfunction in 10 to 12 Years Old Children. PLoS ONE, 2015, 10, e0128140.	1.1	30
35	Expression of teneurins is associated with tumor differentiation and patient survival in ovarian cancer. PLoS ONE, 2017, 12, e0177244.	1.1	30
36	Equilibrative nucleoside transporter 2 is expressed in human umbilical vein endothelium, but is not involved in the inhibition of adenosine transport induced by hyperglycaemia. Placenta, 2005, 26, 641-653.	0.7	28

#	Article	IF	CITATIONS
37	High <scp>D</scp> â€glucose reduces <i>SLC29A1</i> promoter activity and adenosine transport involving specific protein 1 in human umbilical vein endothelium. Journal of Cellular Physiology, 2008, 215, 645-656.	2.0	27
38	Arginase–endothelial nitric oxide synthase imbalance contributes to endothelial dysfunction during chronic intermittent hypoxia. Journal of Hypertension, 2015, 33, 515-524.	0.3	25
39	Gestational diabesity and foetoplacental vascular dysfunction. Acta Physiologica, 2021, 232, e13671.	1.8	25
40	D-glucose stimulation ofL-arginine transport and nitric oxide synthesis results from activation of mitogen-activated protein kinases p42/44 and Smad2 requiring functional type II TGF-β receptors in human umbilical vein endothelium. Journal of Cellular Physiology, 2007, 212, 626-632.	2.0	23
41	Leptin in Cord Blood Associates with Asthma Risk at Age 3 in the Offspring of Women with Gestational Obesity. Annals of the American Thoracic Society, 2020, 17, 1583-1589.	1.5	23
42	ILâ€10 expression in macrophages from neonates born from obese mothers is suppressed by ILâ€4 and LPS/INFγ. Journal of Cellular Physiology, 2017, 232, 3693-3701.	2.0	22
43	Endothelial heterogeneity in the umbilico-placental unit: DNA methylation as an innuendo of epigenetic diversity. Frontiers in Pharmacology, 2014, 5, 49.	1.6	21
44	Functional Link Between Adenosine and Insulin: A Hypothesis for Fetoplacental Vascular Endothelial Dysfunction in Gestational Diabetes. Current Vascular Pharmacology, 2011, 9, 750-762.	0.8	21
45	TGF-β1 inhibits expression and activity of hENT1 in a nitric oxide-dependent manner in human umbilical vein endothelium. Cardiovascular Research, 2009, 82, 458-467.	1.8	20
46	Conceptual basis for prescriptive growth standards from conception to early childhood: present and future. BJOG: an International Journal of Obstetrics and Gynaecology, 2013, 120, 3-8.	1.1	19
47	Markers of early endothelial dysfunction in intrauterine growth restriction-derived human umbilical vein endothelial cells revealed by 2D-DIGE and mass spectrometry analyses. Placenta, 2016, 41, 14-26.	0.7	18
48	Chronic Intermittent Hypoxia-Induced Vascular Dysfunction in Rats is Reverted by N-Acetylcysteine Supplementation and Arginase Inhibition. Frontiers in Physiology, 2018, 9, 901.	1.3	18
49	Adipokines underlie the early origins of obesity and associated metabolic comorbidities in the offspring of women with pregestational obesity. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2020, 1866, 165558.	1.8	18
50	Increased expression of the multidrug resistance-associated protein 1 (MRP1) in kidney glomeruli of streptozotocin-induced diabetic rats. Biological Chemistry, 2011, 392, 529-37.	1.2	17
51	Brain Natriuretic Peptide (BNP) Produced by the Human Chorioamnion May Mediate Pregnancy Myometrial Quiescence. Reproductive Sciences, 2009, 16, 32-42.	1.1	15
52	Arginase-2 is cooperatively up-regulated by nitric oxide and histone deacetylase inhibition in human umbilical artery endothelial cells. Biochemical Pharmacology, 2016, 99, 53-59.	2.0	15
53	Effectiveness of a normative nutrition intervention (diet, physical activity and breastfeeding) on maternal nutrition and offspring growth: the Chilean maternal and infant nutrition cohort study (CHiMINCs). BMC Pregnancy and Childbirth, 2015, 15, 175.	0.9	13
54	LGAâ€newborn from patients with pregestational obesity present reduced adiponectinâ€mediated vascular relaxation and endothelial dysfunction in fetoplacental arteries. Journal of Cellular Physiology, 2018, 233, 6723-6733.	2.0	11

#	Article	IF	CITATIONS
55	Role of ROS/RNS in Preeclampsia: Are Connexins the Missing Piece?. International Journal of Molecular Sciences, 2020, 21, 4698.	1.8	10
56	Effectiveness of a normative nutrition intervention in Chilean pregnant women on maternal and neonatal outcomes: the CHiMINCs study. American Journal of Clinical Nutrition, 2020, 112, 991-1001.	2.2	10
57	Exposome and foetoplacental vascular dysfunction in gestational diabetes mellitus. Molecular Aspects of Medicine, 2022, 87, 101019.	2.7	10
58	Maternal Obesity Is Associated With Higher Cord Blood Adipokines in Offspring Most Notably in Females. Journal of Pediatric Gastroenterology and Nutrition, 2021, 73, 264-270.	0.9	9
59	Intervention Strategies for Preventing Low Birthweight in Developing Countries: Importance of Considering Multiple Interactive Factors. Nestle Nutrition Institute Workshop Series, 2013, 74, 31-52.	1.5	8
60	Effectiveness on maternal and offspring metabolic control of a home-based dietary counseling intervention and DHA supplementation in obese/overweight pregnant women (MIGHT study): A randomized controlled trial—Study protocol. Contemporary Clinical Trials, 2018, 70, 35-40.	0.8	8
61	Prevalence of filaggrin lossâ€ofâ€function variants in Chilean population with and without atopic dermatitis. International Journal of Dermatology, 2022, 61, 310-315.	0.5	8
62	Early origins of allergy and asthma (ARIES): study protocol for a prospective prenatal birth cohort in Chile. BMC Pediatrics, 2020, 20, 164.	0.7	7
63	The asthma predictive index as a surrogate diagnostic tool in preschoolers: Analysis of a longitudinal birth cohort. Pediatric Pulmonology, 2021, 56, 3183-3188.	1.0	7
64	Pre-gestational overweight in guinea pig sows induces fetal vascular dysfunction and increased rate of large and small fetuses. Journal of Developmental Origins of Health and Disease, 2016, 7, 237-243.	0.7	6
65	The effects of a combined intervention (docosahexaenoic acid supplementation and home-based) Tj ETQq1 1 0.7 American Journal of Obstetrics and Gynecology, 2021, 224, 526.e1-526.e25.	784314 rg 0.7	BT /Overlock 5
66	Maternal obesity is associated with a sex-specific epigenetic programming in human neonatal monocytes. Epigenomics, 2020, 12, 1999-2018.	1.0	4
67	Epigenetic Programming of Cardiovascular Disease by Perinatal Hypoxia and Fetal Growth Restriction. , 0, , .		2
68	Human umbilical artery endothelial cells from Largeâ€forâ€Gestationalâ€Age newborn have increased antioxidant efficiency and gene expression. Journal of Cellular Physiology, 2019, 234, 18571-18586.	2.0	1
69	Folates transport in placentas. , 2020, , 345-365.		1
70	Nitric oxide reduces transcriptional promoter activity of SLC29A1 for human equilibrative nucleoside transporter 1 in umbilical vein endothelium from gestational diabetes. Vascular Pharmacology, 2006, 45, e46.	1.0	0
71	d-glucose increased l-arginine transport and nitric oxide synthesis through an autocrine mechanism involving TGF-Î-1 and TGF-Î-2 receptor II (TÎ-RII) in human umbilical vein endothelium. Vascular Pharmacology, 2006, 45, e137-e138.	1.0	0
72	Foetal and umbilical vascular reactivity in a model of IUGR through gradual uterine artery occlusion in guinea pigs. Placenta, 2014, 35, A43-A44.	0.7	0

#	Article	IF	CITATIONS
73	Role of oxidative stress status on the impaired eNOS-dependent relaxation in placental chorionic arteries of intrauterine growth restricted (IUGR) and macrosomic fetuses from obese mothers (FMOM). Placenta, 2014, 35, A34.	0.7	0
74	Histone deacetylase activity and nitric oxide control the expression of eNOS and arginase-2 in human umbilical artery endothelium in intrauterine growth restriction. Placenta, 2014, 35, A37.	0.7	0
75	Antioxidant treatment with N-acetyl cysteine reduced the hypertension induced by intermittent hypoxia in a rat model of obstructive sleep apnoea. Autonomic Neuroscience: Basic and Clinical, 2015, 192, 67.	1.4	0
76	Adiponectin receptor 1 expression in human umbilical artery endothelial cells (HUAEC) from large fetuses (LGA) of obese women is related to eNOS activation. Placenta, 2015, 36, 493.	0.7	0
77	In placenta of women with pregestational obesity, DHA supplementation generates an imbalance in the expression of pro and anti-inflammatory genes. Placenta, 2019, 83, e24-e25.	0.7	0
78	DHA supplementation in women with pregestational obesity does not affect the offspring´s adiposity neither at birth nor at 4 months of age Placenta, 2019, 83, e75.	0.7	0
79	Evaluation of the Stability of Fatty Acids in Erythrocytes from Human Umbilical Cord. Lipids, 2020, 55, 53-62.	0.7	0
80	Dâ€Glucose increases the expression and activity of hCATâ€1 and Sp1 binding to SLC7A1 promoter in human umbilical vein endothelium. FASEB Journal, 2008, 22, 964.4.	0.2	0
81	Functional evidences of fetal endothelial dysfunction as a programmed phenomenon in pregnancy diseases. FASEB Journal, 2010, 24, 403.4.	0.2	0
82	Interactions between a polygenic risk score for plasma docosahexaenoic fatty acid concentration, eating behaviour, and body composition in children. International Journal of Obesity, 2022, , .	1.6	0