

Tingting Lu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3523609/publications.pdf>

Version: 2024-02-01

69
papers

3,768
citations

147801

31
h-index

133252

59
g-index

75
all docs

75
docs citations

75
times ranked

4398
citing authors

#	ARTICLE	IF	CITATIONS
1	Synthesis of Pure Silica Zeolites. <i>Chemical Research in Chinese Universities</i> , 2022, 38, 9-17.	2.6	6
2	Reducing the dosage of the organic structure-directing agent in the crystallization of pure silica zeolite MFI (silicalite-1) for volatile organic compounds (VOCs) adsorption. <i>Inorganic Chemistry Frontiers</i> , 2021, 8, 3354-3362.	6.0	4
3	One-pot synthesis of Ag@silicalite-1 using different silver amine complexes and their performance for styrene oxidation. <i>New Journal of Chemistry</i> , 2021, 45, 21293-21298.	2.8	2
4	Removal of Zn ²⁺ , Pb ²⁺ , Cd ²⁺ , and Cu ²⁺ from aqueous solution by synthetic clinoptilolite. <i>Microporous and Mesoporous Materials</i> , 2019, 273, 203-211.	4.4	103
5	Condensed-matter chemistry: from materials to living organisms. <i>National Science Review</i> , 2019, 6, 191-194.	9.5	14
6	Chiral zeolite beta: structure, synthesis, and application. <i>Inorganic Chemistry Frontiers</i> , 2019, 6, 1938-1951.	6.0	47
7	Stellerite-seeded facile synthesis of zeolite heulandite with exceptional aqueous Cd ²⁺ capture performance. <i>Inorganic Chemistry Frontiers</i> , 2019, 6, 1785-1792.	6.0	13
8	A green route for the crystallization of a chiral polymorph A-enriched zeolite beta. <i>Inorganic Chemistry Frontiers</i> , 2018, 5, 802-805.	6.0	9
9	Identification of the key factor promoting the enrichment of chiral polymorph A in zeolite beta and the synthesis of chiral polymorph A highly enriched zeolite beta. <i>Inorganic Chemistry Frontiers</i> , 2018, 5, 1640-1645.	6.0	12
10	Towards a new discipline of Condensed Matter Chemistry. <i>National Science Review</i> , 2018, 5, 1-1.	9.5	16
11	Structure-directing effect on synthesis of layered aluminophosphates with same topology. <i>Chemical Research in Chinese Universities</i> , 2017, 33, 513-519.	2.6	4
12	Influence of fluoride ions on the structure-directing effect of organic amine in the synthesis of aluminophosphate open-frameworks. <i>Chemical Research in Chinese Universities</i> , 2017, 33, 853-859.	2.6	3
13	Rational Design and Functionalization of a Zinc Metal-Organic Framework for Highly Selective Detection of 2,4,6-Trinitrophenol. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 23828-23835.	8.0	154
14	An elaborate structure investigation of the chiral polymorph A-enriched zeolite beta. <i>CrystEngComm</i> , 2016, 18, 1782-1789.	2.6	19
15	The Uncommon Channel-Based Ln-MOFs for Highly Selective Fe ³⁺ Detection and Superior Rhodamine-B Adsorption. <i>Chemistry - A European Journal</i> , 2016, 22, 16230-16235.	3.3	70
16	Temperature-dependence of the influence of the position-2-methyl group on the structure-directing effect of piperazine in the synthesis of open-framework aluminophosphates. <i>Scientific Reports</i> , 2016, 6, 22019.	3.3	4
17	Accelerated crystallization of zeolites via hydroxyl free radicals. <i>Science</i> , 2016, 351, 1188-1191.	12.6	297
18	A bioscaffolding strategy for hierarchical zeolites with a nanotube-trimodal network. <i>Chemical Science</i> , 2016, 7, 1582-1587.	7.4	16

#	ARTICLE	IF	CITATIONS
19	Origin of the structure-directing effect resulting in identical topological open-framework materials. <i>Scientific Reports</i> , 2015, 5, 14940.	3.3	14
20	Synthesis of chiral polymorph A-enriched zeolite Beta with an extremely concentrated fluoride route. <i>Scientific Reports</i> , 2015, 5, 11521.	3.3	43
21	A one-pot synthetic strategy via tandem Suzuki–Heck reactions for the construction of luminescent microporous organic polymers. <i>Polymer Chemistry</i> , 2014, 5, 471-478.	3.9	67
22	The structure-directing effect of n-propylamine in the crystallization of open-framework aluminophosphates. <i>Science China Chemistry</i> , 2014, 57, 127-134.	8.2	10
23	Hydrothermal synthesis of an ITH-type germanosilicate zeolite in a non-concentrated gel system. <i>Journal of Porous Materials</i> , 2013, 20, 975-981.	2.6	14
24	Zeolite-coated mesh film for efficient oil–water separation. <i>Chemical Science</i> , 2013, 4, 591-595.	7.4	377
25	Luminescent microporous organic polymers containing the 1,3,5-tri(4-ethenylphenyl)benzene unit constructed by Heck coupling reaction. <i>Polymer Chemistry</i> , 2013, 4, 1932.	3.9	97
26	Nanosize-Enhanced Lifetime of SAPO-34 Catalysts in Methanol-to-Olefin Reactions. <i>Journal of Physical Chemistry C</i> , 2013, 117, 8214-8222.	3.1	224
27	Synthesis and Pressure-Induced Reversible Phase Transition of a Crystalline Solid Europium Germanate NaEuGeO_4 . <i>Chinese Journal of Chemistry</i> , 2012, 30, 2066-2072.	4.9	8
28	A Germanate Compound Constructed from Dissymmetric Ge_7 Chains and Metal Complexes. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2012, 638, 1345-1350.	1.2	4
29	$\text{NaEu}_3(\text{GeO}_4)_2(\text{OH})_2$: A High-Pressure-Stable Photoluminescent Lanthanide Germanate. <i>European Journal of Inorganic Chemistry</i> , 2012, 2012, 2527-2532.	2.0	16
30	A Zinc Phosphate Structure with Unusual Double-Sheet Layers Templated by a Cobalt Hexaammine Complex. <i>European Journal of Inorganic Chemistry</i> , 2012, 2012, 36-39.	2.0	3
31	$\text{Na}_8\text{CeSi}_6\text{O}_{18}$ and Its Ti-Doped Analogue $\text{Na}_8\text{Ce}_{0.73}\text{Ti}_{0.27}\text{Si}_6\text{O}_{18}$ with Interesting Photovoltaic Properties. <i>Chemistry of Materials</i> , 2011, 23, 2842-2847.	6.7	13
32	Investigation of Extra-Large Pore Zeolite Synthesis by a High-Throughput Approach. <i>Chemistry of Materials</i> , 2011, 23, 4709-4715.	6.7	53
33	$[\text{Cu}(\text{en})_2]_{0.5}[\text{Al}_3\text{P}_3\text{O}_{12}(\text{OH})]$ -aluminophosphate with zeotype AWO: Synthesis, crystal structure and phase transformation. <i>Science China Chemistry</i> , 2010, 53, 2159-2163.	8.2	2
34	Fabrication of SAPO-34 Crystals with Different Morphologies by Microwave Heating. <i>Topics in Catalysis</i> , 2010, 53, 1304-1310.	2.8	88
35	Helical chain observed under transmission electron microscope: Synthesis and structure refinement of lutetium disilicate $\text{Lu}_2\text{Si}_2\text{O}_7$. <i>CrystEngComm</i> , 2010, 12, 1617.	2.6	11
36	Heteroatom-Stabilized Chiral Framework of Aluminophosphate Molecular Sieves. <i>Angewandte Chemie - International Edition</i> , 2009, 48, 314-317.	13.8	87

#	ARTICLE	IF	CITATIONS
37	Database of open-framework aluminophosphate syntheses: introduction and application (I). Science in China Series B: Chemistry, 2009, 52, 1734-1738.	0.8	15
38	Synthesis, structure and magnetic property of a new organo-templated mixed-valent iron(ii, iii) borophosphate. Journal of Materials Chemistry, 2009, 19, 4523.	6.7	16
39	(C ₆ H ₁₀ N ₃ O ₂)Zn ₂ (HPO ₄)(PO ₄)·H ₂ O: An inorganic network with biofunctional amino acid dl-histidine molecules. CrystEngComm, 2008, 10, 497.	2.6	19
40	Chiral zeolitic materials: structural insights and synthetic challenges. Journal of Materials Chemistry, 2008, 18, 4021.	6.7	122
41	2H ₃ O ⁺ [Co ₈ (HPO ₃) ₉ (CH ₃ OH) ₃]·2H ₂ O: An Open-Framework Cobalt Phosphite Containing Extra-Large 18-Ring Channels. Chemistry of Materials, 2008, 20, 17-19.	6.7	57
42	Green hydrothermal synthesis of high-quality ZnS quantum dots with different patterning., 2008, , .		0
43	Towards Rational Synthesis of Microporous Aluminophosphate AlPO ₄ -21 by Hydrothermal Combinatorial Approach. Topics in Catalysis, 2005, 35, 3-8.	2.8	37
44	Covalent Bonding of Phosphonates of L-Proline and L-Cysteine to ³ Zirconium Phosphate. European Journal of Inorganic Chemistry, 2004, 2004, 2956-2960.	2.0	13
45	A New 3-D Open-Framework Zinc Phosphate [C ₆ H ₁₆ N ₂]·[Zn ₂ (HPO ₄) ₃] Synthesized by a Solvothermal Combinatorial Approach. European Journal of Inorganic Chemistry, 2004, 2004, 3718.	2.0	6
46	Assembly of one-dimensional AlP ₂ O ₈ ·3H ₂ O chains into three-dimensional MAIP ₂ O ₈ ·C ₂ N ₂ H ₉ frameworks through transition metal cations (M = Ni ²⁺ , Co ²⁺ and Fe ²⁺). Dalton Transactions, 2003, , 99-103.	3.3	36
47	Incorporation of Rare-Earth Complex Eu(TTA) ₄ C ₅ H ₅ NC ₁₆ H ₃₃ into Surface-Modified SiO ₂ /MCM-41 and Its Photophysical Properties. Chemistry of Materials, 2002, 14, 549-555.	6.7	207
48	Hydrothermal synthesis and characterization of a new inorganic-organic hybrid layered zinc phosphate-phosphite (C ₆ H ₁₅ N ₂) ₂ Zn ₄ (PO ₄) ₂ (HPO ₃) ₂ . Dalton Transactions RSC, 2002, , 4060-4063.	2.3	52
49	A new layered aluminophosphate [C ₄ H ₁₂ N ₂][Al ₂ P ₂ O ₈ (OH) ₂] templated by piperazine. Journal of Materials Chemistry, 2001, 11, 1898-1902.	6.7	28
50	Synthesis and characterization of a new three-dimensional aluminophosphate [Al ₁₁ P ₁₂ O ₄₈][C ₄ H ₁₂ N ₂][C ₄ H ₁₁ N ₂] with an Al/P ratio of 11/12. Dalton Transactions RSC, 2001, , 1809-1812.	2.3	26
51	Template-assisted self-assembly of macro-micro bifunctional porous materials. Journal of Materials Chemistry, 2001, 11, 1687-1693.	6.7	61
52	Preparation, characterization and photophysical properties of layered zirconium bis(monohydrogenphosphate) intercalated with rare earth complexes. Journal of Materials Chemistry, 2000, 10, 2532-2536.	6.7	28
53	A novel open-framework aluminophosphate [AlP ₂ O ₆ (OH) ₂][H ₃ O] ⁺ containing propeller-like chiral motifs. Chemical Communications, 2000, , 1431-1432.	4.1	37
54	New Developments in Microporous Materials. Advanced Materials, 1999, 11, 1091-1099.	21.0	30

#	ARTICLE	IF	CITATIONS
55	Oriented Crystallization of KH_2PO_4 under a Compressed Langmuir Monolayer. <i>Langmuir</i> , 1999, 15, 4837-4841.	3.5	17
56	Structures and Templating Effect in the Formation of 2D Layered Aluminophosphates with $\text{Al}_3\text{P}_4\text{O}_{16}$ Stoichiometry. <i>Chemistry of Materials</i> , 1999, 11, 2600-2606.	6.7	76
57	Hydrothermal Synthesis of Tetragonal Barium Titanate from Barium Hydroxide and Titanium Dioxide under Moderate Conditions. <i>Journal of the American Ceramic Society</i> , 1999, 82, 3254-3256.	3.8	51
58	Hydrothermal Synthesis, Characterization, and Ionic Conductivity of Vanadium-Stabilized $\text{Bi}_1\text{V}_3\text{O}_{33}$ with Fluorite-Related Superlattice Structure. <i>Chemistry of Materials</i> , 1998, 10, 2446-2449.	6.7	21
59	Synthesis and Characterization of High-Quality Zeolite LTA and FAU Single Nanocrystals. <i>Chemistry of Materials</i> , 1998, 10, 1483-1486.	6.7	147
60	Absorption spectra of Se and HgI_2 chains in channels of AlPO_4 -5 single crystal. <i>Applied Physics Letters</i> , 1997, 70, 34-36.	3.3	36
61	Hydrothermal Synthesis of Complex Fluorides NaHoF_4 and NaEuF_4 with Fluorite Structures under Mild Conditions. <i>Chemistry of Materials</i> , 1997, 9, 2966-2968.	6.7	34
62	Synthesis and Characterization of a Family of Amine-Intercalated Lamellar Aluminophosphates from Alcoholic System. <i>Chemistry of Materials</i> , 1997, 9, 457-462.	6.7	60
63	Infrared Study on the Dehydroxylation of C_{60} -Loaded MCM-41. <i>Langmuir</i> , 1997, 13, 2050-2054.	3.5	28
64	Ship-in-a-bottle formation of $\text{Ru}_3(\text{CO})_{12}$ in zeolite NaY. <i>Reaction Kinetics and Catalysis Letters</i> , 1997, 61, 383-389.	0.6	1
65	Distinguishing the Silanol Groups in the Mesoporous Molecular Sieve MCM-41. <i>Angewandte Chemie International Edition in English</i> , 1996, 34, 2694-2696.	4.4	132
66	Zur Unterscheidung der Silanolgruppen im mesoporen Molekularsieb MCM-41. <i>Angewandte Chemie</i> , 1995, 107, 2898-2900.	2.0	21
67	An open-framework zinc phosphate with $\text{Zn}_2\text{O}_2\text{Zn}$ linkages. <i>Advanced Materials</i> , 1994, 6, 679-680.	21.0	70
68	The high dispersion of CuCl_2 in NaZSM-5 by using microwave technique. <i>Catalysis Letters</i> , 1994, 26, 209-215.	2.6	11
69	The High Dispersion of CuCl_2 in ZSM-5 by Using Microwave Method. <i>Materials Research Society Symposia Proceedings</i> , 1994, 344, 139.	0.1	3