Flavia R Machado

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3523710/publications.pdf

Version: 2024-02-01

136950 79698 27,320 77 32 73 citations h-index g-index papers 81 81 81 23450 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Infection control in the intensive care unit: expert consensus statements for SARS-CoV-2 using a Delphi method. Lancet Infectious Diseases, The, 2022, 22, e74-e87.	9.1	10
2	Balanced Crystalloids versus Saline in Critically Ill Adults $\hat{a} \in \text{``}$ A Systematic Review with Meta-Analysis. , 2022, 1, .		65
3	An international comparison of the cost of fluid resuscitation therapies. Australian Critical Care, 2021, 34, 23-32.	1.3	9
4	Randomized clinical trial to evaluate a routine full anticoagulation Strategy in Patients with Coronavirus Infection (SARS-CoV2) admitted to hospital: Rationale and design of the ACTION (AntiCoagulaTlon cOroNavirus)–Coalition IV trial. American Heart Journal, 2021, 238, 1-11.	2.7	19
5	Clinical Research. Critical Care Medicine, 2021, Publish Ahead of Print, 1866-1882.	0.9	5
6	Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock 2021. Critical Care Medicine, 2021, 49, e1063-e1143.	0.9	927
7	Surviving sepsis campaign: international guidelines for management of sepsis and septic shock 2021. Intensive Care Medicine, 2021, 47, 1181-1247.	8.2	1,503
8	Predictive Accuracy of the Quick Sepsis-related Organ Failure Assessment Score in Brazil. A Prospective Multicenter Study. American Journal of Respiratory and Critical Care Medicine, 2020, 201, 789-798.	5.6	34
9	Azithromycin in addition to standard of care versus standard of care alone in the treatment of patients admitted to the hospital with severe COVID-19 in Brazil (COALITION II): a randomised clinical trial. Lancet, The, 2020, 396, 959-967.	13.7	278
10	World Sepsis Day: a global agenda to target a leading cause of morbidity and mortality. American Journal of Physiology - Lung Cellular and Molecular Physiology, 2020, 319, L518-L522.	2.9	34
11	Bundle of Coated Devices to Reduce Nosocomial Infections in the Intensive Care Unit. CRITIC Pilot Randomized Controlled Trial. Annals of the American Thoracic Society, 2020, 17, 1257-1263.	3.2	2
12	Global, regional, and national sepsis incidence and mortality, 1990–2017: analysis for the Global Burden of Disease Study. Lancet, The, 2020, 395, 200-211.	13.7	3,119
13	Quick Sequential Organ Failure Assessment Is Not Good for Ruling Sepsis In or Out. Chest, 2019, 156, 197-199.	0.8	11
14	Understanding and Enhancing Sepsis Survivorship. Priorities for Research and Practice. American Journal of Respiratory and Critical Care Medicine, 2019, 200, 972-981.	5.6	96
15	Challenges in the management of septic shock: a narrative review. Intensive Care Medicine, 2019, 45, 420-433.	8.2	52
16	Fluid administration for acute circulatory dysfunction using basic monitoring: narrative review and expert panel recommendations from an ESICM task force. Intensive Care Medicine, 2019, 45, 21-32.	8.2	80
17	Epidemiology of Pediatric Septic Shock. Journal of Pediatric Intensive Care, 2019, 08, 003-010.	0.8	35
18	Use of prevalence data to study sepsis incidence and mortality in intensive care units – Authors' reply. Lancet Infectious Diseases, The, 2018, 18, 252-253.	9.1	1

#	Article	IF	CITATIONS
19	White paper: statement on conflicts of interest. Intensive Care Medicine, 2018, 44, 1657-1668.	8.2	10
20	Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock: 2016. Intensive Care Medicine, 2017, 43, 304-377.	8.2	4,590
21	Gender Parity in Critical Care Medicine. American Journal of Respiratory and Critical Care Medicine, 2017, 196, 425-429.	5.6	69
22	The intensive care medicine research agenda on septic shock. Intensive Care Medicine, 2017, 43, 1294-1305.	8.2	61
23	Sepsis 3 from the perspective of clinicians and quality improvement initiatives. Journal of Critical Care, 2017, 40, 315-317.	2.2	28
24	Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock: 2016. Critical Care Medicine, 2017, 45, 486-552.	0.9	2,336
25	Trying to Improve Sepsis Care in Low-Resource Settings. JAMA - Journal of the American Medical Association, 2017, 318, 1225.	7.4	6
26	The epidemiology of sepsis in Brazilian intensive care units (the Sepsis PREvalence Assessment) Tj ETQq0 0 0 rgE	BT /Oyerloo	ck 10 Tf 50 46
27	Quality Improvement Initiatives in Sepsis in an Emerging Country. Critical Care Medicine, 2017, 45, 1650-1659.	0.9	26
28	Recognizing Sepsis as a Global Health Priority $\hat{a} \in$ A WHO Resolution. New England Journal of Medicine, 2017, 377, 414-417.	27.0	799
29	Fixed minimum volume resuscitation: Pro. Intensive Care Medicine, 2017, 43, 1678-1680.	8.2	6
30	Short-term effects of passive mobilization on the sublingual microcirculation and on the systemic circulation in patients with septic shock. Annals of Intensive Care, 2017, 7, 95.	4.6	7
31	Expression of genes belonging to the interacting TLR cascades, NADPH-oxidase and mitochondrial oxidative phosphorylation in septic patients. PLoS ONE, 2017, 12, e0172024.	2.5	16
32	Patterns of intravenous fluid resuscitation use in adult intensive care patients between 2007 and 2014: An international cross-sectional study. PLoS ONE, 2017, 12, e0176292.	2.5	95
33	Study protocol for the Balanced Solution versus Saline in Intensive Care Study (BaSICS): a factorial randomised trial. Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine, 2017, 19, 175-182.	0.1	19
34	All in a Day's Work â€" Equity vs. Equality at a Public ICU in Brazil. New England Journal of Medicine, 2016, 375, 2420-2421.	27.0	18
35	Effect of a Quality Improvement Intervention With Daily Round Checklists, Goal Setting, and Clinician Prompting on Mortality of Critically III Patients. JAMA - Journal of the American Medical Association, 2016, 315, 1480.	7.4	133
36	Defining Septic Shock. JAMA - Journal of the American Medical Association, 2016, 316, 454.	7.4	7

#	Article	IF	CITATIONS
37	Modulation of monocytes in septic patients: preserved phagocytic activity, increased ROS and NO generation, and decreased production of inflammatory cytokines. Intensive Care Medicine Experimental, 2016, 4, 5.	1.9	47
38	The Surviving Sepsis Campaign bundles and outcome: results from the International Multicentre Prevalence Study on Sepsis (the IMPreSS study). Intensive Care Medicine, 2015, 41, 1620-1628.	8.2	323
39	Sepsis: a roadmap for future research. Lancet Infectious Diseases, The, 2015, 15, 581-614.	9.1	827
40	Positive fluid balance as a prognostic factor for mortality and acute kidney injury in severe sepsis and septic shock. Journal of Critical Care, 2015, 30, 97-101.	2.2	124
41	A cluster-randomised trial of a multifaceted quality improvement intervention in Brazilian intensive care units (Checklist-ICU trial): statistical analysis plan. Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine, 2015, 17, 113-21.	0.1	1
42	Implementation of a multifaceted sepsis education program in an emerging country setting: clinical outcomes and cost-effectiveness in a long-term follow-up study. Intensive Care Medicine, 2014, 40, 182-191.	8.2	102
43	Association between early glycemic control and improvements in markers of coagulation and fibrinolysis in patients with septic shock–induced stress hyperglycemia. Journal of Critical Care, 2014, 29, 884.e1-884.e6.	2.2	3
44	Patterns of Gene Expression in Peripheral Blood Mononuclear Cells and Outcomes from Patients with Sepsis Secondary to Community Acquired Pneumonia. PLoS ONE, 2014, 9, e91886.	2.5	33
45	Predictors of mortality in renal transplant recipients with severe sepsis and septic shock. Critical Care, 2013, 17, P36.	5.8	1
46	Stratifying septic patients using lactate: severe sepsis and cryptic, vasoplegic and dysoxic shock profile. Critical Care, 2013, 17, P37.	5.8	1
47	Microparticles from septic shock patients contain microRNA and messenger RNA: new players in the pathogenesis of sepsis?. Critical Care, 2013, 17, P96.	5 . 8	1
48	Surviving Sepsis Campaign: International Guidelines for Management of Severe Sepsis and Septic Shock, 2012. Intensive Care Medicine, 2013, 39, 165-228.	8. 2	3,906
49	The burden of sepsisâ€"a call to action in support of World Sepsis Day 2013. Journal of Critical Care, 2013, 28, 526-528.	2.2	29
50	Predictive value of pulse pressure variation for fluid responsiveness in septic patients using lung-protective ventilation strategies. British Journal of Anaesthesia, 2013, 110, 402-408.	3.4	51
51	Early Nutrition in Critically Ill Patients. JAMA - Journal of the American Medical Association, 2013, 309, 2165.	7.4	8
52	Nurse to Bed Ratio and Nutrition Support in Critically III Patients. American Journal of Critical Care, 2013, 22, e71-e78.	1.6	13
53	Surviving Sepsis Campaign. Critical Care Medicine, 2013, 41, 580-637.	0.9	6,362
54	Differences in Sepsis Treatment and Outcomes between Public and Private Hospitals in Brazil: A Multicenter Observational Study. PLoS ONE, 2013, 8, e64790.	2.5	48

#	Article	IF	CITATIONS
55	Late recognition and illness severity are determinants of early death in severe septic patients. Clinics, 2013, 68, 586-591.	1.5	18
56	Generation of Nitric Oxide and Reactive Oxygen Species by Neutrophils and Monocytes From Septic Patients and Association With Outcomes. Shock, 2012, 38, 18-23.	2.1	70
57	INTERSEPT study: we still need more clarity. Critical Care, 2012, 16, 416.	5.8	3
58	Increased Percentages of T Helper Cells Producing IL-17 and Monocytes Expressing Markers of Alternative Activation in Patients with Sepsis. PLoS ONE, 2012, 7, e37393.	2.5	47
59	Fish oil and sepsis: we still need more trials. Critical Care, 2011, 15, 449.	5.8	3
60	Comparison of lactate values obtained from different sites and their clinical significance in patients with severe sepsis. Sao Paulo Medical Journal, 2011, 129, 11-16.	0.9	22
61	IMPROVING MORTALITY IN SEPSIS. Shock, 2010, 34, 54-58.	2.1	21
62	Survey on physicians' knowledge of sepsis: Do they recognize it promptly?. Journal of Critical Care, 2010, 25, 545-552.	2.2	48
63	Accuracy of different methods for blood glucose measurement in critically ill patients. Sao Paulo Medical Journal, 2009, 127, 259-265.	0.9	19
64	Toll-like receptor pathway signaling is differently regulated in neutrophils and peripheral mononuclear cells of patients with sepsis, severe sepsis, and septic shock*. Critical Care Medicine, 2009, 37, 132-139.	0.9	79
65	A Multicentre, Prospective Study to Evaluate Costs of Septic Patients in Brazilian Intensive Care Units. Pharmacoeconomics, 2008, 26, 425-434.	3.3	82
66	Expression of cell surface receptors and oxidative metabolism modulation in the clinical continuum of sepsis. Critical Care, 2008, 12, R25.	5.8	74
67	CONTROVERSIES OF SURVIVING SEPSIS CAMPAIGN BUNDLES. Shock, 2008, 30, 34-40.	2.1	11
68	The Impact of Duration of Organ Dysfunction on the Outcome of Patients with Severe Sepsis and Septic Shock. Clinics, 2008, 63, 483-488.	1.5	22
69	Safety in intrahospital transportation: evaluation of respiratory and hemodynamic parameters. A prospective cohort study. Sao Paulo Medical Journal, 2008, 126, 319-322.	0.9	15
70	TLR2, TLR4, CD14, CD11B, AND CD11C EXPRESSIONS ON MONOCYTES SURFACE AND CYTOKINE PRODUCTION IN PATIENTS WITH SEPSIS, SEVERE SEPSIS, AND SEPTIC SHOCK. Shock, 2006, 25, 351-357.	2.1	96
71	ENHANCE: Results of a global open-label trial of drotrecogin alfa (activated) in children with severe sepsis*. Pediatric Critical Care Medicine, 2006, 7, 200-211.	0.5	56
72	The authors reply: Academic and industry partnerships*. Pediatric Critical Care Medicine, 2006, 7, 278-279.	0.5	0

#	Article	IF	CITATIONS
73	Application of control measures for infections caused by multi-resistant gram-negative bacteria in intensive care unit patients. Memorias Do Instituto Oswaldo Cruz, 2004, 99, 331-334.	1.6	19
74	Fat Malabsorption Assessed by 14C-triolein Breath Test in HIV-positive Patients in Different Stages of Infection. Journal of Clinical Gastroenterology, 2000, 30, 403-408.	2.2	8
75	PRESSURE VERSUS VOLUME CONTROLLED VENTILATION, LUNG MECHANICS AND GAS EXCHANGE. Critical Care Medicine, 1999, 27, 96A.	0.9	0
76	PRONE POSITIONING IMPROVES OXYGENATION IN ACUTE RESPIRATORY DISTRESS SYNDROME. Critical Care Medicine, 1999, 27, 157A.	0.9	0
77	NOSOCOMIAL INFECTION CONTROL. Critical Care Medicine, 1999, 27, 99A.	0.9	0